


SPLEEN (EARTH) CHANNEL OF FOOT TAI YIN				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
SP-1* Yin Bai 隱白 Hidden White	Jing Well Point Wood Point Ghost Point Moxibustion Applicable	• Medial side of great toe • 0.1 cun posterior to corner of nail Needling Method: • Subcutaneously 0.1 inch	• Stops Bleeding • Regulates Spleen • Unbinds chest • Calms heart & spirit • Restores consciousness	• Abdominal distention • Bloody stools • Menorrhagia (heavy menstrual bleeding) • Uterine bleeding • Mental disorders • Dream disturbed sleep • Convulsions • Gout
SP-2* Da Du 大都 Great Metropolis	Ying Spring Point Fire Point Moxibustion Applicable	• Medial side of great toe • Distal & inferior to 1st metatarsodigital joint • In depression of junction of red & white skin Needling Method: • Perpendicular 0.1-0.3 inch	• Regulates Spleen • Resolves dampness & damp-heat • Harmonizes middle jiao • Clears heat	• Abdominal distention • Gastric pain • Constipation • Febrile diseases w/anhidrosis
SP-3* Tai Bai 太白 Supreme White	Shu Stream Point Earth Point Yuan Source Point Moxibustion Applicable	• Proximal & inferior to 1st metatarsophalangeal joint • In depression of junction of red & white skin Needling Method: • Perpendicular 0.3-0.5 inch	• Tonifies Spleen • Resolves dampness & damp-heat • Harmonizes Spleen & Stomach • Regulates Qi	• Gastric pain • Abdominal distention • Constipation, dysentery, diarrhea • Vomiting, borborygmus • Sluggishness • Beriberi (B-1 thiamine deficiency)
SP-4 Gong Sun 公孫 Yellow Emperor	Luo Connecting Point Chong Mai Master Point [w/PC 6 (Yin Wei Mai Master Point)] Moxibustion Applicable	• In depression distal & inferior to base of 1st metatarsal bone • At junction of red & white skin Needling Method: • Perpendicular 0.5-0.8 inch	• Fortifies Spleen • Harmonizes Middle Jiao • Regulates Qi • Resolves dampness • Calms spirit • Benefits Heart & chest • Regulates Penetrating vessel	• Gastric pain • Vomiting • Abdominal pain & distention • Diarrhea • Dysentery • Borborygmus
SP-5 Shang Qiu 商丘 Shang Hill	Jing River Point Metal Point Moxibustion Applicable	• In depression distal and inferior to medial malleolus • Midway between tuberosity of navicular bone and tip of medial malleolus Needling Method: • Perpendicular 0.2-0.3 inch	• Fortifies Spleen • Resolves dampness • Benefits sinews & bones • Calms spirit	• Abdominal distention • Constipation, diarrhea • Borborygmus • Pain & rigidity of tongue • Pain in foot/ankle • Hemorrhoid
SP-6** San Yin Jiao 三陰交 Three Yin Intersection	Intersection Point of 3 Yin Leg Meridians • Spleen • Liver • Kidney Moxibustion Applicable Contraindicated during pregnancy	• 3 cun directly above tip of medial malleolus • Posterior to medial border of tibia Needling Method: • Perpendicular 0.5-1.0 inch	• Tonifies Spleen & Stomach • Resolves dampness • Harmonizes Liver • Tonifies Kidneys • Regulates menstruation • Induces labor • Harmonizes Lower Jiao • Regulates urination • Benefits genitals • Calms spirit • Invigorates blood • Activates channel • Alleviates pain	• Abdominal pain & distention • Borborygmus, diarrhea • Dysmenorrhea (painful menses) • Irregular menstruation • Uterine bleeding • Morbid leucorrhea (vaginal disch.) • Uterine prolapse • Sterility • Delayed labor • Nocturnal emission, impotence • Enuresis (involuntary urination, esp. by children at night) • Dysuria (Painful, difficult urination) • Edema, Hernia • Pain in external genitalia • Muscular atrophy • Motor impairment • Paralysis/pain of lower extremities • Headache • Dizziness/vertigo • Insomnia
SP-7 Lou Gu 漏谷 Leaking Valley	Local Point Moxibustion Applicable	• 6 cun from tip of medial malleolus • On line connecting tip of medial malleolus and SP-9 • Posterior to medial border of tibia Needling Method: • Perpendicular 0.5-1.0 inch	• Fortifies Spleen • Resolves dampness • Promotes urination • Disperses swelling	• Abdominal distention • Borborygmus • Coldness • Numbness & paralysis of knee & leg • Edema

SPLEEN (EARTH) CHANNEL OF FOOT TAI YIN				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
SP-8* Di Ji 地機 Earth's Crux	Xi Cleft Point Moxibustion Applicable	3 cun below SP-9 - On line connecting SP-9 & medial malleolus Needling Method: - Perpendicular 0.5-1.0 inch	- Regulates menstruation - Invigorates blood - Harmonizes Spleen - Resolves dampness - Moderates acute conditions	- Abdominal pain & distention - Accumulation of dampness (diarrhea, edema, dysuria) - Nocturnal emission - Blood stagnation (irregular menses, dysmenorrhea (painful menses), clotting, fibroids) - Male infertility
SP-9* Yin Ling Quan 陰陵泉 Yin Mound Spring	He Sea Point Water Point Moxibustion Applicable	- On lower border of medial condyle of tibia - In depression posterior & inferior to medial condyle of tibia Needling Method: - Perpendicular 0.5-1.0 inch	- Regulates Spleen - Resolves dampness - Opens & moves water passages - Benefits lower jiao	- Abdominal pain & distention - Diarrhea, dysentery, edema - Jaundice, hepatitis (damp heat) - Dysuria, enuresis (involuntary urination), urine incontinence - Pain in external genitalia - Dysmenorrhea - Knee pain (especially medial) - Damp Bi - Chronic yeast infections, candida
SP-10* Xue Hai 血海 Sea of Blood	Good for Blood conditions Moxibustion Applicable	- When knee flexed, 2 cun above medio-superior border of patella - On bulge of medial portion of quadriceps femoris Needling Method: - Perpendicular 0.5-1.2 inch	- Invigorates blood - Dispels blood stasis - Cools blood (used often for this) - Harmonizes menstruation - Benefits skin	- Gynecological issues due to blood, heat, stasis, or deficiency (Irregular menstruation, dysmenorrhea, amenorrhea, cramps, PMS) - Skin problems from damp-heat or hot blood [Urticaria (hives), Eczema, dermatitis, Erysipelas (bacterial infection causing large, raised red skin patches)] - Pain in medial aspect of thigh
SP-11 Ji Men 箕門 Winnower Gate	Local Point Moxibustion Applicable	6 cun above SP-10 - On line drawn between SP-10 to SP-12 Needling Method: - Perpendicular 0.5-1.0 inch	- Regulates urination - Drains damp - Clears heat	- Dysuria, enuresis - Pain & swelling in inguinal region - Muscular atrophy, motor impairment - Pain & paralysis of lower extremities
SP-12 Chong Men 沖門 Surging Gate	Local Point Moxibustion Applicable Avoid Artery	- Superior to lateral end of inguinal groove - Lateral to pulsating external iliac artery, at level of upper border of pubic symphysis 3.5 cun lateral to REN-2 Needling Method: - Perpendicular 0.5-1.0 inch	- Invigorates blood - Regulates Qi - Alleviates pain - Drains damp - Clears heat - Regulates urination	- Abdominal pain - Hernia - Dysuria
SP-13 Fu She 府舍 Bowel Abode	Local Point Moxibustion Applicable	4 cun below center of umbilicus 0.7 cun superior to SP-12 4 cun lateral to anterior midline Needling Method: - Perpendicular 0.5-1.0 inch	- Regulates Qi - Alleviates pain	- Lower abdominal pain - Hernia
SP-14 Fu Jie 腹結 Abdominal Bind	Local Point Moxibustion Applicable	1.3 cun below SP-15 4 cun lateral to anterior midline - On lateral side of rectus abdominis Needling Method: - Perpendicular 0.5-1.0 inch	- Warms & benefits lower jiao - Regulates Qi - Descends rebellion	- Pain in umbilical region - Abdominal distention - Diarrhea, constipation
SP-15* Da Heng 大橫 Great Horizontal	Intersection Point - Spleen - Yin Wei (Yin Linking) Moxibustion Applicable	4 cun lateral to center of umbilicus - Lateral to rectus abdominis Needling Method: - Perpendicular 0.7-1.2 inch	- Moves Qi - Regulates intestines	- Abdominal pain & distention - Diarrhea, dysentery, constipation (ST-25 better for diarrhea)
SP-16 Fu Ai 腹哀 Abdominal Lament	Intersection Point - Spleen - Yin Wei (Yin Linking) Moxibustion Applicable	3 cun above center of umbilicus 4 cun lateral to anterior midline [In some patients, may fall on costal margin → 3 options: Locate more medially (preferred), Needle transversely on costal margin, Select different point] Needling Method: - Perpendicular 0.5-1.0 inch	Regulates intestines	- Abdominal pain - Indigestion - Constipation & dysentery (most common)

SPLEEN (EARTH) CHANNEL OF FOOT TAI YIN				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
SP-17 Shi Dou 食竇 Food Hole	Local Point Moxibustion Applicable	- In 5th intercostal space 6 cun lateral to anterior midline {Lateral to ST-18} Needling Method: - Obliquely 0.3-0.5 inch	- Dissipates accumulation of food & fluid - Promotes digestion	Fullness & pain in chest & hypochondriac region (asthma – chest already full, can't get breath)
SP-18 Tian Xi 天谿 Celestial Ravine	Local Point Moxibustion Applicable	- In 4th intercostal space (corresponds to nipple location) 6 cun lateral to anterior midline Needling Method: - Obliquely 0.3-0.5 inch	- Regulates & descends Qi (Stomach & Lung Qi) - Benefits breasts & promotes lactation	- Fullness & pain in chest & hypochondrium - Cough, hiccough - Mastitis, insufficient lactation
SP-19 Xiong Xiang 胸鄉 Chest Village	Local Point Moxibustion Applicable	- In 3rd intercostal space 6 cun lateral to anterior midline Needling Method: - Obliquely 0.3-0.5 inch	- Regulates & descends Qi - Unbinds chest	Fullness & pain in chest & hypochondriac region
SP-20 Zhou Rong 周榮 All-Round Flourishing	Local Point Moxibustion Applicable	- In 2nd intercostal space 6 cun lateral to anterior midline Needling Method: - Obliquely 0.3-0.5 inch	- Regulates & descends Qi - Unbinds chest	- Fullness & pain in chest & hypochondrium - Cough, hiccough
SP-21 Da Bao* Great Embrace	Grand Luo Connecting Point → Connects all Luo channels Moxibustion Applicable	- On lateral side of chest & on middle axillary line - In 6th intercostal space [MOA: In 7th intercostal space] Needling Method: - Obliquely 0.3-0.5 inch	- Regulates Qi & blood - Firms sinews & joints - Unbinds chest - Benefits lateral costal region	- Pain in chest, hypochondriac or thoracic region - Asthma - General aching & weakness [good for fibromyalgia] - Deficiency → All joints flaccid [Pressure feels good] - Excess → Pain all over body [Pressure hurts]



MAJOR POINTS OF THE MEDIAL LOWER LEG

