


| KIDNEY CHANNEL OF FOOT SHAO YIN                               |                                                                                                                |                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Name                                                          | Association/Precautions                                                                                        | Location/Needling Method                                                                                                                                                                                                                                                                                                                               | Functions & Actions                                                                                                                                                                                                      | Indications/Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>KD-1*</b><br><b>Yong Quan</b><br><br><b>Gushing Spring</b> | <b>Jing Well Point</b><br><b>Wood Point</b><br><br><b>Moxibustion Applicable</b>                               | <ul style="list-style-type: none"> <li>On sole, in depression with foot in plantar flexion</li> <li>At junction of anterior 1/3 and posterior 2/3 of line connecting base of the 2<sup>nd</sup> and 3<sup>rd</sup> toes with the heel.</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>Perpendicular 0.3-0.5 inch</li> </ul> | <ul style="list-style-type: none"> <li>Descends excess from the head</li> <li>Calms the spirit</li> <li>Revives consciousness</li> <li>Rescues yang</li> </ul>                                                           | <ul style="list-style-type: none"> <li>Headache, blurring of vision</li> <li>Dizziness, sore throat</li> <li>Dryness of tongue, loss of voice, dysuria, infantile convulsions</li> <li>Feverish sensation in the sole, loss of consciousness</li> <li>Descends excess from above: useful for LV Yang Rising or LV Fire (Wood Point) → headaches, tinnitus, hypertension, epilepsy</li> <li>Cooling KD empty heat: chronic sore throat, dry mouth, low back pain.</li> <li>Tonify KD/HT Yin: insomnia, palpitations, anxiety, poor memory, mania, rage w/desire to kill, hot flashes, night sweats.</li> <li>Loss of consciousness, yang collapse</li> <li>Medical Qi Gong point: Connects to Earth</li> </ul>            |
| <b>KD-2*</b><br><b>Ran Gu</b><br><br><b>Blazing Valley</b>    | <b>Ying Spring Point</b><br><b>Fire Point</b><br><br><b>Moxibustion Applicable</b>                             | <ul style="list-style-type: none"> <li>Anterior and inferior to the medial malleolus</li> <li>In depression on lower border of tuberosity of navicular bone</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>Perpendicular 0.3-0.5 inch</li> </ul>                                                                            | <ul style="list-style-type: none"> <li>Clears deficiency heat</li> <li>Regulates the Kidneys</li> <li>Regulates the lower jiao</li> </ul>                                                                                | <ul style="list-style-type: none"> <li>Pruritus vulvae (itchiness of the vulva), prolapse of uterus, irregular menstruation</li> <li>Nocturnal emission, hemoptysis, thirst, diarrhea, swelling and pain of the dorsum of foot, acute infantile omphalitis (inflammation of the umbilical cord stump in the neonatal newborn period)</li> <li>Generally useful for clearing excesses &amp; acute presentations.</li> <li>Ying Spring Point: clears heat, especially KD empty heat (chronic sore throats, irritability, night sweats)</li> <li>Wasting and Thirsting Disorder: thirst, dry mouth.</li> <li>KD related emotional imbalances: fear of being apprehended, fright.</li> <li>Moxa to tonify KD Yang</li> </ul> |
| <b>KD-3**</b><br><b>Tai Xi</b><br><br><b>Great Ravine</b>     | <b>Shu Stream Point</b><br><b>Earth Point</b><br><b>Yuan Source Point</b><br><br><b>Moxibustion Applicable</b> | <ul style="list-style-type: none"> <li>In depression midway between the tip of the medial malleolus and the attachment of the Achilles tendon</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>Perpendicular 0.3-0.5 inch</li> </ul>                                                                                          | <ul style="list-style-type: none"> <li>Nourishes Kidney yin</li> <li>Clears deficiency heat</li> <li>Tonifies Kidney yang</li> <li>Anchors the Qi and benefits the Lung</li> <li>Strengthens the lumbar spine</li> </ul> | <ul style="list-style-type: none"> <li>Sore throat, toothache, deafness, tinnitus, dizziness, spitting of blood, asthma, thirst, irregular menstruation, insomnia, nocturnal emission, impotence, frequency of micturition, pain in the lower back</li> <li>Tonify KD Qi, Yin or Yang Deficiencies from any etiology.</li> <li>Asthma from KD Deficiency (difficulty inhaling)</li> <li>Tonifies Yin of KD (chronic sore throat, empty heat), LV (dizziness, tinnitus, headache) a/or HT (anxiety, insomnia, excessive dreaming).</li> <li>Low back pain, usually of chronic nature.</li> <li>Local point for heel a/or ankle pain</li> </ul>                                                                            |
| <b>KD-4</b><br><b>Da Zhong</b><br><br><b>Large Goblet</b>     | <b>Luo Connecting Point</b><br><br><b>Moxibustion Applicable</b>                                               | <ul style="list-style-type: none"> <li>Posterior and inferior to medial malleolus</li> <li>In a depression anterior to the medial attachment of the Achilles tendon</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>Perpendicular 0.3-0.5 inch</li> </ul>                                                                    | <ul style="list-style-type: none"> <li>Reinforces the Kidneys</li> <li>Anchors the Qi</li> <li>Benefits the Lung</li> <li>Strengthens the will</li> <li>Dispels fear</li> </ul>                                          | <ul style="list-style-type: none"> <li>Spitting of blood, asthma, stiffness and pain of the lower back, dysuria, constipation, pain in the heel, dementia</li> <li><b>Luo Connecting Point:</b> Can be used to treat the LI (opposite the Chinese clock)</li> <li>Chronic low back pain from KD Deficiency</li> <li>Local point for heel/ankle issues (pain, strain)</li> </ul>                                                                                                                                                                                                                                                                                                                                          |





| KIDNEY CHANNEL OF FOOT SHAO YIN                                                                                                          |                                                                                                         |                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Name                                                                                                                                     | Association/Precautions                                                                                 | Location/Needling Method                                                                                                                                                                                                                                                                                                     | Functions & Actions                                                                                                                                                                                                                                  | Indications/Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>KD-5</b><br><b>Shui Quan</b><br><br><b>Water Spring</b>                                                                               | <b>Xi Cleft Point</b><br><br><b>Moxibustion Applicable</b>                                              | <ul style="list-style-type: none"> <li>1 cun directly below KI-3</li> <li>In depression on medial side of tuberosity of calcaneum</li> </ul><br><b>Needling Method:</b> <ul style="list-style-type: none"> <li>Perpendicular 0.3-0.5 inch</li> </ul>                                                                         | <ul style="list-style-type: none"> <li>Regulates Penetrating (Chong) and Conception (Ren) vessels</li> <li>Benefits menstruation</li> </ul>                                                                                                          | <ul style="list-style-type: none"> <li>Amenorrhea, irregular menstruation, dysmenorrhea, prolapse of uterus, dysuria,</li> <li>Blurring of vision</li> <li>Generally nourishes Yin and Blood</li> <li>Moves the uterus.</li> <li>KD related menstrual issues, amenorrhea, and sensation of oppression below the heart</li> </ul>                                                                                                                                                                                                                                   |
| <b>KD-6**</b><br><b>Zhao Hai</b><br><br><b>Shining Sea</b>                                                                               | <b>Yin Qiao (Motility) Master Point w/ LU 7 (Ren Master Point)</b><br><br><b>Moxibustion Applicable</b> | <ul style="list-style-type: none"> <li>In a depression below tip of medial malleolus</li> </ul><br><b>Needling Method:</b> <ul style="list-style-type: none"> <li>Perpendicular 0.3-0.5 inch</li> </ul>                                                                                                                      | <ul style="list-style-type: none"> <li>Benefits the throat</li> <li>Nourishes the Kidneys</li> <li>Clears deficiency heat</li> <li>Regulates the Yin (Qiao) Motility vessel</li> <li>Calms the spirit</li> <li>Regulates the lower jiao</li> </ul>   | <ul style="list-style-type: none"> <li>Irregular menstruation, morbid leucorrhea, prolapse of uterus, pruritus vulvae</li> <li>Frequency of micturition, retention of urine, constipation, epilepsy, insomnia, sore throat, asthma</li> <li>Sore throat from any etiology, especially empty heat from yin deficiency</li> <li>Other Yin Deficient throat related issues: swollen, dry, loss of voice, difficult swallowing</li> <li>Constipation from Yin Deficiency</li> <li>Plum Pit Qi</li> <li>Nighttime epilepsy</li> </ul>                                   |
| <b>KD-7*</b><br><b>Fu Liu</b><br><br><b>Recover Flow</b>                                                                                 | <b>Jing River Point Metal Point</b><br><br><b>Moxibustion Applicable</b>                                | <ul style="list-style-type: none"> <li>2 cun above KD 3 on the anterior border of the Achilles tendon</li> </ul><br><b>Needling Method:</b> <ul style="list-style-type: none"> <li>Perpendicular 0.5-0.7 inch</li> </ul>                                                                                                     | <ul style="list-style-type: none"> <li>Benefits the Kidneys</li> <li>Regulates the water passages</li> <li>Treats edema</li> <li>Regulates sweating</li> <li>Drains damp</li> <li>Clears damp-heat</li> <li>Strengthens the lumbar region</li> </ul> | <ul style="list-style-type: none"> <li>Edema, abdominal distension, diarrhea, borborygmus, muscular atrophy of the leg, night sweating, spontaneous sweating, febrile diseases without sweating</li> <li>Tonifies KD Yang, especially with respect to water regulation: sweating (too much or too little), swellings, urinary issues</li> <li>Edema, especially chronic affecting the abdomen a/or lower legs.</li> <li>Five types of Lin Disorder: resolve accumulation of damp a/or damp-heat.</li> <li>Low back pain from deficiency a/or stagnation</li> </ul> |
| <b>KD-8</b><br><b>Jiao Xin</b><br><br><b>Intersection Reach</b>                                                                          | <b>Yin Qiao (Motility) Xi Cleft Point</b><br><br><b>Moxibustion Applicable</b>                          | <ul style="list-style-type: none"> <li>0.5 cun anterior to KD 7</li> <li>2 cun above KD 3 posterior to the medial border of the tibia</li> </ul><br><b>Needling Method:</b> <ul style="list-style-type: none"> <li>Perpendicular 0.5-0.7 inch</li> </ul>                                                                     | <ul style="list-style-type: none"> <li>Regulates the Conception and Penetrating vessels</li> <li>Adjusts menstruation</li> <li>Stops uterine bleeding</li> <li>Clears heat and drains damp from the lower jiao</li> </ul>                            | <ul style="list-style-type: none"> <li>Irregular menstruation, dysmenorrhea, uterine bleeding, prolapse of uterus</li> <li>Diarrhea, constipation,</li> <li>Pain and swelling of testes</li> <li>Issues of movement and mobility of the medial aspect of the lower limbs, ankle, heel - sprains, pain</li> </ul>                                                                                                                                                                                                                                                   |
| <b>KD-9</b><br><b>Zhu Bin</b><br><br><b>Guest House</b>                                                                                  | <b>Yin Wei (Linking) Xi Cleft Point</b><br><br><b>Moxibustion Applicable</b>                            | <ul style="list-style-type: none"> <li>5 cun above KD 3 on the line drawn from KD 3 to KD 10</li> <li>At the lower end of the belly of the gastrocnemius muscle</li> </ul><br><b>Needling Method:</b> <ul style="list-style-type: none"> <li>Perpendicular 0.5-0.7 inch</li> </ul>                                           | <ul style="list-style-type: none"> <li>Clears the Heart and transforms phlegm</li> <li>Regulates Qi</li> <li>Alleviates pain</li> </ul>                                                                                                              | <ul style="list-style-type: none"> <li>Mental disorders, pain in the foot and lower leg, hernia</li> <li>Strong spirit disorders → anger, cursing, mania</li> <li>Deficient yang, cold in the abdomen: Shan disorder, hernia, pain a/or retraction of scrotum.</li> <li>Useful in a detox prescription to assist the cleansing, especially with respect to emotional outbreaks</li> </ul>                                                                                                                                                                          |
| <b>KD-10*</b><br><b>Yin Gu</b><br><br><b>Yin Valley</b>                                                                                  | <b>He Sea Point Water Point</b><br><br><b>Moxibustion Applicable</b>                                    | <ul style="list-style-type: none"> <li>When the knee is flexed</li> <li>On medial side of the popliteal fossa</li> <li>Between tendons of m. semitendinosus and semimembranosus</li> <li>Level with BL-40</li> </ul><br><b>Needling Method:</b> <ul style="list-style-type: none"> <li>Perpendicular 0.8-1.0 inch</li> </ul> | <ul style="list-style-type: none"> <li>Clears damp-heat from lower jiao</li> <li>Benefits the Kidneys</li> <li>Activates the channel and alleviates pain</li> </ul>                                                                                  | <ul style="list-style-type: none"> <li>Impotence, hernia, uterine bleeding, Dysuria</li> <li>Pain in knee &amp; popliteal fossa</li> <li>Mental disorders</li> <li>Clears damp or damp-heat in the lower warmer - urgent/difficult urination, genital pain/itching, leucorrhea, uterine bleeding.</li> <li>Tonifies LV in 5 Element Treatments (Water is Mother of Wood)</li> </ul>                                                                                                                                                                                |
| KD 11 → KD 15 all intersect the Chong Mai (Penetrating Vessel) and are useful as local points for abdominal and or gynecological issues. |                                                                                                         |                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

| KIDNEY CHANNEL OF FOOT SHAO YIN           |                                                                                                    |                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Name                                      | Association/Precautions                                                                            | Location/Needling Method                                                                                                                                                                                                                                                  | Functions & Actions                                                                                                                                                                                                                     | Indications/Notes                                                                                                                                                                                                                                                                                                                                                                                        |
| KD-11<br>Heng Gu<br><br>Pubic Bone        | <b>Intersection Point</b><br>• KD<br>• Chong Mai<br>(Penetrating Vessel)<br>Moxibustion Applicable | <ul style="list-style-type: none"> <li>• 5 cun below the umbilicus</li> <li>• On superior border of symphysis pubis</li> <li>• 0.5 cun lateral to REN-2</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>• Perpendicular 0.5-1.0 inch</li> </ul> | <ul style="list-style-type: none"> <li>• Benefits the lower jiao</li> </ul>                                                                                                                                                             | <ul style="list-style-type: none"> <li>• Fullness and pain of the lower abdomen, dysuria enuresis</li> <li>• Nocturnal emission, impotence, pain of genitalia</li> </ul>                                                                                                                                                                                                                                 |
| KD-12<br>Da He<br><br>Great Manifestation | <b>Intersection Point</b><br>• KD<br>• Chong Mai<br>(Penetrating Vessel)<br>Moxibustion Applicable | <ul style="list-style-type: none"> <li>• 4 cun below the umbilicus</li> <li>• 0.5 cun lateral to REN-3</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>• Perpendicular 0.5-1.0 inch</li> </ul>                                                  | <ul style="list-style-type: none"> <li>• Tonifies the Kidneys</li> <li>• Astringes essence</li> </ul>                                                                                                                                   | <ul style="list-style-type: none"> <li>• Nocturnal emission, impotence</li> <li>• Morbid leukorrhea</li> <li>• Pain external genitalia</li> <li>• Prolapse of uterus</li> </ul>                                                                                                                                                                                                                          |
| KD-13<br>Qi Xue<br><br>Qi Hole            | <b>Intersection Point</b><br>• KD<br>• Chong Mai<br>(Penetrating Vessel)<br>Moxibustion Applicable | <ul style="list-style-type: none"> <li>• 3 cun below the umbilicus</li> <li>• 0.5 cun lateral to REN-4</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>• Perpendicular 0.5-1.0 inch</li> </ul>                                                  | <ul style="list-style-type: none"> <li>• Regulates the Penetrating and Conception vessels</li> <li>• Regulates the lower jiao</li> </ul>                                                                                                | <ul style="list-style-type: none"> <li>• Irregular menstruation, dysmenorrhea</li> <li>• Dysuria, abdominal pain, diarrhea</li> </ul>                                                                                                                                                                                                                                                                    |
| KD-14<br>Si Man<br><br>Fourfold Fullness  | <b>Intersection Point</b><br>• KD<br>• Chong Mai<br>(Penetrating Vessel)<br>Moxibustion Applicable | <ul style="list-style-type: none"> <li>• 2 cun below the umbilicus</li> <li>• 0.5 cun lateral to REN-5</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>• Perpendicular 0.5-1.0 inch</li> </ul>                                                  | <ul style="list-style-type: none"> <li>• Benefits the lower jiao</li> <li>• Alleviates pain</li> <li>• Regulates Qi</li> <li>• Moves blood stasis</li> <li>• Regulates the water passages</li> <li>• Promotes urination</li> </ul>      | <ul style="list-style-type: none"> <li>• Abdominal pain and distension, diarrhea</li> <li>• Nocturnal emission</li> <li>• Irregular menstruation, dysmenorrhea, postpartum abdominal pain</li> </ul>                                                                                                                                                                                                     |
| KD-15<br>Zhong Zhu<br><br>Central Flow    | <b>Intersection Point</b><br>• KD<br>• Chong Mai<br>(Penetrating Vessel)<br>Moxibustion Applicable | <ul style="list-style-type: none"> <li>• 1 cun below the umbilicus</li> <li>• 0.5 cun lateral to REN-7</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>• Perpendicular 0.5-1.0 inch</li> </ul>                                                  | <ul style="list-style-type: none"> <li>• Regulates the intestines</li> <li>• Regulates the lower jiao</li> </ul>                                                                                                                        | <ul style="list-style-type: none"> <li>• Irregular menstruation</li> <li>• Abdominal pain</li> <li>• Constipation</li> </ul>                                                                                                                                                                                                                                                                             |
| KD-16*<br>Huang Shu<br><br>Huang Shu      | <b>Intersection Point</b><br>• KD<br>• Chong Mai<br>(Penetrating Vessel)<br>Moxibustion Applicable | <ul style="list-style-type: none"> <li>• 0.5 cun lateral to the umbilicus</li> <li>• Level with REN-8</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>• Perpendicular 0.5-1.0 inch</li> </ul>                                                   | <ul style="list-style-type: none"> <li>• Regulates Qi and alleviates pain</li> <li>• Regulates and warms the intestines</li> </ul>                                                                                                      | <ul style="list-style-type: none"> <li>• Abdominal pain and distension</li> <li>• Vomiting, constipation, diarrhea</li> <li>• Cold a/or Dry affecting lower abdomen a/or intestines: constipation, abdominal pain,</li> <li>• Five types of Lin</li> <li>• Shan disorder (hernia disorders, swelling, pain in external genitalia, abdominal pain w/ stagnation issues (difficulty urinating))</li> </ul> |
| KD-17*<br>Shang Qu<br><br>Shang Bend      | <b>Intersection Point</b><br>• KD<br>• Chong Mai<br>(Penetrating Vessel)<br>Moxibustion Applicable | <ul style="list-style-type: none"> <li>• 2 cun above umbilicus</li> <li>• 0.5 cun lateral to REN-10</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>• Perpendicular 0.5-1.0 inch</li> </ul>                                                     | <ul style="list-style-type: none"> <li>• Disperses accumulation</li> <li>• Alleviates pain</li> </ul>                                                                                                                                   | <ul style="list-style-type: none"> <li>• Abdominal pain</li> <li>• Diarrhea, constipation</li> </ul>                                                                                                                                                                                                                                                                                                     |
| KD-18<br>Shi Guan<br><br>Stone Pass       | <b>Intersection Point</b><br>• KD<br>• Chong Mai<br>(Penetrating Vessel)<br>Moxibustion Applicable | <ul style="list-style-type: none"> <li>• 3 cun above umbilicus</li> <li>• 0.5 cun lateral REN-11</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>• Perpendicular 0.5-1.0 inch</li> </ul>                                                        | <ul style="list-style-type: none"> <li>• Regulates the lower jiao</li> <li>• Alleviates pain</li> <li>• Regulates Qi</li> <li>• Moves blood stasis</li> <li>• Harmonizes the Stomach</li> </ul>                                         | <ul style="list-style-type: none"> <li>• Vomiting, abdominal pain</li> <li>• Constipation</li> <li>• Postpartum abdominal pain</li> <li>• Sterility</li> </ul>                                                                                                                                                                                                                                           |
| KD-19<br>Yin Du<br><br>Yin Metropolis     | <b>Intersection Point</b><br>• KD<br>• Chong Mai<br>(Penetrating Vessel)<br>Moxibustion Applicable | <ul style="list-style-type: none"> <li>• 4 cun above umbilicus</li> <li>• 0.5 cun lateral to REN-12</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>• Perpendicular 0.5-1.0 inch</li> </ul>                                                     | <ul style="list-style-type: none"> <li>• Regulates Qi</li> <li>• Harmonizes the Stomach</li> <li>• Lowers rebellion</li> <li>• Alleviates cough and wheezing</li> </ul>                                                                 | <ul style="list-style-type: none"> <li>• Borborygmus</li> <li>• Abdominal pain</li> <li>• Epigastric pain,</li> <li>• Constipation</li> <li>• Vomiting</li> </ul>                                                                                                                                                                                                                                        |
| KD-20<br>Tong Gu<br><br>Open Valley       | <b>Intersection Point</b><br>• KD<br>• Chong Mai<br>(Penetrating Vessel)<br>Moxibustion Applicable | <ul style="list-style-type: none"> <li>• 5 cun above umbilicus</li> <li>• 0.5 cun lateral to REN-13</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>• Perpendicular 0.5-1.0 inch</li> </ul>                                                     | <ul style="list-style-type: none"> <li>• Harmonizes the middle jiao</li> <li>• Unbinds the chest and transforms phlegm</li> </ul>                                                                                                       | <ul style="list-style-type: none"> <li>• Abdominal pain and distension, vomiting, indigestion</li> </ul>                                                                                                                                                                                                                                                                                                 |
| KD-21<br>You Men<br><br>Dark Gate         | <b>Intersection Point</b><br>• KD<br>• Chong Mai<br>(Penetrating Vessel)<br>Moxibustion Applicable | <ul style="list-style-type: none"> <li>• 6 cun above umbilicus</li> <li>• 0.5 cun lateral to REN-14</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>• Perpendicular 0.5-1.0 inch</li> </ul>                                                     | <ul style="list-style-type: none"> <li>• Fortifies the Spleen</li> <li>• Harmonizes the Stomach</li> <li>• Lowers rebellion</li> <li>• Spreads Liver Qi</li> <li>• Benefits the chest and breasts</li> <li>• Alleviates pain</li> </ul> | <ul style="list-style-type: none"> <li>• Abdominal pain and distension,</li> <li>• Indigestion, vomiting, diarrhea</li> <li>• Nausea, morning sickness</li> </ul>                                                                                                                                                                                                                                        |

| KIDNEY CHANNEL OF FOOT SHAO YIN                           |                                                  |                                                                                                                                                                                                                                                        |                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                          |
|-----------------------------------------------------------|--------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Name                                                      | Association/Precautions                          | Location/Needling Method                                                                                                                                                                                                                               | Functions & Actions                                                                                                                                                                             | Indications/Notes                                                                                                                                                                                                                                                                                                                        |
| KD 22 → KD 27:<br>All used for the same purpose           |                                                  | <ul style="list-style-type: none"> <li>• Unbind the Chest, Direct LU &amp; ST Qi Downward</li> <li>• Treat cough, asthma, accumulation of phlegm, fullness in the chest and hypochondriac region</li> </ul>                                            |                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                          |
| <b>KD 22</b><br><b>Bu Lang</b><br><br>Corridor Walk       | <b>Local Point</b><br><br>Moxibustion Applicable | <ul style="list-style-type: none"> <li>• In 5<sup>th</sup> intercostal space</li> <li>• 2 cun lateral to Conception Vessel (REN Channel)</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>• Obliquely 0.3-0.5 inch</li> </ul> | <ul style="list-style-type: none"> <li>• Unbinds the chest</li> <li>• Lowers rebellious Lung and Stomach Qi</li> </ul>                                                                          | <ul style="list-style-type: none"> <li>• Cough, asthma, distension and fullness in the chest and hypochondriac region</li> <li>• Local Point, generally useful for cough, chest tension, constricted breathing</li> </ul>                                                                                                                |
| <b>KD 23</b><br><b>Shen Feng</b><br><br>Spirit Seal       | <b>Local Point</b><br><br>Moxibustion Applicable | <ul style="list-style-type: none"> <li>• In 4<sup>th</sup> intercostal space</li> <li>• 2 cun lateral to anterior midline</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>• Obliquely 0.3-0.5 inch</li> </ul>                | <ul style="list-style-type: none"> <li>• Unbinds the chest</li> <li>• Lowers rebellious Lung and Stomach Qi</li> <li>• Benefits the breasts</li> </ul>                                          | <ul style="list-style-type: none"> <li>• Cough, asthma, fullness in the chest and hypochondriac region, mastitis</li> <li>• Generally useful for cough, chest tension, constricted breathing</li> </ul>                                                                                                                                  |
| <b>KD 24</b><br><b>Ling Xu</b><br><br>Spirit Ruins        | <b>Local Point</b><br><br>Moxibustion Applicable | <ul style="list-style-type: none"> <li>• In 3<sup>rd</sup> intercostal space</li> <li>• 2 cun lateral to anterior midline</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>• Obliquely 0.3-0.5 inch</li> </ul>                | <ul style="list-style-type: none"> <li>• Unbinds the chest</li> <li>• Lowers rebellious Lung and Stomach Qi</li> <li>• Benefits the breasts</li> </ul>                                          | <ul style="list-style-type: none"> <li>• Cough, asthma, fullness in the chest and hypochondriac region, mastitis</li> <li>• Generally useful for cough, chest tension, constricted breathing</li> </ul>                                                                                                                                  |
| <b>KD 25</b><br><b>Shen Cang</b><br><br>Spirit Storehouse | <b>Local Point</b><br><br>Moxibustion Applicable | <ul style="list-style-type: none"> <li>• In 2<sup>nd</sup> intercostal space</li> <li>• 2 cun lateral to anterior midline</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>• Obliquely 0.3-0.5 inch</li> </ul>                | <ul style="list-style-type: none"> <li>• Unbinds the chest</li> <li>• Lowers rebellious Lung and Stomach Qi</li> </ul>                                                                          | <ul style="list-style-type: none"> <li>• Cough, asthma, chest pain</li> <li>• Generally useful for cough, chest tension, constricted breathing</li> </ul>                                                                                                                                                                                |
| <b>KD 26</b><br><b>Yu Zhong</b><br><br>Lively Center      | <b>Local Point</b><br><br>Moxibustion Applicable | <ul style="list-style-type: none"> <li>• In 1<sup>st</sup> intercostal space</li> <li>• 2 cun lateral to anterior midline</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>• Obliquely 0.3-0.5 inch</li> </ul>                | <ul style="list-style-type: none"> <li>• Unbinds the chest</li> <li>• Benefits the breasts</li> <li>• Transforms phlegm</li> <li>• Lowers rebellious Lung and Stomach Qi</li> </ul>             | <ul style="list-style-type: none"> <li>• Cough, asthma, accumulation of phlegm, fullness in the chest and hypochondriac region</li> <li>• Generally useful for cough, chest tension, constricted breathing</li> </ul>                                                                                                                    |
| <b>KD 27</b><br><b>Shu Fu</b><br><br>Shu Mansion          | <b>Local Point</b><br><br>Moxibustion Applicable | <ul style="list-style-type: none"> <li>• In depression of lower border of clavicle</li> <li>• 2 cun lateral to anterior midline</li> </ul> <b>Needling Method:</b> <ul style="list-style-type: none"> <li>• Obliquely 0.3-0.5 inch</li> </ul>          | <ul style="list-style-type: none"> <li>• Unbinds the chest</li> <li>• Transforms phlegm and alleviates cough and wheezing</li> <li>• Harmonizes the Stomach and lowers rebellious Qi</li> </ul> | <ul style="list-style-type: none"> <li>• Cough, asthma, chest pain</li> <li>• Opens &amp; relaxes the chest (asthma, constricted breathing, cough, chest tightness)</li> <li>• Tonify KD Deficiency leading to adrenal exhaustion (fatigue, lowered immunity)</li> <li>• Local point for neck a/or jaw issues (pain, tension)</li> </ul> |





## MAJOR POINTS OF THE MEDIAL FOOT





## MAJOR POINTS OF THE LOWER ABDOMEN



Rugen ST-18

