

Week 1: Common cold & Influenza

- Common cold vs. influenza
 - ♦ Attack by pathogenic wind in East Asian medicine, and virus in Western medicine
 - ♦ Clinical signs and sx include nasal discharge, sneezing, headache, chills, fever, fatigue, body aches.
 - ♦ More severe signs and sx associated w/ influenza (caused by a different virus than the common cold)
- Cold Viruses
 - ♦ Rhinoviruses, coronaviruses, and the respiratory syncytial virus (RSV)
 - ♦ Rhinovirus group causes 10% to 40% of colds
 - Most active in early fall, spring, and summer
 - More than 110 distinct rhinovirus types have been identified
 - Grow best at temperatures of about 91 degrees
 - ♦ Coronaviruses and rsv responsible for 20% and 10% of cases, respectively.
 - ♦ Coronaviruses cause many adult colds
 - Most active in the winter and early spring
 - Three or four of the 30+ types infect humans
 - SARS is due to a coronavirus
- Influenza viruses
 - ♦ Three types, A, B, and C
 - ♦ A and B most severe, and change continually, circulate around the globe
 - ♦ C mild or asymptomatic, does not cause epidemics and does not present a public health threat
- Drift and shift
 - ♦ **Antigenic drift**
 - Small changes that happen continually
 - Produces new strains
 - Yearly updates in the influenza vaccine address changes d/t drift
 - Affects both A and B types
 - ♦ **Antigenic shift**
 - Sudden major change in the influenza A viruses
 - Usually no human immunity
 - Happens only occasionally
- Comparison of cold and flu sx

Sx	Cold	Flu
fever	rare	high (102-104 F)
H/A	rare	prominent
aches/pains	slight	usual, often severe
fatigue/ weakness	mild	can last 2-3 weeks
extreme exhaustion	never	early and prominent
stuffy nose	common	sometimes
sneezing	usual	sometimes
sore throat	common	sometimes
cough	hacking	can be severe
chest discomfort	mild to moderate	common
- Complications
 - ♦ **Common cold**
 - Better w/i days to weeks
 - Sinus, ear infections; bronchitis
 - ♦ **Influenza**
 - Worsening of chronic medical conditions such as asthma, congestive heart failure, diabetes
 - Sinus, ear infections; bronchitis
 - Pneumonia; dehydration; death
- Peak Month of Flu Activity: February
- Humidity and cold viruses
 - ♦ Cold-causing viruses survive better when humidity is low.
 - ♦ Cold weather also can dry the mucus membranes of the nose, making it more vulnerable to infection.

- Mini case study: cold or flu?
 - ♦ A mother calls you up asking for advice. Her 11 year old daughter has had a 104° F for three days, brought down to 102° w/ acetaminophen. Her Sx include severe fatigue, aches and chills. She doesn't want to take her child to the doctor for just a cold.
 - What do you think? Is it probably cold or flu? Flu
 - How would you advise this person? Go to the doctor [Dehydration: Fever for more than 3 days]
- Mini case study: flu vaccination
 - ♦ For several months you've been treating a four year old boy with respiratory problems. He has a Dx of bronchomalacia, and an Hx of frequent pneumonia. Flu season is coming up, and his parents want to know if they should have him get a flu vaccine.
 - What do you think? No
 - What do you say? Yes, because liability
 - What might you say if you were an ND or MD/L.Ac.? Yes
- TCM etiology and pathogenesis
 - ♦ Two broad categories
 - **Pathogenic wind**
 - Air travel
 - Closed ventilation office buildings
 - Hotel pillows and blankets
 - Playgrounds, classrooms
 - **Deficiency syndromes**
 - Children six months to five years old
 - Adults 50 years or older
 - Chronic illness
 - ♦ Pathogenic wind (exterior conditions)
 - ♦ Wind cold, Wind heat, Wind dampness
 - ♦

Week 1: Common cold & Influenza			
Pattern	Wind Cold	Wind heat	Wind dampness
Main Symptoms	- Nasal stuffiness; runny nose; sneezing - Cold habitually deteriorates into sinus infections: - Spleen & Lung tonic formula going into cold & flu season (Often happens in people who have experienced loss & grief) - Spleen is the Mother of the Lung → Reinforce Spleen Qi - Muffled voice - Whitish thin sputum in mild cases - Slight fever; H/A; arthralgia in more serious cases	- Fever, Slight aversion to cold - Nasal stuffiness and discharge - Dry mouth; sticky, yellow sputum - Sore throat; red, swollen, itchy throat; cough	Heavy, muffled sensation in head (Stuck, swollen, achiness, joint pain) - Heaviness in body and limbs - Joint pain; body aches - Moderate fever, mild chills - Sticky sweating - Thirsty, but no desire to drink water (already full of water) - Sticky mouth - Loose stool - In severe cases: nausea; vomiting; diarrhea; high fever, chills
Tongue	• Thin, white coat w/ moisture	• Thin, yellowish coat	• Thin or thick, sticky coating
Pulse	- Superficial/floating, tight - Pulse descriptions - Right: Qi (LU, SP, KD (Yang)) - Left: Blood (HT, LV, KD (Yin)) Superficial/floating pulse (Wei Qi is on surface of body) - Easily felt with gentle touch - Slightly reduced but not hollow w/ pressure - Indicates exterior and deficiency syndromes - Wei qi located at exterior - In prolonged disease, if pulse is superficial, it is always forceless. Tight pulse - Tension with side to side movements - Thicker than a wiry pulse - Indication of excess cold - interior or exterior - Commonly associated with pain	- Superficial/floating, rapid (heat) - How rapid is rapid? - More than five beats per breath (> 90bpm) [<4 is slow]	- Superficial/floating; soft (deficiency); - Slippery (excess)
Treatment Principles & Points	Release exterior: LU 7, Gua Sha, Cupping, LI 4, UB 12 (Wind Gate), GB 20, Yin Tang (dampness, sinuses), Tai Yang - Entire Back of neck is Wind Gate Promote dispersing function of lung qi: LU 7, UB 13 Clear pathogenic cold: LI 4 (Best Point), LU 7, Gua Sha (Friction, Warmth) 5 Points for Wind Cold: Gua Sha, LI 4, SJ 5, UB 12 & 13, LU 7, GB 20 & 21	Release exterior: DU 14, SJ 5, Clear wind: DU 14, SJ 5 Clear heat: Bleeding (Extreme Heat) [Shi Xuan, LU 11, ST 44], LI 11 (Xu & Shi) Clear wind heat from lung system: LU 5 (He Sea Point → Deep heat & Phlegm), LU 10	Release exterior & Clear wind: DU 14, LI 4 Drain dampness from the spleen and stomach: SP 9, ST 36, ST 40, {REN 12 & KD 14} (esp. when origin of dampness in middle jiao), REN 9 - Can use Stacking with multiple needles, slightly obliquely - Tonify Qi Hua mechanism (Transformation): ST 36, {Paired: SP 9 & SP 6}, PC 6 (When paired with other points) - SJ 6: Constipation (Moves Qi & Blood) → Restore normal fluid transformation - PC 6: Nausea, Calms Spleen and Calms Liver when it's overacting on SP & ST, (Profound effect on vagus nerve)

Week 1: Common cold & Influenza				
Pattern	Qi Deficiency	Yang deficiency	Blood deficiency	Yin deficiency
Main Symptoms	- Fatigue; exhaustion - Pale complexion - Aversion to cold - Shortness of breath; reluctance to speak - Weak cough w/ white sputum - Poor appetite; abdominal bloating - Loose stool - Frequent colds and/or flu; prolonged sx from same	- Strong aversion to cold; cold limbs - Exhaustion; feeble speaking voice - Cock's crow diarrhea; undigested food in stool Edema (Facial: Lung, Middle: Spleen, Lower: Kidney) - Frequent colds and/or flu; prolonged sx from same Tongue and pulse (Similar to Qi Xu but more pronounced)	- Sallow complexion; pale lips and nail beds (LV Blood Xu → Hair, nails) - Poor concentration and memory; easily startled; insomnia - Palpitations - Dizziness - Constipation - Frequent colds and/or flu; prolonged sx from same - Insomnia (Heart Blood Xu)	- Tidal fever; night sweats; five palms hot - Dizziness - Irritability - Thirst; dry throat; dry, prolonged cough; blood tinged sputum - Frequent colds and/or flu; prolonged sx from same
Tongue	- pale; flabby; toothmarked (dampness); - thin coat (Tongue is visual extension of the digestive system & reflects what's going on in the digestive system)	pale; enlarged; toothmarked; moist	pale; small; white coat	small; narrow or pointed; bright red; peeled or mirror coat; fissured
Pulse	weak	deep; weak	thin; thready	rapid; thready
Treatment Principles	- Release exterior: Gua Sha, UB 13, - Tonify qi: ST36, REN 17 (chest), REN 12 (Spleen), Moxa, UB 13 (Lung), UB 21 (ST), HTJJ C5 → T1 - Tonify stomach and spleen	- Tonify yang: Ren 4, Du 4, UB 20, UB 23, Moxa (The Best!) - What other treatment principle is needed, and which points and methods would fulfill it? - Fertility needs yang to kindle	- Tonify blood: UB 17, UB 18 (Liver Back Shu), UB 20, SP 10, ST 36 (Tonifies SP Qi) - What other treatment principle is needed, and which points and methods would fulfill it? Food!!! Eat widely & well, don't piss off the Spleen, Herbs	- UB 13, UB 23, UB 43, SP 6, KI 6, HT 6 - What other treatment principle is needed, and which points and methods would fulfill it?
Points	•	•	•	•
Other Methods	•	•	•	•

Case Studies	
PF, a 36 year old female, a nutrition student who also works full time is prone to frequent cold and flu. She comes to you for "immune boosting." She is not presently ill, but is pale, constipated, and greatly stressed. Her tongue is small and pale with a thin white coat, and her pulse is thready. What would your Ddx and Tx be? - Lung Qi Xu, Wei Qi Xu, Liver Qi Stagnation (Stress, thready pulse), Blood Xu - Tonify LU (LU7, LU 9, LU1, UB 13), Tonify Wei Qi (LI 4, ST 36) - Points good for Qi tonification are - Tonify Blood: SP 10, UB 17, Heart Blood (UB 15 & 17, HT 7) - Tonify Liver: LV 8 → Best point for Blood (Pt will say OW!!!) Tonify SP Qi so that it can make blood: ST 36 & SP 6 - LV Qi Stagnation: LV 3 & LI 4 (4 gates), LV 14 combined w/ LU 1 → Lung/Liver Relationship (Entry/Exit Points), SJ 5 & GB 34	VT, a 40 year old man comes in with a sore throat, and fever of 102° F which he has had for two days. He has a slight cough. His tongue is dark red with a yellowish coat, and his pulse is superficial/floating and slightly rapid. What would your Ddx and Tx be? - Wind Heat → Clear heat (LI 11, LU 10, LI 4, SJ5, bleeding (LU 11 & LI 1)) & eliminate wind (UB 10, 11, 12, 13, but focus on Wind Gate, Gua Sha [before acupuncture is more effective to release exterior], - Cough: Descend rebellious Lung Qi (LU 1, LI 4, REN 17, REN 22) One of your colleagues has a patient who frequently gets colds. The patient has been given a diagnosis of yang deficiency. Which symptoms would you expect to see to differentiate it from qi deficiency? - Qi Xu + Cold - Cold Symptoms: Loose, watery stool with undigested food, cold limbs, etc.

Week 1: Common cold & Influenza

- | | |
|--|---|
| <ul style="list-style-type: none"> • TCM nutritional therapy (Most ancient tool) <ul style="list-style-type: none"> ♦ TCM nutritional therapy uses the same Ddx and Tx principles as acupuncture and herbal therapy. ♦ By applying the actions of the flavors of foods, and their temperatures, food is used as medicine. • Flavors and organ systems <ul style="list-style-type: none"> ♦ “Sourness enters the Liver, <ul style="list-style-type: none"> ▪ [Sour → Pucker → Contraction → LV Qi Stagnation] ▪ Little bit of lemon juice in water is good to kickstart digestion ♦ Bitterness enters the Heart, <ul style="list-style-type: none"> ▪ Dark greens → Build blood ▪ Coffee → Little bit lifts Heart Qi, but too much exhausts Heart Qi ♦ Sweetness enters the Spleen <ul style="list-style-type: none"> ▪ Fruit ▪ Rice, chicken (sweetest of meats), squash ▪ Too much sweet goes to middle & sticks there → Creates Damp ♦ Acridity enters the Lungs <ul style="list-style-type: none"> ▪ [Pungent: wasabi] → Goes up and out ♦ Saltiness enters the Kidneys. <ul style="list-style-type: none"> ▪ Leaches & drains, sucks water out & drains away → dries ▪ Too much salt dries it out → Can drain KD Qi ▪ A little bit of salt (seafood) tonifies KD ▪ Lamb: Yang food ♦ Sourness enters the sinews, ♦ Bitterness enters the Blood, [Heart is emperor of Blood] ♦ Acridity enters Qi, ♦ Sweetness enters the flesh, ♦ Saltiness enters the bones.” Huang Di Nei Jing • The five temperatures <ul style="list-style-type: none"> ♦ Hot, Warm, Neutral, Cool, Cold ♦ Most food should be cool, neutral, warm ♦ Yin Xu: Recommend Cool ♦ Antibiotics: Very Cold → Warm food: soup, stew, ginger, probiotics, alium • Mini case studies: nutritional therapy <ul style="list-style-type: none"> ♦ What flavors and temperatures might you recommend for someone with chronic lung qi deficiency? <ul style="list-style-type: none"> ▪ Which foods could satisfy the resulting treatment principles? <ul style="list-style-type: none"> * Pungent, acrid, naturally sweet (fire cider) ♦ What flavors and temperatures would be suitable for someone with a wind cold? ♦ What are some examples of good foods in such a case? <ul style="list-style-type: none"> ▪ Fire cider, chicken soup [warm, salty, sweet (chicken), pungent] ▪ Induce sweat: Ginger, garlic, mustard bath ▪ Soaking feet in warm salty water: Tonifies Kidney | <ul style="list-style-type: none"> • Herbal formulas <ul style="list-style-type: none"> ♦ Gan Mao Ling: wind cold and wind heat; highly effective for acute conditions ♦ Yin Qiao San: wind heat; effective for acute conditions ♦ Gui Zhi Tang: wind cold; effective for very acute conditions w/ qi deficiency ♦ Yu Ping Fen San: qi deficiency ♦ Bu Fei Wan: lung qi and yin deficiency (Good for people who have suffered major losses) • TCM cold and flu prevention tips <ul style="list-style-type: none"> ♦ Wash hands! ♦ Don't cough or sneeze into hands. ♦ Avoid touching face w/o washing hands afterwards ♦ Massage LI 20 every day; moxa ST 36 ♦ Drink plenty of water, and drink green tea! ♦ Eat food high in nutritional value; avoid low nutritional value foods. ♦ Take saunas. ♦ Exercise, especially outdoors, even if it's raining (but do get dry and warm afterwards!). ♦ Practice qi gong. ♦ Don't smoke. ♦ Avoid alcohol. ♦ Relax, find enjoyment in little things ♦ Wear warm clothes in cold weather. ♦ Keep your feet warm (Tonifies Spleen & Kidney) ♦ Eat chicken soup and mushroom soup, esp. w/ huang qi. ♦ Ventilate living and working environments with fresh air. ♦ Avoid crowds. |
|--|---|

Midterm:

Differential diagnoses

Best points, point combinations, points that do more than one thing

Best Points: Multiple actions (Clears Heat (LI 11, LU 11, SJ 5) , Drains Damp (SJ 5, SP 9) → SJ 5

Week 2: Cough	
Cough - Biomedical overview: Cough mechanism - Located in the nose, sinuses, auditory canals, nasopharynx, larynx, trachea, bronchi, pleura, diaphragm, and possibly the pericardium and GI tracts - Steps: - Vagus and glossopharyngeal nerves transmit impulse to the medulla - Deep inspiration - Closure of the glottis - Relaxation of diaphragm and contraction of abdominal and intercostal muscles Cough etiology and pathogenesis in TCM - External pathogenic Ddxs - Wind cold - Wind heat - Wind damp - Wind dryness - Internal pathogenic Ddxs - Lung and Spleen qi deficiency - Lung and Kidney yin deficiency - Liver attacking Lung - General dietary principles & Herbal formulas - Characterized by the reverse flow of Lung qi - Primarily results from diseases of the Lung, or dysfunction of Liver, Spleen, or Kidney External invasion of Lung by the six exogenous pathogens: wind, damp, cold, heat, dryness, summerheat Internal injury caused by deficiency of Lung qi and yin, Spleen qi, Kidney qi and yin, or by Liver fire attacking the Lung - Lung is tender Zang and doesn't like Heat (when ying & wei Qi when not harmonized [Also Gui Zhi])	Dietary therapy Incorporate: - Light, clear foods: meat and vegetable soups are ideal [bone broth] - Steamed vegetables (moist, vascular) - Steamed grains - Specific foods: pears, alliums (onion family) Avoid: - Dairy - Sugar - Seafood or other potential allergens [good if not allergic] - Cold food (hurts spleen → puts out the little fire) - Greasy food - Spicy food (not good for heat) - Herbal formulas Xiao Qing Long Wan (Pian): wind damp cold cough and asthma Qing Qi Hua Tan Pian: removes heat from the Lung and dissolves phlegm, relieves cough and asthma Bai He Gu Jin Wan: nourishes Lung yin; for dry cough and dry throat

Week 2: Cough				
Pattern	Wind cold cough	Wind heat cough	Wind damp cough	Wind dryness cough
Main Symptoms	- Chills and fever (w/chills predominating) - Aversion to cold - Headache, stuffy nose, clear mucus, choking cough (excessive mucus constricting airway)	- Fever, sore throat, thirst - Cough with yellow sputum	- Profuse mucus (damp), productive cough - Heavy sensation (damp) in lungs and body	- Dry cough w/o sputum - Dry mouth, nose & throat
Tongue	Thin, white coating	Thin, yellow coat	Greasy, thick coating (epi)	Red tip, dry
Pulse	Floating, tight [tension & moves side to side (lateral movement)] (indicates cold predominates)	Floating, fast	Floating, slippery (damp)	Floating
Treatment Principles	- Release the exterior [UB 12, GB 20, UB 13, DU 16] - Expel wind - Circulate Lung qi [LU 7 (tonifies & circulates), LU 1 (best for circulating), LU 9 (best for tonifying), LI 4,] - Dispel cold	- Expel wind heat - Release the exterior - Circulate Lung qi	- Expel wind: SJ 5, LU 7 - Resolve dampness: SP 9 (damp in SP), LU 5 - LU 5, LU 7, SJ 5, SP 9, Ren 12 (Harmonizes ST & middle jiao) - Gua sha, moxa (REN 12, SP 9)	- Expel wind: UB 12 & 13 - Moisten the Lung: SP 6 (make fluid) & [LU 9 or UB 13] - Circulate Lung qi: UB 13, LU 9
Points	LU 1, UB 12, UB 13, LU 7, LU 9, LI 4, Du 16, GB 20	UB 12, UB 13 , LU 5, LU 10 , SJ 5 , Du 10, LI 20, UB 60 (pair w/ UB 10)		UB 12, UB 13, LU 9, KI 7, Ren 12, SP 6
Other Methods	Gua sha, Wind Gate flash cupping, moxa (ST 36)	Gua sha w/ water or White Flower liniment		Dietary therapy: Steamed pear (Asian pears better)

Wind Cold Cough Points			
Point	Classification	Indications	Functions
LU 1	Front-mu point & Crossing point of the LU and SP	- Cough, asthma, wheezing, chest pain - Shoulder and back pain (referred) - Abdominal distention (crossing point of SP channel)	- Disperses heat from the chest, Stops cough - Regulates and descends Lung qi
UB 12	- Crossing point of UB and Du channels [Release exterior, WIND, computers (tight neck & shoulders)]	- Common cold, cough, Fever, headache - Local, channel qi and blood stagnation	- Releases the exterior, Tonifies wei qi, Clearing Point - Spreads and descends Lung qi, Regulates ying (nutritive) and wei qi (when ying & wei Qi when not harmonized [Also Gui Zhi])
UB 13	Back-shu point of the Lung	- Fever, night sweats - Cough, hemoptysis, nasal congestion - Alopecia, smallpox, rash, tinea	- Tonifies Lung qi, Circulates and descends Lung qi - Regulates Lung qi, Opens chest - Clears Lung heat, Stops cough
LU 7	- Luo-connecting point - Master point of Ren channel (Paired w/ KD 6 (Best point for tonifying KD Yin) → Restore communication between KD & LU) - Command point of head and neck [Good point for wind cold → head & neck → LI 4 for front, LU 7 for back]	- Head and neck problems: migraines (central and one-sided), headaches caused by exogenic pathogens, neck rigidity, facial paralysis, toothache, sore throat, cough, asthma, nasal problems - Urogenital system problems: pain in penis, hematuria, spermatorrhea (Due to Paired function with Kidney) - Abdominal distention	- Releases the exterior, Expels exterior wind - Descend Lung qi, Benefits head and neck area, Benefits bladder
LU 9	[Tonification] - Yuan-source point - Shu-stream point	- Cough with a large amount of phlegm, asthma with weakness - Vascular problems, minute pulse [very faint → raise pulse (LU 9 or HT 7)] - Headache, Hemiplegia - Cold, pain and weakness of the lower extremities, Hiccups	- Tonifies Lung qi and yin, Resolves phlegm - Descends Lung qi, Influences the pulse
LI 4	[Workhorse of Acupuncture] - Yuan-source point of LI channel - Command point of head and face	- Diseases of the head and face - Aversion to cold, fever, febrile disease, sweating or lack of sweating - Dysmenorrhea, amenorrhea, delayed or irregular labor - Abdominal pain, constipation, diarrhea, dysentery (regulates LI Qi) - Hemiplegia, spasm [Stroke: affected side & opposite side scalp] - Infantile convulsion, mania, irritability - Lesions, urticaria, scabies - Pain: local and systemic - Strong Immune regulator (allergies, autoimmune) - Labor & delivery	- Expels wind and releases the exterior, Tonifies wei qi - Activates channel, Downbears qi - Regulates the face and head, Restores the yang
GB 20	Crossing point of GB and the Yang Wei channels	- Common cold, nasal congestion, rhinorrhea, epistaxis - Redness, swelling, and eye pain - Headache - Neck and shoulder pain and stiffness - Dizziness, vertigo, hemiplegia, epilepsy	- Dispels exterior and interior wind [Clears Wind] - Clears head - Benefits eyes, nose and ears - Subdues Liver Yang [Strongly downbears Qi, strongly drop BP] - Contraindicated for pregnancy & low blood pressure - Activates the channel, Relieves pain
Du 16	- Crossing point of the Du and Yang Wei - Window of the Sky point (integrates thinking with body, grounding) - Sea of Marrow point (Brain → enables smooth flow of blood & Qi up to the brain)	- Post-apoplexy aphasia, hemiplegia, manic psychosis - Vertigo - Neck pain and rigidity, sore throat	- Dispels wind - Calms the shen - Clears the head, benefits the head and neck

Wind Heat Cough Points			
Point	Classification	Indications	Functions
LU 5	• He-sea point (Where LU Qi goes deep, Regulate Waterways)	• Sore throat, cough, asthma, hemoptysis, chest congestion • Tidal fever (afternoon fevers, ebb & flow) • Acute abdominal pain with vomiting and diarrhea • Spasmodic pain of the elbow and arm, infantile convulsions • Urinary retention (He Sea waterway regulation)	• Clears Lung heat, Descends Lung qi • Expels phlegm from the Lung • Relaxes the sinews • Frees the water passages
LU 10 (Heat)	• Ying-spring point [Good for Heat]	• Asthma • Sore throat, fever, hoarseness • Cough, hemoptysis •	• Clears Lung heat • Benefits the throat
SJ 5	• [Shao Yang channels stitch up sides of body and mediate front & back] • Luo-connecting point • Master point of the Yang Wei	• Fever, headache • Redness, swelling and pain of the eye (channel location) • Tinnitus, deafness • Pain in hypochondrium • Spasm and pain of upper extremities	• Disperses wind heat, Releases exterior {Harmonizes 3 burners} • Benefits ears, Activates channel [Regulates waterways]
DU 10	Location: • On the back, on the posterior median line, in the depression below the spinous process of the 6th thoracic vertebra	• Acute gastric pain • Furuncles (aka boil - an infection of a hair follicle) • Cough, asthma, stiffness and pain of the back	• Opens chest • Relieves cough and wheezing • Clears heat toxins (carbuncles, furuncles) •
LI 20	• [Kitty kat points → open up sinuses] (Desensitize & use small needles) • Crossing point of LI and ST channels (Use with ST 3 to clear nose)	• Nasal congestion, epistaxis • Wry face, facial itching • Biliary ascariasis	• Disperses wind • Opens nasal passages • Clears heat
UB 60	• [With UB 10 → Giant zipper] • [Where qi starts to run more rapidly] • Jing-river point of the UB channel (Jing-river points are where the qi of the meridian begins to flow more heavily. They are special for cough and asthma due to pathogenic cold or heat.)	• Acute lumbar pain, heel pain and swelling • Difficult labor • Headache, neck stiffness, dizziness, epistaxis • Infantile convulsion •	• Expels wind • Clears heat • Relaxes the sinews • Courses the channel • Promotes labor

Wind Damp Cough Points			
Point	Classification	Indications	Functions
SP 9	• He-sea point (Where Qi goes deep, Regulates Waterways)	• Dysuria, urinary incontinence, edema (especially in middle jiao) • [KD 10 for edema in lower jiao] • Abdominal distention, diarrhea • Jaundice • Pain in the penis, pain in vulva, dysmenorrhea	• Resolves dampness • Regulates the Spleen • Frees the water passages and urination
REN 12	• [GERD Cross: REN 12, 13 & 14 & KD 20] • Front-mu point • Crossing point of the Ren, SI, SJ, and ST channels	• Epigastric pain, vomiting, hiccup, acid regurgitation (GERD) • Abdominal distention, diarrhea, dyspepsia • Cough, copious phlegm • Jaundice • Insomnia (too many spicy burritos & beer)	• Tonify and harmonize Spleen and Stomach • Resolve dampness • Relieves pain

Wind Dryness Cough Points			
Point	Classification	Indications	Functions
KD 7	• Jing-river point (Sweating)	• Edema, abdominal distention, diarrhea • Febrile disease w or w/o sweating, night sweats • Weakness, numbness, and pain of lower extremities	• Tonifies Kidney qi and yang [Best for tonifying KD yang] → Direct moxa on KD 7 • Resolves dampness • Regulates sweating • Treats edema • Strengthens the low back

Week 2: Cough			
Pattern	Lung & Kidney Yin Deficiency Cough	Spleen Qi Or Yang Deficiency	Liver Fire Attacking Lung
Main Symptoms	- Unproductive cough, scanty/no sputum, possibly blood tinged - Tidal fever, night sweats, malar flush, five palms hot	- Poor appetite, gas and bloating, loose stools, possibly w/ undigested food - Fatigue, weakness, cold extremities - Pale face, cough w/ profuse sweating (Spleen not supporting Lung in opening/closing pores)	- Possibly blood tinged cough - Costal pain, irritability
Tongue	• Red, no coating	• Pale, swollen, greasy tongue coat	• Red w/ yellow coating
Pulse	• Thin, rapid	• Empty/soft (w/ deficiency) or slippery (w/ excess phlegm-damp) • Varieties of weak	• Wiry, rapid
Treatment Principles	- Moisten Lung - Nourish yin - Descend Lung qi	- Tonify Spleen - Transform phlegm - Relieve cough	- Clear Liver heat - Stop cough
Points	- KI 3 (Qi), KI 6 (w/ LU 7) (KD Yin & good for lung connection), LU 5, LU 6, SP 6, UB 13, UB 23, UB 43 (Descends Lung Qi) - Descend Lung Qi: LU 5, LU 6, UB 43	- UB 13, UB 20, UB 23, ST 36, Ren 4, Ren 6, Ren 12, Du 4, ST 40 - Tonify spleen: ST 36, UB 20, REN 12, REN 6 (KD Yang), Du 4 (KD Yang), UB 23 → - Transform phlegm: ST 40 (cancer patients → Cancer is an aggregation of phlegm) - Cough: UB 13	LIV 2, LIV 14, GB 34, UB 43, LU 5
Other Methods	- Dietary and herbal therapy - Steamed pears - Berries (cooked dark berries good for KD & LV yin) - Congee w/ fish (KD), Garlic (LU), onions (sweet & pungent) ginger [sweet, pungent [rises, lifts & pushes out], expels external pathogens, warm (tonifies spleen qi), strong contrary movements → Harmonizing function] - Chinese variant of French onion soup	Moxa: ST 36, UB 23, SP 3, REN 4 & 6, DU 4	- Herbal therapy: Herbs are the best - Bleeding is also very useful → LU 11, LV 1, LV 2, LU 10, ST 44,

Lung & Kidney Yin Deficiency Cough Points			
Point	Classification	Indications	Functions
SP 6	[The best point for Yin in the body → 3 Leg Yin] - Crossing point of the SP, KI, and LIV channels	- Go To point for infertility & dysmenorrhea → Moxa every day!!! [Regulating hormones] - Irregular menstruation, dysmenorrhea, metrorrhagia, leukorrhea, amenorrhea - Abdominal fullness, uterine prolapse, dystocia, postpartum fatigue, persistent lochia, infertility - Nocturnal emission, spermatorrhea, impotence, premature ejaculation, pain in the penis, hernia, testicular atrophy - Enuresis, anuria, edema, dysuria - Borborygmus, abdominal distention, diarrhea, beriberi, muscular pain - Tonifies spleen - Skin diseases, urticaria → - Tonifies SP to support LU, soothes LV (Indirect) - Insomnia, headache, dizziness, bilateral hypochondriac pain (LV)	Tonifies Spleen and Stomach Resolves dampness, benefits urination, tonifies the kidneys Harmonizes Liver, regulates menses Tonifies blood and yin, cools and invigorates the blood (only if needle & don't do moxa) Calms the shen (invigorates blood strongly)
DU 23		- Headache, eye pain Rhinorrhea, epistaxis - Manic psychosis - Apoplexy, hemiplegia	Dispels wind Opens the nose Benefits the eyes

Spleen Qi Or Yang Deficiency Cough Points			
Point	Classification	Indications	Functions
UB 20	Back-shu point of the Spleen	- Gas and bloating, vomiting - Jaundice - Diarrhea, dysentery, blood in the stools - Edema	- Tonifies Spleen and Stomach qi and Spleen yang - Regulates Spleen and Stomach qi - Nourishes blood - Resolves dampness
UB 23	Back-shu point of the Kidney	- Enuresis, dysuria, edema - Spermatorrhea, impotence, irregular menstruation, leukorrhea - Deafness, tinnitus (KD expressed thru ears) - Cough, asthma (roots the LU Qi) - Hemiplegia, lumbar pain, bone disease - Stroke: Tonify KD (constitution)	- Tonifies Kidney qi and yang, yin and essence - Strengthens Kidney's ability to grasp qi - Benefits the ears and bones - Strengthens the low back & knees - Resolves dampness (lower jiao)
ST 36	- He-Sea point (Controls water → transform fluids) - Command point of the abdomen	- Gastric or abdominal pain, vomiting, dysphagia, gas and bloating, borborygmus - Diarrhea, dysentery, constipation - Acute mastitis (good for immune system → root for disorders of breast) - Emaciation due to general deficiency, palpitations, shortness of breath, poor appetite, lassitude, dizziness, insomnia (Tonify HT & LU) - Cough and asthma - Apoplexy, hemiplegia, beriberi, edema (qi deficiency) - Depressive psychosis	- Tonifies qi and blood - Harmonizes and tonifies Spleen and Stomach qi, and wei qi - Raises yang, Calms the shen - Stops pain (releases endorphins, rich in blood & qi, dense in sensory neurons A-alpha & a-beta neurons → good for pain)
Ren 4	[Good for Yin, on top of uterus, Blood Palace] - Front-mu point of small intestine - Crossing point of Ren and Spleen, Liver, and Kidney channels	- Impotence, spermatorrhea - Enuresis, frequent micturition, retention of urine [Ren 3 is best for urination because it's right on top of bladder] - Irregular menstruation, metrorrhagia, leukorrhea, dysmenorrhea, uterine prolapse, infertility, postpartum hemorrhage - Emaciation, flaccidity - Diarrhea, rectal prolapse, dyspepsia	- Tonifies Kidney qi, yin, and yang, nourishes essence - Calms the shen - Benefits uterus [directly, right on top of it]
Ren 6	[Generally 6's are good for Yin, but this one is different → tonifies Qi more than Yin] → Closer you get to umbilicus, better for warming viscera	- Abdominal pain, diarrhea, constipation - Enuresis - Hernia - Spermatorrhea, impotence - Irregular menstruation, amenorrhea - Emaciation	- Tonifies Kidney qi and yang - Regulates qi
Du 4*		- Spermatorrhea, impotence - Irregular menstruation, leukorrhea - Diarrhea - Stiffness and pain of the lumbar area	- Tonifies Kidney qi and yang [fantastic point for this] - Nourishes essence [not very many points do this] - Clears heat (needle, not moxa) - Strengthens the lumbar region and knee *Moxa is especially beneficial on this point.
ST 40	[Phlegm!!!] [pHlegm = water + heat → sticky, hard to get rid of] - Luo-connecting point	- Cough, excessive phlegm, asthma - Manic psychosis, epilepsy (insubstantial phlegm) - Headache, dizziness - Paralysis or weakness of the lower extremities	- Transforms phlegm and dampness - Stops cough and wheezing - Calms shen and clears phlegm

Liver Fire Attacking Lung Cough Points			
Point	Classification	Indications	Functions
LV 2	Ying-spring point (good for Fire)	- Redness, eye swelling and pain, glaucoma - Insomnia, epilepsy - Irregular menstruation, dysmenorrhea, metrorrhagia and metrostaxis, leukorrhea - Dysuria, painful urination	Clears Liver heat [Heat clearing variant of 4 gates] Expels interior wind Subdues Liver yang Soothes Liver qi Benefits lower jiao
LV 14	- Front-mu point - Crossing point of the LIV, SP and the Yin Wei channels - Good relationship with the Lung - Needle out & away to disperse - Anger: needle outward to disperse, tonify lower part of body	- Depression - Chest, breast, and hypochondrium distention and pain - Hiccup, acid regurgitation - Go To point for breast cancer → problem with flow of Liver Qi - Needle out to disperse blood stagnation	Harmonizes LIV and ST Regulates Liver qi Moves blood
GB 34	[Moves Qi upward] - He-sea point - Influential point for sinews	- Hemiplegia - Widespread pain and numbness, particularly of the knee, shoulder and lower extremities - Pain in the hypochondrium, bitter taste in the mouth, vomiting, jaundice, beriberi - Infantile convulsion	Benefits sinews and joints Moves Liver qi Harmonizes the shaoyang Relieves pain (thick dull, achy point) Clears damp heat Female 4 gates: GB 34 & SJ5 (moves Qi down) → sides of body
UB 43*	Special point for nourishing essence & dispelling hidden evil deep in the body	- Pulmonary tuberculosis (hidden evil deep in the body) - Cough, asthma - Poor appetite, loose stools, emaciation and weakness - Spermatorrhea - Night sweating - Poor memory	Nourishes Lung yin, qi Tonifies qi of the whole body Nourishes essence * Moxa is the preferred Tx method for this point (effect very strong for stimulating immune response → classics: 100 cones of moxa)

- Liniments - Cold: White flower - Cool w/ warming herbs: Pain terminator, especially pain w/ heat & swelling (Will make hands cold → Can apply with gloves) - Warm: Po Sum On → Muscles & releasing pathogens stored in muscles → Release Wind Gate - Warm: Zheng Gu Shui → Upright bone water → Bi syndrome, KD deficiency pain, has alcohol, soaks in to area & very - Warmest: Moxa spray (alcohol base), has very warming herbs (Fu Zi, Aconite, Mugwort) → Squirt on cotton ball and apply to points for tonification → any places where you would want moxa, great for places where you can't light things on fire - Nice for people to take home - Cravings - Sweet: Spleen Qi Xu - Salty: Kidney Qi Xu Moxa: Difference between cigar moxa & stick-on moxa Indirect moxa: Effects during treatment & 24 hours after Direct moxa: Effects persist approximately 7 days longer Gently tonify: Get point feeling very warm & nice & pink Hot feeling Bi syndrome → dispersing	Liver & Kidney Yin Xu causing chronic post-nasal drip - Empirical of LV & KD Yin Xu correlates with endocrine system → diabetes, endocrine disorders, autoimmune - Hidden sign of Liver & Kidney Yin Xu → can treat it before it manifests as LV & KD Yin Xu - Counter-intuitive Supporting LV Qi in women who are at risk for breast cancer - Qi stops → dampness aggregates → cooks to phlegm → Causes cancer Wei & Ying Qi: Wei Qi is on the surface Physical methods (cupping, gua sha, etc.) can release pathogens from the Ying Level Salt moxa is best treatment for anorexia or failure to thrive → tonifies KD, penetrates umbilicus & penetrates to all internal organs Anorexia: inability to be nourished, original nourishment is mother's love KD 6: KD Yin Xu KD 6 + LU 7: Good combination, strengthens relationship between kidney & lung Can put Gold & Silver ear seeds on either side of a point and they will continue to stimulate the point because of the different polarities → create current
--	---

Week 3: Asthma	
Asthma, biomedical overview - Chronic disease of the airways characterized by: - Constriction - Inflammation - Obstruction by excessive mucous - Features and causes: - Heredity 60% > in males under 20, then equalizes, at age 40 > in females - Airway hyperreactivity - Atopy (allergic hypersensitivity) such as eczema - Airborne allergies - Sx - Wheezing, Shortness of breath, Chest tightness, Coughing - Sx range from mild to life threatening - Triggers - Exposure to environmental stimulant (inc. allergens) - Cold, warm, or moist air, especially a fast transition from warm → cold (contracts) - Exercise or exertion - Emotional stress Asthma, TCM etiology and pathogenesis - External pathogens penetrate deeply into the lung organ system - With external pathogens, there's always an underlying deficiency - Why might this be? - What tongue and pulse would be most common? - P: Floating, tight (cold), rapid (heat) - T: tonguemarks (spleen qi), cracks or valley in Lung area (Yin deficiency), peeled, red, etc. - Deficiency syndromes arise primarily in the lung and kidney systems. Causes include: - Heredity - Poor diet: Spleen Qi taxed → doesn't support lung or drains Kidney - Overwork, exhaustion or injury → drains Kidney Yang deficiency asthma: Lots of phlegm, cold symptoms, copious urination, swelling ST 9 does wonders for plum pit qi 8 gates: 4 gates plus female 4 gates	Effects of acupuncture on asthma - Beneficial in acute asthma attacks - Bronchospasms result from over-stimulation of the parasympathetic nervous system - Lung points are used, as well as spirit calming points to calm the parasympathetic system, also helping with the fear asthma can both cause and be exacerbated by. - REN 17, Parasympathetic ear point (fastest), Jing Well points, Shen Men, KD 25 & 26 - Can do tapping on REN 17, KD 25 & 26 - Frequency of treatments linked to efficacy – once a day, once every other day common in China - Acupuncture modulates the immune system & has local anti-inflammatory effect - Reduces allergic reactions - Reduces bronchial inflammation - Modulates sympathetic and parasympathetic nervous systems to expand the airways - Reduces mucus and phlegm - Increases lung capacity Seasonal approach - Winter and spring - Emphasis on dispersing the pathogenic factors of wind, cold, and heat - Fall: Damp → see more damp pathogens - Summer - Emphasis on tonifying the deficiency conditions of the lung and kidneys - Best time for making headway, most Yang time of year - Best time to tonify KD Yang is in summer Asthma, TCM patterns - Excess type: - Invasion of wind coupled with heat or cold - Phlegm-damp or phlegm-heat - Deficiency type: - Lung deficiency (often w/ stomach and spleen qi deficiency) - Kidney deficiency (often w/ stomach and spleen qi deficiency) - Liver patterns: - Liver qi stagnation - Liver fire insulting the lung - Liver yin deficiency

Asthma				
Excess Type Patterns				
Pattern	Wind Heat w/ Asthma	Wind Cold w/ asthma [Attacks back of neck]	Phlegm Damp Asthma	Phlegm Damp Heat Asthma
Main Symptoms	- Chills, fever, Headache - SOB, stuffiness in chest - Thin, yellow sputum	- Chills >> Fever - Headache (occipital, constrictive) - SOB, stuffiness in chest - Thin, white sputum	- Chills, cold limbs - Stuffy chest Thick, white sputum - No thirst or thirst without a desire to drink	- Fever, Heat (redness) in face, chest, and/or limbs - Stuffy chest Thick, yellow sputum - No thirst or thirst without a desire to drink
Tongue	Thin, yellow coating	Thin, white coating	- White, greasy coating [Greasy coat required!]	- Yellow (heat) - Greasy coating (phlegm)
Pulse	Floating, rapid	- Floating - Tight (lateral movement: cold pathogen is constricting Qi, pushing down on the pulse)	Tight or slippery	Slippery, rapid, and full
Treatment Principles	- Eliminate wind heat - Restore descending and dispersing function of the lung - Soothe asthma	- Eliminate wind cold - Restore descending and dispersing function of the Lung - Soothe asthma	- Resolve phlegm - Phlegm = congealed damp - Expel dampness - Soothe asthma	- Resolve phlegm - Expel dampness and heat - Soothe asthma
Points	LU 7 (Best for tendency towards asthma) - LI 4 (restores LU descending fxn) - UB 13, - LU 5 (deep in chest), - LI 11 [Heat] Ding Chuan [Best for acute asthma attack] [Extra point for asthma → 0.5 cun from C-7] [Not used if there's not an acute flare up] Indications: - Asthma, cough - Chest heaviness - oppression - Shortness of breath - Sore throat Functions: Calms asthma, Dispels wind, Stops cough	- LU 7, REN 17, - Du 14 Classification: Crossing point of the yang meridians (neck stiffness & pain) Indications: - Febrile disease, malaria, hectic fever, night sweats - Aversion to cold, - Common cold, cough - Redness, swelling, eye pain - Neck stiffness and pain - Epilepsy Functions: Clears heat, Releases exterior, Dispels wind Regulates wei and ying qi - UB 12 (Wind Gate), - Ren 22 (tickling, nagging cough) Indications: - Headache (yang rising), - Vertigo, Rhinorrhea, - Epilepsy (effect on wind) - Infantile convulsion Functions: Dispels wind Soothes Liver qi Benefits head and nose (better for top of the lungs) - LU 5, - LU 9 (Tonify), - LI 4 (Best for Wind Cold)	- UB 20 (spleen T&T), - UB 13 (lung), UB 23, - Du 12, - LU 9 (tonify lung Qi → disperse damp), - SP 9, ST 40 (good for cancer, which is phlegm) - Ren 22, - Ren 17 [Descending lung Qi] - SJ 5 [Transform damp] - ST 36 [Strong effect on lung]	- LU 5, - Ren 14 (heat attacking lung/heart), - UB 13, - Ding Chuan, - Ren 17, ST 40,
Other Methods	Cupping, dietary therapy, herbal therapy, gua sha (vent heat)	Cupping, gua sha, dietary therapy, herbal therapy, No moxa for acute attack	- Cupping, - Dietary therapy - Congee - Warm foods - Baked Asian pears with cinnamon - Herbal therapy	Cupping

Asthma: Deficiency Patterns		
Pattern	Lung Deficiency	Kidney deficiency asthma [KD is hereditary component of asthma]
Main Symptoms	• SOB, • Spontaneous sweating (especially during day) • Weak, low voice [Small, tight, constrained, high pitched (Liver)] • Weak cough, difficult expectoration • Poor appetite • Bright, white complexion	• Breathlessness worse w/exertion • Difficult inhalation, Better when lying down • Taking an afternoon nap helps with KD Xu, even if for just 15 minutes • Frequent urination, polyuria, edema [lower body, (yin)] • Cold limbs, Loose stools
Tongue	• Pale, swollen	• Pale, swollen, wet
Pulse	• Thin, empty (Qi deficiency, weakness) • Properly empty when KD deficient	• Thin, deep, weak
Treatment Principles	• Tonify Lung • Soothe asthma	• Tonify kidney • Soothe asthma
Points	• UB 13, LU 9, ST 36, • UB 43, Ding Chuan	• UB 23, KI 6, LU 7 • Ren 4: Best for tonifying KD Yin • Du 4, Ren 17, • UB 13, • REN 6: Tonifies Qi)
Other Methods	• Dietary therapy (cooked pears), • Herbal therapy: ♦ Wu Wei Zi: adaptogen → all 5 zang • Pungent, acrid herbs: ginger, horseradish • Moxa: ST 36 & KD 3 → affect channels	• Ginger moxa (especially with Spleen Qi/Yang Xu), • Fu Zi cookie for moxa (tonifies KD Yang), • Dietary therapy • herbal therapy

Go to food for asthma: Congee w/ ginger, lotus bulbs, lily, leeks, onions, pears, Yi Yi Ren [powerful damp draining, anti-neoplastic]

- Priorities by desired effect
- Phlegm Signs
 - ♦ Heat signs & symptoms
 - ♦ Greasy, thick tongue
 - ♦ Nodules
 - ♦ Insubstantial & substantial
- Female 4 gates:
 - ♦ doesn't move blood in chong as much → safer to use for amenorrhea,
 - ♦ doesn't have effect on uterus,
 - ♦ can be used during pregnancy
- LV Yang Rising is because of deficiency (no ballast, not grounded in Yin)
 - ♦ LV 3 is best [tonify Yin]
- All western medications have effects on organ systems
 - ♦ Albuterol falsely inflates KD Yang [Many steroids falsely inflate Yang]
 - ♦ Pulls on Yang → exhausts Yang & Qi and leads to dampness [comes with steroid use]
- Cooked vegetables as food therapy for LV fire [They're green]

Asthma: Liver Patterns			
Pattern	Liver Qi Stagnation Asthma	Liver fire Insulting Lung asthma [Metal controls Wood]	Liver yin deficiency asthma
Main Symptoms	- Stress induced - Hypochondriac pain, chest oppression	- More extreme but similar to liver qi stagnation - Stress induced - Hypochondriac pain, chest oppression	- Sadness, constrained sadness and/or anger - Attacks tend to be at night - Dry throat and eyes, blurry vision - Fullness in chest and hypochondrium
Tongue	Normal	- Red w/red sides - Yellow coating [Peeled: LV yin Xu]	Red, no coat, especially on sides
Pulse	Wiry, or thready	Wiry, full [excess heat]	Wiry or thready, thin (lack of volume), rapid
Treatment Principles	Move & soothe Liver Qi	- Move & soothe Liver Qi - Cool heat	- Move & soothe Liver Qi - Clear deficiency heat - Tonify yin
Points	LV 14 (Best) [with LU 1] Classification: - Front-mu point - Crossing point: [LV, SP, Yin Wei] Indications: - Depression - Distention and pain of the chest and hypochondrium - Abdominal distention, hiccup, acid regurgitation Functions: - Harmonizes LV & ST [Acts similar to PC 6 when nausea caused by liver invasion] - Regulates liver qi - Moves blood - UB 18, Ren 17 4 gates [LV 3, LI 4]	LV 2 [LV Heat] Classification: Ying-spring point (Cooling) [LV Channel] Indications: - Eye redness, swelling and pain, glaucoma - Insomnia, epilepsy - Irregular menstruation, dysmenorrhea, metrorrhagia and metrostaxis, leukorrhea - Dysuria Functions: - Clears liver heat - Expels endogenous wind - Subdues liver yang, Regulates liver qi - Benefits lower jiao - LIV 14, UB 18 - PC 6 (affects vagus nerve) Classification: Luo-connecting point, Master point of yin wei (with SP 4) Indications: - Luo-connecting point - Master point of the yin wei (with SP 4) Indications: - Chest congestion, pain in the hypochondrium, cardiac pain, palpitation - Epilepsy, vomiting, hiccup - Depression, dizziness, vertigo, apoplexy, hemiplegia, spasm and pain of the upper extremities - Cough, asthma - Irritability (Soothes LV qi stagnation) Functions: - Opens the chest, Regulates heart qi - Calms the shen - Harmonizes and regulates stomach qi - Relieves nausea and vomiting - LU 7 - LI 11 (Heat)	- LV 8 [Medial end of popliteal fossa, come up at a 45 degree angle, first depression, then feel for a tender point] Classification: - He-sea point (controls water) → damp, damp phlegm, lv heat, but tonifies LV blood & yin Indications: - Lower abdominal pain, dysuria - Spermatorrhea, uterine prolapse, vulvular pruritus, pain in external genitalia - Irregular menstruation, leukorrhea, dysmenorrhea Functions: - Nourishes liver blood and yin - Moves the blood - Resolves damp-heat in lower jiao - Benefits genitals - SP 4: Very good for making blood Classification: - Luo-connecting point - Master point of the chong (with PC 6) Indications: - Acute gastric pain, bloating and gas, poor appetite, pain around the umbilicus, diarrhea, bloody stools - Epigastric and hypochondriac pain, chest congestion - Irregular menses, retention of placenta, postpartum faintness - Shen disturbance Functions: - Tonify spleen - Harmonizes the middle jiao - Resolves dampness - Regulates the chong, regulates menstruation - Ren 4, - SP 6 (clears deficiency heat) w/ KI 3, - PC 6 (move/soothe LV Qi) w/ SP 4, - LI 11 (clear heat), - LV 3 (Tonifies LV Yin)
Other Methods	Cupping, dietary therapy, herbal therapy	- Cupping [LV & LU area on back] - Dietary therapy: cooked bitter melon, vegetables, lily bulb - Herbal therapy	- Dietary therapy: moist foods, chrysanthemum (Ju Hua), avoid alcohol, exposure to toxins (no painting) - Herbal therapy

Excess and deficient pain • Excess pain: caused by the blockage of qi and blood by the accumulation of a substance due to a pathogen, most likely cold, blood or qi stagnation. • Stagnation creates pain • Deficient pain: caused by insufficient motive force behind blood and qi so that they pool (stream that slows to a trickle), and thereby cause stasis Abdominal Pain Red Flags • Sudden and severe • Be aware of potential hypovolemic shock, tachycardia, and hypotension. • Emergency referral required for sx of: • Mottled skin below the waist • Pulsing epigastric mass • Rebound tenderness • Rigidity • Possible problems: Appendicitis, acute pancreatitis, peritonitis, bowel obstruction, aortic aneurysm, ovarian cysts, GB or KD stones, ovarian torsion	Diagnostic patterns • Cold obstructing abdomen • Deficiency cold • Food accumulation • Liver qi stagnation • Blood stagnation • Damp heat in the Liver and Gallbladder • Damp heat in the Stomach or Intestines • Damp heat in the Bladder • Parasites More general acupuncture for abdominal pain • Electro: • ST 36, LI 10, GB 34, SJ 5 ▪ Either 2 Hz continuous or 2/100 Hz mixed ▪ Milliampage to alleviate acute pain ▪ Microampage for tonification ▪ Both use intensities only to the point of patient comfort • Auricular • Large Intestine, Small Intestine, Stomach, Spleen, zero
--	--

Abdominal Pain			
Pattern	Cold Obstructing Abdomen	Deficiency Cold	Food Accumulation
Main Symptoms	• Severe pain; relieved by warmth and aggravated by cold • No thirst • Clear urine	• Slight, dull abdominal pain; touch and pressure helps • Possible loose stools, lethargy •	• Pain aggravated by pressure • Loss of appetite, belching, bad breath, reflux, abdominal pain with diarrhea [Food stagnation] • Too much sweet causes Spleen Qi stagnation
Tongue	• Pale with a white coat	• Pale, white coat	• Sticky tongue coat
Pulse	• Deep [Internal, cold • Tight [contraction of cold, force has to move laterally]	• Deep and thready pulse	• Slippery pulse
Treatment Principles	• Disperse cold • Restore qi and blood flow	• Warm the interior [1st, moxa] • Strengthen the Spleen and Stomach	• Relieve stagnation, harmonize Stomach
Points	• Moxa!!! • Liniment w/ TDP lamp • ST 36, SP 6, LI 4 • SP 15 [Milder, more tonifying than ST 25] & REN 12: Exceptionally good for restoring Qi & blood • 4 Doors or 4 Windows; • REN 12 & • REN 6: KD Qi or Yang Xu • REN 4: Yin Deficiency • ST 25: Front Mu of LI ▪ [Really good for getting intestines moving, induces peristalsis → constipation]	• UB 20 [Tonify SP] • UB 23 [Tonify KD] • LIV 13: Best point for LV overacting on SP • Ren 6 • Ren 4	Ren 10 [Combine with other points] • Chinese Name: Xia Wan (English translation: Lower Epigastrium) • Classification: Crossing point of the Ren and the Urinary Bladder meridian • Indications: Epigastric pain, abdominal distention, diarrhea, hiccup • Functions: Descends Stomach qi, relieves food stagnation, harmonizes the middle jiao. Ren 12 ST 21: • Chinese Name: Liangmen (English translation: Beam Gate) • Location: On the upper abdomen, 4 cun above the center of the umbilicus, 2 cun lateral to the anterior median line. Needle with angle of rib • Indications: Gastric pain, vomiting, Poor appetite, abdominal distention, diarrhea • Functions: Harmonizes the middle jiao, harmonizes and descends rebellious qi, stops diarrhea ST 25 [Induces peristalsis] ST 21 if pain is high in epigastrium ST 44 [Heat, fire]
Other Methods	• Moxa! •	• Moxa • What foods might help? • Cinnamon, congee	• Bao He Wan [cranberries]

Abdominal Pain				
Pattern	Liver Qi Stagnation	Blood stagnation	Damp heat	Parasites
Main Symptoms	- Epigastric or abdominal pain, moving and radiating to the hypochondriac regions - Belching, nausea, possible vomiting, reflux, abdominal distension, stress	- Sharp, stabbing abdominal pain that connects to sides - Fixed pain, or palpable mass, also interior mass	- Pain in region of affected organ system - Nausea, possible vomiting, adverse to touch WM: Inflammation → infection	- Intermittent abdominal pain, may be severe, often clusters around navel or off to one side - Emaciation, food cravings, esp. sugar, small white dots on inner lips and/or cheeks
Tongue	• Red tongue, thin coat	• Purple tongue	• Thick, yellow coat	• Pale tongue with a sticky coating
Pulse	• Wiry or thready pulse	- Choppy pulse [Knife being scraped across bamboo] - Frequent in medicated pulses - Feel choppy pulse most in the Left and in Guan	• Wiry and slippery pulse	• Slippery pulse
Treatment Principles	- Move/Soothe Liver Qi - Relieve Pain	- Invigorate Blood Circulation; - Dispel Mass	- Clear Damp Heat, - Regulate Affected Organ System	- Eliminate Parasites; - Strengthen Spleen And Stomach
Points	- Ren 17, - LV 3 & LI 4: 4 gates - PC 6 [Profound effect on vagus nerve → Good for LV Qi stuck in torso] - GB 34: LV Qi stuck in tendons - LIV 13, LIV 14: Stagnation up in the ribs	REN 4: Local effects SP 10 [Best for Supine] Chinese Name: Xue Hai (Sea of Blood) Indications: - Irregular menstruation, metrorrhagia - Urticaria, eczema, erysipelas Functions: Invigorates and moves the blood, cools the blood, benefits the skin, regulates menstruation SP 8 [Xi Cleft → PAIN!] Chinese Name: Di Ji (English translation: Earth Pivot) Classification: Xi-cleft point of the Spleen meridian. Indications: abdominal pain, diarrhea, dysuria, edema, irregular menstruation, dysmenorrhea, spermatorrhea, impotence, lumbar pain Functions: Harmonizes the Spleen, regulates menstruation and the uterus, moves blood, regulates qi. UB 17 [Best for Prone] Chinese Name: Ge Shu (English translation: Diaphragm Shu) Location: On the back, 1.5 cun lateral to the lower border of the spinous process of the 7th thoracic vertebra. Classification: Back-shu point of the diaphragm, converging point of blood Indications: Acute epigastric pain, hiccup, dysphagia, blood in the stool, cough, asthma, hematemesis, hectic fever and night sweats Functions: Invigorates, cools & nourishes blood, stops bleeding, descends rebellious qi, harmonizes the diaphragm, calms shen	- GB 34, LI 11, SP 9, ST 40 Damp heat in the LV/GB* - Sx: Possible jaundice - Tx: LIV 14, LIV 2 - Long Dan Xie Gan Wan Test for Murphy's sign → Poke fingers under liver, if there's a lot of pain, indicates LV/GB issues [knees should be bent to relax stomach muscles] Damp Heat In ST or Intestines - Sx: Diarrhea with mucous, blood; patient feels worse after defecation; burning anus, fever, scanty, dark urine - Tx: LI 4, ST 25, ST 37 (pain) [Moving, descending functions] Damp heat in UB - Sx: Urgent pain in lower abdomen, sometimes connecting to low back [Test for tenderness at costal vertebral angle to rule out kidney involvement], burning urination that may contain blood or sediment - Tx: UB 28, Ren 3, - SP 6 & 9: T&T Fxn of Spleen UB 28 (UB Shu) Chinese Name: Pang Guang Shu (English translation: Bladder Shu) Location: In the region of the sacrum, 1.5 cun lateral to the middle sacral crest, at the level of the 2nd posterior sacral foramen. Classification: Back-Shu point of the Urinary Bladder Indications: Dysuria, enuresis; stiffness and pain of the lower back, leg pain; diarrhea, constipation Functions: Regulates the bladder, resolves dampness and damp heat, removes stagnation, opens the water passages.	- ST 36 Bai Chong Wo Chinese Name: Bai Chong Wo (Hundred Insect Burrow) Special Point for itching Location: When the knee is flexed, the point is on the medial aspect of the thigh, 3 cun superior to the medial end of the patella, 1 cun superior to SP 10. Indications: Pruritus of the skin, rubella, skin ulcers on the lower portion of the body, ascariasis (roundworm) Functions: Clears blood-heat, dispels wind, resolves dampness
Other Methods	- Shu Gan Wan - Xiao Yao San	- Upper: Ge Xia Zhu Yu Wan - Lower: Shao Fu Zhu Yu Wan (menses)	- When to refer? - What flavors of foods and herbs would help to clear damp heat? - Bitter, astringent [Greens, quinoa]	Moxa, warming foods, warming herbs

Insomnia		
Definition - Insomnia is being unable to get enough good sleep. - Manifestations of insomnia include an inability to fall asleep, remain asleep, or feel refreshed by sleep. - Causes constant fatigue, anxiety, and possibly psychiatric and other disorders, such as delayed tissue repair. Causes - If caused by temporary emotional factors such as excitement, terror, grief, or by environmental factors, such as noise, bright light, and there are no other symptoms, it will be a self-limiting condition. - If caused by other illnesses such as fever, cough, pain, these should be treated first.	Other associated conditions - Alcohol withdrawal syndrome - Drinking too late at night - Wake at LV → LU transition time [0100] - Depression, anxiety - Anemia - Hypertension - Cerebral arteriosclerosis - Hepatitis - Menopausal syndrome - Mental illness	TCM - Insomnia is associated with instability or dysfunction of the shen due to: - Over-stimulation and agitation by heat [most common] - Agitation by constraint from qi or blood stagnation - Inadequate anchoring due to a deficiency of blood, yin or jing Endogenous Causes - Stress - Poor diet - Chronic illness - Aging - Shen imbalance - Hereditary factors .

Insomnia			
Pattern	Liver Qi Stagnation	Damp Phlegm	Heat Disturbing The Heart
Main Symptoms	- Sleeplessness, difficulty falling asleep, dream disturbed sleep, - Nightmares: - Violence [if LV Heat or fire] - Tense situations - Most commonly, nightmares have to do with LV Heat - Dream disturbed sleep - Hun: - Depression, emotional ability, anger, irritability, - Headache [Parietal, Shao Yang], esp. w/ red eyes, tinnitus, bitter taste in mouth, thirst, dark urine and constipation	- Difficulty staying asleep, wakes feeling un-refreshed - Chest distention, fullness in chest, abdominal bloating, bad [sticky, disgusting] taste in the mouth, excessive phlegm, acid reflux, poor digestion .	- Sleeplessness, frequent waking - Dream disturbed sleep - Restlessness, agitation or anxiety Palpitations, dry mouth, - Thirst with a desire for cold fluids, - Bitter taste, Mouth & tongue ulcers: Very specific to HT - Red complexion - Concentrated or painful urination [SI connection] .
Tongue	- T&P could show heat or no heat - Red or normal body, yellow coat .	- Red tongue, maybe swollen, toothmarked, sticky yellow coat .	Red tongue tip, yellow coat - Heart shaped tip: congenital HT Xu - Hammer tongue [swollen: more fluid in upper jiao than in middle jiao → classic sign of Shen disturbance] - Narrow tongue tip: Probably HT blood xu
Pulse	- Thready [deficient but constrained → not at all 3 because deficient] - Wiry, or rapid pulse	- Slippery and rapid pulse .	Rapid pulse
Treatment Principles	- Soothe the liver, - Purge fire, calm the mind .	- Relieve food stagnation, - Transform phlegm - Phlegm = cooked damp - Heat can be deficiency or excess - Heat can be temporary - Eliminate damp, Clear heat - Harmonize Spleen and Stomach	- Clear heat from the Heart - Calms the shen .
Points	- LV 3 (or 2) w/ LI 4 - LV 2: Fire/heat - GB 34 (w/ SJ 5) [Heat] - GB 44 [Clears heat] - GB 20 [occipital headache] - UB 18 5 Needle Protocol [SNP] [EAR] - Just ears - Core of battlefield acupuncture [DOD] - Basic: [in order of insertion] Sympathetic, Shen Men, KD, LV (or SP), HT (or LU) - Electro: Choose 2 points [whatever points make the most sense] 2 Hz continuous mA [Mimics sleep rhythms Delta wave range,]	- ST 40 - ST 25 - Four windows: Ren 12, 6, & ST 25 or SP 15 - Shen Nong: transparent stomach, animal husbandry - Ren 12: Front Mu of Stomach - REN 6: Foundational KD Qi - ST 25: Front Mu of LI [very moving] * Frequent belching - SP 15: Poor appetite - ST 44: Heat [Bleed the point] - ST 37: Lower He Sea of LI - Drain Damp heat from Yang Ming - Regulates & transforms phlegm - SP 9 - LI 11 - ST 36	- HT 8 [Desensitize] - Open up by applying pressure - Separates fascial planes, makes point more accessible, pushes aside the nociceptive fibers, pushes aside blood vessels - HT 9 - HT 6 - PC 8 - UB 15 - LI 11 - Other points depending on the source of the heat - ST 44: ST Heat - GB Heat: GB 44, 34 - LV Heat: LV 2

Insomnia			
Pattern	Heart and Kidney disharmony	Spleen and Heart deficiency	Heart and Gallbladder deficiency
Main Symptoms	- Deficient Yin of KD & HT [Must be a pair] - Difficult to fall or stay asleep, busy dreams - Frequent waking, night sweats, - Five palms hot - Restlessness, palpitating, feverish sensation in chest, palms and soles, dizziness, tinnitus, soreness of low back and knees [KD], amnesia [HT], nocturnal emission, dry mouth and thirst - Shen governs consciousness & long term memory is part of that	- Insomnia with busy dreams [not disturbing], frequent waking, light sleep - Quality of rumination [busy mind] - Palpitations, poor memory [initial absorption [SP] & making wisdom phase (HT)], dizziness, - Fatigue, malaise, loss of appetite, - Pale complexion	- Waking early in the morning with a start [Vigilance] - Frequent waking, unable to fall back to sleep - Timidity [inability to make decisions] - Palpitations, frightened easily, - Low spirit and tiredness, - Spontaneous perspiration, - shallow breathing
Tongue	Bright red, fissured tongue, no coat	Pale tongue, possibly swollen, thin and whitish coat	Pale tongue
Pulse	Thready, thin, rapid	Thready and weak pulse	Thready pulse
Treatment Principles	- Nourish Kidney yin, - Clear heat, - Calm the shen	Nourish Heart and invigorate Spleen to generate qi and blood	- Nourish the Heart, - Strengthen the Gallbladder, - Calm the shen
Points	Antichrist of Yin Xu: [6/6/6] - SP 6 - HT 6 (or 7) - KI 6 - PC 7 [or HT 7]: Calm Shen [Source Points] - UB 15 - UB 23	- ST 36 [Best point for SP Qi] - SP 6 [Good for tonifying spleen w/ ST 36] - HT 7 [Best point for HT blood] - UB 20 (and 49) - UB 15 (and 44)	- HT 7 - PC 7 - GB 40 (or 41) UB 15 - UB 19 - Auricular: 5NP or Heart and Gallbladder, Shenmen
Other Methods		- Gui Pi Tang - Food!!! [Spleen friendly cooked foods → beets, rice, chicken] Eat widely & well to build blood & Qi, cooked	Wen Dan Tang

- Diet: - Avoid stimulating food - Eat soothing, warm, Spleen qi friendly foods - Lifestyle - Practice good sleep hygiene http://www.cci.health.wa.gov.au/docs/Info-sleep%20hygiene.pdf - Herbal formulas - Xiao Yao Wan - An Mian Pian - Suan Zao Ren Tang Wan - Gui Pi Wan - Tian Wan Bu Xin Dan [Yin Xu of HT & KD] Liver Continuum: LV Qi Stagnation → LV Heat → LV Fire → Apoplexy w/ rage - Liver Fire: Red eyes, face, tongue, violent dreams, wiry, full, flooding, rapid pulse LV Yin: Night sweats, peeled edges on tongue, irritability LV Blood Xu - Thin nails, brittle hair, GYN symptoms [amenorrhea, miscarriage, dysmenorrhea, etc.] - Reproduction problems: probably LV blood, not HT blood An Mian: really good for poor sleep from neck tension from LV Qi stagnation Phantom pain: Acupuncture really effective → treat opposite limb in exact location where the phantom pain is Can also use microsystems → ear, etc Book: Microsystems in Acupuncture 8 Gates: Functional relationships: Good for many kinds of stagnation - SJ 5 [Damp in all 3 Jiaos] & GB 34 [tendons] → Qi on sides, LI 4 [Cold & Qi] & LV 3 [Yin & Blood] → Yang Ming channels	Moxa for Insomnia - Yang Deficiency, maybe Qi Deficiency - SP Qi Xu & HT Blood Xu [Gui Pi Tang Syndrome] - ST 36, SP 6 Moxa & sleeplessness - Keep it below the belt → Warm up lower part of body - Qi needs to be rooted in order to fall asleep - Rumination → Spleen Qi Xu Tongue - Pointed @ tip: blood xu - Peeled: yin xu - Notched: congenital heart qi deficiency - Hammer tongue (Swollen): damp → cooked to phlegm → phlegm misting mind - Too much fluid in upper jiao - Phlegm misting mind → disturbed Shen Help elderly sleep cycle → nourish KD & KD yin - SP 6, KD 6, diet & herbs 2 best points for 5 NP for PTSD - KD, Shen Men, LV, HT, Sympathetic - KD deficiency often implicated in nervous system disorders Neck: junction between heaven & earth → PTSD → look for ways to bring them back into their body → treat trauma, hold trauma, etc. → suppression has functional role → don't want to take it away lightly → eyes open, remembering, reinhabiting, reclaiming
---	---

Headaches	
Biomedical View Of Headaches • ~90% benign • Frequent subjective symptom in both acute disorders, such as cold and flu, and chronic disorders such as hypertension, depression or anxiety • Types of headaches according to the International Headache Society ♦ Migraine ♦ Cluster ♦ Tension ♦ Post traumatic ♦ Disease related	TCM View Of Headaches • The head is the meeting place of all the hand and foot yang meridians • Qi and blood flow upward to the head • Exogenous or endogenous factors may disrupt the flow of qi and blood, causing pain • DU 20 Name: Hundred Meeting Place

Headaches					
Type	Migraine	Cluster	Tension	Post-Traumatic	Disease Related
Qualities	• Intense pain • Nausea or vomiting • Aura (halo of light), sparkling, colors or and black spots in field of vision • Photosensitivity • Fever; chills; aching; and sweating	• Occur in clusters • Mild to moderate pain • Squeezing, pressing • Steady and non-throbbing	• Intense pain • Steady, penetrating and non-throbbing	• Dull or achy • Sharp or stabbing	Qualities: • Vary widely Location: • Varies widely Duration and occurrence • Vary widely Commonly associated conditions • Allergies • TMJ • Nerve pain • ENT disorders • Head and neck disorders • Stroke; brain tumor • High blood pressure • Constipation • Insomnia
Location	• Unilateral (differentiates from other type)	• Bilateral parietal • Occipital • Frontal	• Behind eyes or at temples • Liver Qi Stagnation [parietal]	• Occurs at site of trauma	
Duration & Occurrence	• May last for days	• Incidences with repeated attacks occur two to three months at a time • Specific attacks 45 minutes to two hours • Occur at night • Most often in spring or autumn • Liver Yin	• Hours to days • One or more times a week	• In clusters or continuous • Within 24 hours of trauma to years later	

Exogenous Headache Patterns			
Pattern	Wind Cold	Wind Heat	Wind Damp
Main Symptoms	• Acute onset • Common in cool to cold weather • Upper NECK stiff, head feels tight • Aversion to cold and wind • Aches and chills	• Acute onset • Severe pain • Fever, sore throat, thirst • Red face, eyes	• Muffled pressure "towel wrapped around the head" • Heavy sensation in limbs and/or chest • Poor appetite • No thirst
Tongue	• Thin, white coat	• Thin, yellow coat	• Greasy coat
Pulse	• Floating [exterior, wei qi trying to push it out] • And/or tight [cold constricts]	• Floating, fast [heat]	• Soft, slippery
Treatment Principles	• Release the exterior • Expel wind • Dispel cold • Relieve pain	• Release the exterior • Expel wind heat • Relieve pain	• Release the exterior • Expel wind damp • Relieve pain
Points	• LI 4 [Best!], GB 20 [Next Best: Wind Gate] • LU 7, LI 20 [congestion, UB 10, UB 12, GB 16] • Du 16 [fantastic for releasing wind cold]	• LI 4 [pain], LI 11 [Best], • Du 14, Du 16: Wind • Du 20, SJ 5 [pain] • Gua Sha [releases exterior, expel wind]	• Du 20, Ren 12, UB 20, ST 36, • ST 40 [best for expelling damp] • GB 20 & GB 21 [Drain channel]

Shen-nong.com Analysis: in traditional Chinese medicine (TCM) theory, the bladder meridian governs the body surface. When external wind and cold invade the body, the meridian is usually affected, resulting in discomforts along its pathway such as pain in the head and neck. The wind and cold pathogens hinder the protective qi flowing on the body surface, so there are aversion to wind, chills and general aches. The tongue coating and the pulse also indicate that the pathogens are located in the exterior portion of the body.

Placing more than one needle in a channel, it is better for draining that entire channel [Helps when they're within some proximity]

Order of needling along the flow of Qi

Electro should be within 3 cun for best effects

Wind Cold Headache Points			
Point	Classification	Indications	Functions
LI 4	- Yuan source point Command point of head and face	- Diseases of the head and face - Aversion to cold, or fever, febrile disease, sweating or lack of sweating - Dysmenorrhea, amenorrhea, - Delayed or irregular labor - Abdominal pain, constipation, diarrhea, dysentery [Downward bearing through LI] - Hemiplegia, spasm - Infantile convulsion, mania, irritability - Lesions, urticaria, scabies [Expels wind] - Pain: local and systemic	Expels wind and releases the exterior Tonifies wei qi Activates channel Downbears qi Regulates the face and head Restores the yang Point is very rich in blood & qi → heavily myelinated sensory nerve fibers are present → they conduct Qi & blood the best
LU 7	- Luo connecting point - Master point of Ren channel Command point of head and neck [Back of head]	- Head and neck problems: migraines (central and one-sided), headaches caused by exogenic pathogens, neck rigidity, facial paralysis, toothache, sore throat, cough, asthma, nasal problems - Urogenital system problems: pain in penis, hematuria, spermatorrhea - Abdominal distention	Releases the exterior Expels exterior wind Descend lung qi Benefits head and neck area Benefits bladder Really good w/ KD 6 for deep things → Ren disorders Also good with ion pumping cords
UB 10	- Sea of qi point - Window of the sky point	- Dizziness - Headache, neck stiffness - pain in the shoulder and back - Nasal congestion, sore throat Particularly good for disconnection btwn body & spirit	Expels wind Soothes sinews Benefits head Opens orifices
UB 12	Location: 1.5 cun lateral to the lower border of the spinous process of T2 Classification: - Crossing point of UB and Du channels	- Common cold - Cough - Fever - Headache - Neck stiffness and pain	Releases exterior Descends lung qi Tonifies wei qi Regulates ying and wei qi • What do you call 50 female pigs & 50 male deer? • 100 sows & bucks
GB 16	Crossing point of GB and yin wei channels	- Blurry vision, glaucoma, eye pain and swelling - Headache - Nasal congestion, facial swelling - Epilepsy	Dispels wind [epilepsy, blurry vision] Benefits head and eyes Relieves pain

Wind Heat Headache Points			
	Classification	Indications	Functions
Du 14	Location: - In the depression below C7 spinous process Classification: - Crossing point of hand and foot yang meridians	- Fever, malaria, night sweats - Eye redness and pain - Neck stiffness and pain - Common cold - Epilepsy - Cough	Releases exterior Clears heat Regulates ying and wei qi • Du 14 is one of the most important points to release the Exterior and treat Wind-Heat (cold/flu). It's also a main point in treating Summer Heat.

Endogenous Headache Patterns			
Pattern	Liver Yang Rising	Liver Fire	Phlegm Damp
Main Symptoms	- Severe pain - Worse in afternoon and evening [yin deficiency → appears excess, but depends on underlying yin deficiency] - Not enough yin in body, yang goes wild! - Yin Xu symptoms show up in yin time - Yang Xu symptoms show up in yang time - Either uni- or bilateral - Red face - Anger, irritability, nightmares - Bitter taste in mouth - Constipation	- Treated similarly to liver yang rising headache, with what important differences? - Excess - Extreme RED!!! [Eyes, face, tongue] - Almost purple - Irritable, angry	- Pronounced sensation of heaviness - Worse in damp weather - Dizziness - Pressure in chest, epigastrium - No thirst Nausea and/or vomiting
Tongue	Red body, thin yellow coat or no coat	Red, yellow coat	Greasy coat
Pulse	Forceful, wiry or thready, rapid		Slippery
Treatment Principles	- Soothe liver, move liver qi stagnation - Descend yang - Tonify yin to anchor yang - Clear heat - Relieve pain		- Dispel damp - Resolve phlegm - Tonify stomach and spleen - Raise the clear yang - Relieve pain
Points	- LIV 3 [Best: soothe, move LV, tonify yin] - SP 6, KI 6: Tonify yin - GB 4: Local [Current headache: needle distal points first to give Qi a place to go, then can put in a local point] - GB 20, GB 43, taiyang, sishencong	- LI 11 - Bleed: LV 1, GB 45, LU 11 or LI 1	- ST 40, then SP 9 [3 needles close together] - ST 8 [Local → one of last points] - ST 36, Du 20, SP 9, - Ren 12: regulate stomach Qi - Yin tang, - dietary therapy

LV Yang Headache Points			
	Classification	Indications	Functions
GB 4	Location: - Junction of the upper 1/4 and lower 3/4 of line between ST 8 and GB 7 (within hairline near temple) Classification: - Crossing point of GB, ST, and SJ channels	- Migraine - Epilepsy - Dizziness, tinnitus [Often comes from tension in GB 20 area → release] - Toothache	- Dispels wind - Clears heat - Relieves pain
GB 43	Ying spring point	- Headache - Dizziness, tinnitus, deafness - Eye redness and pain [rib pain] - Mastitis, sub-costal pain - Fever	- Clears heat - Clears gall bladder damp heat - Benefits eyes, ears and head - Descends liver yang
Tai Yang	May need to massage it first if muscle is tight	- Headache - Eye redness and pain - Toothache - Facial pain	- Dispels wind - Clears heat - Relieves pain
Si Shen Cong		- Headache - Vertigo - Insomnia - Poor memory [used most frequently for this] - Epilepsy	- Dispels endogenous wind - Calms the shen

Phlegm Damp Headache Points			
	Classification	Indications	Functions
ST 8	Crossing point of ST, GB, and yang wei channels	- Headache - Dizziness, vertigo - Blurry vision, ophthalmalgia, lacrimation, eye twitch	- Dispels wind - Relieves pain - Benefits eyes
Yin Tang		- Headache [Frontal headaches] - Insomnia - Dizziness, vertigo - Rhinorrhea, epistaxis - Infantile convulsion	- Dispels wind - Calms the shen - Benefits the nose

Endogenous Headache Patterns			
Pattern	Blood Stagnation	Qi & Blood Deficiency	Kidney Deficiency
Main Symptoms	- Fixed, severe pain - Often associated w/ trauma	- Primarily qi deficiency: - Dull, achy - Whole head or frontal region - Worse w/ stress, fatigue, and overwork Poor appetite [SP] - Low energy - Primarily blood deficiency - Dull, achy - Palpitations, n, poor memory - Pale and/ or dry skin, dry hair - Worse after menses [GYN issues]	- Center, hollow ache - Weakness and/or pain in low back and/or knees - Fatigue - Night sweats, 5 palms hot (w/ yin deficiency) Clinically rather rare
Tongue	Purple or dusky, sublingual venous distention, petechiae	- Pale w/thin white coat, - May be puffy w/ qi deficiency or - Small with blood deficiency	- Pale (qi deficiency) - Red w/o coat (yin deficiency)
Pulse	Choppy or wiry	Weak, thin	Deep, empty, may be thready (yin deficiency)
Treatment Principles	- Move qi and blood - Relieve pain	- Tonify ST and SP qi - Tonify KI qi - Tonify blood - Raise the clear yang	- Tonify KI qi - Tonify ST and SP qi [KD supports SP & ST, if SP & ST are deficient, they take from the KD] - Raise the clear yang - Relieve pain
Points	- SP 10 [Best if on back] - UB 17 [Best if on stomach] - SP 6, - SJ 6: Moves Blood & Qi → really good for constipation - GB 34, LI 4, LIV 3 → [8 gates w/ SJ 6 instead of SJ 5 to move blood instead of damp]	ST 36, SP 6, LI 10, UB 17, UB 18, UB 20, UB 21, UB 23, Du 20, dietary therapy, herbs	- ST 36, UB 23, KD 3, - Ren 4: Yin Xu [REN 6: Yang or Qi Xu] - DU 20, - SP 6, KI 6 (yin deficiency)

Points by Headache Location Brow: UB 2 toward Yu Yao or UB 1 Frontal: LI 4, ST 8, ST 44, Du 23, GB 14, tai yang Occipital: UB 10, Du 19, SI 3 Temporal: GB 8, SJ 5, GB 41, tai yang Vertex: Du 20, SI 3, UB 7, UB 67, LR 3 Deep: KI 1, KI 3, UB 23 Parietal: GB 41	Herbal formulas Ge Gen Wan: wind cold headache, stiff neck Tian Ma Gou Teng Wan: liver yang rising Long Dan Xie Gan Wan: liver fire Tong Qiao Huo Xue Wan: blood stagnation
--	---

Contraindications for Pain medications for headaches - Electro: No low Hz setting → Mix in a higher frequency because the low frequency - Acupuncture doesn't work very well if people are high or medicated - Much more effective at the end of the medication window Headaches are straightforward to treat - Know the channels, location, constitution Stroke - The earlier you can treat, the better - Scalp acupuncture is very powerful Bleeding fibroids [Excessive bleeding after menstruation] - Moxa on SP 1 - Yunnan Bai Yao Needling order - Important points first	Possible treatment for migraine headaches - Shao Yang, LV Headaches with every menstrual cycle - During: LV Qi Stagnation - After: Blood Deficiency
--	--

PMS

PMS v PMT • Premenstrual tension syndrome, aka premenstrual syndrome • Broad range (~150) of recurrent emotional and physical sx 7-14 days prior to menstruation • Typically presents with decreased energy, tension, irritability, depression, headache, altered sex drive, breast pain, backache, abdominal bloating, and edema of extremities Prevalence of PMS • Affects between 30 and 40% of menstruating women • Peak occurrences among women in their 30s and 40s • Severe in about 10% of women, then referred to as premenstrual dysphoric disorder Abraham's PMS classifications • (Abraham GE. Nutritional factor in the etiology of the premenstrual tension syndromes. J Reprod Med 1983; 28: 446-464) • PMS-A (A = anxiety) • Most common symptom category • Strongly associated with excessive estrogen and deficient progesterone during premenstrual phase • Common symptoms are anxiety, irritability, and emotional lability	• PMS-C (C = carbohydrate craving) • Associated with increased appetite, craving for sweets, headache, fatigue, fainting, and heart palpitations • Glucose tolerance tests during the 5-10 days before menses suggest excessive secretion of insulin in response to sugar consumption; during other parts of the menstrual cycle GTT is normal. PMS-D (D = depression) [Liver, Kidney] • Least common • Key symptom is depression associated with low levels of neurotransmitters in CNS • Likely due to increased breakdown of neurotransmitters d/t decreased levels of estrogen • Decreased ovarian estrogen output has been attributed to a stress-induced increase in adrenal androgen and/or progesterone secretion. • PMS-H (H = hyperhydration) [Damp, KD, SP] • Characterized by weight gain (greater than 1.5 kg), abdominal bloating and discomfort, breast tenderness and congestion, and occasional swelling of the face, hands and ankles • D/t an increased fluid volume secondary excess of aldosterone which may arise due to stress, estrogen excess, magnesium deficiency, or excess salt intake
--	--

PMS Patterns

Pattern	Liver Qi Stagnation	Spleen Qi Deficiency [Chocolate]	Kidney Yang Deficiency	Phlegm Damp Accumulation
Main Symptoms	• Premenstrual depression, irritability, hypochondriac pain • Irritability, anxiety • Breast distention [LV] • Abdominal distention and cramping, diarrhea [LV overacting on SP/ST] • Irregular menstruation	• Fatigue, craving for carbs [indication of SP Qi Xu], • loose stool, abdominal distention • Poor appetite, pale face, pale and copious menstruation [SP fails to control blood], or long menses, leucorrhoea	• Premenstrual fluid retention, weight gain, swollen extremities [edema, especially in lower body] • Aversion to cold • Low back pain, weakness of knees • Cock's crow diarrhea • Lowered libido, • Delayed menses [> 32 days]	• Heavy, thick feeling in head, headache, forgetfulness, confusion • Low mental energy, poor spirit, crying, insomnia, • poor appetite, nausea [already full, stickily blocked] • white sticky leucorrhoea
Tongue	• Normal or red tongue, thin yellow coating	• Pale, flabby tongue with a white sticky coat	• Pale, flabby tongue	• White sticky tongue coating [tongue coat is mandatory] • Pale and flabby body
Pulse	• Wiry or thready pulse	• Weak pulse	• Weak, deep [most indicative] and slow pulse	• Slippery and wiry pulse
Treatment Principles	• Move Liver qi stagnation, regulate menses	• Tonify spleen qi, • regulate menses	• Tonify the kidney yang, and • warm the uterus	• Tonify the Spleen; • transform damp; • dispel phlegm [Most important]
Points	• LR 3 [Best: Most important] • LR 14 [Breast swelling, pain] • SP 10 [Blood Stagnation] • SP 8 [Pain] • UB 18 [Best for regulating] • Auricular: Uterus; Liver; Shenmen	• Ren 6 [Qi Xu w/ KD involvement] • UB 20 [2nd Best] • Du 20 • ST 36 [Best] • SP 6 • SP 1 (with what method?) • [Too much bleeding → Moxa!]	• Ren 6 • Ren 8 (which method?) • Salt [KD] Moxa (anorexia, reinvigorates ability to take in nourishment, mother's love, nurturing) • Ginger moxa [SP Yang] • UB 23 [Good for everything] • KI 7 [Best to tonify KD Yang] • KI 3 • Du 4 [Also good for Yang] • Moxa: DU 4, UB 23	• Fluid transformation in 3 Jiao: • Ren 17 [Upper] • Ren 12 [Middle] • Ren 6 [Lower] • ST 40 [Most important] • UB 20 • SP 9

Direct Moxa residue: Direct application of herb to skin → nutrients get absorbed by skin

PMS Patterns			
Pattern	Blood stagnation	Qi & Blood Deficiency	Kidney Yin Deficiency
Main Symptoms	• Premenstrual headache, or dysmenorrhea • Abdominal pain starting before menstruation • Late, scanty and dark menses with clots; distending pain in the lower abdomen alleviated by passing out the clots; breast and hypochondriac pain	• Lassitude (lack of energy), poor memory and insomnia • Palpitations, shortness of breath, dizziness, pale or sallow face, emaciation, • Scanty and light red menses [expect] •	• Common in perimenopause • Headache, dizziness, hot flashes, low back pain • Blurred vision, irritability, tinnitus, night sweats, five palms hot, weakness and pain of lower back and knees, • Bitter taste in the mouth [maybe] • Dry mouth, constipation, scanty menses
Tongue	• Purple spots on edges • Sublingual vein distention	• Pale tongue with thin coating •	• Red small tongue, fissured • Thin or no coat •
Pulse	• Deep, choppy [blood stagnation] and wiry pulse	• Weak pulse ♦ Thin: blood deficiency [narrow] (no upward pressure) ♦ Soft: undefined → qi not holding blood in vessel ♦ Hidden: deep → kd xu ♦ Deep: kind of weak, unless it's a prison pulse [hard @ deep level] ♦ Thready: deficient wiry → lv qi stagnation with deficiency	• Wiry, thready and rapid pulse
Treatment Principles	• Move blood; • soothe Liver	• Tonify qi; nourish blood •	• Tonify Kidney yin, LV Yin and root Liver yang •
Points	• LR 3 [Soothe LV] • SP 10 [Best for face up] • SP 6 • GB 34 [Move, soothe LV [Qi & Blood], damp heat] • SJ 6 • SP 8 [Pain] • UB 17 [Move Blood] • UB 18	• UB 20 • UB 23 • Ren 6 and 4: Qi & Blood & KD Xu • SP 6 • KI 3 • HT 7	• UB 18 • UB 23 • KI 6, KT 6, SP 6 • KI 3 • LR 3 [All PMS] • SP 6 [Tonify KD Yin, LV Yin, Root LV Yang] • HT 6

Other Treatments: • Regulate Chong and Ren: SP 4 and LU 7 • Zigongxue [On top of ovaries, needle perpendicularly] • Auricular: Shenmen, Kidney, Liver, Spleen, Uterus • Electro [Pain] ♦ To disperse, soothe Liver qi: milliamperage; low Hz (1-2) [Calm] ♦ To tonify: microamperage [imitates sleep → rejuvenating]; low Hz (1-2) Dietary therapy, lifestyle changes • Based on the TCM and allopathic diagnoses for PMS, what kinds of dietary advice might you give? ♦ Iron ♦ Sour, warm, thin soup (vegetable broth, pho) • What other lifestyle changes might you suggest? ♦ Walking → Helps move LV Qi • Herbs: Xiao Yao San Don't use 4 gates during menstruation because the strong downbearing of Qi can worsen bleeding • Can use Female 4 gates LV Qi Stagnation Points during menses • LV 14: Better for breast issues • LV 13: LV overacting on digestion system, GB, SP • Auricular • LV 8	Shortened cycle: KD Yin Xu [Because of the heat, the blood doesn't stay in vessels] Lengthened cycle: KD Yang Xu, or KD Qi Xu [LV Qi Xu can lengthen it a few days] Continuous bleeding • Blood: Bright red → KD Yin Xu • More orange, dripping: SP Qi Xu [fails to hold blood] LV overacting on SP → LV 13
---	--

Menopause	
- Definition - Cessation of menstruation, most commonly around age 50 6-12 months without menses - Hot flashes, a characteristic sign occurring in 65-80% of women - The time close and leading up to menopause is referred to as perimenopause; afterwards is referred to as postmenopausal. - Symptoms - Irregular menstruation - Hot flashes - Mental irritability and depression - Hypertension and chest pain - Atrophic vaginitis - Frequent urinary tract infections - Osteopenia or osteoporosis - Cold hands and feet - Forgetfulness - Difficulty concentrating	- Hormone Replacement Therapy (HRT) - Robert A. Wilson MD published <i>Feminine Forever</i> in 1966. - Menopause is an estrogen deficiency disease to be treated with drugs - Benefits of HRT - Relief of hot flashes and other menopausal symptoms - Reduction in osteoporosis - Some protection against heart disease and strokes - Side-effects of HRT - Breast cancer - Breast tenderness - PMS sx - Depression - Liver disorders - Enlargement of uterine fibroids - Nausea - Fluid retention - Blood sugar imbalances - Headaches

Ren 4: Yin Ren 6: Yang & Qi KD 3: Best for Qi KD 6: Yin KD 7: Yang SP 6: Yin Sweating: HT & LU are very close together, LU rules the pores, HT can be expressed through lung [WM: congestive heart failure]	Diet & Lifestyle - KD Xu: Bone broth, seafood, naturally salty food, black foods - Yin Xu: Cucumber, lotus fruit, vegetables, especially root vegetables [preserve KD yang & qi → not exhausting with diet] - Avoid spicy food, red wine, hard liquor - Alcohol can be helpful in small amounts: Circulates LV Qi, - Exercise (swimming especially), - Solidifying sleep [sleep is where you make more yin]
---	--

Menopause					
Pattern	Kidney Yin Deficiency	Kidney Yang Deficiency	Kidney Yin And Yang Deficiency	Liver Qi Stagnation	Spleen And Heart Deficiency
Main Symptoms	- Hot flushes, vaginal dryness - Dizziness, Blurred vision, irritability, hot flushes, night sweating, weakness and pain of lower back and knees, irregular menstruation	- Cold hands and feet. - Fatigue, pale face, poor appetite, abdominal distention, loose stool with undigested food, edema, obesity, excessive sputum, distension in the abdomen and chest, belching, nausea, foggy mind	- Alternate cold chills and hot flushes, lower back pain and weakness. - Palpitations, insomnia, excessive dreaming [LV], dizziness [postural hypotension, LV yang rising or LV fire] - Tinnitus - Low pitch: KD - High pitch: LV	- Mental depression, anxiety, and irritability - Stiffness and distension in chest and hypochondriac area, anger, moodiness, insomnia, agitated dreaming, possible hot flashes [LV Yin Xu]	- Insomnia, poor memory - Palpitations, shortness of breath - Spontaneous sweating [LU Qi Deficiency] - Fatigue, poor appetite, abdominal distension, loose stool
Tongue	Red, small tongue, thin or no coat	Pale, flabby tongue with white coating	Red or pale tongue, thin coat;	Red tongue, thin, yellow coat	Pale tongue with thin, white coating
Pulse	Thin, wiry, thready and/or rapid pulse	Deep, weak pulse [could be minute, empty]	Deep, thready pulse	Thready or wiry pulse	Weak and thready pulse
Treatment Principles	Tonify Kidney yin and reduce Liver yang	Warm Kidney yang, and Regulate Heart and Kidney & SP function	Tonify kidney yang and nourish kidney yin	Move Liver qi, tonify the Liver and Kidney yin	Tonify Spleen qi, nourish Heart blood
Points	- UB 23 - KI 6 (or 3) - SP 6 - Ren 4: Yin [Ren 6: Yang & Qi] - HT 6 (or 7) - HT 7: Strength of pulse	- UB 23 - UB 15 - Du 4: Moxa (Direct) - KI 7 [better for yang] (or 3) - SP 6 (with which method?) Moxa! - Ren 6 Moxa! - UB 20 Foggy headaches: Du 20, Si Shen Cong, KD 7	- Combine points to tonify kidney yin and kidney yang - REN 4 & 6 - KD 3 moxa - KD 6, SP 6 with needles then moxa 4 gates	- LV 3 (with LI 4 especially) - KD 6 - DU 20: when needs clear yang (fuzzy headed, muggy, incoherent) - GB 20: When LV Qi stagnation is affecting head & shoulders - PC 6: When LV Qi stagnation is affecting abdomen (nausea, bloating) - UB 18 - UB 23	- SP Qi & HT Blood Xu [Most often] - Herbs: - Gui Pi Tang - Xiao Yao Wan - UB 15 - UB 20 - ST 36 - SP 6 - HT 7 - Sishencong [for clear Qi to head] - Du 20 - PC 7 [Good for blood] - Zigong [Very good for PMS] - Auricular: Ovaries, uterus, shenmen, sympathetic, brain, heart, liver, spleen, kidney

Bi Syndromes							
Definition			Prescriptions (Local Points)				
• Bi = Blockage (Pain = Obstruction) [Bi must have pain!] • Patient with Qi Xu attacked by wind, cold, damp & heat → Results in Qi & Blood stagnation, characterized by pain, soreness, numbness & weather change • In Huang Di Nei Jing: One whole chapter discusses Bi syndrome (Original source of information on Bi syndrome) • Related to WM Department of Rheumatology			Shoulder	LI 15 (w/ meridian), SJ 14, SI 9, SI 10			
			Scapula	SI 11, SI 12, SI 14, UB 43			
			Elbow	LI 4, LI 11, LU 5, SJ 10, SJ 5,			
			Wrist	SJ 4, SJ 5, LI 5, SI 5 [Use shorter needles]			
			Fingers	SI 3, SI 5, LI 3, LI 4, Ba Xie			
			Low Back	DU 3, DU 26 (septum), UB 23			
			Hip	GB 30 (3 cun needle), GB 29, GB 39 [3 cun ↑lateral malleolus]			
			Thigh	UB 54, UB 36 [butt C/L], GB 34, He Ding			
			Knee	He Ding, ST 35, Xi Yan (bent knee), GB 34, SP 9			
			Leg	UB 57, UB 58 [Don't use strong technique → Charley horse]			
Etiology & Pathogenesis			Ankle	ST 41, [SP 5 & GB 40 → between bones], UB 60, KD 3			
			Toes	SP 4, UB 65, Ba Feng			
Attack of pathogenic factors			General Pain	LI 4, {SI 3 (Du) & UB 62 (Yang Qiao)}, UB 17, SP 21,			
				LI 11, LI 15, SJ 4, ST 41, GB 30, GB 34, GB 39 (marrow)			
Heat Constitution (Internal heat in body)			Supplementary Points				
			Tendon Bi	GB 34 [Meeting Point of Tendons]			
			Bone Bi	UB 11 [Bone Meeting point] GB 39 [Marrow dries up → decalcification]			
• Invasion by pathogenic wind, cold & damp • Wind (fast) is usually first to invade and also brings along other factors (cold (contractive, spasmodic), damp (sticky, heavy, slimy)) • Qi: Life force, energy, nothing & everything, always moving → if Qi isn't moving, it causes problems (stagnation), without Qi, nothing can happen [Qi Xu (WM: low immunity) → Easily get invaded] • Dysfunction of pores & weakness of Yang Qi Other: • Disharmony between Ying (Nutritional) & Wei, Qi & Blood • Internal injury of Zang & Fu • Internal production of phlegm, turbidity & blood stasis • Any Qi & Blood beyond vessels will cause problems • Blood leaking outside vessels → Blood stasis (fixed, stabbing pain)			Treatment Principles				
			• Open up channels, break up blockages • Review Needle & Moxa Techniques • To treat Wind, treat Blood first → Guide to choose points & herbs				
			Points				
			• LI 4 is first point for pain management (all types of pain) [Against bone] • Used for acupuncture anesthesia • Scapula: Very Tender with Wind Cold/Damp invasion (during sleep) • SI 10: Good point for self defense • Elbow: Needle & Moxa (simmer, not BBQ) • Tennis elbow (yang side) • Golf elbow (yin side) • Ankle: Manipulate bones to make space for needle • ST 41 • General Pain • UB 17 + SP 10: Good for Blood disorders • SP 21: Grand Luo Connecting Point → Connect & network all meridians/organs together ▪ Also good for self defense • LI 11: Good for heat, strong mover ▪ LI 11 + DU 14: Good combination to treat heat (excess, internal)				
			Differentiation (Symptoms)				
			Pain	Cold, Heat, Blood Stasis, Phlegm-Damp, Yang-Xu			
			Puffy Joints	Wind-Damp, Cold-Damp, Damp-Heat, Phlegm-Stasis, Qi-Xu			
			Fever	Wind-Cold, Wind-Heat, Shao Yang, Heat in Qi Level, Damp-Heat stagnation, Heat in Ying-Blood level, Yin Xu			
			Numbness & tingling	Cold-Damp stagnation, Phlegm-stasis stagnation, Qi & Blood Xu			
			Limited Range of Motion	Cold-Damp, Damp-Heat, Phlegm-Stasis, Qi & Blood Xu, Liver & Kidney Xu (Puffy & Painful)			
Profuse sweating	Wind-Damp, Disharmony between Ying & Wei, Damp-Heat, Heat in Qi Level, Qi Xu, Yang Xu (cold sweat throughout day → Yang Collapse: excessive cold sweat), Yin Xu						
Tough Skin	Damp-Heat, Phlegm-Stasis, Qi & Blood Xu, Spleen & Kidney Yang Xu (Dermatosclerosis: Hardened Skin [Skin loses nourishment])						
Erythema [skin redness]	Wind-Heat, Heat in Ying Level, Stagnant Heat in Vessels (Deep, Dark Red patches around joints), Heat in Blood						
Subcutaneous Nodules	Damp-Heat, Cold-Damp, Phlegm-Stasis (Late stage arthritis: Develop nodules around joints) • Small amount of hunger is good for the body (clear mind)						
Morning Stiffness	Cold-Damp, Damp-Heat, Turbidity, Stasis (Rheumatoid Arthritis, Osteoarthritis)						
Chills & Aversion to Wind	Wind-Cold, Wind-Cold-Damp, Qi Xu, Yang-Xu • Fever & Chills simultaneously: Exterior • Fever & Chills alternately: Shao Yang • Fever only: Internal Heat • Chills only: Internal Yang Xu						
Pattern	Chief Cause	Characterization	Acupuncture Prescription	Herbs			
Wandering Bi (Xing Bi) & Vessel Bi	Pathogenic Wind	Migrating Pain	UB 17 + SP 10: Blood UB 12 (Wind Gate) [Treat Blood to treat Wind] UB 18 (LV Shu → Blood)	Fang Feng Tang			
Painful Bi (Tong Bi)	Pathogenic Cold	Severe/stabbing pain Alleviated by warmth Aggravated by cold	UB 23 (Back Shu), REN 4 (Dan Tian)	Wu Tou Tang			
Fixed Bi (Zhuo Bi)	Pathogenic Damp	Marked soreness Numbness & heaviness Aggravated on cloudy & rainy days	Eliminate Damp: ST 36, SP 5, SP 9, UB 20	Yi Yi Ren Tang			
Heat Bi (Re Bi)		Heat Manifestation Sudden Onset	Eliminate Heat: DU 14, LI 11	Bai Hu Jia Gui Zhi Tang			

Treatment Principles

- Open up channels, break up blockages
- Review Needle & Moxa Techniques
- **To treat Wind, treat Blood first** → Guide to choose points & herbs

Points

- **LI 4 is first point for pain management (all types of pain) [Against bone]**
 - **Used for acupuncture anesthesia**
- **Scapula:** Very Tender with Wind Cold/Damp invasion (during sleep)
 - SI 10: Good point for self defense
- **Elbow:** Needle & Moxa (simmer, not BBQ)
 - Tennis elbow (yang side)
 - Golf elbow (yin side)
- **Ankle:** Manipulate bones to make space for needle
 - ST 41
- **General Pain**
 - **UB 17 + SP 10:** Good for Blood disorders
 - **SP 21:** Grand Luo Connecting Point → Connect & network all meridians/organs together
 - Also good for self defense
 - **LI 11:** Good for heat, strong mover
 - **LI 11 + DU 14:** Good combination to treat **heat** (excess, internal)

Other Therapies:	
1. Cupping ➢ Needle, then cupping ➢ Cupping, then needle [ok to do needling with lots of petichiae] 2. Point Injection: ➢ Use herbal extractions → Good combination of herbs & acupuncture ➢ Lasts longer time 3. Electro-acupuncture ➢ Extreme pain, ➢ DON'T cross heart!!! 4. Warming Needle ➢ Deep rooted, stubborn Bi, Bone Bi, Tendon Bi ➢ Don't burn the patient!!! 5. Tui Na: Gentle ➢ Tonify/Reduce 6. Auricular Acupuncture	7. Herbs (See Below) 8. Medicinal Wine (Already made, available i ➢ Feng Shi Jiu [Wind Damp liquor → Wind Cold Damp Bi] ➢ Shi Guo Gong Jiu ➢ Zhang Gu Jiu [Bone Bi, late stage] 9. Diet ➢ Snake & Whisky [Bai Hua Shi, etc.] ➢ Hen & Pomegranate fruit peel ➢ Day Lily, Dace ➢ Leaf Mustard ➢ Fragrant-flowered garlic ➢ Sesame seed

Bi Syndromes		
Etiology Differentiation		
Syndrome	Cause	Manifestation
Wind Bi (Feng Bi)	Wind due to Wei Qi Xu	Skin, muscle, joint & meridians at upper part of body Mobile Pain
Cold Bi (Han Bi)	Cold due to Yang Qi Xu	Limbs & Joints Severe Pain & spasm
Damp Bi (Shi Bi)	Damp Invasion into muscles, joints & body due to Spleen Xu	Swelling, heaviness & numbness
Heat Bi (Re Bi)	Heat or Damp Heat or Transformed from chronic wind cold damp internal invasion	Redness, swelling, hot pain & tenderness Severe cases may present general fever & limited range of motion
Dry Bi (Cao Bi)	Dryness or Yin fluid damage due to extreme heat leading to lack of nourishment to joints & muscles	Muscle atrophy, decreased joint mobility, general dryness
Wind Cold Damp Bi (Feng Han Shi Bi)	Wind Cold Damp Invasion	
• Wind Damp Bi (Feng Shi Bi)	Wind Cold	
• Cold Damp Bi (Han Shi Bi)	Cold Damp	
Damp Heat Bi (Shi Re Bi)	Damp Heat Invasion or Transformed from Damp Cold Bi or Wind Damp Bi due to Heat Constitution	When damp & heat get together, it's very difficult to treat • Treat damp, but exacerbates heat • Treat heat, but exacerbates damp

Affected Tissue Differentiation: Used when Etiology unknown → Differentiate based on affected tissues		
Syndrome	Cause	Features
Skin Bi (Pi Bi)	Wind Cold Damp Dry Invasion of skin & pores	Numbness, tingling, tightness or hardness on skin along with decreased joint mobility
Muscle Bi (Ji Bi)	Wind Cold Damp blocked in muscles	Soreness, aches, heaviness or numbness of muscles Lingering conditions may lead to muscle atrophy & decreased joint mobility • EX: Fibromyalgia: Generalized muscle pain, very common in middle aged people
Vessel Bi (Mai Bi)	Wind Cold Damp Heat invasion to vessels & collaterals	Purple or dark skin, numbness or pain in involved area • EX: Varicose veins, spider veins (with pain) [People who stand a lot] • Chest pain due to coronary artery blockage [also Chest Bi (Xiong Bi)]
Tendon Bi (Jing Bi)	Wind Cold Damp Heat blocked in tendons & sinews	Pain & spasm of tendons, difficult joint motions • No blood supply to tendons & ligaments → difficult to heal • EX: Tennis elbow, tendinitis • Tendons related to LV → Need LV to transport blood to tissues
Bone Bi (Gu Bi)	Wind Cold Damp Heat Deep Invasion to bones Recommendation: Learn to read X-rays	Heaviness & soreness inside bones, decreased joint mobility, limited range of motion. Bone & joint deformity & muscle atrophy may present in severe & long term cases • Deepest Bi Syndrome (Happens last. Usually goes through skin, muscles, tendons and then bones last, after many years) • EX: Osteoarthritis, Osteoporosis, Bone spurs

Five Organ Differentiation: Major System of Differentiation [Used when Bi has reached an advanced stage after a long time → Organ Symptoms]		
Syndrome	Cause	Features
Heart Bi (Xin Bi)	Long duration of Vessel Bi + EPI invasion of Heart → Blockage of heart vessel (causes Heart damage)	Palpitations, irritability, Shortness of Breath, wheezing, pain in joints & limbs. Visible heart beating & cardiac pressure in severe cases. • Rheumatic fever → causes heart valve damage & leakage (Rheumatic Heart Disease) → Can lead to Heart Failure
Lung Bi (Fei Bi)	Long duration of Skin Bi + EPI Invasion of Lung → Lung Qi Stagnation	Shortness of Breath w/ stifling sensation in chest, coughing, wheezing, painful & swollen joints, numb skin • Catch cold often, allergies → Long progression • Sore throat → Bronchitis → Pneumonia → COPD or Emphysema • Many elderly people die in the winter due to lung infections
Spleen Bi (Pi Bi)	Long duration of Muscle Bi + EPI Invasion of Spleen → Spleen dysfunction	Gastric stagnation, abdominal distention, poor appetite, nausea or vomiting, weakness & flaccidity of muscles of four limbs, muscular pain or soreness, lassitude • Muscle Bi + Spleen Symptoms (Spleen in charge of muscles) • Celiac disease, Food allergies → Miserable life
Liver Bi (Gan Bi)	Long duration of Tendon Bi + EPI Invasion of Liver → Dysfunction & Blood Xu of Liver	Pain & spasm in tendons & joints, difficult joint motions, lower abdominal distention, hypochondriac pain, cold feet, anxiety • Tendon Bi + Liver Symptoms (Anger, Eyes, Emotions, Blood, Genitals, Toxins in Blood) • Jaundice color: Yellow, dusky, sallow, severe: blue/gray • Alcoholic liver, fatty liver
Kidney Bi (Shen Bi)	Long duration of Bone Bi + EPI Invasion of Kidney → Dysfunction & Qi/Essence Xu of Kidney	Pain, spasm & atrophy & deformity of muscles, spine & joints, decreased joint mobility, inability to walk, dusky complexion, edema, decreased urination, lowered sex drive, infertility • Protect KD for strong teeth & bones

Manifestation Differentiation		
Syndrome	Cause	Features/Manifestation
Wandering Bi (Xing [Walking] Bi)	Wind due to Wei Qi Xu	• Wandering pain in muscles & joints. • May present w/ exterior condition • Wind is top (worst) troublemaker among the 6 external pathogens • Fastest, asks small guys to help make more trouble • Constantly changing & moving (no fixed location) • Usually combined with heat, cold or damp • Always attack exterior & top of body (Yang Pathogen) • Quick, severe, attack exterior & top • Fibromyalgia: Only if pain is moving from place to place (not if everywhere at same time)
Painful Bi (Tong Bi)	Cold due to Yang Qi Xu	• Severe pain & spasm (excruciating), worse with cold, better with heat. • May present with internal cold syndrome • Polar Bear Plunge → Muscle cramps
Fixed Bi (Zhuo Bi)	Damp due to Spleen Xu	• Swelling, sticky, heaviness & numbness in fixed area. Hard to move. • Worse on rainy & cloudy days, Better on sunny & dry days. • Tendency towards chronic or lingering pain (Damp is hard to get rid of) • May present with Spleen Xu with Damp Syndrome
Heat Bi (Re Bi)	Same as Heat Bi in 1	• Acute arthritis, fever
Severe Bi [Wang Bi, Li Jie]	Lingering Cold Damp Invasion → Damages KD, LV, SP → Malnutrition of bone, tendon & muscle	• Stiffness, swelling, deformed & decreased density of bone & joint, atrophy of muscle & tendon, inability to move joints, inability to stand & walk • Li Jie Feng: late stage arthritis w/ muscle atrophy, bamboo joints • Any advanced Bi is Severe Bi at the end [Bone Bi can be Severe Bi once it is very advanced]

Bi Case Studies			
	Symptoms	System	Diagnosis
1)	Fever, aversion to cold (chills), no sweating, headache, stiffness in neck (Wind Cold Exterior Condition) Soreness & heaviness of joints after an outdoor party on a cold & rainy summer day. Greasy tongue & Floating (Exterior) Pulse	Etiology (Know how it starts)	• Wind Cold Exterior condition • Wind guides the cold into the body
2)	Rheumatic Arthritis for 12 Years → Painful & Swollen joints Heaviness of body Worse in Rainy Weather Flabby tongue with thick, slimy coating, soft (damp, block Qi) pulse	Manifestation	Fixed Bi
3)	Rheumatoid Arthritis for 5 years w/ muscle spasms, stiffness, chronic pain & dysfunction in finger joints. Muscular atrophy Doesn't like to stick out tongue, forget to check pulse	Tissue	Muscle Bi
4)	Ice fishing in Alaska Feels achy all over body & can hardly move Headache better with heat Floating-tight (Wind Cold) pulse & dusky tongue w/ thin white coating → Exterior Condition	Etiology (Know how it starts)	Wind Cold Bi
5)	Soreness & pain in back & knees for over 18 years (long time) Deformity & weakness in spine (scoliosis) & lower limbs Pulse: Deep (Internal → KD Xu), Tongue: Slightly Purple (Stagnation)	5 Organ	Kidney Bi

Techniques Summary	Reinforcing (Tonification)	Reducing (Draining, Sedation)
Purposes	• Invigorate body resistance • Strengthen weakened physiological function • Used for deficiency syndromes • Tonify & strengthen weakened bodily functions	• Eliminate the pathogenic factors in the body • Harmonize the hyperactive physiological function
Lift & Thrust (after Qi arrives)	• Heavy pressing of needle to a deep region • Thrust needle heavily & rapidly (Focus on thrust) • Lift needle slowly & gently	• Forceful lifting of needle to superficial region • Focus on lift (take out the evil Qi)
Direction of needle tip	• With meridian	• Against meridian
Speed of insertion & withdrawal (Qi moves with the needle)	• Insert slowly (Put Good Qi in) • Withdraw rapidly	• Insert rapidly • Withdraw slowly (Pull Bad Qi out)
Rotation	• Twirl needle slowly & gently • Clockwise (Earth moves clockwise → go with universe) • Left according to CAM • Small amplitude (more gentle)	• Twirl needle rapidly • More counterclockwise (Go against universe) • Right according to CAM • Work at night → have lots of health problems because you're going against the universe (peptic ulcer for people with graveyard shift) • Large amplitude
Opening or closing the hole	• Press hole quickly to close • Prevents vital Qi from escaping	• While withdrawing needle, shake it to enlarge hole • Allows pathogenic factor out
Respiration	• Insert when patient breathes OUT • Withdraw when patient breathes IN (Keep Good Qi in)	• Insert when patient breathes IN • Withdraw when patient breathes OUT (Pull Bad Qi out)
Techniques	Mountain Burning (Setting Fire on the Mountain) • Treats Deficiency Cold • Not important to get Qi before performing technique • Insert needle to full depth first, then lift to superficial level and begin • 3 Levels Of Manipulation [9 Times] • Superficial (1/3): x 9 times • Middle (2/3): x 9 times • Deep (3/3): x 9 times • Insert slowly, focus on thrust • Repeat until warm feeling felt • Stronger technique than others • Can combine with breathing • Exhale on insertion • Inhale with withdrawal • When withdrawing, close hole quickly • If patient feels discomfort in middle of cycle, end on odd number	Cooling the Sky • Treats Excess & Heat syndromes • Insert needle quickly & focus on lift • Must get Qi before technique and before each cycle • 3 Levels Of Manipulation [6 Times] • Deep (3/3): x 6 times • Middle (2/3): x 6 times • Superficial (1/3): x 6 times • Repeat until patient feels a cool feeling • If patient feels discomfort in middle of cycle, end on an even number
Food Therapy	• Eat seasonal food (no spirit in berries that have been frozen) • Fall: Eat root food, squashes, yams, carrots, apples	
Even Method	• Lifting & thrusting technique is done gently at moderate speed without emphasis on lifting or thrusting. • Needle insertion & withdrawal is done at a moderate speed.	
Moxa Techniques	• Let moxa burn naturally by itself (Simmer, not BBQ)	• Light it, blow on the moxa to speed up the burning (BBQ)

Wei Syndromes			
Definition		Treatment	
- Wei means atrophy - Characterization: Flaccidity or atrophy of limbs w/ motor impairment - Also called “flaccid lame” [Leg usually involved] - Examples: Stroke, MS, sports injuries, paralyzed patients Huang Di Nei Jing: Only selected points along Yang Ming [LI & ST] meridians to treat Wei syndromes Yang Ming channels abundant with Qi & Blood - Difference between Wei & Bi - Wei Syndrome: Usually without pain - Bi Syndrome: PAIN [Wind, Cold, Damp blockage] Burning Heat in Lung: Explanation from Huang Di Nei Jing: [Wei, Qi, Ying, Xue] 4 Bigs/Greats: High fever, sweat, thirst, pulse, irritability - Lung is like a tree or big umbrella [Lung is highest organs] Fever → When Lung gets too much heat (Qi stage) → Leaves get burned up, branches will die → Starting of the Wei syndrome (everything [motor, sensory nerves] gets damaged) → Tree burns up, then dies “Lung leaves are too hot & get scorched” → Analogous to contagious diseases in Western Medicine Transformations between Wei & Bi Bi → Wei [Use it or lose it] (1) Pain → (2) Adhesion State [can’t move] (3) Atrophy [Wei Syndrome] → No more pain & inflammation Wei → Bi - Stroke: Paralyzed (no pain) → - With treatment, pain returns/begins because tissues are reviving Lung Heat - Fever, coughing, yellow sputum, Pulse: Forceful & rapid, Tongue: yellow coat When you Lose Weight (Don’t be a fashion model!!!) - Lose Fat → Then lose muscle 90% of Lower Back surgery is not helpful Excess: Reduce Son Deficiency: Tonify Mother [Use Mother point (LU 9)] Father: Water Controls Fire, etc → Reinforce reducing effect		Diagnosis: Qi & Blood deficiency & stagnation - Treatment Principles - Promote Qi & Blood circulation in meridians - Nourish tendons & bones tissues - Prescriptions - Upper limb: [Yang Ming] LI 4: Move Qi & Blood very strongly - LI 15, LI 11, LI 4, LI 5 - SJ 5 [Intersection of 3 Hand Yang Meridians LI, SJ] → Save 2 needles! - Can also use SJ 5 to stimulate PC 6 from other side - Lower Limb: ST [31, 34, 36, 41 (artery)], GB [30*, 34* (tendons), 39 (marrow)], - SP 10 (reduce stagnation), UB 17 (tonify) - Supplementary (According to diagnosis, don’t need to use all) - Stomach Yin Xu: UB 21, ST 36, SP 2 (+) [Mother of Earth], SP 6 [3 Foot yin] - Liver Qi Stagnation: LV 3, LI 4, PC 6, PC 7, SP 6 - Fever: DU 14 Sweating: KD 7 & HT 6: Good combo for night sweating Add LI 4 → all abnormal sweating	
		Other Therapies:	
		- Exercise - Tui Na - Range of motion, increase blood circulation, nourish tendons & bones - Seven Star needling - Stimulate all of the meridians - Auricular acupuncture - Choose points of atrophy area - Knee, elbow, etc. - Also use cortex (brain) point - Point injection - Qi & Blood moving herbs - Only available in China Electro: Best way to treat nerve damage or injury	- Herbs (Patent Formulas) - Jian Bu Hu Qian Wan - Atrophy caused by LV, KD Xu - Er Miao Wan - Damp Heat causes atrophy - Si Miao Wan - Diet Therapy - Carp - Crucian?? - Sweet corn - White fungus - Placenta, clam - Pineapple, pear - Longan, Lychee - Mutton
Etiology, Pathogenesis & Organ Differentiation			
Organ Symptoms	+ Wei Syndrome Symptoms	Acupuncture Points	Herbs
Lung Heat Syndrome (Burning Heat in Lung)	Muscular flaccidity of limbs Motor impairment (After severe infectious fever)	- LU 5 [Water Point (Son of Metal)] - UB 13, ST 36, UB 12	Qing Zao Jou Fei Tang
Damp Heat (Damages muscles & tendon) T: Red, yellow coat P: Slippery, fast	Flaccid or slightly swollen legs [inflammation, hot] - Acute arthritis in the local area, limited range of motion - Rheumatoid arthritis: Attacks are hot & swollen - Late Stage RA: Joints freeze → atrophy	- UB 21, - UB 22 (San Jiao Back Shu): San Jiao is sewer system → get rid of turbid damp {SP 9, ST 40} → Damp Heat - ST 44, LI 2	Jia Wei Er Miao San
Liver & Kidney Yin Xu (90% of seniors) T: Small, No/little coat P: Thin & Rapid	Chronic muscular flaccidity of lower limbs Motor Impairment (Difficulty moving) - Yin Xu: Lose substances (Qi, Blood, Fluid) - Deficient heat symptoms, otherwise Qi Xu - Because of Qi, substances can transform to spirit - Early aging: Kidney deficiency (many functions)	- UB 18, UB 23, GB 34, GB 39, KD 3, - LV 3, REN 4, REN 6	Hu Qian Wan
Spleen Xu & Cold Damp Accumulation	Chronic muscular weakness → flaccidity of limbs Pale swellings - Spleen can’t Transform → Qi, Blood Xu, Stagnation [Food allergies, celiac disease, no absorb nutrients] - Must have cold symptoms	- ST 36, SP 9, SP 2, ST 41, - UB 20, UB 21, - UB 28 (Urinary Bladder) → Promote urination - UB 39, UB 59	Shen Ling Bai Zhu San
Kidney Yang Xu (1-2% of seniors)	Muscular flaccidity of limbs Heart → Spleen → KD Yang [Final] (Ming Men Fire) Addison’s Disease, Hypothyroid	- DU 4 [Ming Men], DU 3 - LI 10, - GB 26 [Dai Mai] → if Girdle broken	Jing Gui Shen Qi Wan
Blood Stagnation	Chronic flaccidity or tumor, cancer Blood stasis blocks, damages meridians	- LI 10, LI 4, ST 36, {SP 10 + UB 17} - LV 3, SP 4 - SP 21, UB 17, HT 5	Da Huo Luo Dan
Trauma History	Flaccid paralytic limbs Possibly with incontinence of urine & feces Sports injuries, stroke, cerebral hemorrhage	- HTJJ at level of spinal injury (above & below, hook together → electro) Incontinence: - Urine: REN 3 (over bladder → empty bladder), SP 6 - Feces: UB 25 (LI), UB 32	### Huo Xue Tang (Formula selection depends on part of body injured)

Wei Syndrome Connective Tissue Differentiation			
Syndrome	Tissue	Organ Symptoms	Symptoms
Skin Wei (Pi Wei)	Skin	Lung	• Dry/withered hair (malnourished), pale, dark, gloomy skin • Cough, wheezing
Muscle Wei (Rou Wei)	Muscles	Spleen Qi Xu	• Insensitive to stimulations, numbness • Multiple Sclerosis ▪ Early stage MS symptoms: Muscle weakness, numbness ▪ Vitamin D deficiency? ▪ Late Stage: Nerve damage to myelin sheaths → can cause death • ALS • Inability to move limbs [Blockage of vessels: veins & arteries] • Poor digestion, poor absorption, diarrhea
Vessel Wei (Mai Wei)	Vessels	Heart	• Poor circulation, stasis in vessels & meridians • Coronary artery partially blocked, with no pain, but artery supplies blood to heart muscle → Loss of blood supply to heart muscle → Heart attack → Death ▪ [If you have pain, you will investigate it and could find it in time] • Embolism • Flaccid extremities, inability to move/stand • Diagnosed as cardiac or cerebral diseases
Tendon Wei (Jing Wei)	Tendons	Liver	• Weak/flaccid tendons & sinews • Sprain ankle many times → Forms scar tissue (not elastic) → Don't use, lose it • Tennis elbow: Many tears in tendons & ligaments → Pain, atrophy • Need to use moxa & acupuncture • Spasmodic tendons & muscles • Inability to function, depression • Bitter taste in mouth, short temper • Jaundice, Diagnosed as hepatic diseases
Bone Wei (Gu Wei)	Bones	Kidney	• Weak & flaccid lower limbs • Curved & shortened spine • Late stage osteoarthritis → Can straighten out with acupuncture • Retarded development (mentally & physically) • Sex & urination dysfunction

Nerve Damage:

- Nerve damage: grows back nerves 5 times faster than none
- Electro acupuncture is very helpful in improving nerve damage
- Start damage as soon as patient is out of danger
- Twice a day treatment is best & can restore nerves
- Diagnosis is key → if diagnosis is wrong, treatment will be wrong

Lower Back Pain			
Definition			
- First Mentioned in Huang Di Nei Jing, Su Wen [Chapter 41] - Lower Back Pain occurs unilaterally, bilaterally or centrally - Present in many diseases: Kidneys, OB-GYN, spinal column, lumbar muscles - LBP has a close relationship with the Kidneys			
Etiology & Pathogenesis			
KD (most important), LV, DU, UB, Dai Mai (Girdling Vessel)			
Excess	EPI Contraction - Invasion of cold-damp or damp-heat - One day rainy, next day sunny, go to park, lay down on wet grass & fall asleep → wake up with LBP → Cold Damp invasion [Need to block out cold & damp] - Overexertion & trauma [sprain, contusion] - Leads to Qi & Blood stagnation in meridians & collaterals	Deficiency	- Constitutional weakness - Old age - Chronic weakness - Leads to exhaustion & weakening of essence/blood, causing decline of KD essence → Deprives meridians & collaterals of nourishment
Differentiation		Disorder Type Differentiation	
Key Differentiation Questions	- Detailed case history - Attention to location & nature of LBP, relation to weather changes & exertion - Better in morning, worse in evening: Deficiency - In morning, have full tank, in afternoon, run out of gas - Aggravating/alleviating factors - Accompanying signs & symptoms	Diseases of Spinal Vertebrae	- LBP located at spine [fracture or dislocation of vertebrae caused by trauma, herniated intervertebral discs, hypertrophic spondylitis] - Weakest Spot: L4-L5 (30%) - Other Locations: L5-S1, L3-S4 - Tuberculosis of vertebra: Transfer from lung - Can also have pinched nerve - Sciatica: 2 branches → One along UB, one along GB
PE Points	- Checks on spinal vertebrae, lumbar muscles, gynecology, blood, urine, X-Ray, CT Scan, MRI - Chronic pelvic inflammatory diseases, menstruations, surgeries, pregnancies, etc. can refer to lower back Detect areas of Tenderness: - Between spinal processes of vertebrae Bulging discs: Need to take X-Ray ¼ [of whole disc] or less: Can get it to resolve - Muscles & ligaments around area will be inflamed & bulging out → Use moxa, needles, etc. to reduce inflammation at HTJJ 1/3 to ½: May need surgery - Greater than ½ or broken disc: Need surgery - In lumbar muscles [bilaterally or unilaterally] in patients with hypertrophic spondylitis & tuberculosis of vertebrae - Acupuncture can adjust posture through Dai meridian & adjust tension of muscles around waist area [points & techniques] - Excess: Reduce - Deficiency: Tonify	Lateral LBP	- Disorders of lumbar muscles. Acute onset of severe LBP with restricted movement of lower back plus history of trauma, or bruise at local area indicates acute sprain of LB. - Chronic onset of LB soreness, aggravated by rainy days or following physical work, indicates rheumatism (W/D feng shi) & chronic injury of lumbar muscles
		Gynecological Disorders	- LBP accompanied by painful, frequent & urgent urination, hematuria or fever indicates diseases of urinary tract. - LBP related to menstrual cycles or accompanied by profuse leucorrhea → indicates gynecological disorders - Fibroids, polyps, endometriosis, etc.

Lower Back Pain			
Main LBP Points • UB 23 [KD Shu]: Yang & Qi Xu • DU 3: Local • UB 40 [Command Point of Lower Back, He Sea, Blood Xi Cleft (Deep) Point] ♦ Should get bleeding when needling point, then put cup on it to suck more blood stasis out → Remove blood stasis by moving blood		Other Therapies: • Ear acupuncture ♦ Lumbar Vertebrae, Sacral Vertebrae, KD, Shen Men, Brain • 7 Star Needle tapping & cupping ♦ UB 40 [Bleeding], Ashi Xue • Tui Na [Should be tolerable to patient] ♦ Pressing: UB 3, UB 23, UB 31-34, Tender points ♦ Kneading & rubbing: Sides & painful areas of lower back ♦ Grasping: Muscles & tendons ♦ Gentle rubbing & wiping: Contusion of lower back • Patent Herbs ♦ Yao Tong Pian ♦ Hong Hua You (Red flower, best from Tibet): Topically ♦ Jin Gui Shen Qi Wan [KD Qi Xu, KD Yang Xu] ♦ Yun Nan Bai Yao: Chinese First Aid Product ▪ Comes in capsules ▪ Powder inside capsules will stop bleeding, relieve pain & puffiness, reduce inflammation	
		ST 25, UB 25, ST 37, SJ 6	
Type	Symptoms/Indications	Treatment Principle	Acupuncture Points
Cold Damp	• Cold LBP w/ heavy dragging sensation • Worse when getting up from bed or rainy days • Difficulty in moving the back • T: White, sticky coat • P: Deep [interior condition]	• Transform damp • Disperse cold • Remove obstruction in meridians • Warm meridians • Relieve pain	Main LBP Points + • UB 25, UB 26 • HTJJ
Damp Heat	• LBP with heat sensation, bitter taste in mouth, restlessness • Scanty, deep yellow urine • T: Yellow, sticky coat • P: Soft (damp) & rapid [Damp & heat]	• Clear Heat • Transform damp • Remove obstruction in meridians • Relieve pain	Main LBP Points + • LI 11 + DU 14: Excess heat • ST 40: Damp heat • HTJJ
Blood Stagnation	• LBP is chronic & sharp or with traumatic history • Fixed location, worse with pressure • Difficulty moving back • T: Purplish or purple spots [Blood stagnation] • P: Hesitant [Blood blocks circulation]	• Move blood, Resolve Blood stasis • Remove obstruction in meridians & collaterals	Main LBP Points + Additional Blood Treatment Points • SP 10 & UB 17: Move blood or nourish • Ashi Xue, Yao Tong Xue • HTJJ
Kidney Xu	• Dull LBP, sore & weak in nature • Weakness of legs, comes & goes • Aggravation on exertion	• Tonify KD essence & Qi • Consolidate LB • Relieve pain • Moxa	Main LBP Points + • HTJJ • KD Yang Xu: DU 4, Yao Yan • KD Yin Xu: UB 52, KD 3 ♦ UB 52: Yin & Spirit Xu ▪ Fear, also good for willpower deficiency [Quitting smoking]
Acute Sprain of Lower Back	• LBP unilateral or bilateral right after sprain, a few hours or day later • Limited range of motion • Pain worse with movement, coughing, or sneezing, radiates along involved meridians [GB or UB] • Muscular tightness in affected area • Absence of apparent bruises or swelling • Diffuse or localized tenderness • Deeply located pain • Severe contusion: Differentiate with fracture & injury to internal organs	• Relax muscles & tendons • Move Qi • Remove obstruction from meridians & collaterals • Relieve pain	Needed First: • Posterior midline LBP: DU 26 ♦ Pinch, then needle obliquely upward into septum • LBP more lateral: Yao Tong Xue ♦ When needles are in, have patient move back in all directions, starting gently ♦ Then needle the other points & cupping on Lower Back may be applied in sitting or lying position • UB 23 • UB 40, UB 60
Sprained Ankle	• Puffy, swollen & painful ankle	• Remove obstruction from meridians & collaterals • Relieve pain	• GB 40, SP 5 • 7 star hammer, then suck out blood with cupping

Deviation of Eye & Mouth [WM: Bell's Palsy]	
Definition	Treatment Principle
- Exogenous Pathogenic Invasion (EPI) of meridians, collaterals & tendon muscle meridians (TMM) by Wind Cold or Wind Heat - Can occur in patients of any age at any time - Most common in women, aged 20-40 in spring & fall - Chinese name: Kou Wan Wai Xie - WM: Similar to Bell's Palsy [Unknown cause]	- Eliminate Wind Cold or Wind Heat - Remove obstruction of meridians - Apply EVEN technique [one side has excess, other side has deficiency] - Mainly use points on Yang Ming [LI & ST] & Shao Yang [SJ & GB] meridians - Initial Stage [Onset → 1 Week]: Mild stimulation & shallow insertion - Use 4 Gates [LI 4, LV 3] - Next Stage [1 Week → 10 Days]: Stronger stimulation or running technique - Later Stage [> 10 Days]: Use Electroacupuncture - Prolonged Cases: Use warming needle & moxa - Can use points on healthy side [Bilateral to balance face]
Etiology & Pathogenesis	Treatment
Facial meridian Xu or vacancy PLUS - Invasion of Wind Cold or Wind Heat - Qi & Blood Stagnation - Malnutrition of Yang Ming [LI & ST] & Shao Yang [SJ & GB] TMM - Failure to function - Paralysis of facial muscles & sinews - Deviation of eye & mouth - WM: Bell's palsy involves swelling of nerve due to immune or viral disease [flu virus], with ischemia & compression of facial nerve in narrow confines of its course through the temporal bone	Main Points - Facial: SJ 17, GB 14, Tai Yang, SI 18, ST 7, ST 6, ST 4 - Distal: LI 4, LV 3 Supplementary Points - Flattened nasolabial sulcus: LI 20, ST 3 - Deviated mentolabial sulcus: - REN 24, B/L: Jia Cheng Jian [1 cun lateral to REN 24] - Deviated nasolabial sulcus: DU 26 - Headache: GB 20 - Difficulty frowning, raising eyebrow: UB 2, SJ 23 - Lack of taste sense: REN 23 - Extra Point: Qian Zheng [pull back to normal] - Running Needle Techniques - ST 4 → ST 6 [Pinch, or needle can go into mouth] - UB 2 → Yu Yao [Pinch eyebrow, go behind follicles to muscular level] - GB 1 → Tai Yang - LI 20 → ST 2 Other Therapies - Electroacupuncture [Not from Tai Yang to Tai Yang] - Point injection: Vitamin B 12, B1 - Seven Star Needle & Small cups - For difficult cases [years old] → stimulate circulation - Moxa with ginger insulation: Wind Cold [Don't burn patient!] - Keep warm, avoid Wind Cold on affected area - Apply eyedrops 2-3 times daily [natural tears, isotonic saline] for incomplete closure of eye, which can prevent corneal drying - Herbs - Qian Zheng San [Pull Deviation Back] - Rhizoma Typhonii Gigantei - Bombyx Batryticatus - Buthus Martensi - Ear Acupuncture - Lung, LI, Shen Men, Eye, Cheek Diagnosis - MRI may show contrast enhancement of facial nerve, but CT & skull X-rays are typically negative
Symptoms	
- Usually sudden onset, right after waking - Pain behind ear may precede facial weakness - Weakness develops within hours, sometimes to complete paralysis - Feelings: Stiff, heavy, numb, flaccid, but no demonstrable sensory loss - Incomplete closure of eye on affected side [palpebral fissure widens] - Drooping of mouth angle, flattened nasolabial sulcus, salivation - Inabilities: Frown, raise eyebrow, close eye, blow out cheek, show teeth, whistle - Affected side becomes flat & expressionless, but sometimes patients complain about seemingly twisted intact side - In some cases, pain in mastoid region or headache New Cases: - Deviation of mouth & eye to healthy side - In some cases, disappearance of taste sense in front 2/3 - Proximal lesion may affect salivation, taste, lacrimation & may cause hyperacusis (increased sensitivity to certain frequency & volume ranges of sound, collapsed tolerance to usual environmental sound) Prolonged Cases: - Deviation of mouth to affected side might happen because muscle contractures & atrophy of affected side facial muscles - Called Inverted Image	
Differentiation: Two Types	
Wind Cold	- Onset with Wind Cold invasion of face - Deviation of mouth & eye - T: Thin, white coat - P: Floating, tense
Wind Heat	- Onset secondary to flu with fever & chills, otitis media, toothache or gum inflammation - May present with headaches, ear ache or pain, mastoid pain, sore throat - T: Thin yellow coat - P: Floating, rapid

Frozen Shoulder	
Definition	Treatment
- Frozen Shoulder is known as “50 year old” shoulder - Aging progresses in cycles [7 years for women, 8 years for men] - At 14: Chong Mai & Ren Mai open up → Lasts until 49 when KD Qi changes & starts declining [Life span about halfway over] - Women: Menstruation stops → Menopause - Men: Feel more tired, cold, grumpy - KD Qi is very important. If KD Qi is strong, then everything develops - KD is in charge of reproduction, generation, degeneration, bone, teeth (strong if KD is good), No early aging, reproductive normal → Healthy kids - KD also in charge of memories → HT & KD Disconnect → Lose memory - Progression - As you get older, circulation decreases → More scar tissue - Tissues, ligaments, sinews dry up, not as elastic, muscles not as strong - Example of transformation from Bi → Wei - Initially: pain then gets stuck, can't move → atrophy - Starts as inflammation [no bacteria, yeast, etc.] - Immune system attacks the tissue → Autoimmune problems - Outside looks normal but is very painful - Western Medicine Treatment - Painkillers, Sleep medication, Cortizone → Not very effective - Acupuncture Treatment - Acupuncture is best because we can treat inflammation & improve circulation to prevent adhesion - Even if wait until atrophy starts, can still help to stimulate, improve circulation, nourish tissues around shoulder, patient starts moving shoulder, do Tui Na → Revive dead tissues	Treatment Principles - Expel wind, Disperse cold, Move Qi & Blood - Relax muscles & tendons - Use reducing techniques Prescription - Points from 3 Hand Yang Meridians 3 Shoulder Points: LI 15, SI 9, Jian Nei Ling [Jian Qian] - Main Points: LI 15, LI 14, SI 11, SJ 14, Jian Nei Ling, SI 9, Ashi points - Secondary Points: LI 11, LI 4, LU 5, SI 12, SI 13, SI 8, GB 21, SJ 4, SJ 10, LU 9, Running needle [ST 38 → UB 57] - Caution with GB 21 [90% of needling accidents, especially in seniors] - Less, muscle, thinner → Border of lung is no longer accurate - Protective layers thinner - Lungs get puffed up like balloons - Senile emphysema, COPD - Special Distal Points [If you can't touch the shoulder due to pain] - LI 4 [Use if pain refers down arm] - LU 5 [Pain refers to elbow] - Running Needle [ST 38 → UB 57]: 2-3 cun needle - Point in direction, don't have to go through Points According to Western Diagnosis - Perifocal inflammation of shoulder: LI 11, LI 15, SJ 14, Jian Nei Ling [Jian Qian] - Supraspinatus tendonitis: LI 16, LI 15 - Shoulder Bursitis: LI 14, LI 15 - Tenosyovitis of biceps brachii longus muscle: Jian Nei Ling, LU 5, LI 14, LU 9 Other Therapies - Electroacupuncture - Don't use electro on First Office Call [Only return with severe pain] - Don't cross brain, heart, etc. - Warm Needling [Moxa] - Cold pain, deep inside shoulder - Needle to 1 cun or more or the moxa cone can't stay there because needle handle bends & moxa cone falls [Deep into muscle layer] - Auricular - Shoulder, Shen Men, clavicle, adrenal [often used for pain management] - Cupping: - Big area pain, whole shoulder blade, etc. - Muscle very tight → release spasms - Tui Na [Mild]: Be Gentle!!! - Limited range of motion with no pain - If Tui Na is too vigorous, causes extreme pain [Don't want to tear the adhesion] - Can cause more damage by doing it too fast - Exercise - Abduction, adduction, internal rotation, external rotation - Stretching - Mark place can reach every day to track improvement
Etiology & Pathogenesis	
- Kidney Xu [Degeneration] - Exhausted [Attacked by wind cold damp → Qi & Blood stagnation at shoulder] - Injury to tissues around shoulder joint - Asleep [Qi Xu] - Lack of exercise	
Differentiation	
3 Stages [Characteristics] Initial: Painful, worse at night [Happens at night because Qi is off duty] - Mild soreness or pain (usually negligible) on one side of shoulder with movement. Gradually, pain becomes more pronounced & worse on exertion - Results in limited range of motion at diseased shoulder [Inflammation inside] - Shoulder pain in aggravated progressively, spreading to nearby tissues, up to neck, down to upper arm & back to nape & scapular area - No redness, heat & swelling (puffiness) in affected area - Pain alleviated by exercise during the day. Next: Adhesion: Inflammation goes away, limited range of motion (ROM) - Limited movement (in all directions) of affected shoulder in severe cases does not allow patients to get dressed/undressed or comb their hair. - Can palpate tender points around shoulder [LI 15, etc.] Last: Atrophy: Affected shoulder & arm atrophy due to lack of motion - Atrophy [Wei Syndrome] of the deltoid muscle on the diseased shoulder occurs in chronic cases	

Stiff Neck [Torticollis]		
Discussion	Prescription	
Skeleton - Two most vulnerable parts: Lower back & neck [cervical vertebrae & lumbar] - No other bones [chest bones] to provide additional support - Neck: Whiplash [car accident] - Lumbar: Injured often - Not as many injuries with thoracic vertebrae - Will see many patients in practice who have been in motor vehicle accidents - Always have a doctor check first, get X Ray and MRI if necessary - Protect yourself!!! - Fracture in Cervical or Lumbar vertebra and missed → very bad - Take X Ray first to rule out fracture & severe spine damage - Acupuncture is good for treating the soft tissue damage - One acupuncture practitioner missed this and after a few weeks, pain getting worse - Keep malpractice insurance as low as possible - Gynecologist malpractice insurance > \$100K - Protect acupuncture → future practice [Points on chest, shoulder, upper back → always be very careful! Upper back & chest as thin as pancake! Especially in senior citizens] - Cervical vertebrae are very small → easy to break, easier to adjust - Lumbar vertebrae are larger → not as easy to adjust [chiropractor]	Main Points DU 14: All Yang Meridian intersection UB 10 & GB 20: Where wind cold get into meridians [Window Points] - Check these 2 points if have wind cold, should be very tender - Where the evil qi gets into the body - Open the window again and let the wind cold out SI 3: Du Point [spine → big meridian gets invaded] SI 14: [3 cun from T-1] GB 39: Nourish the spine - When you get older, the brain shrinks [lose water because KD essence, yang, qi decreases as age] KD nourishes brain through the DU Mai → Get older KD not nourishing as much any more → bone atrophy, brain atrophy - Don't abuse Kidneys! Nourish them as much as possible - Abuse kidneys by eating [meat & salt] & drinking too much - Hypertension, diabetes, - Bone spurs are because bones are falling apart Bai Lao 2 cun above DU 14, 1 cun lateral and/or 1 cun below hairline, 1 cun lateral to DU Ashi points	
Definition	Secondary Points	
- Wry Neck caused by inappropriate sleeping posture or - Attack of wind cold on the neck/nape that leads to disturbance of local circulation of Qi in involved meridians - Occurs mostly in adults - In TCM, called Luo Zhen [Means "Fall off Pillow"] - Extra Point: Distal point on hand (analog to SJ-3, between 2nd & 3rd metacarpophalangeal joints) - Needle it first, then have patient start moving neck slowly, gently - Reduces severe pain → then put patient on the table - Can also use acupressure	Wind Cold	LI 4, LU 7, SJ 5
	Pain radiates to scapula	SI 12, SI 15
	Cervical spondylosis	DU 15: Never go up! [Depth: 0.5-0.8 cun] HTJJ at affected vertebrae level,
	Luo Zhen	Can hook to local point & do electro
	Inability of flexion & extension	UB 60, LU 7
	Difficulty rotating neck	SI 7
	Inducing Qi Technique	SJ 10 [For patients with local hypertenderness] - Good for side of neck stiffness & pain - Go further: also treat migraine headache
Manifestation	Other Therapies	
- Stiffness & pain of neck & nape on one side - Wry neck towards one side with motor impairment - Most patients keep their heads to the affected side in order to reduce pain & spasm - Side muscles are not as strong - Needle affected side - Kids don't get this. They can sleep in any position & don't have trouble because they're so flexible	- Cupping: UB 11, 12 [Up to UB 10 if hair is shaved] - Use vacuum cups, not fire - Moxa: Ashi points [Don't do the bird pecking moxa or shaking, just hold it there and allow the heat to penetrate] - Electroacupuncture [Severe cases] - Start mild stimulation - If unabated by needling Luo Zhen, needle Ashi points, SI 3 or GB 39 - Tui Na: Gentle! - Seven Star Needle: [Pediatric needles] - HTJJ at affected Cervical Level - Mild, Gentle: Don't cause bleeding! - Auricular acupuncture	
Treatment Principles		
- Expel wind & disperse cold [Wind Cold invasion during sleep] - Relax tendons, Activate blood & Qi circulation - Warm the meridians, remove stagnation - Local Points, plus points from SI, UB, SJ, GB - Reducing techniques & moxibustion - Reduce cold & disperse wind - Moxa warms up muscles		

TCM Dermatology	
Introduction	
• Viewpoint of TCM dermatology: For every skin (exterior) condition, there must be something wrong on the inside [Interior of body affects exterior of body] • TCM dermatology is very effective • Not enough western medicine dermatologists → Takes a long time to get an appointment	
Pathology	
Main Organs: • LU [Lung, skin & hair all related] • LI [very important role in skin conditions] → One of most important organs in dermatology • Slumber parties as a kid [Constipation from bad food, staying up late → toxins accumulate → Toxins overflow to skin] • Too much alcohol • Too much spicy food, barbecue, etc. • ST [Very important], SP: • HT [Expresses on face, in charge of blood. When blood has too much heat & toxins, it circulates throughout body], • LV: Blue-green [Hepatitis B or C: skin looks bluish, spider-like (late stage)]	Acute Stage • Wind Heat [Red, wind is fast] • Itching → Wind • Heat → Red • When chronic condition flares up, it's Wind Heat • Damp Heat [Red & oozing → sometimes can see water underneath]: • Damp → Wet, pus [white or yellow] • Blood Heat [Toxin] • Toxin → Heat [Chemotherapy: puts toxins directly into blood flow → poisoned] Chronic Stage [Pale, dry, flaky] • Dry [Wind Dry]: Fluid is gone, wetness gone • Dairy allergy: Eczema flares up, when not flared up, very dry, flaky • Wind blow up, then makes dry & flaky • Fluid Xu • Blood Xu • Yin Xu [Deficiency Heat symptoms]
Treatment	
Treat Internal & External → Remove the pathology [Root of problem] • Topically treated with acupuncture plus herbs [wash, plaster, powder] • Internally treated with acupuncture & herbs • TCM treats skin disorders from both inside & outside of body [Advantage & characteristics of TCM] • Western Medicine focuses on local with biopsy, culture, etc.	

Urticaria [Hives]		
Definition		Treatment Principles & Techniques - Reducing method: Disperse Wind Damp, Eliminate Heat in Blood - Tapping on diseased area with 7 star needle is advisable [Use the dull 7 star hammer, not the sharp ones that we have in the US → Use sand paper to make it duller] Prescriptions - Points of Spleen & LI [Very important → Detox!!!] - LI 11 [Heat] (Combine with DU 14) - LI 4 [Move Qi & Blood, Detox] - Blood Points: UB 40 [Blood Xi Cleft]: Move, cleanse blood, UB 17, SP 10 - Treat Wind by treating the Blood - SP 6 [3 Foot Yin]: 1 needle → 3 channels, good for digestion, yin xu, blood xu - SJ 10 [Elbow]: He Sea [Strong, powerful points], SJ is the sewer system → Clears, cleans up - REN 22: Dyspnea - PC 6: Dyspnea Other Therapies - Seven Star needles: Along HTJJ [Upper: T2 → T5], [Lower: S1 → S4] - Tonify [Mild], Reduce [Strong, bleeding] - Auricular: Lung, Allergy, Shen Men - Herbs: External wash [Niu Bang Zi: Burdock → Entire plant is best for urticarial → make tea for external wash], Fang Feng, Qing Hao, Jin Yin Hua (honeysuckle) - Formula: Xiao Feng San [Dispersing Wind]
- Commonly allergic skin disorder - Eruption of skin characterized by temporary, flat-topped (No head) wheals which look like measles or as broad as beans - Often appears after exposure to wind → Named “Wind Wheal” - Comes & goes → Hidden Rash - Wind, emotions, temperature, pressure, anything can trigger		
Etiology & Pathogenesis		
- Damp [something already in the body, in blood → hard to remove] heat in skin & muscle → Attacked by wind heat or wind cold - EX: Peanut allergy can be fatal - Accumulated heat in ST & intestines, attacked by wind [Food allergies] - Intestinal parasites, allergy to seafood [fish, shrimp, crab] - Western Medicine: Allergic reaction to an irritant such as food, medicine, insect bite or sting, infection or emotional stress - Histamine [chemical in body] released in response to irritant that causes hives to form. Causes redness, swelling & itching		
Differentiation		
- Abrupt onset w/ itchy, raised, red/light red wheals that may vary in size & shape or with pimples rising one after another - Hives may appear on any part of body with one or many areas - Most common on arms, legs, trunk [Could be anywhere] - May be aggravated or alleviated by weather change - Rash may last for a few minutes or several days - Acute conditions subside quickly - Severe reaction: bee sting → face & throat may swell → Call 911 - Rarely, hives may cause problems with breathing, creating danger of a severe asthma attack or a closing of throat from swelling - Divided into following types according to clinical manifestations:		
Types	Clinical Manifestations	Supplementary Points
Wind Heat (Wind → quick)	Red Rashes with severe itching. Fever, chills [Fever >> Chills] sore throat P: Floating & rapid	DU 14
Wind Damp	White or light red rashes accompanied by heaviness of body [Looks wet, water inside] T: White & sticky tongue coat P: Floating & slow pulse	SP 9 [Transform Damp]
Heat accumulates in ST & Intestines - Food allergies - Parasites	Red rashes accompanied by abdominal or epigastric pain, constipation or diarrhea - Diarrhea: Intestines inflamed due to allergies, but still have room for the water - Constipation: Intestines swollen inward → close up, nothing can pass through T: Thin, yellow coat P: Rapid	Promote bowel movements: - ST 25, ST 37 - SJ 6, UB 25
Diagnosis Find out history of sensitivity to such things as: - Food [Especially shellfish, eggs, milk, nuts, berries, dyes or other additives] - Plants [nettles], pollens - Medicines [Penicillin, aspirin, sulfa] - Animal fur, saliva - Insect bites, stings - Exposure to heat, cold, sunshine Additional Considerations - Easiest to identify drugs, foods or plants that may cause hives because the response usually occurs within an hour. - Triggers such as emotional stress or multiple allergies may take more time & require skin tests or other types of tests. - Suggest that patient keep a detailed diary of anything they eat, drink or are exposed to for 2-4 weeks - Avoid suspect foods, then add back in one at a time - See allergist for skin tests		Additional Treatment - Avoid heat or rubbing, which releases more histamines - Take antihistamine medicine to reduce allergic response - For severe cases, take oral steroids (e.g. prednisone) For emergency cases that cause hives to spread quickly, may require a shot of antihistamine such as Benadryl If any suspicion that throat is swelling or patient is having trouble breathing or wheezing, administer epinephrine (adrenaline) to counteract reaction. For life threatening cases, call 911 or refer to ER.

Herpes Zoster [Shingles]			
Definition • Herpes Zoster is virus & Urticaria is allergy • Word shingles comes from Latin word for belt or girdle • Infection caused by virus [varicella zoster] that causes chickenpox • More painful than itchy • Often located along nerves • Usually half circle • Heat & fire • Occurs mainly in lumbar & hypochondriac region with small red vesicles like beads forming a girdle around the waist • TCM: "Snake Herpes" • Caused by endogenous damp heat, LV & GB Fire or exogenous toxin • Mostly occurs in spring & fall • Most common in people over 60 year old, but young people can have it also • Cannot develop shingles unless have previous infection of chickenpox Etiology & Pathology • TCM Causes • Damp Heat Accumulation [Toxin]: Virus hiding inside, triggered by Qi Xu • Qi Xu • LV & GB Fire [Emotional: Sadness, grief] ▪ LV insults SP & ST → Affects formation of Qi & Blood → Disturbs eating & sleeping → Don't worry, Be Happy! • Cause • Chicken Pox virus is not destroyed after patients recover from chicken pox • Virus moves back to roots of nerve cells (near spinal cord) & becomes inactive (dormant) • Later, if virus is reactivated, symptoms are called shingles • Western Medicine: Exact cause of virus reactivation is not known • Commonly Observed Triggers • Weakened immune system [Immune suppression medicines (organ transplant), illness, major surgery, complication of cancer or AIDS] • Advancing age & chronic use of cortisone-type drugs ▪ Long term steroid use can cause decreased immunity, moon face, fat accumulation on back of neck, osteoporosis ▪ Western doctors like to use it because it masks symptoms ▪ Steroids have many side effects • Injury to skin or sunburn • Emotional Stress		Differentiation • Onset: Burning, sharp, or stabbing pain, tingling or numbness in or under skin on one side of body or face • Most common site is back or upper abdomen • Typical distribution looks like a belt, which becomes red • May have slight fever, chills, headache, lassitude, poor appetite, nausea • Rash of fluid-filled blisters on reddened skin in size of grain or soybeans → form band-like distribution (skin eruptions occur in separate patches, forming a girdle) with clear cut interspaces between the patches • Blisters are thick-walled and contents are clear or transparent at first, then turn turbid within 3-4 days. Blisters turn yellow, then dry & crust over in 5-6 days • Resolution of cutaneous lesions after decrustation (crusts drop off) without scar formation in about 2 weeks [Often takes much longer to heal] • Sometimes small, pitted scars remain [If rash is broken] • In some cases, pain, numbness or tingling lasts longer [Months → years] if virus causes nerve damage [Post-herpetic neuralgia] • Most likely to occur in patients > 50 years old • Blisters tend to follow nerve paths in a line → Usually found just on one side of body along intercostal nerves [extending from back or flank around to the abdomen] → Usually don't cross midline of body • Rash may appear on one side of face • Some patients may have eye inflammations & infections • Patients with shingles should avoid contact with infants, children, pregnant women & adults who have never had chickenpox or chickenpox vaccine until blisters are completely dry because it is infectious & can spread by direct contact with a blister. Diagnosis • Ask about symptoms & Examine diseased area • Ask if patient has hx of chickenpox • Lab tests to look for virus in fluid from a blister may be necessary Treatment [WM] • Painkillers [acetaminophen, GABA] • Cool, moist washcloths on rash • Antibacterial salves, lotions to prevent bacterial infection of blisters • Capsaicin cream for pain • Corticosteroids [if > 50 years old]	
Types [2]	Symptoms	Treatment Principles	Points
Spleen Damp Heat	• Yellow or white soybean sized blisters, erosion, pronounced pain • Spleen Damp Heat Symptoms	Clear Heat & Transform damp	• SP 9, SP 6: Spleen T&T functions • GB 34, SJ 6: Heat, promote bowel movements [Most efficient way to get rid of heat] • Ashi
LV & GB Fire	• Flushed skin, densely distributed skin eruptions in patches, burning heat, stabbing pain, absence of erosion • LV & GB Symptoms	Clear Fire in LV & GB	• LV 3, LV2, GB 34, SJ 6 LI 11, Ashi
Secondary points • Blood points • SP 10 [Cool] • UB 40 [Blood Xi Cleft → Deeper level to move & cool blood]: • LI 4, SJ 5 [3 hand yang]: Move → • Points around rash Special Technique: Cut off both snake head & tail • Snake Tail: Area where skin lesions first appeared • Snake Head: Extending part of herpes • Procedure: Prick skin around herpes zoster with 3 edged needle [Reducing technique: larger gauge] to cause a little bleeding [clear out heat & toxins] • 5 pricks at 0.5 cun from head area • 5 pricks at 0.5 cun from tail area • Several pricks along both sides		Other Therapies • Point injection: Ban Lan Gen [Radix Isatidis] on SJ 5 & GB 34 • Inject 0.5 mL in each point • Ear Acupuncture: ShenMen, Subcortex, points corresponding to diseased area • Topical Herb: Xiong Huang (external, topical, toxic) [Realgar], Da Huang [Radix et Rhizoma Rhei] in equal dosage in powdered form mixed with water • Try to avoid having clothing or bed linens rubbing against the rash, which might irritate it • Bleeding: Good for heat, excess • Perspiration: Alternate to bleeding • High Blood Pressure due to LV Yang Rising: Bleed → BP will drop [Bleed on back of ear] • Also good for toxic skin conditions [Acne: Jing Well points]	

Eczema [Shi Zhen]			
Definition - TCM name varies with different affected places [Related to Damp] - Infant Face: Milk Ringworm - Milk is a damp producing food - Ears: Ear sore - Genital: Kidney Wind - All over Body: Blood Wind Sore or Millet Sores - Eczema is usually in Yin places: abdomen, etc. - WM: Skin problem that causes itching, dryness, fine scales or flaking, sometimes mild redness - Refers to chronic dermatitis, especially chronic vesicular dermatitis Etiology & Pathogenesis - Main Organ Systems: LU, SP & LV - Types: Acute & Chronic - Acute: Wind Heat Damp + toxin - Chronic: Wind Dry + LV Qi Stagnation - If LV Qi stressed → Eczema gets worse - Western etiology: Genetic susceptibility, environmental agents & factors (inhalants, foods), yeast infections, mechanical & chemical trauma, exposure to warm & moist conditions (shoes), allergens or irritants (detergents, soaps, dust, drugs, organic solvents), or unknown cause - Flare up causes: Dry skin, allergies, hot baths or showers, soap, scratchy & tight clothing, quick temperature or humidity changes, emotional upsets Differentiations - Tendency for severe eczema seems to be inherited along with asthma or hay fever [Often come together → Patient has high sensitivity] - Eczema is characterized by a variety of shapes & sizes of skin lesions, symmetrical distribution, itching, recurrence & tends to be chronic - Not contagious		Other Therapies - Seven Star Needling [Use sand paper to make dull] & cupping [Difficult cases] - Reducing: Tap hard to cause bleeding - Tonify: Tap until skin is red - Moxa [More effective than acupuncture for chronic eczema] Particularly effective in treatment of chronic eczema → Can send it home with patients. Best way to put it out is under water - Apply moxa stick on affected area until it becomes warm & red - Use real moxa stick (Not smokeless → thick smoke) - Three edged needling: Poke around area, stop eczema from expanding - Use only once a week - Auricular - Points: LU, ShenMen, Adrenal, Chronic & Subcortex, Liver - Technique: Retain needles for 1-2 Hours - Can use seeds (steel, silver, gold) - Point Injection - LI 11, SJ 5, SP 10, SP 6, UB 22 - Vitamin B Complex, Huang Qin [Scutellariae], Jin Yin Hua [Loniceræ], Ban Lan Gen [Radix Isatidis], Xu Chang Qing [Cynanchum Paniculatum] - Keep skin well lubricated - Shower or bathe less often → Keep brief & use lukewarm water - Use moisturizing creams or ointment rather than water based lotions DU & UB Meridians on Back - Du Mai has a lot of Yang Qi [All meridians come there] 3 Lines on Back - Close to DU is more yang 1.5 cun: More Qi → Good for any Qi dysfunction 3 cun line is more for Yin → Nourish spirit - UB 52: Weak willpower - HTJJ: 45 degrees from UB inner Shu toward DU meridian → get both UB & DU - Start 1 cun away and needle 45 degrees toward middle - Get good, strong Qi - ICS Nerve Pain (neuralgia): Tingling, shock, electric - T4, T5: Gets directly into where the nerve originates	
Types	Indications	Treatment Principles	Points
Wind Damp Heat	- Onset: Redness & itching [No rash, just itchy, want to scratch, if scratch → area gets bigger] - Progression: Edema, rash & vesicles, small blisters - Scratching: Oozing, weeping, itchy, pruritic skin lesion, crusting	- Disperse wind damp - Clear heat - Technique: Reducing - Points: DU, LI & SP channels	Main Points - DU 14, LI 11: Heat - SP 9: Damp - HT 7: Calm Spirit [Shen Disturbance] - Calm down Spirit → more able to manage the itching - UB 13: Back Shu of LU Secondary Points - Diarrhea: ST 36 - Gut reaction can cause skin symptoms. Can also cause diarrhea or constipation. [Too much mucus or inflamed intestines] - Excessive Weeping: REN 9 - Name: Shui Fen: Water Differentiation/Divide/Separate clear from turbid - Good point for too much water. Edema, water retention]
Blood Deficiency	Affected skin gets brown or dark, raw, thickened, scaly, itchy, skin flakes off	- Nourish Blood - Points: ST, SP - Technique: Reinforcing	Main Points - ST 36, SP 6: Any deficiency of SP & ST - SP 10: Move blood - SP 2: Mother point [Fire is the Mother of Earth] → Tonify Spleen. Mother point is best for deficiency - For excess, reduce Son Secondary Points - Emotional Triggers [8 Gates] - LV 3, LI 4: 4 Gates - GB 34, SJ 5: Female 4 Gates - Females during pregnancy, menstruation, post-partum depletion - UB 47: LV (Anger) - UB 49: SP (Thinking too much, worry)
Diagnosis - Inspection & asking about skin history & family history of rashes, allergies, asthma - Biopsy usually not helpful		Treatment [WM] - Mild: 1% hydrocortisone cream on affected area a few times a day - Severe: Difficult to treat. Antihistamines or steroid creams can help prevent or control itching. Serious complications can develop from overuse of steroid creams. Come antihistamines can cause drowsiness, so advise patients to take at bedtime	

Psoriasis [Yin Xue Bing]			
Definition - TCM: Cow Skin Tinea [Niu Pi Xian] → Like cow skin (thick & tough) - Doesn't respond to any treatment AT ALL!!! Many factors involved - Immunity, emotions, genetics, environment - Very hard to treat & cure - In Yang (dark) places - More toxic, more genetic - Damage skin in layers: Top → White, Underneath → Red, purple, brown - Top: Instead of keratin, has scales - Underneath: Plaques - Base: Red, inflamed skin - More peel → Get worse → Don't scratch or peel!!! - Characteristics: - Common chronic, recurrent disease characterized by dry, well-circumscribed (sharply defined red patches covered by a silvery surface), silvery, scaling papules & plaques of various sizes - Varies in severity from 1-2 lesions to widespread dermatosis, sometimes associated with disabling arthritis or exfoliation. - About 2-4% of whites and far fewer blacks are affected. - Onset usually between ages 10-40, but no age exempt. - Family history is common. - Psoriatic Arthritis [usually young 20-40]: attacks soft tissues Etiology & Pathogenesis - Channels: LV, LU, SP, ST Wind Damp Heat in skin blocks the channels & collaterals Locations: Scalp, elbow, knee & sacrum [Yang meridians → too many toxins] - WM: Cause unknown → Treatment: Steroids, sleeping pills - Response of psoriasis to immunosuppressive drug cyclosporine suggests that the primary pathogenic factor may be immunologic [possibly autoimmune like lupus, asthma, Sjogren (dry eye syndrome) → Venus Williams (tennis)] - Overactive immune system attacking self tissues - Thick scaling has traditionally been attributed to increased epidermal cell proliferation & concomitant dermal inflammation - Precipitating factors for flares: local trauma, occasionally irritation, severe sunburn, viremia, allergic drug reactions, topical & systemic drugs (chloroquine anti-malarial therapy, lithium, B-Blockers, interferon), withdrawal of systemic corticosteroids. Manifestations - Usually gradual onset, exacerbated by STRESS!!! - Typical course: chronic remissions & recurrences or occasionally acute exacerbations that vary in frequency & duration - Characteristically involves scalp (including post-auricular regions), extensor surface of extremities (especially elbows & knees), sacral area, buttocks, penis. - Behind ear very common, knee, elbow, nape of neck - May also affect nails, eyebrows, axillae, umbilicus or anogenital region - Occasionally generalized - Typical lesions are sharply demarcated, variously pruritic, ovoid or circinate erythematous papules with plaques covered with overlapping thick, silvery micaceous or slightly opalescent shiny scales. Papules sometimes extend & coalesce to produce large plaques in annular & gyrate patterns - Very Important: Don't scrape off white layer!!! Red layer will show up and stimulate immune system		Characteristics - Emotions make it worse, Aggravated or recurrence with emotional stimulation - Affected skin itches, worse at night - Rash with scratching, affected skin gets brown - Repeated recurrences make skin of psoriatic patches thick, dry & tough, lichenized, often symmetric, skin crumbs fall off Secondary Points - Ashi Points [where problem located] Severe itching & irritability: KD 6 (Emotional point), HT 7 [Itching, irritability] [KD 7 & HT 6 → Night Sweating] Nape: LU 7, UB 40 Elbow: LU 5, PC 4, PC 8 [Along meridian] Popliteal Fossa: UB 37, UB 40, UB 60 Medial aspect of thigh: SP 10 Upper eye lid: ST 8, DU 20 - Eye no longer symmetrical Additional: 4 needles at 4 corners surrounding area of psoriasis - Not directly on skin lesions - Needles criss cross underneath transversely to get rid of toxins from the bottom Other Therapies - Moxa: once twice daily [Use real moxa → Aromatic, smoky function] - Qing Hao, Yin Chen Hao → Clear damp heat - Smokeless is already burned → Doesn't work as well - Seven Star needles & cupping, once every other day → Problem on meridians - Elbow, etc. - Not directly on skin lesions - Ear acupuncture, Lung, Shen Men, Adrenal, Subcortex, Liver, Ashi - Topical Herbs - Acute: Di Yu [Stop Bleeding, Inflammation, clear heat], Huang Bai - Di Yu, Duan Shi Gao [Astringent], Ming Fan (Alum) - Comprehensive CHM Treatment: CHM pages 381-382 Diagnosis - May be confused with seborrheic dermatitis but diagnosis by inspection is rarely difficult: - Psoriasis: well-defined, dry, heaped-up, psoriatic lesions, large silvery scales - Seborrheic dermatitis: Diffuse, greasy, yellowish scaling - Biopsy findings of typical lesions are generally characteristic - Atypical lesions have atypical features → biopsy less helpful - Some other skin disorders may have psoriasisiform histologic features that may make microscopic diagnosis difficult or equivocal Prognosis - Depends on extent & severity of initial involvement. Usually the earlier the age of onset, the greater the severity - Acute attacks usually clear, but permanent remission is rare Treatment [WM] - No therapy is curative, but most cases adequately or well controlled - Lubricants, keratolytics, topical corticosteroids, topical vitamin D derivatives, anthralin (Dritho-Scalp, Drithocrema) should be tried in patients with a limited number of lesions - Exposure to sunlight beneficial, but sunburn may exacerbate - Systemic anti-metabolites should only be used in patients with severe skin or joint involvement. Can use immunosuppressants for severe cases. - Don't use systemic corticosteroids → severe exacerbation or pustular lesions	
Two Types	Treatment Principles	Treatment Principles	Prescription
Wind Damp Heat	Initial Stage - Papules, erosion, red patches, severe itchiness, oozing, scratching, scarring - Irritability	- Disperse wind, - Transform damp - Clear heat	- GB 20, LI 11, LI 4 - SP 10, - UB 12 (Wind), - SP 6 (Nourish blood to treat wind)
Wind Dry with Blood Xu	- Chronic & recurrent attacks - Psoriatic patches appearing dry - Thick & lichenized change, scaling - Itching worse at night	- Nourish blood - Moisten dryness - Dredge channels	- UB 17, - LI 4, LI 11: Move Qi & Blood - ST 36, SP 9: Middle Jiao to produce Blood - REN 6: Qi Ocean [Move Qi to move blood]

Acne			
Definition - Known as adolescent rash [Chinese: adolescent dou] - Usually occurs on face, back & chest - Skin condition that occurs when the oil-secreting glands in the skin & at the base of hairs are clogged & become inflamed or infected 90% of teenagers get acne - Usually occurs on face, upper part of chest & back or shoulders - At first, only small rashes appear in the pores of the skin, some with blackheads (open, plugged oil glands), some with sebaceous powder - If accompanied by infection, purulent sores, knots or sebaceous cysts could appear. Brown scars could be left after rashes gone. - Two Types [Both Yin Deficiency] Adolescent or climacteric acne: Mainly caused by disorder of Chong & Ren channels. - Teenagers: Growing so much → Too much Yang (Yin insufficient, lags behind the Yang), not enough sleep, poor food choices → blockages → folliculitis, hormones release a lot of oil onto skin Oil Acne: Mainly caused by Damp Heat of SP & ST - Related to lifestyle (heat, damp food) Etiology - During teenage years, hormones stimulate growth of body hair & oil glands secrete more oil. Skin pores become clogged & bacteria grow in clogged pores. - When body works to kill the bacteria, whiteheads, blackheads & pustules form in these areas. - Stress, birth control pills & not enough sleep can make acne worse		Types of Acne - Whiteheads: Closed, plugged oil glands [Not Broken] - Blackheads: Open, plugged oil glands, sometimes filled with pus [Broken, exposed to air → oxidation causes darker appearance] - Pustules: Red, inflamed, infected plugged oil glands. Sometimes filled with pus. - Some pimples may be painful. In severe cases, cysts (large fluid-filled bumps) may develop under skin - Some adolescent acne will heal spontaneously at the end of the adolescent period. Other Methods: - Eat a light diet - Keep Bowel movements regular - Keep optimistic - Choose right contraceptive pill for women - Keep oil & dirt out of pores & reduce inflammation [Keep skin clean] - WM: Topically apply products containing benzoyl peroxide. If not effective alone, add antibiotic medications [orally and/or topically] → Consult with MD [Doesn't really work and messes up GI tract]	
3 Types	Indications	Treatment Principle	Points
Damp Heat in SP & ST [Oil Acne]	- Damp Heat steaming out & distributing to skin - Oily skin & hair, acne outbreaks or gets worse with certain kind of food & drinks - Constipation - T: Yellow, greasy, thick (damp heat), red - P: Slippery (strong, smooth)	- Dispel damp heat - Reducing techniques	- LI 11: Heat Promote BM: ST 37, SJ 6, ST 25, UB 25, - SP 8: Can massage this point & should go within 30 minutes - UB 39: Lower He Sea of San Jiao (Sewer system) - LI 4: Great Moving Point → Move Qi & Heat - Herbs: Mori Albae Radicis, Coptidis, Phellodendri, Sophorae Flavescentis [Sang Bai Pi (mulberry bark), Huang Lian, Huang Bai, Ku Shen (tastes very bad!)]
Disorder of Chong & Ren [Adolescent or climacteric Acne]	- Pores fail to open & close, leading to pore blockage - Acne comes & goes with menses or menopause [Hormones increasing or declining with age] - Every extra meridian has its own pulse - Chong, Ren, Du, Dai	- Regulate Chong & Ren Meridians - Even techniques	- PC 6, SP 4: Combo to treat Chong & Ren disharmony - Female right side, Male right side - SP 10: Cool & Move blood - REN 7: Intersection Chong & Ren - ST 30: Intersection ST & Chong - KD 21: Intersection of KD & Chong - DU 20: Intersection of all meridians - LU 7: Ren point - Herbs: Leonuri Heterophylli, Moutan Radicis, Rehmanniae Glutinosae [E Mu Cao, Mu Dan Pi, Sang Di Huang]
Liver Qi Stagnation	- Qi & blood flow slows down or speeds up - Toxins pile up & manifest as acne on skin - Acne outbreaks or gets worse with mental stress, mood swings - T: Normal, sublingual veins purple - P: Wiry	- Soothe liver with - Even techniques	- SJ 5, GB 34: Female 4 gates (can use during menses & pregnancy) - LI 4, LV 3: Regular 4 gates - UB 18, UB 47: Help move the LV Qi & soothe LV 2nd line of UB on back is more for emotions - Herbs: Xiao Yao Wan - Helps with cramps, emotions

Alopecia			
- Ban Tu [Patch board or ghost haircut] - Caused by a variety of reasons - Here we just discuss the sudden hair falling out or hair loss at a young age - Not Included: Natural hair loss in elderly or hereditary baldness - Hair loss can occur gradually or in patches or throughout scalp - Normally lose some hair every day, but More than 100 per day → Pathogenic Depends on: - Emotional Stimulation - Anger, worry: Hair fall gradually - Grief: Hair falls out drastically [completely bald in a couple of days] - Ex: Young lady who lost newborn baby → Work on grief - Use acupuncture for emotion controls - Use 5 elements control cycle: Fire controls metal → use HT meridian points to treat the grief [Tonify the Fire element so that it can control the Metal]: HT 3, HT 7 - Use counseling skills, - Herbs: give happy pills (Xiao Yao Wan) - Also use Outer Back Shu points [Emotional Points] * Anger: UB 47 (Liver) * Lack of Willpower: UB 52 - Qi & Blood Deficiency - Diet: Not enough nutrients to nourish hair [SP & ST don't produce enough blood] - Young ladies with no starches for 3-5 years - Blockage of Sebaceous Glands [Damp Heat with toxins] - Block the root → inflammation, root of the hair isn't nourished - Often young men with lots of yang Qi → hair falling out starts at the vertex [too much yang], expanding gradually until completely gone on top and eventually only have a little left on the sides - Usually very virile men who work out a lot and eat a lot of beef WM: Hair transplant		Treatment: Exclude causative factors - Free from emotional stimulation - Take nutritious diet to build up Qi & Blood - Take low fat diet - Keep scalp clean: Too much buildup in sebaceous glands - Keep bowel movement regular Other Methods: - Seven star needling - Reducing: bleeding - Tonifying: Just make pink - Protocol - Scalp Massage Before - Seven star needling - Tapping on head with fingers 101 Hair growing lotion - Hair starts growing back in about 2 weeks - Auricular - Kidney, Spleen, Lung, Endocrine, Occiput, Shen Men, ST, SP, SJ, Brain - Herbs - Angelicae Sinensis, Ligustici Walichii, Polygoni Multiflori, Ginger - Dan Gui, He Shou Wu [Makes hair go back to original color] - Patent - Shou Wu Pian [Turns hair back to original color] - Xiao Yao Wan [Happy pill]	
3 Types	Technique	Points	
Emotional Stimulation	- Two groups applied alternatively - Once daily - Reducing technique (for excess)	- I: UB 18, SJ 5, ST 36 - II: GB 20, UB 19, LV 3	OR - P6, An Mian - GB 20, SP 6
Qi & Blood Deficiency	- Two groups applied alternatively - Reducing technique	- I: REN 17, SP 10, REN 4, GB 39 - II: UB 17, DU 4, UB 23, UB 52	•
Damp Heat	- Two groups applied alternatively - Reducing technique	- I: LI 11, ST 36, DU 14 - II: LI 10, ST 37, UB 39	•

Final

- Focus on after midterm
- Focus on dermatology
- Shoulder pain 1 question
 - Which distal point use for shoulder pain with running needle technique? ST 38 → UB 57
- Acne:
 - How many TCM types? What are they?
 - Acne occurs on which part of body?
 - Damp Heat acne: Very similar to which one? Oil acne
 - Damp heat acne: pt should eat light light food, keep bowel movement regular
 - What acupuncture points treat acne caused by ren & chong? Intersection points → know the points
 - Points to treat damp heat acne or oily acne
 - Treat chong & ren acne: when patient shows emotions (depression) what should patient do in addition to acupuncture → Take happy pill, choose right birth control pill (women), don't worry be happy
 - Differentiating acne: open plugged oil glands → Blackheads
- Alopecia
 - Etiology [emotions, Qi & blood xu, blockage of sebaceous glands]
 - Hair loss started from vertex and expanding outward caused by what??? Emotions? Excess yang
 - Points to treat damp heat alopecia → know both groups
 - Points to treat emotional alopecia → know both groups
- Eruption of skin characterized by temporarily flat topped wheals, comes & goes quickly? Hives, urticarial
- Features & characteristics of each skin conditions
- Urticaria
 - Urticaria: Wind wheal [comes & goes quickly]
 - How many types urticaria in TCM?
 - Main meridians choose points from to treat urticaria
 - Treating urticaria → appropriate techniques
 - Points to choose to treat urticaria with 7 star needles
 - Treat urticaria: which points usually choose?
 - Best of following to treat urticaria: Wind eliminated if blood circulates smoothly [Treat blood to treat Wind] Which points reflect this principle
 - What should do if urticaria causes severe asthma attack & closing of throat → Acupuncture, herbs? Send to ER, immediately!
- Herpes Zoster
 - What form Radiating, triangle, square, bend?
 - Cutting off head & tail treats what condition? Herpes zoster
- Eczema:
 - Main characteristics: pain, fever, chills, edema? Chief feature: Itching! Symmetrical distribution
 - Chronic eczema: what most effective? Moxa!
 - Acute eczema usually caused by what? Wind cold, wind fire? Types of acute eczema
- Psoriasis
 - Where usually occurs? Yang areas? Top head, scalp, elbow, knees,
 - Which skin condition aggravated with emotional stimulation? Which is most easily flared up with emotional? Psoriasis
 - Main yang organ treated with excess skin disorders [Large Intestine]
- Expect quick resolution of alopecia: scalp massage, 7 star needle, hair growing lotion → expect effects in 2 weeks
- Alopecia: Yin organ not involved: Heart
- Besides SJ 6: other points to treat constipation UB 25, ST 37, SP 8, etc.
- In chronic stage of dermatological conditions: What kind of deficiency? Chronic skin condition pathology → review
- Acne: teenagers: Yin lags with yang excess
- Hair starts falling gradually due to emotions? Anger
- Case studies: urticaria, eczema, herpes zoster → know features & points
- Need diagnosis first, if wrong, everything else will be wrong
- Skin condition in TCM usually manifestation of internal organ disorders
- TCM treats skin conditions both topically and internally
- Not main pathology of TCM → Acute skin condition pathology [introduction page]
- What combo used to promote Qi & Blood production: SP 6 & ST 36
- Combo clear excess heat: LI 11 & DU 14

ADDITIONAL NOTES

Therapeutics 1: Common diseases (headaches, PMS)

Therapeutics 2: Systems (musculoskeletal, skin (dermatological), etc.)

Therapeutics 3: Cardiology, cardiovascular, etc.

Therapeutics 4: Gynecological

Therapeutics 5:

Therapeutics 6: EENT (Eyes, ears, nose, throat)

Therapeutics 7: Male disorders, endocrine

9/28/2016

Essence of TCM (Zhong Yong Zhi Dao): Moderation in everything

Chinese Medicine: Focus on Balance!!!!

- When balanced, immunity is strong!

Quiz Questions

- What is Bi?
- Bi since it's so big = **Rheumatology Department** in Western Medicine
- Symptoms of Bi: Swelling, heat, puffiness, limited range of motion, atrophy (loss of joint function)
- Differential diagnosis
- How many diagnostic systems? 4
 - ♦ Etiology (know how it started)
 - ♦ Tissues (don't know cause, but know affected tissue)
 - Tendon, muscle, bone, skin
 - ♦ Organ systems (when it gets into organ, it's deeper because the organ is the root/foundation of channels → problem not only in meridian system) → Severe
 - Have organ symptoms: Bi + organ symptoms, deeper, severe
 - * Lung: breathing difficulty, coughing
 - * Liver: anxiety, depression, mood swings
 - * Kidney: Lot of things, last resort → water metabolism, urinary dysfunction, sexual dysfunction, memory loss
- ♦ Manifestation
 - Wandering Bi: Wind, always moving
 - Painful Bi: Cold
 - Fixed Bi: Pain fixed, puffy, worse with humidity, rainy days
 - Heat
 - Severe

Pain Questions

- Property/Nature: Dull, sharp, throbbing, stabbing, aggravating/alleviating

Case Study

- 1st Sentence: Read carefully for chief complaint
- Skip to Pulse & tongue → Gives truth (Especially Pulse)

Broken sleep → no good

•


Hiccups	
Definition: - Involuntary contraction of diaphragm - May repeat several times per minute - May occur in bouts - Rhythm of hiccups or time between hiccups relatively constant - TCM Main Organs involved: ST & LU - Chronic: over 48 hours Hiccup Master: Charles Osborne	Western Medicine - Overeating - Rapid eating - Sudden temperature changes [lung catches cold air] - Carbonated beverages, alcohol - Dry breads, some spicy foods [stimulating stomach] - Laughing [swallow air] - Certain drugs [painkillers] - Tobacco use - Can also be symptoms of severe disease [AIDS, HIV, MS, cancer] - Cancer: - ST: happens after eating [ask about blood in stool, weight loss, appetite loss, pain in upper quadrant] - LV, Brain

Excess	Etiology	Signs & Symptoms	Treatment Principle	Acupuncture Points
Stomach Cold T: White (cold), Moist (damp) Coat P: Slow (cold) Athletic pulse: also Slow	- Eating too much, too fast - Cold food, too icy, - Too much cold nature - ST prefers warm - Eat too much cold, ST will complain - Common Cold (Wind Cold) [Tai Yang disease] should only last 7-10 days. After 10 days, if Wei Qi doesn't win, the pathogen will go to Tai Yang Fu organ [UB], will also go to Yang Ming [ST] → Wind Cold can go to ST	- Deep, Long & forceful - Cramping stomach pain - Alleviated by warmth [warm drinks help] - Aggravated by cold	- Warm middle jiao - Expel cold - Descend Stomach Qi - Acupuncture with moxa can help	- REN 22 [down toward ST] - PC 6 [helps open chest, calms diaphragm] - UB 17: Diaphragm shu - ST 36: Helps peristalsis, Descend ST Qi, Move intestines, warm ST [Moxa, warming needle] - REN 12: ST Front Mu, Moxa, Heating Pad - LV 13: Local for diaphragm, SP, also good for stress - UB 20 [SP], UB 21 [ST] - REN 4 [Qi]: Moxa - ST 21: Nausea, vomiting, [symptoms of ST Qi rebelling] - Warm up abdomen - Ginger moxa on REN 8
Stomach Fire T: Red [heat] with yellow [heat in ST] coat P: Slippery [damp, extra stuff in body: cancer, phlegm, pregnancy], Rapid	- Eating too much hot temperature or spicy food - Eating food that doesn't digest well [deep fried] - Acne - Food that stays in ST too long causes gas, heat - LV Qi Stagnation causes heat - ST innervated by vagus nerve → emotion causes stagnation - Wind Heat goes to ST & causes ST Fire [Thirsty & wants cold drinks, constipation, bad breath (food stays in ST too long)]	- Loud, clear & forceful - Bad breath [food stays in ST too long] - Mouth ulcers - Cold sores - Thirsty for cold drinks	- Clear & purge ST Fire - Descend ST Qi	- REN 22, - UB 17 - ST 36, - PC 6, - ST 25: Move intestine - ST 44, - LI 4: help emotions move - SP 4 & PC 4: Nausea - ST 43
Qi & Phlegm Stagnation T: Thin, greasy coat P: Wiry, slippery	- LV Qi Stagnation - Phlegm: LV, SP [Patient who stopped talking after wife died, not SP Qi Xu, but LV Qi stagnation]	- Continuous hiccups can last very long time - Short duration - Vomiting [ST should go down] - Induced by stress or anxiety, - Poor diet [SP T&T function fails → Phlegm stagnation] - Poor appetite - Bloating sensation - Chest distention	- Regulate Qi - Transform Phlegm - Harmonize ST Qi Move, tonify	- REN 22 - PC 6 - ST 36 - UB 17 - LV 14: LV overacting on SP, LV Qi stagnation - GB 43 - ST 40: Move, drain - GB 34: tonify, move - DU 20 - GB 20: Dizziness due to LV Qi - Phlegm: Warm - LV Qi: don't warm because can cause LV fire - First time of day: 12 times of day - First time of day: GB (11-1) [baby Yang → newborn of yang qi] - Don't go to sleep: have cloudy head, turbid yang - Turbid yang: fuzzy head, not move brain well [GB 34 good point for this]

Hiccups				
Deficiency	Etiology	Signs & Symptoms	Treatment Principle	Acupuncture Points
ST Yang Xu T: White coat P: Deep, thin	- Old age causes yang xu - Recovery from severe illness	- Weak & deep low tone - Pale face, cold limbs & body [ST feels cold to touch] - Fatigue, poor appetite & digestion [If yang is deficient, the function is decreased]	- Warm middle jiao [moxa] - Harmonize ST Qi	- Moxa! - REN 22 - PC 6 - ST 36 - UB 17 - REN 12 - UB 20 - UB 21 - REN 6 [Tonify Qi] warming needle - REN 4 [Tonify Qi, more deeply, yang xu more constitutional, tonify blood] - REN 8 [also deeper, don't needle]
ST Yin Xu T: red, cracked, scanty, dry coat P: thin, rapid	- Old age - Long illness - Severe illness - Excess vomiting - Doesn't want to drink	- Short, quick & intermittent - Low tone - Abdominal pain, thirst - Dry mouth, tongue, lips - Irritability - Constipation	- Nourish ST Yin & fluids - Descend ST Qi	- REN 22 - PC 6 - ST 36 - UB 17 - UB 21 - REN 12 - KD 3 or KD 6 [Tonify Yin] - REN 10 - SP 3: appetite

Treatments Western Medicine - If secondary to other causes like GERD or esophageal webs → treat underlying disorder TCM - Auricular: mid ear, shen men, subcortex, ST, LV, SP - Scalp acupuncture: ST region, chest region - Electro: REN 12, ST 36 - Injection: Vitamin B1 in HTJJ [T5-T7], UB 17, REN 12, ST 36, PC 6, REN 22 - Extra Point: Zhong Kui [finger: very shallow] - Dorsal aspect of middle finger, at midpoint of proximal interphalangeal joint - Dorsal = back of hand	Folk Remedies - Drinking water - Breathing into paper bag - Swallow dry bread, crushed ice - Pull tongue or stimulate gag reflex - Sugar ingestion - Vinegar intranasally - Talk with patient [distract with other topics] - Deep & slow breaths - Nose inhaling, mouth exhaling - Blow up balloon - Hold breath & swallow - Hold breath after deep inhalation - Sneezing - Pressing points [PC 9, LI 11, PC 6, REN 17, UB 17, UB 2 for 5 minutes, Yin Tang] - Pulling ear lobes - Pulling tongue - Terrifying
--	---

Dysphagia	
Dysphagia: Difficulty swallowing. Usually a sign of problem TCM Main Organs: Spleen, Stomach, Liver [Emotions] Esophagus: - Not involved in digestion. - Doesn't secrete enzymes, doesn't digest - Just a tube to transport food from mouth to 3 Narrows - Mouth area (pharynx [C6]) - Bone spur on C-6 growing toward front & pinched esophagus → Removing bone spur alleviated symptoms - T-5 - T-6: Bone spurs, mechanical obstruction Western Medicine [Neural vs. Mechanical] Nerves - Nerve injury [Stroke, spinal cord injury] - Problems with nervous system [MS, Parkinson's] - Immune system problem [polymyocytis] - Uncommon inflammatory disease that causes muscle weakness affecting both sides of body - Nerves damaged from oral surgery - Nerves damaged from chemotherapy [can affect saliva secretion] Muscles - Esophageal spasm - Esophagus expands to 40 mm - Muscles expand & have peristalsis to move food bolus to stomach - Muscle spasms prevent esophagus from expanding - If Esophagus cannot expand more than 20 mm, patient needs treatment [endoscopy or medication] - Esophageal muscle weakness - Immune system diseases - Patients can eat, but aren't able to absorb food - Constipation due to decreased absorption Obstruction - Gastroesophageal reflux disease [GERD] - Can lead to esophageal cancer - Treat LV Qi stagnation to help prevent esophageal cancer - Esophagitis: GERD causes inflammation - Diverticula: Pressure due to sacs - Esophageal tumors - Masses outside the esophagus [Bone spur, aorta] - Dry mouth [Not enough liquid, medication, yin deficiency, ST fire, etc.] Emotional Factors - Anxiety - Depression - Hysteria [LV Qi Stagnation]: Often happens with young women	Symptoms & Signs - Feeling of food getting stuck several seconds after swallowing & will point to the site of obstruction Dysphagia Distinction Solid or liquid food basis - Solid food: reaches stomach in 6 seconds - Liquids reach stomach in 3 seconds - Motility problem - Intermittent: Diffuse esophageal spasm [DES] - Progressive: Scleroderma - Mechanical Obstruction: First solids, then progresses to liquids - Intermittent: Esophageal ring - Progressive: Peptic stricture or esophageal cancer Etiology Basis Hoarseness: Esophageal cancer with mediastinal infiltration Choking: Brain disease, esophageal diverticulum Hiccups: Hernia Pain in Throat [Odynophagia]: Acute tonsillitis, pharyngeal abscess, acute pharyngitis, diphtheria, stomatitis, oral ulcers - Odynophagia [painful swallowing, in the mouth (oropharynx) or esophagus. It can occur with or without dysphagia] - Stomach Fire Chest pain, acid reflux, heartburn: Gastroesophageal reflux disease [GERD], reflux esophagitis, esophageal peptic ulcer, benign esophageal strictures Asthma & Breathing Difficulties: Mediastinal mass, pericardial effusion oppressing esophagus & trachea Immediate reflux to nasal cavity & cough after eating liquid foods: May be abnormal pharyngeal neuromuscular function Hysteria: a sense of objects blocking even when not eating - Plum Pit Qi [LV Qi Stagnation] Location Basis of Dysphagia Upper esophageal: cancer, thyroid enlargement Middle esophageal: Esophageal cancer tumor in chest, Heart Enlargement Lower esophageal: Mainly cancer [Often caused by acid reflux] - Usually obstruction will show 5-10 seconds after swallowing [should be 6 seconds for food to reach stomach] Associated Symptom Basis Hiccups: Lower esophageal lesions [gastric cardia achalasia] Hematemesis: Esophageal cancer Swallowing Pain: Inflammation, ulceration of oropharynx Unilateral Wheezing: Mediastinal tumor esophageal compression



Dysphagia Pathology	Signs/Symptoms	Treatment Principle	Acupuncture Points	Herbs
LV Qi Stagnation & Phlegm Accumulation [Starts excess, slowly becomes deficient] T: Yellow [heat], greasy [damp phlegm, chronic] thin [normal or deficient] coat P: Wiry [excess, LV Qi, heat, pain], thin & slippery [damp, pregnant, food stagnation, normal, healthy]	- Difficulty swallowing - Aggravated by emotional stress - Alleviated when relaxed or happy - Belching, acid reflux - Chest & abdominal distention, dull pain - Hiccup or vomit of phlegm - Dry mouth & throat - Normal body shape or emaciation - Sluggish [slow movement, slow digestion] - Constipation, goat stool	- Move Qi Stagnation - Resolve Phlegm - Moisten dryness	- REN 22, REN 17: Local - REN 14: Tonify ST Qi & increase peristalsis [Also REN 10, 12, 13] - LI 4: Pain, LV Qi - LV 3: LV Qi - PC 6: Open chest - ST 36: Help digestion, absorption - KD 27: Helps digestion - SP 10: Move & tonify blood	- Sha Shen [9] - Dan Shen [9] - Fu Ling [3] - Bei Mu [4.5] - Yu Jin [1.5] - Sha Ren Ke [1.2] - He Ye Di [2 pieces] - Chu Tou Kang [1.5]
Blood & Phlegm Stagnation T: Red/purple, yellow dry coat Distended, dark sublingual vessels [stagnation, heat] P: Wiry, thin, rapid, choppy [blood stagnation]	- Difficulty Swallowing [not even fluids in severe cases] - Pain or burning sensation in chest or diaphragm [cancer] - Scanty & yellow urine - Constipation, goat stool - Vomiting after eating - Vomit may be brown color [cancer] - Emaciation [cannot eat or drink, excess vomiting]	- Move blood stasis - Nourish yin & blood Cancer [Phlegm] - Treat Wei Qi → tonify blood, yin, increase WBC by increasing Wei Qi, points themselves can tonify - Practicing meditation can improve Qi, even without eating	- REN 17: Local - SP 10: Move & tonify blood - LV 2: Clear LV Heat - LV 3: Clear emotional heat - LI 4: Pain, move Qi - KD 6: Deficient heat, tonify yin - ST 36: Tonify - LI 10: Clear Heat - LI 11: Clear heat, excess, stuck food - REN 12 & 14: Local [increase peristalsis] - ST 44: Clear heat - LV 13 & 14 - UB 17, UB 39: Blood Stasis - KD 1: Yin Deficiency - DU 20: Yang deficiency	- Zhi Gan Cao [2] - Hong Hua [2] - Sheng Di Huang [10] - Shu Di Huang [10] - Sheng Ma [12] - Tao Ren [12] - Dang Gui [12]
Fluid deficiency & Heat Toxin T: Red, dry, cracked [Also Mirror, thin or no coat, geographic (insufficient ST Qi), small, pointed] P: Wiry, rapid [heat & Qi stagnation, pain], thin [deficiency: Qi, blood, yin, yang]	- Difficulty swallowing solid food but able to intake fluid - Burning, stickiness or pain in chest - Progressive emaciation - Dry mouth & throat - Constipation - Five center burning - Low grade or afternoon fever - Night sweats	- Regulate Qi - Transform Phlegm - Harmonize ST Qi SP Qi not just to drain damp → Also can harmonize Obesity due to overeating: Insufficient SP T&T functions Yin Deficiency [Chemotherapy: Not a simple, easy treatment for TCM]	- KD 1, 3, 6: Tonify KD Yin - SP 9 & ST 40: Resolve phlegm - SP 9: Obesity due to overeating - ST 40: Heart problems causing ankle edema - SP 6: Yin - REN 17: Local - PC 6: Good pair with REN 17 to open chest - UB 20: SP - UB 23: KD - LV 2: LV Heat [Very slow pulse, very rapid, aggressive pulse]	5 Juice - Pear [15] - Lotus Root [12] - Chive [5] - Fresh ginger [6] - Milk [250]
Yang Qi Collapse T: White coat [Cold] P: Deep [not an easy case], thin 2 ends: Profuse clear urination or cloudy urination Yang Collapse: Not enough water in body: KD is a filter → only a small amount of liquid go through the filter → Light yellow urine [limited water in body] Dry stool [not enough liquid]	- Difficulty swallowing - Vomiting after eating with frothy sputum - Pale face, - Dizziness: Excess or deficiency - Sallow complexion - Severe fatigue - Emaciation, - Aversion to cold [intolerant] → Yang Deficiency, Wind Cold Invasion - Cold extremities - Shortness of breath [Qi Xu] - Generalized edema [Yang Xu] - Abdominal distention - Leg & foot edema - Light yellow urination - Dry stool [Yang Xu]: Fluid not moistening intestine	- Tonify Qi - Warm Yang - Treatment for overweight patients: Ear seeds - PT must be more than 20% overweight or can gain weight from same points - ST Cancer: People cannot eat	- DU 4: Moxa! - REN 4 - REN 3: Moxa - ST 36 - DU 20: Indirect moxa - SP 9 - LV 2 - ST 44: Heat - SP 3: Heat - PC 6 Auricular - Shen Men, Diaphragm, Esophagus, Stomach, Liver, Mouth Scalp - Stomach & chest regions	- Ren Shen [6] - Bai Zhu [9] - Ju Hong [4.5] - Fu Ling [4.5] - Huang Qi [3] - Sha Ren [2.4] - Gan Cao [1.2]

Vomiting • Vomiting: Forceful expulsion of contents of stomach through mouth & sometimes nose • Not regurgitation: normal behavior for birds [feed babies], no stomach upset • TCM organs: LV, SP, ST • Chinese word: Content with sound, Discontent with no sound		• Western Medicine: Vomiting • Occurs when nerves in body or brain sense a trigger (food poisoning, certain infections, medicines, motion) • Due to a large number of causes • Protracted vomiting has a long differential diagnosis • Usually a sign of gastritis or poisoning, or as a non-specific sequelae of disorders ranging from brain tumors & elevated intracranial pressure to overexposure to ionizing radiation
Newborn & Infants: 2 conditions		General Symptoms & Signs
Happy Spitter [Should be gone after a year]	• Lower esophagus valve tightens up sometime in first year, usually around 4-5 months [spitting up may go away] • Content, no discomfort • Growing • No breathing problems from vomiting	• Nausea, sweating, pale face, tachycardia, Area Postrema • BM: Loose with fever → Indicates gastroenteritis [GI system infection] • Vomiting with abdominal pain & stop BM: Could indicate Peritonitis ▪ Abdomen feels hard (infection of membrane) • Vomit color • Bright Red (Hematemesis): Possible bleeding from esophagus • Dark Red with liver-like clots: Profuse bleeding in stomach • Coffee grounds: Less severe bleeding in stomach • Yellow: Suggests bile
Gastroesophageal Reflux [GERD] [Usually < 1 year old] Esophageal muscles not developed	• Discomfort, pain, crying • Breathing problems [acid may go into trachea] • Poor growth • Should hold baby upright after eating or lay them down on side or stomach	• Ask History • How long you have ST pain? • Ulcer: long time (perforated ST wall)
Children • Gastroenteritis: Stomach flu • Food allergies, irritations [eggs, milk, seafood, nuts, shellfish] • Anxiety & stress: Worries, tension, pressures of homework • Flu, other illness: Seasonal flu, swine flu • Eating too much • Food poisoning		Other Treatment • Auricular: ST, LV, Sympathetic, Subcortex, Shen Men • Extra: Zhong Kui [Middle finger knuckle crease]
Adult: 4 Categories [Reflex, Central, Vestibular disorders, Neurotic]		Cautions: • Aspiration of Vomit: Can be very dangerous if gastric content enters respiratory tract • Vomiting can be beneficial to rid the body of harmful substances • Medicines & methods to induce vomiting (ipecac syrup, finger in throat) are recommended when necessary
Reflex • Causes in Digestive Tract • Gastritis, Gastroenteritis • Gastroesophageal reflux disease [GERD] • Pyloric stenosis, Bowel obstruction, Ileus [Lack of movement in intestines] • Overeating • Acute abdomen and/or peritonitis • Food allergies, Food poisoning • Cholecystitis, pancreatitis, appendicitis, hepatitis • Milk allergy or lactose intolerance • Self Induced • Eating disorders • Eliminate an ingested poison • Binge drinking: make room for more alcohol • Alleviate nausea		
CNS Type • Concussion, Cerebral hemorrhage, Brain tumors • Hyperemesis [Morning sickness] • Chemotherapy • Norovirus [very contagious!!!] → Clean office well if someone vomits!!! • Swine flu [Remedy: Ba Jiao (Star Anise) → good for viral infections] • Adrenal insufficiency • Uremia • Metabolic disturbances • Hypercalcemia • Drug reaction • Extreme pain [intense headache], migraine • Post-operative		
Labyrinth [Vestibular] Disorder • Motion Sickness • Meniere’s Disease		
Neurotic Type • Anxiety, Depression, violent emotions • Disagreeable sights or disgust, smells or thoughts		

Vomiting: Causes	Signs/Symptoms	Treatment Principles	Points	Herbs
EPI Invasion [Wind Cold] [WM: Stomach flu, food poisoning, Hepatitis A] T: Thin, white coat P: Superficial [exterior, acute], tight [cold, stagnation], slightly slippery [damp]	- Sudden vomiting - Jaundice - Feeling cold - Aversion to wind & cold - Mild fever - Body ache, headache - Weak extremities	- Remove pathogens - Relieve exterior - Regulate ST function ↓ [Pathogen disturbs ST function]	- REN 12 [Local] - ST 36 [Regulate ST function] - PC 6 [Help REN 12 function] - LI 4 [Pain, release exterior] - GB 20 [Wind, exterior]	Warm Herbs to treat Cold - Cinnamon [5] - Shan Zha [20] - Brown sugar [20] - Drink while warm 15 mL: 3X day for 7 days
Improper Diet Injures SP/ST [Acute] T: Thick, white [Cold & damp] or greasy [chronic damp] coating P: Slippery [damp], tight [damp, stagnation] pulse	- Vomiting w/ undigested food - More severe after meal - Comfort after vomiting [Feel better after vomiting?] - Distention & fullness in ST	- Promotes digestion - Regulates stomach - Relieves vomiting	- REN 10 [Move stagnation] - REN 21 [Move stagnation] - ST 21 [Combat rebellious Qi] - ST 36 [improve ST function] - SP 16 [Intestine function, accept Qi from stomach] - PC 6 [helps REN points]	- Eating too much of anything is bad, too sweet, too cold, to fatty - Processed food - Old, moldy food
Improper Diet Injures SP/ST [Chronic] T: White, greasy [chronic], moist P: Slippery, thin	- Nausea - Vomiting [Clear or phlegm] - Cough with white/yellow phlegm or saliva - Palpitation, dizziness - Preference for sweet food - Discomfort in ST after eating	Acute: - Promotes digestion - Regulates stomach - Relieve vomiting Chronic: - Warm spleen yang - Regulate SP Qi - Resolve Phlegm - Regulate stomach	- SP 4 [Clear phlegm] - REN 12 [Local] - ST 40 [Phlegm] - UB 20 [Spleen]	- Daikon Juice [1 Cup]: release stagnation - Pork short ribs & daikon → Boil together - Goji berries: warm - Drink 15 mL each time until finish
Emotional Injury T: Flabby, red edges [LV Heat], thin, greasy coating P: Tight, wiry [LV qi stagnation], slippery	- Retching [dry heaves] - Vomiting acid & bitter discharges - Belching [ST Qi rebellion due to LV Qi Stagnation] - Fullness & burning in chest - Hypochondriac pain	- Soothe LV Qi - Regulate stomach	- LI 4 & LV 3 - REN 13 [Qi rebellion] - ST 21 [Qi rebellion] - PC 6 & SP 4	Sugar cane juice & ginger juice [7:1] → Drink slowly
SP Yang Xu [Yang = function] T: Pale body, thin, white coating P: thin, weak	- Anything that is too long - Taking western medicine too long - KD Yang Xu for too long will hurt SP Yang - Repeated vomiting - Nausea & vomiting after tired - Improper diet - Clear Discharges [cold] - Pale complexion - Preference for warmth - Aversion to cold - Pyloric obstruction - GI Bleeding	- Warm middle jiao - Tonify SP - Regulate stomach function	- REN 12 - PC 6 - ST 36 - UB 20 - UB 21 [ST] - LV 13 & REN 4 [Front Mu]: Regulate Intestine [good pair] - ST 25 [Must for any GI Issues, works but not strong]	- Ren Shen [Hot] [150g] - Water: 1 L, boil to 1 cup
ST Yin Xu [Yin = nutrition] T: Red body, very thin, peeled coating [mirror] P: Thin, rapid	- Retching [dry vomiting] (worse than vomiting with content → Worst condition) - Dry mouth - Dry throat - Chemotherapy	- Tonify ST Yin - Relieve vomiting	- REN 12 - REN 6 & REN 3: Good for Yin - ST 36 - PC 6 - KD 3: Good for Yin - SP 4 - UB 20 - UB 21	

Constipation	
Definiton • Difficulty during defecation • Sensation of incomplete bowel evacuation • Infrequent bowel movements [< 3 times per week] • Includes obstruction & fecal impaction • Can become life threatening Rome III Criteria [At least 2 of below conditions within 12 weeks over 12 month period] • < 3 bowel movements/week • > 25% hard stool • > 25% Sensation of incomplete bowel movements • > 25% Difficult bowel movments • > 25% Manual maneuvers to facilitate • Insufficient criteria for IBS • Gender: F > M [Yin Deficiency due to menstruation] • Age: Older > Younger [Yang deficiency, insufficient peristalsis (Function)] Etiology & Pathology • Deficient Conditions • Wei Qi is born in lower jiao, grows up in middle jiao and works in upper jiao [LU], when get sick, Wei Qi helps to repair. When sick for too long, SP isn't able to function properly to create clear Qi → Blood Xu (impairs LI) ▪ No SP Blood Xu General Symptoms & Signs [4 Key points] • Stool hardness: Not too hard or soft [Ideal: banana type consistency] • Amount of stool: • Compare to amount of food eaten the previous day ▪ If obviously less → Considered constipation ▪ Healthy: Eat more, pass more; Eat Less, pass less • Length: Banana length is good • Normal: 1-2 per day, more or less is not as normal • Smell: Pungent odor proves that intestinal phase is out of order • Eat more vegetables → Less smell • Proteins cause bad smell [Meat, eggs, seafood] • Clean & fresh feeling: Basic measurement of cleanliness of colon • Not incomplete, feel like you lost a few pounds Additional Treatment • Herbs: Run Chang Wan [Don't take long term because they can cause intestinal laziness] • Foods that help: • High fiber, high water: Celery • Induce peristalsis: Honey, taro root, apples, oils, oily seeds, ▪ Dragon fruit, banana (ripe), celery, sugar cane • High organic acids, Omega-3 fatty acids, • Gas producing: Onions, milk, chives, wheat, garlic • High carbohydrates: Bread, wheat • Foods that worsen [Slow peristalsis, produce heat] • Spicy & pungent, Dry • High Protein, High Fat • Bowel exercises • Lifestyle Lifestyle • Sleep before 11 pm • Exercise at 6 am after a cup of warm water • BM after exercise • Drink 8 cups of warm water daily	Newborns • Before 28 days • Formula milk ▪ Breast milk is easier to absorb, formula milk is difficult to absorb ▪ Calcium can cause constipation ▪ Not enough glucose (sugar)/carbohydrates, which aids peristalsis • Insufficient breast feeding or vomiting ▪ Baby absorbs everything → nothing left for bowels • If weight is in normal range, no need to worry • If underweight: Need to take action • Mom's Diet: Eating too much spicy food, etc. • After 28 days • Unreasonable food: ▪ Peristalsis: Protein slows, carbohydrates assist ▪ Intestines need to be more acidic than alkaline ▪ Yogurt/Kefir help intestine to become more acidic → soft stool ▪ Eating too much meat, not enough fiber ▪ Cow milk is more difficult for a human to absorb • Lack of good bowel habits ▪ Should be in morning: 5-7 AM ▪ Intestines need to learn schedule ▪ Kids often suppress the intention [Want to play & not go to bathroom] • Psychological factors • Disease: Can cause constipation • Frequency: Should range from several times a day to once every few days • Smell: should be nothing • Strong smell: Ask mother what she eats • Baby losing weight: Ask mother what she eats • Breast milk constipation: Usually doesn't cause constipation • Formula milk constipation • Difficult to absorb → Stool could be hard, yellow, strong smell Adult Constipation • Constipation is a symptom with many causes • Obstructed defecation: Mechanical & functional causes • Hypomobility: ▪ Diet, hormonal disorders, medications (pain), toxicity • Common causes • Fecal Induration ▪ Insufficient fiber in food ▪ Insufficient water intake [How many cups of water, how much sweat] * How much soup, herbs, etc.? Any liquids * Ask urine color [Yellow? Vitamins? How much? How long?] * Yellow urine: Dehydrated * Smell? Strong odor → Dehydration * Coffee? Colorful drinks? Beets? ▪ Drugs [Interview patients to see what medication they're taking] • Intestinal paralysis, slowed peristalsis [Lazy intestines] ▪ Hypothyroidism, Hypokalemia, Damage to anal sphincter ▪ Other serious diseases ▪ Porphyria, Lead poisoning, Lactose intolerance • Diverticulum, tumors • Blocked Defecation ▪ Mechanical causes (rectal prolapse) ▪ Function: Pelvic floor muscle achalasia syndrome • Anxiety & psychological factors ▪ When writing chief complaint, don't write diagnosis * Stress: Don't write LV Qi Stagnation * Anxiety: Ask symptoms ▪ Functional ▪ Irritable Bowel Syndrome • Quitting smoking [Nicotine is a laxative] → Ask Hx of Smoking • Abdominal surgery ▪ Takes time for the intestines to get back in the right place after surgery • Hirschsprung

Bowel Exercises Exercise 1 • In supine position, stretch both arms beside eyes • Straighten legs & slowly bend hip joint to lift both legs until pointing 45 degrees after 2 breaths • Rest for 20 breaths • Slowly continue to lift both legs until pointing towards sky • Rest for 20 breaths • Slowly bring both legs to floor & at same time, place both arms beside torso, palms facing downward	Exercise 2 • Continue from Exercise 1 • In supine position, place both arms beside torso, palms facing down, both legs straight • During inhalation, bring both legs upward to 90 degrees • During exhalation, both legs towards head, raise buttock for 5 breaths • Place both hands on low back, bring buttocks upward toward sky • Place both legs on left side for 5 breaths • Place both legs on right side for 5 breaths • Return legs to center, bend knees • Slowly put lower back down on floor
---	---

Excess	Etiology	Main Symptoms	Treatment Principles	Points
Heat Type Tongue • Red body • Yellow & dry coating Pulse: • Slippery (something extra in body), • Intermittent (Rolling: sometimes strong, sometimes weak), Rapid	• Too much rich, spicy or dry food, alcohol, coffee	• Dry stool • Difficulty in defecation • Heat Aversion • Red Face, Red Eyes • Foul Breath • Bitter taste in mouth • Restlessness, Irritability • Abdominal Distention • Indigestion • Scanty, dark urine	• Relieve pathogenic heat • Loosen bowel • Clear heat • Moisten intestines	• LI 4: Move • LI 11: Heat • UB 25: Back Shu (Regulate) • SP 14: Lower Jiao • ST 37: Intestine • ST 44: Intestine, clear heat • LV 2: Heat • PC 8: Heat • REN 22: Local → thirst • Yin Tang: Heat, calm • Tai Yang: Heat, calm
Qi Stagnation [Stress, LV Qi] Emotion! Tongue: • Red body • Thin, white, greasy coating Pulse: Wiry	Stress [LV Qi Stagnation] • Sitting too much can cause slow, poor intestinal peristalsis • Exercise: People who exercise regularly have less LV Qi Stagnation • Eat Green: Helps peristalsis with fiber	• Dry stool • Difficulty in defecation • Constipation worse after emotional fluctuation • Belching, sighing • Fullness in chest & hypochondriac region • Slight comfort after passing gas • Can have heat but LV Qi stagnation can cause constipation on its own	• Soothe LV Qi	• REN 12: Local • GB 34: LV Qi, clear heat • ST 36: Abdomen {command pt} • REN 6: Lower jiao • LV 2: Heat • ST 25: • LV 3: Move LV Qi • LV 14: LV • SJ 6: Clears intestinal heat • [SJ 5 more for general heat] • SP 15: Local

Deficiency	Etiology & Pathology	Main Symptoms	Treatment Principles	Points
Blood Deficiency Tongue: • Small, pale • Thin white coat or normal Pulse: • Thready & weak	• Prolonged illness leading to HT & LV Blood Xu • Blood Xu for long time can cause Yin Xu [Blood is Yin fluid] • Females have more yin xu because they lose blood every month	• Dry stool [pellet or buttons] • Difficulty in defecation • Normal defecation times • Blood deficiency symptoms • 1 yellow: Sallow complexion • 5 pales: Pale complexion, lips, tongue, conjunctivas, nails • Dizziness, palpitations, insomnia, dream disturbed sleep • Dry skin, hair, eyes, mucous membrane	• Nourish blood • Moisten dryness	• UB 20: SP • UB 17: Move & tonify blood • UB 21: ST • UB 23: KD • UB 25: LI • REN 6: Local • HT 7: HT Blood • SP 10: Move & tonify blood • ST 36: Tonify
Yin Deficiency Tongue • Small, red • Less coating, peeled Pulse: • Thready, weak, rapid	• Prolonged illness leading to ST, KD, HT, LU, LV • Causes dry intestine	• Dry stool [pellet or buttons] • Difficulty in defecation • Normal defecation times • Yin Deficiency Symptoms • Hot flashes, night sweats, five center heat	• Nourish yin • Moisten dryness	• UB 20: SP, UB 21: ST • UB 17: Move & tonify blood • UB 23: KD, UB 25: LI • REN 6: Local [Qi] • REN 4: Tonify Yin • REN 3: Tonify Yin, clear Yin Xu heat • KD 3 & SP 6: Yin • ST 36: Tonify
Qi Deficiency Tongue • Pale body, thick, greasy coating Pulse • Thready, weak	• Prolonged illness leading to LU, SP Qi Xu	• Peristalsis lacking or slow • Lack of urgency [defecation sensation] even if feces has accumulated • Difficult defecation • Shortness of breath • Sweating, fatigue • Dizziness, tinnitus, palpitation • Pale complexion • LU: LU Qi doesn't descend due to severe respiratory problems affecting peristalsis • SP: Intestinal muscle weakness • Poor appetite, palpitation • Shortness of breath • Abdominal distention & cold • KD Yang: Cold & sore low back • Profuse & long urination • Dizziness, tinnitus • More fatigue after BM • Shortness of breath • Rectal prolapse	• Tonify Qi	• UB 20 • UB 21 • UB 25 • SP 6 • REN 4 • ST 25: Local • DU 4: Yang → Moxa • DU 20: Yang → Moxa • DU 1: Rectal Prolapse
Yang Deficiency Tongue • Pale body, thick, greasy coating Pulse • Thready & weak	• Prolonged illness leading to KD, SP • SP & KD often go together: SP (Acquired), KD (Congenital) • Long term illness can injure SP & KD • Eat wrong, cannot be healthy	• Peristalsis lacking or slow • Lack of urgency [defecation sensation] even if feces has accumulated • Difficult defecation • Shortness of breath • Sweating, fatigue • Dizziness, tinnitus, palpitation • Pale complexion • Low back pain • Cold symptoms • Cold in abdomen • Profuse & long urination • Poor appetite • Defecation relies on purgative KD Yang Xu • Cold & sore lower back • Profuse & long urination • Dizziness, tinnitus • More fatigue after BM • Shortness of breath	• Tonify Yang	Moxa [for cold] • UB 20, UB 21, UB 25 • SP 6 • ST 36 • REN 4 • ST 25 • DU 4 • DU 20 • DU 1 • Auricular • Rectum, LI, Constipation • Subcortex, Sympathetic

Diarrhea	
• Definition: 3 or more loose or liquid bowel movements per day • Zang Fu: SP, LV, KD • When see babies, always touch fontanel to see if it's closed & the quality • Should be closed by 2 years old, if not, there may be a problem • Back fontanel should be closed within a few months Infant diarrhea • First stool of newborn looks like diarrhea (meconium) [debris from amniotic fluid]: Normal, not diarrhea • Etiology & Pathology ♦ Non-infective: Feeding too much, not enough, too much sugar ▪ Cold invading abdomen (keep abdomen covered, even on hot days) ▪ Too Hot: stomach acid in stomach is not enough to digest food ♦ Infectious: Virus, bacteria, parasite ▪ Sucking on unclean thumb, toys, etc. • Signs & Symptoms ♦ Dehydration ▪ Urinating less often than normal, Dry mouth ▪ Irritability, No tears when crying ▪ Unusual drowsiness or lethargy ▪ Sunken soft spot on top of baby's head ▪ Skin that isn't as elastic as usual ♦ General ▪ Fever of 102 degrees Fahrenheit or higher ▪ Abdominal pain [Crying, cry more when touch abdomen] ▪ Blood or pus in stool, or stool is black, white or red ▪ Vomiting • Treatments ♦ Don't recommend OTC anti-diarrheal medicines for infants ♦ Diarrhea is very dangerous for babies → Recommend going to doctor ♦ Dehydration: May need to receive IV fluids in hospital Extra Points • Xie Xie Xue: Between GB 41 & GB 42 • Li Nei Ting: Opposite of ST 44 (bottom of foot) • Auricular: Rectum, LI, Constipation, Sub Cortex, Sympathetic Dietary • Recommend only eating fully cooked food, warm foods • Congee, noodles • Oral rehydration: Salt:Sugar 1:3 • High carbohydrates • Zinc & potassium supplementation (only in infants over 6 months old): Banana • Lactose intolerance: take digestive enzymes containing lactase when consuming dairy products • Applesauce, blueberries • Avoid caffeine & alcohol [Damp Heat] • Avoid allergy causing foods: Milk, high fat, high gas • Avoid insoluble fiber [90% of celery is water → highly recommended] • Low protein for pancreatic diarrhea	Adult Diarrhea • Etiology & Pathology ♦ Bacterial Infections: Contaminated food or water ♦ Viral Infections: Rotavirus, norovirus, cytomegalovirus, herpes simplex virus, viral hepatitis ♦ Parasites: Enter through food or water ♦ Functional Bowel Disorders: Irritable bowel syndrome symptom ♦ Intestinal Diseases: Inflammatory bowel disease, ulcerative colitis, Chron's disease, celiac disease ♦ Food Intolerance & Sensitivities: Lactose, sugar ♦ Reaction to Medicines: Antibiotics • Symptoms & Signs ♦ BM frequency increased significantly ♦ Stool: loose, sour odor, yellow color, mucus, undigested food ♦ Abdominal pain, anal heavy sensation, burning anus ♦ Abdominal pain alleviates after bowel movements ♦ Sinking or floating? ▪ If sinking, does it stick to bowl? Yes → Damp Heat • Diagnosis through Stool ♦ Grey (no bilirubin from GB → blockage): GB stones, tumors, roundworm ▪ Pancreatic cancer: Itchy skin very common (bilirubin goes to skin instead of stool & causes itching), often not found until late stage ♦ Black: Upper GI Bleeding ♦ Red: Lower GI bleeding ♦ Tarry: Dysentery ♦ Yellow: Poor digestion of fats ♦ Foam & sour smell: Poor digestion of sugar ♦ Rancid odor: Poor digestion of protein, harmful bacteria in intestine ♦ Parasites or insects: Can be directly seen in stool TCM Etiology & Pathology • External Pathogens: Wind, Summer Heat, Damp, Cold, Heat • Dietary Injury: Overeating • LV Qi Stagnation Overacting on Spleen: Anger [Fear, anxiety] ♦ Also Alternating diarrhea & constipation • SP/ST Weakness: Long Term illness • KD Yang Deficiency: Old age, long term illness ♦ 5 AM diarrhea (Cock's crow diarrhea) TCM Signs, Symptoms & Treatments • Excess condition: abdominal pain with diarrhea, dislikes pressure • Deficiency condition: May or may not have abdominal pain, not as severe pain, likes pressure

Acute	Tongue/Pulse	Main Symptoms	Treatment Principles	Points	Herbs
Damp Cold Etiology - Food allergies - Eating food out of season	Tongue - White - Greasy coating Pulse - Slow	- Acute attack - Diarrhea w/ watery stool - Borborygmus & gas - Normal: 4-6 sounds/minute - Abdominal pain - No thirst - Aversion to cold - Abdominal distention - Poor appetite - Fever & chills - Headache, body ache - Small amount of urine	- Relieve Exterior - Dispel cold - Transform turbidity - Drain Damp by diuresis	- LI 4: Regulate intestine - REN 12: Local - ST 25: Local - ST 37: Regulate intestine - LI 9: Intestine - REN 8: Moxa!!! - Ginger moxa	Huo Xiang Zheng Qi San - Huo Xiang (12) - Hou Po (9) - Chen Pi (9) - Zi Su Ye (6) - Bai Zhi (6) - Fu Ling (9) - Ban Xia (9) - Jie Geng (9) - Da Fu Pi (9) - Bai Zhu (12) - Da Zao (1) - Zhi Gan Cao (3) - Sheng Jiang (3-6)
Damp Heat Etiology - Bacterial infection - Food poisoning	Tongue - Red body - Yellow, greasy coating Pulse - Rapid - Slippery	- Diarrhea, Urgent & sudden after abdominal pain - Yellow stool w/ strong, bad odor - Burning anus - Thirst & want to drink - Irritability - Scanty, dark urine	- Clear Heat - Drain Damp	- LI 4 - ST 44: Heat - REN 12 - ST 25 - ST 36: Regulate intestine - Jin Jin Yu Ye: Tongue (sublingual veins) → Clear heat - UB 40: Clear Heat	Ge Gen Huang Qin Huang Lian Tang - Ge Gen (15-24) - Huang Lian (6) - Huang Qin (9) - Zhi Gan Cao (6)
Food Stagnation Overeating	Tongue - Thick, greasy coat Pulse - Rapid - Slippery	- Diarrhea after abdominal pain - Refusing pressure on abdomen - Pain relieved after diarrhea - Stool with strong, bad odor - Undigested food - Poor appetite - Upper abdominal distention	- Remove food stagnation - Promote digestion	- REN 12 - UB 20: SP - UB 21: ST - ST 36 - LV 13: SP - REN 10: Local - REN 21: Rebellious Qi - ST 44: Heat	Bao He Wan - Shan Zha (9-15) - Shen Qu (9-12) - Lai Fu Zi (6-9) - Chen Pi (6-9) - Lian Qiao (3-6) - Fu Ling (9-12) - Ban Xia (9-12)

Chronic	Tongue/Pulse	Main Symptoms	Treatment Principles	Points	Herbs
LV Qi overacting on SP Anger [Fear, anxiety]	Tongue - Thin, white coating Pulse - Wiry	- Anger, Stress → Diarrhea - Diarrhea after abdominal pain - Pain relieved after diarrhea - Pain & diarrhea after anger or stress - Borborygmus - Hypochondriac pain - Chest distention - Belching, poor appetite	- Move LV Qi - Tonify SP Qi - Stop diarrhea	- UB 18 - UB 20: SP - REN 12 - ST 25 - LV 3: LV - LV 14: LV - GB 34: LV - ST 36: SP - PC 6: Calm, open abdomen & chest	Tong Xie Yao Fang - Fang Feng (3-6) - Chen Pi (4.5-9) - Bai Zhu (9-12) - Bai Shao (6-24)
SP Qi Deficiency TCM: Should be able to digest everything. If Not → SP Qi Deficiency (food allergies)	Tongue - Pale body - White coating Pulse - Thready - Weak	- Loose stool after eating oily food or eating too much - Stool with undigested food - Alternating watery or loose - Poor appetite - Upper abdominal distention after eating - Sallow complexion, fatigue - Weakness of limbs	- Tonify SP Qi - Harmonize ST & SP	- REN 4: Moxa for Qi - REN 8: Moxa for yang - REN 9: Water - REN 12 - ST 25 - UB 20 - UB 21 - UB 25: LI - ST 36: - SP 9: Drain damp	Shen Lin Bai Zhu San - Fu Ling (12) - Ren Shen (12) - Bai Zhu (12) - Zhi Gan Cao (12) - Lian Zi (6) - Shan Yao (12) - Yi Yi Ren (6) - Bai Bian Dou (9) - Sha Ren (6) - Jie Geng (6)
KD Yang Deficiency Old age, long term illness	Tongue - Pale body - Thin white coat Pulse - Thready - Weak	- Diarrhea before dawn (0500) - Loose stool with undigested food - Diarrhea after borborygmus - Comfort after diarrhea - Cold in lower abdomen & limbs - Aversion to cold - Impotence - Sore & weak knees - Male: Damp & cool scrotum - Female: Delayed menstrual cycle with oligomenorrhea	- Tonify KD Yang - Auricular: Rectum, LI, Constipation, Sub Cortex, Sympathetic	- UB 23 - KD 3: KD - REN 4: Yang (Moxa for Qi) - REN 12 - UB 20 - LV 13 - ST 25: LI - ST 36 - DU 4: KD Yang - REN 8: Yang (Moxa) - Xie Xie Xue (btwn GB 41 & GB 42)	Si Shen Wan - Bu Gu Zhi (120) - Rou Dou Kou (60) - Wu Wei Zi (30) - Wu Zhu Yu (30) - Da Zao (100 pieces) - Sheng Jiang (240)

Midterm [50] (3-4 questions about points)

- Hiccup:
 - ♦ Definition
 - ♦ Etiology
 - ♦ TCM diagnosis [copy/paste symptoms] → diagnosis
 - ♦ Extra point: zhong kui
- Dysphagia
 - ♦ Definition
 - ♦ Western common cause
 - ♦ WM: 2 neuromuscular & mechanical → Main difference between two
 - ♦ Hear voice (hoarse) → Diagnosis [hiccup, others]
 - Voice quality indicates what disease?
 - ♦ TCM diagnosis
- Vomiting
 - ♦ Definition
 - ♦ Infant
 - ♦ Cause of children vomiting
 - ♦ WM: CNS vomiting, reflex type cause
- Constipation
 - ♦ Definition
 - ♦ Causes:
 - Infant, adult, newborn
 - ♦ TCM diagnosis
 - ♦ Food for constipation
- Diarrhea
 - ♦ Definition
 - ♦ Signs & symptoms of dehydration
 - ♦ Adult etiology/pathology
 - ♦ Color & indications → memorize
 - ♦ TCM diagnosis
 - ♦ Dietary considerations

Hypochondriac Pain			
• TCM Zang Fu: LV & GB, SP & ST, KD • Hypochondriac Pain: Condition of a disorder characterized by pain over the unilateral or bilateral sides of the hypochondriac region • Pain in Right ribs different pathology from pain in Left ribs ▪ Left Hypochondrium: Food stagnation, LV Qi Stagnation, Blood Stasis, phlegm fluid retention, Qi Stagnation ▪ Right Hypochondrium: Phlegm fluid retention, food stagnation (can also cause LU issues), Qi Stagnation, LV Fire invading LU, Damp Heat • Western Etiology & Pathology [WM: LV on Left only, TCM: Both Sides] • Liver cirrhosis, cholecystitis, hepatitis • Biliary tract infections: Leads to inflammation of pancreas [pancreatitis] • Intercostal neuralgia [12 nerves running between ribs]: Lung TB, Shingles		Excess	Deficiency
	Condition	Rapid onset	Slow Onset
	Duration	Acute, short	Chronic, long
	Pressure	Refuse, dislike	Prefer
	Physical Condition	Strong	Weak
	Pulse	Excess	Deficiency
	Treatment Principle	• Move Qi & Blood • Clear Heat & Damp • Reduce	• Nourish Yin & Blood • Soothe Liver • Tonify

Differentiation	Hypochondriac Pain	Stomach Pain	Chest Pain
Area	• Unilateral or bilateral Hypochondriac regions & ST region	• ST & Hypochondriac area	• Behind Left anterior of chest • Radiation to hypochondriac, Left shoulder, left back & left arm [HT Disease]
Pain Character	• Distention, fullness • Stabbing, vague, burning, colic	• Distention & fullness • Stabbing, mass in abdomen • Xu: Prefers pressure/Shi: Tenderness	• Pain as distention & fullness in chest [Elephant sitting on chest]
Co-Symptoms	• Bitter taste in mouth • Blurry vision	• Vomiting, nausea, hiccups, acid reflux	• Shortness of breath, cold limbs • Palpitation, chest fullness, insomnia
Cause	• Exterior pathogen, dietary injury • Seven emotional factors	• Dietary injury, 7 emotional factors • Exterior cold pathogen	• Emotional injury • Overeating
Medical Hx	• LV/GB disease	• SP & ST disease	• HT disease
Radiating	• Right shoulder & back	• Back	• Left shoulder, neck, Left back, Left Arm
Same	Hypochondriac Pain induced by emotion, released by joy [Emotions all have pain, released by Joy]		

Excess	Liver Qi Stagnation	Blood Stasis/Stagnation	Damp heat in LV & GB [Hepatitis]
Etiology & Pathology	• Mental depression • Violent anger injuring the LV • Qi Stagnation causes pain & blockages Prognosis: • Chronic LV Qi stagnation → Blood Stasis [Hypochondriac Pain]	• Failure in free flow of blood • Failure in free flow of Qi in hypochondriac regions • Chronic • Qi Stagnation/injury causes Blood Stagnation Qi is Commander of Blood Blood is Mother of Qi	No Visible Damp • External dampness pathogen invading interior [Food: ice cream diet, alcohol, sweet, pungent → SP Qi Xu] • Hurt SP & ST → Dysfunction of SP T&T • Impairment by overeating • Dysfunction of spleen in transportation • Phlegm accumulation in middle jiao • Stagnation of Qi producing heat • Damp heat accumulation in LV, GB, SP, ST [Middle & Lower Jiao] • WM: LV infection [Hepatitis A, B, C] • Could include parasites • Prognosis: LV Yin Xu hypochondriac pain
Symptoms	• Hypochondriac pain as distention or stabbing & wandering pain • Pain may radiate to upper back & shoulder • Belching, poor appetite • Relieved or exacerbated by emotional fluctuations [don't watch anything bad while eating]	• Stabbing pain in hypochondriac regions • Fixed & more severe at night [Night is Yin, Blood is Yin → Blood disease show more at night] • Refuse/dislikes pressure • May find mass in region	• Hypochondriac pain [right side only] • Constant or periodically sharp pain • Pain may radiate to upper back & shoulder • Refuses/dislikes pressure • Fever [inflammation], nausea, vomiting • Chest distention • Poor appetite (fatty food) [GB issues] • Dry mouth & bitter taste in mouth • Jaundice: eyes & skin, nails • Yellow, scanty & difficulty passing urine
Tongue	• Thin white coat [or may not change] • Pale body [affects ST, nutrition]	• Dark purple body [Blood stasis]	• Red body, yellow greasy coating • Greasy: chronic damp
Pulse	• Wiry [pain, stagnation]	• Deep [chronic (tumor)] & choppy	• Rapid, slippery
Treatment Principle	• Move LV Qi	• Move Blood • Open meridians	• Clear Heat • Drain Damp [Clear damp in spleen]
Points	• LI 4, LV 3: 4 gates • GB 34, SJ 5: Female 4 gates • Menstruation, deficiency, pregnancy • SP 6: Yin • SJ 8: Yang • REN 16, 17: Open up Qi, Chest • UB 18: Gan Shu • LV 14, LV 13: Front Mu LV, SP • UB 21: ST Shu • GB 34, HT 7: Calm	• SP 21: Good for Qi & Blood [Acute heart issues] • GB 24: Good for LV & GB [move stagnation] • LV 2: Qi & Fire • UB 17: Blood • PC 4: Blood • LI 15, SJ 14 [good pair]: Local, radiating pain to shoulder	• LV 14, GB 24 • SJ 6: Clear heat [better than SJ 5] • GB 34: Clear heat, move Qi • LI 4 & LV 3: Move Qi • REN 12: Local → ST [Tonify ST Qi] • ST 36: Damp [Tonify SP Qi] • LI 11, SJ 5, DU 14: Clear Heat [ST 40 & SP 9 are more for visible phlegm, so not used in this situation because the phlegm is not visible]
Herbs	• Chen Xiang Jiang Qi San	• Xue Fu Zhu Yu Tang	• Long Dan Xie Gan Tang

Deficiency	Liver Yin Xu [Chronic hepatitis, LV cirrhosis]	Fluid Retention In Hypochondrium [Yang Xu]	Shao Yang Meridian Disease
Etiology & Pathology	- Chronic blood Xu due to inability to nourish LV Blood - LV & KD always go together: Without water, there will be no wood - Sex drains KD Yin - Chronic diseases affect Yin because it's deeper	- Hypofunction of ascending & descending of LV & LU Qi - Yang can't disperse fluid - Ascend/Descend functions: LU, SP, KD - LU: Disperses - SP: Ascending - KD: Descending, grasps Qi - ST prefers warm - Eating/drinking cold → Causes too much Yang Qi to go to ST and weakens other areas - KD Yang Xu in elderly: Often have cough → fluid in LU [KD can't receive Qi] - Yang Xu: Often catch cold	- GB is Shao Yang [11 pm]: First Zang Fu to create Yang Qi [Baby Yang] - Stagnation of pathogens in a half exterior & half interior - Exterior factors cannot be removed - Stagnation in the half exterior & interior - Baby Yang can be hurt by wind cold - Nap: 1100-1300 11pm: between yin & yang time - Yin can hurt Shao Yang [Without Yin fluids, yang will not rise] - Tai Yang [adult yang] can hurt Shao Yang: If Tai Yang (Wei Qi) is not strong, pathogens can affect you, especially during fall/winter - After 7-10 days: Yang Qi comes back, but if not strong & pathogen still there, it will go deeper → ST issue, constipation, diarrhea [When 3 Yang fail to protect, pathogen goes to Yin] - Acute Disease affects Yang first because it's on the outside - Alternating chills & fever
Symptoms	- Dull & constant hypochondriac pain - Worse with fatigue [deficiency] - Irritability [Not LV Qi stagnation, get mad because tired (fatigue)] - Dry mouth & throat, eyes [yin xu] - Dizziness, blurry eyes [Blood xu]		
Tongue	Red body, peeled coating [on sides]		
Pulse	Wiry, thin, rapid		
Treatment Principle	- Nourish yin, Soothe LV - Regulate Qi, Open channel		
Points	- HT 6: Calm & clear heat - UB 15 [HT], UB 18 [LV], UB 23 [KD] - UB 43: Tonify Yin - SP 10: Tonify & Reduce Blood - SP 6: Tonify Yin - DU 20: Raise Clear Yang [Clear Yang up, Turbid Yang down]		
Herbs	Yi Guan Jian		

Prognosis: - Chronic LV Qi stagnation → Blood stasis [Qi commander of Blood] - Anger can cause cancer - Chronic Damp Heat in LV & GB → LV Yin Xu Type hypochondriac pain - Damp Heat drains the Yin [Yin is the substance → Yang doesn't rise] → Turbid goes up [High BP, Stroke] - Hypochondriac pain often presents with both Shi & Xu after long term illness - Xu becomes Yin Xu & Qi stagnation [Ex: alcohol] after patient suffers from damp heat invasion - Turbid Yang Rises: High BP, stroke, paralysis Exterior Treatment - Apply mixture of Xiang Fu [30g] & salt on painful region [anything fragrant, green colored] 7 Star needle: Apply at painful region with cupping [Not main treatment] - Auricular: LV, GB, Shen Men, Chest, Sympathetic, Heart [Not main treatment] - Aqua Puncture: 10% glucose solution [10mL], Vitamin B1, Vitamin B12 [1 mL]	Dietary Treatment - Jasmine flowers: 10g with rock sugar - Turmeric: 10g, Tian Qi: 15g, Pork: 100g, Sheng Jiang [Pork is salty, mild] - Ji Gu Cao: 30g, Pork: 100g - Sha Shen: 30g, Yu Zhu: 30g, Duck [Yin tonics → Herbal soups for yin xu] - Improve LU Qi [breathing] Lifestyle - Be Happy - Receive treatment for diseases that cause hypochondriac pain [Gallstone] - Manage stress - Enjoy hobbies - Avoid strong stimulation or emotion - Avoid fatty food [damp heat] - Avoid alcohol [damp heat] - Maintain regular exercise [Release Qi Stagnation] Random Notes - Sunny days: Drive fast [Lots of Yang Qi] - LV & KD: Wood & water go together
---	---

Hemorrhoids

- **Zang Fu:** LV, GB, SP, ST, KD, LU
- **Hemorrhoids:** Painful, swollen veins in lower portion of rectum or anus
 - **Hemorrhoids from inside** → No matter how much you treat outside, you're not treating source of problem [Need to understand what causes hemorrhoids and treat the cause]
- **Western Etiology:** Exact cause of symptomatic hemorrhoids unknown
- **Causes** [Hot situations cause more hemorrhoids]
 - Straining during bowel movements [pressure]
 - Constipation [One of main causes, bad habits,]
 - Habit constipation: too busy to go to bathroom
 - Slow peristalsis:
 - * Pregnancy [progesterone slows peristalsis]
 - * Not enough water, exercise fiber
 - * Too much hot, or spicy food [Thai food doesn't have to be spicy]
 - Pregnancy & after childbirth
 - Sitting for long periods of time [Long Distance Drivers]
 - Lifting heavy objects
 - Anal infections
 - Certain diseases, chronic cough [Straining, pressure]
- **Internal & External or Something in between** [3 kinds]
 - **Internal:** Occur just inside the anus, at beginning of rectum, or located above **pectinate line** [divides upper 2/3 and lower 1/3 of anal canal]
 - More common
 - Once it slips out, can push it back in
 - **External:** Occur at anal opening & may hang outside anus or is located below the pectinate line
 - Cannot push it in
 - Thrombosed external hemorrhoid: Can be bleeding, veins enlarged

After withdraw needle: Look at blood

Heat: Dark, thick, sticky

Heat can cause wind stroke

TCM Etiology & Pathology

- Mental stress: LV Qi Stagnation
- Improper diet [SP/ST]: Spicy, dry, low fiber food
- Prolonged sitting, standing, working & lifting heavy objects [LV Blood Xu]
 - Sitting or staring too long hurts soft tissues [SP]
 - Standing too long hurts bone [KD]
 - Walking too long hurts tendons [LV]
 - Sleeping too long hurts Qi
- Chronic constipation or diarrhea [Straining]

General Symptoms & Signs

- Anal itching [local hygiene issue, thrombosed soft tissues]
 - Parasites: more active at night, white color
 - Infection
- Anal ache or pain (thrombosed veins or infection), especially while sitting
 - Internal hemorrhoids not usually as painful
 - External: more pulling pain
- Bright red blood on toilet tissue, stool or in bowl
 - Always confirm if it's bright red or not (bleeding very close to anus)
 - Could be any part of rectum → Rule out cancer
- One or more hard tender lumps near anus
 - External hemorrhoids never heal completely → Leave skin tags

Differentiation

- **Itching:** Fissures, fistulae, abscesses, colorectal cancer, rectal varicose
- **Hematochezia:** Colorectal cancer, colitis including inflammatory bowel disease, diverticular disease
- **Anal Mass:** Skin tags, anal warts, rectal prolapse, polyps & enlarged anal papillae

Classification:

- **1st Degree:** Small, non-protuding hemorrhoids, characterized mainly by bleeding. Bleeding stops spontaneously after defecation
- **2nd Degree:** Always has bleeding. Larger hemorrhoids which protrude upon defecation, but easily reducible or retract spontaneously, bleeding can also be a feature
- **3rd Degree:** Large hemorrhoids, which protrude with, increased abdominal pressure or walking, standing & defecation. May require manual reduction to alleviate discomfort
- **4th Degree:** Larger hemorrhoids, which protrude constantly, may protrude spontaneously & easily after manual reduction. Bleeding is a feature.

Additional Treatment

- Auricular:
 - Bleeding: UB 25, UB 57 [Can also use reducing technique]
- **Extra Point: Hemorrhoid Point (Moving Stool Point)** [Different than Zhi Xue]
 - Very close to olecranon
 - Draw line from wrist to olecranon & divide into 3
 - On line at upper one third, very close to SJ 9
 - Clear heat, help with dry stool
 - Move bowels, help peristalsis, good for elderly constipation
- Exterior Treatment:
 - Wash with Ku Shen Tang [Ku Shen, Huang Qin, Sheng Di Huang]
- Seven Star Needle: UB 25, UB 57

Dietary Treatment

- **Garlic chives:** flat, high fiber, very difficult to chew
 - Not good for patients with slow digestion
 - Check to make sure patient has good digestion
 - Eat in spring to benefit winter
 - Very Yang tonic
 - Also good for patients with ED
 - Helps clean intestine & promote peristalsis to prevent constipation
- **Spinach:** Nourish blood, stop bleeding, moisten intestine, move stool, cooling, nourishing
 - Older spinach is better for blood tonifying, best part is root [Red colored]
- **Yam:** Qi Tonic, high fiber, helps peristalsis, Yam leaves are also very good (stir fry leaves)
- **Daikon:** Opposite of ginseng, fight each other. Daikon is cold, reduces inflammation, regulates SP/ST function, promote peristalsis
- **Watercress:** Asian & western vegetable, make soup, salad, needs slow water flow to grow [find it in many creeks], high in fiber, leaves in stir fry with garlic,
 - Stems in soup, very good for LU [Xing Ren, pork neck bone]
 - Cools heat in blood, very good for blood
 - Folk medicine: Crush & put on cut → stop bleeding
 - Very dirty if not washed → lots of parasites
- **Water Spinach:** Best is from Thailand, shorter stem, stir fry leaves with garlic, ginger, bean paste & pepper
 - Very good for constipation & anal bleeding
 - Has a little poison → don't eat too much
 - Put in snake soup to counteract snake poison
 - Help eyes [High in vitamin A]
 - In Asia: drink fresh snake blood & GB bile

Lifestyle

- Avoid long periods of standing, sitting
- Exercise: Helps intestine, especially abdominal exercises [decreases blood stasis in anus]
- Sock hemorrhoids in Ku Shen Tang
- Avoid constipation
- Self massage DU 1 before bed
- Practice Kegel exercise
- Avoid alcohol [Damp heat]
- Avoid Spicy food
- Increase fruit & vegetables
- Avoid holding bowel movement
- Avoid tight pants or belt [pressure]
- Avoid smoking [cigarettes contract blood vessels]
- Drink plenty of water
- Avoid activities that increase abdominal pressure [chronic cough → treat]

Hemorrhoids				
	Intestinal Damp Heat	Intestinal Wind [LV Internal Wind]	Blood Stagnation	Spleen Qi Sinking
Etiology & Pathology	•	• Heat → wind → Bleeding	• Straining & heat causes Qi & Blood stagnation	• Difficulty in SP Qi holding blood [More severe than SP Qi Xu]
Symptoms	• Worst case: Sticks to toilet bowl [stool sinks] • Anal itching, discomfort • Distention, burning, irritation & pain in anus • Abdominal distention • Rectal tenesmus • Concentrated urine • Tendency towards constipation or sluggish, loose stools	• Can be reduced manually [Between 2nd & 3rd Degree] • Hemorrhoids with bleeding of fresh red blood which may precede or follow defecation, coat the stool or toilet paper • Hemorrhoids may be swollen & painful, may protrude following defecation, but will reduce spontaneously or can be reduced manually • Hypochondriac pain • Wind hurts the Yin fluids → Constipation	• Worst case: Thrombosed hemorrhoids [Qi & Blood stagnation cause thrombus] • Relatively severe or continuous anal pain • Protrusion, distention, swelling • Aggravated during defecation • Appear dark or purple, may be large [Dark purple: Stagnation & heat in blood] • Bleeding may be dark red or plum colored • Dry, scaly skin, dark complexion • Dark rings around eyes • Dark or purplish lips, conjunctiva	• Prolapse of hemorrhoids that easily protrude with defecation • Coughing, sneezing, prolonged standing or walking • Can be manually reduced • May only spontaneously reduce when patient is lying down • May be bleeding of variable quantities of pale or fresh, red blood • Discomfort, distention or fullness in anal region • May have history of chronic diarrhea • Pale complexion, fatigue, poor appetite, spontaneous sweating • Abdominal pain alleviated with warmth (yang) & pressure (Qi) • Tendency to loose stools or diarrhea • Warm is good for yang • Pressure is good for Qi
Tongue	• Red body, Red edges • Yellow, greasy coating especially over root of tongue [Lower Jiao] • Greasy: Damp & chronic • Tongue root: Lower Jiao	• Red body • Yellow coating	• Purplish or with purple spots • Little coating	• Pale & flabby body • Tooth marks
Pulse	• Rapid & slippery	• Rapid, Wiry	• Wiry & choppy pulse	• Weak or moderate
Treatment Principle	• Clear Damp Heat from Intestines	• Dispel wind from intestines • Cool Blood, Stop bleeding	• Move Blood, Disperse & eliminate stagnant blood	• Strengthen SP Qi • Supplement Qi, Stop bleeding • Promote elevation of yang
Points	• DU 1, • UB 30, UB 57: Treat any problem with anus • ST 37: Clear Damp • Er Bai (2 White): Clear the problems in LU (stagnation, dryness, damp, etc.) ♦ 4 cun up from wrist ♦ Bilateral to tendon Flexor carpi radialis ♦ Extra point for hemorrhoids ♦ Study: 98% effective ▪ Once every 10 days ▪ 2-3 times • UB 32: Helps Lower Jiao • LI 11, LI 4: Clear Heat • ST 40, SP 4: Damp	• DU 1 • UB 30, UB 57 • ST 37 • LI 9: Harmonize LI [LI Too dry → Moist] • Er Bai • UB 32 • LI 11 • ST 44, LV 2: Clear Heat	• DU 1 • UB 30, UB 57 • ST 37 • Er Bai • UB 32 • LI 11 • LI 4 • UB 25: Back Shu of LI • SP 8 • SP 10: Blood • PC 4: Stagnation	• DU 20: Raise Yang Qi • UB 25 • REN 8: Moxa [Raise Yang Qi] ♦ Differentiation REN 8/DU 4 ♦ Organ Prolapse: Moxa REN 8 better than Moxa DU 4 ♦ Male ED: Moxa DU 4 • ST 25 • ST 36 • SP 6, UB 20: SP/ST • SP 1: Moxa to stop bleeding • SP 3: Tonify SP • Zhi Xue [Hemorrhoids point] ♦ 1 cun bilateral to DU 4 → Help hemorrhoid prolapse

Tympanites/Ascites

- **Tympanites:** Abdominal distention like a drum [**Not edema or inflammation**]
 - Shine light on one side of abdomen, can see light on other side
 - Resonance upon percussion
 - Not an Inflammatory disease, could be cancer or LV cirrhosis
- **Ascites:** Accumulation of fluid in peritoneal cavity [**Inflammation, Not edema**]
 - Sounds dull on percussion → water wave sounds
- **Ascitic fluid** can accumulate as a **transudate or exudate**
 - Amount of exudates could possibly go up to 25 Liters
 - Possible causes: cancer [lymphoma], liver cirrhosis [most common], KD disease, pneumonia, congestive heart failure
 - Peritonitis: Ulcer becomes a hole & fluid goes into abdomen [gastric perforation]
 - Parasites, malnutrition
 - Mostly from inflammation
- Zang Fu: LV, SP, KD
 - LV: Qi Stagnation

Western Medicine Etiology & Pathology

Edema & ascites are complicated in WM → Where fluid originates?

- Cirrhosis
- Pancreatitis
- Infection
- Cardiac edema
- Renal edema
- Hepatic edema
- Nutrition related edema
- Endocrine related edema
- Drug related edema

Auricular

- Sympathetic, LI, SP, Pancreas, LV, KD

Dietary

- Orange [Helps LV Qi]
- Green tea [anti-cancer]
- Artichokes: Boil in water, drink water
- Increase insoluble fiber food
- Eel: Yin tonic
- Protein food
- Increase diuretic foods: watermelon (95% water, pee more than take in)
 - Tea: Diuretic but not damp heat
 - Coffee: Diuretic but damp heat
- Avoid foods that are Hepatitis A carriers [snail]
- Avoid foods that are high in fat
- Control liquid intake
- Avoid alcohol, seafood, cold, fatty, pungent, deep fried, uncooked, rough (difficult to digest), solid food & smoking
- Diet: Low salt, light taste [SP loves strong taste, but if it's not working well, it can't process it], high fiber diet
- Increase Vitamin C in diet [Helps LV promote & produce more sugar]
 - Helps LV cells, Helps Western LV

Lifestyle Suggestion

- Diuretic treatment but not too rapid
- Be Happy: Let go (bad memory is good)
- Proper exercise

Prognosis

- Upper GI hemorrhage
- LV Cancer
- LV coma

Other Notes

- Treat source, not just symptoms!
- Reduce fluid slowly or will throw system off

Test	Transudates	Exudates
Albumin	Less [< 0.5]	More [> 0.5]
LDH	< 0.6	> 0.6
1 white cell/1000 mm ³	Often < 100	Often > 100
pH	Higher [pH > 7.4]	Lower [pH < 7.2]
Protein	Low [Protein < 25 g/L]	High [Protein > 30 g/L]
Glucose	Normal [> 3.3 mmol/L]	Low [< 3.3 mmol/L]
Rivalta Test	Negative	Positive

TCM Etiology & Pathology

1) LV Qi Stagnation

- Anything that hurts western liver will hurt TCM LV function
- Alcohol, infection (bacterial, virus, parasites)
- **LV Qi Stagnation** for long time will cause:
 - **Blood stagnation**
 - Qi & Blood stagnation will cause LV tumor → Blood & fluid in abdomen
 - The Commander will cause stagnation [LV Tumor, LV Yin Xu]
 - LV Stores blood → LV fails to store Blood
 - **LV Yin Xu** [Peeled sides of tongue]
 - **Mirror coating on edges** → Long term condition
 - Yin is substance, blood → Yin Xu = Blood Xu
 - LV Blood deficiency: Frozen shoulder, pain in tendons
 - LV & KD always go together, support each other
 - **KD Yin Xu:** Chronic LV Qi Stagnation will cause KD Yin Xu
 - Yin is substance (blood), without Yin, Yang cannot function
 - * Yin = eating / Yang = digesting
 - When KD Yin is deficient, KD Yang will follow
 - KD Yin Xu will hurt SP Qi
 - **SP Qi Xu** (Acquired essence): Hurt SP Qi, essence will be drained/damaged
 - Transformation & Transportation function fails →
 - * Fails to control Blood → Bleeding
 - * Water accumulates → Ascites


2) Alcoholic impairment

3) Parasites & others: Infections (bacterial/viral)

Liver qi stagnation

Virus, bacteria →

Liver qi stagnation → spleen qi xu → water accumulation



Tympanites/Ascites			
	Qi Type [Air & Water in Abdomen]	Water Type	Blood Type
Etiology	• LV Qi Stagnation	• LV Qi Stagnation plus Damp Heat food (alcohol) • LV Overacting on SP • SP Qi deficiency due to water retention	• LV Qi Type • Chronic: LV Cirrhosis, cancer, parasites
Symptoms	• Abdominal, more air, less water accumulation • Distended abdomen like a drum • Cannot be alleviated for a long time • Skin color remains same • Hypochondriac Pain, belching • Poor appetite, lassitude • More mentally depressed • Scanty urination, constipation • Small amount of BM	• Abdominal distention, • Enlarged abdomen like frog [Sides of abdomen instead of out in front] • Vessels seen on abdomen • Stiffness & fullness of abdomen • Less air, more water accumulation • Water sounds, vibrating sound [water waves, sloshing sounds] • Shining skin • Sunken area appears after finger pressing • Sallow & dim complexion, Lassitude • Poor appetite or no desire to eat • Thirst but no desire to drink [Damp accumulates in Lower Jiao] • Slight edema in leg, scanty urine, loose stool	• Abdominal distention like stone • Enlargement of LV like rock • Veins seen on abdomen • Chronic & constant hypochondriac pain • Lassitude, low voice • Dark & pale complexion, dry skin • Spider angioma on neck & chest [disappears with pressure] • Liver Palms: LV Cirrhosis & cancer [More Red on edges] • Afternoon fever [Yin Deficiency] • Bloody urine, black stool, purple lips • Skinny everywhere but abdomen is big & hard
Tongue	• Darkish body, white & greasy coating	• Pale & big body with teeth marks • White greasy coating	• Purplish or with bruised spots
Pulse	• Wiry	• Deep (interior, chronic), Slow (cold)	• Wiry & choppy pulse
Treatment Principle	• Regulate Qi flow, Promote blood circulation • Induce diuresis, Eliminate distention	• Drain Damp, Induce diuresis • Tonify Spleen	• Move Blood, Warm SP & KD
Points	• San Jiao Points: Manage water passages ♦ [REN 6 (LJ), 12 (MJ), 17 (UJ)] • ST 36, LV 3, GB 34: Qi • SJ 6: Move Qi, Clear Heat • LV 14: Qi • SP 6: Yin • SP 9: Damp • Pi Gen: 3.5 cun bilateral to L-1 ♦ Qi & Blood • Yao Yan	• UB 20, UB 23: Spleen • REN 9, KD 7: Water • SP 4: Water • ST 25, ST 37: : LI • ST 38: SI • DU 4: Yang • UB 24: Lower Jiao • Pi Gen • Moxa for slow pulse	• LV 14: LV • LV 13: SP • REN 5, SP 6: SJ, Yin, Urination, Damp ♦ After surgery, if patient cannot urinate • ST 21: Qi [Rebellious] • UB 48: GB • SI 4: Qi [Yuan source] • KD 3: Tonify Qi • UB 43: Tonify Qi [HT, LU, KD Qi, Yin (Strong Tonic), calm shen (irritability, excessive dreams, migraine headaches)] → Brings Pulse down • Pi Gen
Herbs	Chai Hu Shu Gan San • Chai Hu (6) • Chen Pi (6) • Zhi Ke (4.5) • Xiang Fu (4.5) • Chuan Xiong (4.5) • Bai Shao (4.5) • Zhi Gan Cao (1.5)	Shi Pi San • Gan Jiang (6), Fu Zi (6) • Bai Zhu (6), Fu Ling (6) • Mu Gua (6), Hou Po (6) • Cao Guo (6), Da Fu Pi (6) • Mu Xiang (6), Da Zao (1) • Zhi Gan Cao (3), Sheng Jiang (1)	Tiao Ying Yin • Chi Shao [18] • Chuan Xiong [6] • Dan Gui [12] • E Zhu [15] • Yan Hu Suo [12] • Bing Lan [12] • Qu Mai [12] • Ting Li Zi [12] • Sang Bai Pi [12] • Dan Shen [20] • Da Huang [10]

Tympanites/Ascites			
	Damp Heat Type	Yin Xu Type	Yang Xu Type
Etiology & Pathology	WM: Jaundice	- Long Term LV & KD Yin Xu - Long Term Damp Heat hurting yin	Yin Deficiency for a long time
Symptoms	- Abdominal distention, enlargement - Chronic & constant, dull hypochondriac pain - Nausea, Bitter taste in mouth - Irritability, Mental depression - Regurgitation - Prolonged low degree fever - Low degree: more dangerous, harder to treat → Indicates TB, cancer, cirrhosis (Internal, chronic condition) - High degree: better, easier to treat - Thirst with no desire to drink - Damp Heat - LV: Jaundice [Yellow eyes & skin] - SP: Yellow sweat [white shirt → yellow] - Yellow complexion, scanty urine, loose stool	Abdominal distention, enlarged abdomen - Veins on abdomen - Sallow & dim complexion Dry mouth & irritation - Nose & gum bleeding - Gum bleeding: check for serious issues Loss of weight - If not on purpose, ask how much in time & check for serious issues like cancer - Scanty urine	- Abdominal distention - Enlarged abdomen Uncomfortable feeling [more uncomfortable in evening than in morning (day more yang)] Yellow complexion, poor appetite - Fatigue, aversion to cold, cold limbs - Leg edema, scanty & short urine - Short urine: Cannot pass due to yang deficiency [UB doesn't have strength to squeeze it out (KD Yang Deficiency) → Fluid goes to heart or legs] - Day: Move Yang - Night: Calm, Move Yin
Tongue	Yellow, greasy coat	- Red body: Heat - Peeled coating [whole tongue]	Pale, purple, flabby
Pulse	Rapid & slippery	Small, wiry, rapid	Deep, small, wiry
Treatment Principle	Clear Heat, Drain Damp	- Nourish LV & KD - Cool Blood, move stasis	- Warm SP & KD - Move Qi & Drain damp
Points	- UB 20: SP - REN 9: Damp - KD 7: Damp - SP 4: Damp - ST 25: LI [Regulating function] - ST 37: LI Regulate - SP 3: Damp, Heat - UB 24: SJ, Lower jiao - KD 3: Tonify - SP 9: Damp SI 4: Jaundice [Treat source, not symptoms!] Pi Gen	- LV 14: LV - LV 13: SP - UB 23: Tonify kd - SP 6: Tonify & move blood - SP 10: Tonify & move blood - UB 39 & 17: move blood - KD 3: Yin - KD 6: Yin, create heat - LV 2: Heat [LV Qi] Pi Gen	- DU 4: Moxa (warm) - LV 13 - UB 23 - DU 20: Warm (moxa → Don't burn hair) - Put needle in, place fingers around needle to press hair down, (warming needle) - UB 20: SP - KD 3: KD - SP 9: Damp - SI 4 Pi Gen
Herbs	Zhong Man Fen Xiao Wan - Zhi Mu [12] - Huang Qin [36] - Huang Lian [15] - Fu Ling [6] - Zhu Ling [3] - Ze Xie [9] - Ban Xia [15] - Hou Po [30] - Sha Ren [6] - Chen Pi [9] - Zhi Shi [15] - Jiang Huang [3] - Gan Jiang [6] - Ren Shen [3] - Bai Zhu [3] - Zhi Gan Cao [3]	Yi Guan Jian - Sheng Di Huang [18-45] - Gou Qi Zi [9-18] - Sha Shen [9] - Mai Men Dong [9] - Dang Gui [9] - Chuan Lian Zi [4.5]	Fu Zi Li Zhong Tang - Gan Jiang [9] - Ren Shen [9] - Bai Zhu [9] - Zhi Gan Cao [9] - Fu Ling [9] - Bai Shao [9] - Fu Zi [12-15]

Jaundice

- **Zang Fu: LV, SP, KD**
- **Jaundice:** Condition where bilirubin from LV unable to move through digestive tract properly. Too many RBC dying, or breaking down & going to LV → LV gets overloaded & damaged
 - **Yellow** everywhere, especially sclera
 - **Physiological Jaundice** [Often normal & doesn't need treatment]: Babies often have jaundice after birth because LV is not ready for the transition, jaundice will appear within 2-3 days after birth, most yellow color shows after a week & should be gone within 10 days. If not gone after 10 days, may need treatment
 - **Stool:** Pale because of lack of bilirubin
- **Pseudo-Jaundice [Fake]:** Beta-carotene hyperlipidemia due to excessive beta-carotene intake [Eat too many carrots, pumpkin, papaya]
 - Yellow anywhere except eyes
 - 2 kinds of papaya: Green [High in vitamin E, used in salads, soup for new moms to produce milk]

TCM Etiology & Pathology

- **Exterior Factors**
 - **EPI Invasion** [Parasites, bacterial, viral infection]
 - **Impairment from Improper Diet** [Raw seafood]
 - Not always from infection. Can be due to improper food
 - Eating at wrong time, eating too much, skipping meals →
 - * Can impair SP & ST Function [SP doesn't know when to do T&T]
- **Interior Factors**
 - **SP & ST Deficiency [For long time]**
 - LV overacting on SP [Earth (soil) supports tree] → SP not supporting LV → LV & GB don't have proper function
 - Any illness that affects SP Yang Qi → Damp accumulates [SP drains damp] Damp is yin fluid, damp is cold [Yang Qi is fire, heat → If no heat, cold will grow, if Yang Qi doesn't rise, cold will accumulate → Cold Damp will block middle jiao and block the bile (bilirubin) → bile won't go to right place, it will go to the skin instead of the stool & cause jaundice]
 - **Over strain & stress [LV Qi Overproduces Bile]**
 - LV overacts & affects SP → bile doesn't go to right place [SP T&T Failure]
 - Bile can condense & cause stones
 - LV Heat → SP → Damp Heat [Causes hypochondriac pain]

Prognosis

- All 3 types can transform under certain conditions
- Toxic Jaundice causes LV & KD Yang Xu in cases of severe bleeding
- Yin Jaundice can become Tympanites or Ascites if chronic
- Best Prognosis: Yang Jaundice
- Worst Prognosis: Toxic Jaundice

Dietary Treatment [Damp Heat Problems]

- High sugar [Jaundice needs sugar]: Corn & watermelon
- High protein
- High calorie: Helps Yang to work
- Low fat [Cannot digest fat due to bile issues]
- Yang Jaundice: Easy to digest, lot of water, liquid → Congee
- Yin Jaundice: Tonify yin, cannot digest cold, raw, fatty, pungent
 - Cantonese breakfast: Stop eating Chinese doughnut [high aluminum]
 - NO deep fried, fatty food

Diet Recommendations for Patients Recovering from Jaundice [recovery]

- Don't eat too much or too fast → hurt SP yang [better to be slightly hungry]
- Orange [good for liver]
- Green tea [good for Wei Qi], artichoke
- Increase soluble fiber [whole grain food for constipation]
- Eel [Good for yin, high protein]
- Increase diuretic foods [Watermelon, etc.]
- Avoid Hepatitis A carriers [river snails]
- Avoid high fat food
- Avoid alcohol, seafood, cold, fatty, pungent, deep fried, uncooked, rough (difficult to digest), solid food & smoking
- Control liquid intake
- Low salt, light taste, high fiber
- Increase Vitamin C [antibody]
- Melon stem [make into powder → drain damp]

WM Questions & Concerns

- LV, GB, pancreas, Infections, use of certain drugs (Tylenol), cancer
- Blood disorders, gallstones, birth defects

WM Etiology & Pathology

- Viral infection of liver
- Parasite infection of liver
- Gallstones
- Pancreatic cancer [Itchy skin, lower back pain → because of bilirubin]
- Disorders present since birth
- Eating poisons [poisonous mushrooms]
- Immune disorder
- Liver damage
- Hemolytic anemia
- Use of certain drugs
- Blocked or narrowed bile ducts
- Primary biliary cirrhosis
- Bile build up in GB [also during pregnancy]
- Glucose-6-phosphate dehydrogenase [G6PD or G6PDH]

WM Signs & Symptoms of Jaundice

- Yellow skin & sclera
- Yellow color inside mouth
- Dark or brown colored urine
- Pale or clay colored stool
- GI Symptoms
- Itchy skin, bradycardia, fatty stool, nightblindness
- Fatigue, listlessness, headache
- Right Upper Quadrant Pain, Enlarged liver
- Adult Onset Still's Disease: rare type of inflammatory arthritis that features fevers, rash and joint pain
- Hepatitis patients: Nausea, Vomiting, Fatigue

WM Signs & Symptoms of Pseudo Jaundice

- Yellow skin on palms, soles, forehead & nose
- White Sclera
- Negative Bilirubin blood test

TCM Lifestyle Recommendations

- Relax & Be Happy [LV Qi]
- Active stage (acute Jaundice): bed rest
- Exercise: Increase Yang Qi after ed rest
- **Toxic Jaundice Recommendations**
 - Liquid food [congee]
 - Avoid bad food
 - Survival rate is low → Bed rest is important!

Other Notes

- Differentiate between Thready, Soggy & Leathery Pulses
 - **Thready** [Normal or Qi Xu]: Press, still feel a line, but doesn't push back against fingers
 - **Soggy**: Press, but not a line, a whole big pad, like a piece of toilet paper on water, whole big piece, very deficient, long term, chronic Qi & Blood deficiency
 - **Leathery**: Doesn't have a line, one big piece (force), but pushes back, can be deficiency [LV Yang rising, LV fire]. Deficiency but has stagnation
- **GB 34**: Clear heat, good point for people who have cloudy mind due to wrong transportation of bile [Stay up late → GB doesn't work since past that time (23-1)]
- Kids: Nose bleeding often
- Adults: Nose bleeding can be symptom of severe illness

Yang Jaundice (Acute: Parasites, Infection, Exterior Pathogens)				
	Damp Heat [Superficial]	Heat > Damp	Damp > Heat	Heat Accumulation in GB
Symptoms	- Initial stage of jaundice - Eyes slightly yellow or still not yellow [difficulty determining between real & pseudo jaundice → blood tests] - Yellow urination, poor appetite - ST & abdominal distention - Aversion to cold (due to damp) - Fever, Head & body aches - Heaviness, lassitude, fatigue	- Bright yellow starts in eyes, then spreads to body rapidly - Fever & thirst, restlessness - Abdominal distention - Nausea, vomiting, dry mouth - Bitter taste, constipation - Dark yellow, short, scanty urine - Hypochondriac pain - These symptoms often seen in Hepatitis A infections [Food]	- Yellow eyes & body - No fever or body feeling hot - Heaviness of head - Hypochondriac pain, heavy head - Physically fatigued - Somnolence: Sleep doesn't help [because of damp, not rested] - Fullness in chest & ST, nausea - Poor appetite, Loose stool - Abdominal distention Damp in Middle Jiao → Sticky feeling in mouth, no thirst - Difficult urination	- Yellow eyes & body - Hypochondriac pain radiating to right shoulder & right upper back - Fever or alternating fever & chills [Between interior & exterior → Difficult to treat (Shao Yang disease cannot release interior heat to stool) → Must Harmonize] - GB = Baby Yang [not too much heat]
Tongue	• Yellow greasy coating	• Red body, yellow, greasy coat	• Thick, greasy, slight yellow coat	• Red body, dry yellow coating
Pulse	• Superficial (Acute), Wiry • Wiry (LV), Rapid	• Wiry, slippery, rapid	• Wiry & slippery, slow	• Slippery & rapid
Treatment Principle	• Clear Heat, Drain Damp • Release Exterior	• Clear Heat, Drain Damp • Promote Bowel Movement	• Drain Damp, Clear Heat • Promote urination	• Drain damp, Clear Heat • Soothe Liver, Benefit GB
Points	DU 9: Best jaundice point!!!! ↓ damp, Regulate middle jiao - LI 11, LI 10: Heat - SP 9: Damp - ST 36 - REN 12: Regulate SP/ST	DU 9: Best Point! Must pick! - SI 4: Damp Heat - GB 34: Clear heat [Cloudy Mind] - UB 19: Regulate GB - LV 3: Qi, SP 9: Damp - LV 2, LI 11: Clear Heat	DU 9, SI 4, GB 34, LV 3 - UB 39, SP 6: Help urination - SP 9: Damp - SP 6 - ST 40: Damp	DU 9, SI 4, UB 18, GB 34 - LV 3, UB 39: Urine SJ 5: Heat [Don't know where the heat is → SJ is everywhere] HARMONIZE
Herbs	Ma Huang Lian Qiao Chi Xia Dou Tang - Ma Huang [6], Lian Qiao [6] - Chi Xiao Dou [30] Zi Bai Pi [15], - Xing Ren [9], Da Zao [12], - Sheng Jiang [6], Gan Cao [6]	Yin Chen Hao Tang - Yin Chen Hao [18] - Zhi Zi [9] - Da Huang [6]	Yin Chen Si Ling Tang - Ze Xie [12], Bai Zhu [12] - Fu Ling [15], Zhu Ling [15] - Yi Yi Ren [20], Yin Chen Hao [30] - Huo Xiang [12], Gui Zhi [1.5] - Hou Bu [10], Gan Cao [6]	Da Chai Hu Tang - Chai Hu [24], Huang Qin [9] - Da Huang [6], Zhi Shi [6-9] - Bai Shao [9], Ban Xia [24] - Sheng Jiang [15], Da Zao [12]

Yin Jaundice [Chronic: Yang Jaundice with incorrect or incomplete treatment → Yin Jaundice]				Toxic Jaundice [Severe]
	Cold Damp in Spleen	Spleen Damp [Long Term]	SP & Blood Xu	Toxic Jaundice [Severe] → ER!!!
Etiology & Pathology	Yang jaundice for long time hurts SP Yang → Damp accumulates → Damp is Yin type fluid → Called Yin Jaundice			Symptoms seem acute, but not acute condition, OR Acute jaundice suddenly becomes worse [without treatment, wrong treatment]
Symptoms	Darker skin, darker yellow - Dark, smoky yellow eyes & body - Mental tiredness - Aversion to cold [SP yang] - Indigestion, Poor appetite, - Fullness in stomach, loose stool - Tastelessness with no thirst [Damp in Middle Jiao] - Other damp symptoms	- Yellow eyes & body - Light & dim color - Dull hypochondriac pain - Poor appetite, physical fatigue - Palpitation, shortness of breath - Abdominal distention - Loose stool	- Light Color [Yellow eyes, face, body, skin] Bile goes to skin with blood → Blood Xu, doesn't bring bile to skin much - Pale & dim complexion, pale lips - Blurry vision → Blood deficiency - Palpitation, Shortness of breath - Fatigue, dizziness	- Sudden acute attack - Jaundice rapidly becomes dark - Gold-like color - High fever, Excessive thirst - Hypochondriac pain, dislike pressure, abdominal fullness - Dark, scanty, or bloody urine - Nausea, vomiting, constipation, - Coma, Delirium, ecchymosis, - Nose bleeding, ascites
Tongue	• Pale body • White, greasy coat	• Pale body • Thin white coat	• Pale body, white coat	• Bright red body • Yellow, dry coating
Pulse	• Weak, Deep, Slow • Deep: Internal, chronic, difficult to treat	• Thready, Soggy • Can be normal	• Weak, thready pulse	• Rapid & slippery or • Full [feel all 3 levels → toxins] (Don't let it fool you!)
Treatment Principle	• Tonify SP & GB • Warm Middle Jiao, Drain Damp	• Tonify SP Qi, Benefit GB • Drain Damp	• Tonify Spleen, Nourish Blood	• Refer to Western Doctors! [ER] • Clear Heat toxin, cool blood heat • Induce resuscitation
Points	DU 9, UB 19 [GB], UB 20 [SP] - ST 36, SP 6 (urination): Tonify SP - GB 34: GB issues - REN 6: Tonify Yin/Yang [Moxa to tonify yang, needle to tonify yin] - REN 12: Intestine, ST, SP - ST 25: Regulate	DU 9, UB 19 [GB], UB 20 [SP] - ST 36, SP 6: Tonify SP - GB 34 - REN 4: Qi [Warm → moxa] - ST 25: Intestine - REN 12: ST, SP, Intestine	DU 9, UB 20 [SP] - LV 8: Blood - ST 36, SP 6: Tonify SP - REN 6: Moxa [Cold symptoms] - REN 12: Moxa [Long term Blood deficiency → cold (Feet cold?)] Tonify: Chronic deficiency	Strong Points!!!! - DU 14 - DU 26: Coma point, resuscitate - UB 18, UB 19 - LI 4 & LV 3, GB 34 - Shi Xuan: Bleed to clear heat • DU 9 May be too slow
Herbs	Yin Chen Zhu Fu Tang - Yin Chen Hao [3], Gan Jiang [1.5] - Rou Gui [0.9], Bai Zhu [6] - Zhi Gan Cao [3], Fu Zi [1.5]	Liu Jun Zi Tang - Fu Ling [9], Ban Xia [3] - Chen Pi [3], Ren Shen [9] - Bai Zhu [9], Chai Hu [6] - Yin Chen [6], Gan Cao [6]	Xiao Jian Zhong Tang - Gui Zhi [9], Yi Tang [18-30] - Bai Shao [18], Zhi Gan Cao [6] - Sheng Jiang [9], Da Zao [12]	- Da Huang [20], Jin Qian Cao [30] - Yin Chen Hao [30], Hu Zhang [30] - Jin Yin Hua [30], - Long Dan Cao [10], Gan Cao [6]

Final [50 questions, pick 1 answer, just after midterm]

- Hypochondriac pain:
 - ♦ Definition, location
 - ♦ Deficiency & excess conditions
 - ♦ Chinese etiology
 - ♦ Copy/paste symptoms & signs → TCM diagnosis → Remember keys
- Hemorrhoids
 - ♦ Definition
 - ♦ Cause in western & chinese
 - ♦ Extra point for hemorrhoids
 - ♦ Patient recommendations
 - ♦ Copy/paste symptoms → Diagnosis
- Tympanites/Ascites
 - ♦ Definition
 - ♦ What kind fluid for ascites?
 - ♦ Chinese etiology
 - ♦ Disease in western
 - ♦ Food recommendations
 - ♦ Extra point Pi Gen
 - ♦ Symptoms/signs → Diagnosis
- Jaundice
 - ♦ Difference between real & pseudo
 - ♦ Main keys to make differential diagnosis [yang, yin, toxic]
 - ♦ Food recommendations/avoidance
 - ♦ Western definition
 - ♦ Symptoms/signs → Both chinese & western [made into 2]
 - ♦ Factors in chinese
 - ♦ Main Point → DU 9
 - ♦ Signs/symptoms → diagnosis

Gynecological Disorders																	
Physiological Characteristic of Females	Therapeutic Characteristics of Females																
• Qi and Blood [Especially Blood]: Everything is Qi & Blood related, even milk • Menstruation, conception, labor, breast-feeding, vaginal discharge. • Post partum mother: when breastfeeding, don't menstruate [Use Qi & Blood to transform into milk for nursing → focus on major task of nursing] • Women's good health depends on well-coordinated regulation and harmony of Qi and Blood. • Women are also especially liable to injury the source of Blood. • Women's Foundation: Blood → Often give Blood tonics to women [Dang Gui (angelica): Tonifies & moves blood] • Always check the status of women's Qi & Blood • Extra Meridians: Chong, Ren, Du and Dai • Anatomically, Chong, Ren and Du originate from the Uterus. [All start from same place, root like a tree in the middle] • Dai: Restricts the Chong, Ren and Du by encircling the waist [Dai Mai is in middle of body & Controls how much Qi & Blood are needed by upper & lower body]. When you raise your arms, all 12 meridians go up & down except Dai Mai [Very special!!] Shares points [LV 13, GB 26, 27, 28] • Chong: Sea of Blood [Largest meridian (Pacific Ocean), located in center of the body like a cylinder between the Ren & Du → goes through a lot of organs & intersects many meridians]. Almost equivalent to progesterone in WM theory. Some herbs have a progesterone-like effect. Holds the original material. Women: Blood Palace (uterus), Men: Essence Palace (Dan Tian). Borrows points [KD 11 → 21, ST 30, REN 1, 7, SP 4] • Ren: dominates the uterus and fetus [Yin meeting place: all yin meridians meet, in charge of yin fluids]. Almost equivalent to estrogen in WM theory because it's the Yin & controls yin fluids. Some herbs act like estrogen. • Du: dominates Yang Qi and Yang meridians. [All Yang meridians & functions]. Acts like testosterone → tonify male hormones, focus on Du Mai • These 4 extra meridians are responsible for female physiological functions (menstruation, vaginal discharge, pregnancy, labor and breast-feeding). • Menstrual cycle [Corresponds to moon] (99% follow these guidelines, but 1% may be different) ▪ Normal: about 28 days in length [between 25 to 35 days] ▪ Usually lasts for from 3-5 days with some exceptional cases lasting 7 days. ▪ Menstrual volume: normally about 50-100 milliliters * Some exceptions: some women never menstruated until got pregnant ▪ Menstruation gives women a chance for monthly detox and also gives a good indication of overall health • Three-Foot Yin meridians: Spleen, Liver & Kidney • Qi and Blood are produced and maintained by the Zang-Fu organs, especially the SP, LV, and KD. ▪ SP: Where Qi & Blood produced ▪ LV: Control emotions, storage of Blood * Women's emotions are controlled by LV * LV can easily get stagnated, especially in the old days when women had no rights, no education, were controlled by parents or husband → women get stressed, depressed, etc. * Best herb for LV Qi Stagnation: Xiang Fu [Xiao Yao San] * Women easily influenced by hormones * First Trimester & postpartum are very difficult times ▪ KD: Controls development & degeneration [every 7 years] * Age 14: Menstruation, 21: Pregnancy, 49: Menopause * KD also controls Egg quality • Women's Fundamental Zang Organ: Liver (Controls, Qi, Blood & emotions) ▪ Women's LV easily damaged: LV Qi stagnation, stasis, damp heat, etc.	<table><tr><th colspan="2">Commonly Used Therapeutic Principles</th></tr><tr><td>Tonify and nourish Kidney</td><td> • DU 4, REN 6, REN 4, KD 12, KD 13, KD 3, KD 6 • ST 36, UB 23, SP 6 </td></tr><tr><td>Tonify Spleen and regulate Stomach</td><td> • UB 20, UB 21, REN 12, ST 36, ST 21, • REN 17, PC 6, REN 13, SP 1, Du Yin, SP 9, SP 6, ST 40, • Ba Liao [8 UB points located in sacrum (31→34)] </td></tr><tr><td>Move and nourish Liver</td><td> • LV 1, LV 2, LV 3, LV 5, LI 4, SP 6, GB 26, GB 27, GB 28 • Ba Liao, UB 18, UB 17, UB 23, SP 10, LI 11, Tai Yang, GB 20, PC 6, Du 26 </td></tr><tr><td>Tonify Qi and Blood</td><td> • UB 17, UB 20, ST 36, SP 6, • REN 4, REN 6, REN 17 </td></tr><tr><td>Invigorate Blood & transform Blood stasis</td><td> • SP 6, LI 4, SP 10, GB 21, LV 2, LV 3, REN 6, • ST 28, ST 29, SP 8, KD 12 </td></tr><tr><td>Clear heat and cool Blood</td><td> • REN 2, REN 3, GB 26, LV 3, K 14, Ba Liao, • LV 1, SP1, SP 10, LV 2, SP 6 </td></tr><tr><td>Regulate Extra meridians</td><td> • DU 3, DU 4, DU 9 • DU 14 [all Yang meridians], • DU 20 [intersection of all meridians] • REN 3, REN 4: Intersections between Ren & 3 foot yin meridians (LV, SP, KD) • REN 2, REN 5, REN 6 • REN 7: Intersection of Ren & Chong • REN 1: Intersection of Chong, Ren & Du • GB & Dai Points: GB 26 [Dai Mai], GB 27, GB 28 • Chong points [KD 11, KD 12, KD 13, KD 14, KD 15, KD 16, KD 17, KD 18, KD 19, KD 20, KD 21] • ST 30: Intersection of ST & Chong • LU 7: Ren, SP 4: Chong • GB 41: Dai, SI 3: Du </td></tr></table> • Emotional stimulations are a major pathogenic factor. E.g. • Stress, depression & anger: Liver Qi stagnation • Anxiety, worrying & overthinking: HT & SP damage • Fear & fright: Causes KD Qi to disperse → Kidney injury, damage → Long time KD Qi damage can cause KD Essence damage • Among 6 exogenous factors, COLD, HEAT and DAMP are foremost. E.g. • The main pathogenesis of menstrual disorders: ▪ HEAT Early menses, Excess volume [HEAT Increases Blood & Volume] ▪ COLD: Late menses: Scanty volume [COLD or Xu (Not enough blood)] ▪ Leucorrhea: DAMP, DAMP HEAT or broken Dai Mai • Common diagnosis in TCM gynecological disorders • Kidney water xu, Mingmen fire xu, Kidney Qi xu, Liver Qi stagnation, • Liver & GB damp heat, Liver Yang rising, Liver wind internal disturbance, • Spleen Qi and Blood xu, Spleen xu with damp accumulation, • Spleen loss of controlling, Spleen Qi sinking • Common Disorders by Age • Puberty: Kidney Qi Xu [Qi is still growing] and Chong - Ren obstruction are often seen [meridians not open yet] • Middle-Age: Liver Qi is likely to rise & stagnate due to consumption of Blood • Menopausal And Postmenopausal: Kidney Qi is declining, Kidney essence Xu, Kidney Yin and Yang disharmony, and Qi & Blood Xu become the main pathogenesis. Menstrual disorders Focus • Qi and Blood differentiation of stages of menstruation, and Shi, Xu, Cold and Heat of KD, SP & LV. • Leucorrhea: Primary [clearing heat & eliminating damp or damp heat] • Secondary [strengthening SP and tonifying KD] • Pregnancy: tonify Qi and Blood in order to ensure normal growth of fetus • Avoid: Applying strong stimulation to all acupoint or using low abdominal and lumbar-sacral points [Don't bother the baby] and counter-conceptive points [SP 6, LI 4, GB 21, UB 67]. When turning baby, use ultrasound to avoid wrapping cord around baby's neck • Postpartum diseases: tonifying Qi, removing Blood stasis [any blood outside of vessels] and promoting production of new blood should be adopted. Use warming method. Make sure women stay warm & cosy for a whole month after birth (no exertion). Common-used Points for treatment: locations and indications Combine acupuncture with other therapies	Commonly Used Therapeutic Principles		Tonify and nourish Kidney	• DU 4, REN 6, REN 4, KD 12, KD 13, KD 3, KD 6 • ST 36, UB 23, SP 6	Tonify Spleen and regulate Stomach	• UB 20, UB 21, REN 12, ST 36, ST 21, • REN 17, PC 6, REN 13, SP 1, Du Yin, SP 9, SP 6, ST 40, • Ba Liao [8 UB points located in sacrum (31→34)]	Move and nourish Liver	• LV 1, LV 2, LV 3, LV 5, LI 4, SP 6, GB 26, GB 27, GB 28 • Ba Liao, UB 18, UB 17, UB 23, SP 10, LI 11, Tai Yang, GB 20, PC 6, Du 26	Tonify Qi and Blood	• UB 17, UB 20, ST 36, SP 6, • REN 4, REN 6, REN 17	Invigorate Blood & transform Blood stasis	• SP 6, LI 4, SP 10, GB 21, LV 2, LV 3, REN 6, • ST 28, ST 29, SP 8, KD 12	Clear heat and cool Blood	• REN 2, REN 3, GB 26, LV 3, K 14, Ba Liao, • LV 1, SP1, SP 10, LV 2, SP 6	Regulate Extra meridians	• DU 3, DU 4, DU 9 • DU 14 [all Yang meridians], • DU 20 [intersection of all meridians] • REN 3, REN 4: Intersections between Ren & 3 foot yin meridians (LV, SP, KD) • REN 2, REN 5, REN 6 • REN 7: Intersection of Ren & Chong • REN 1: Intersection of Chong, Ren & Du • GB & Dai Points: GB 26 [Dai Mai], GB 27, GB 28 • Chong points [KD 11, KD 12, KD 13, KD 14, KD 15, KD 16, KD 17, KD 18, KD 19, KD 20, KD 21] • ST 30: Intersection of ST & Chong • LU 7: Ren, SP 4: Chong • GB 41: Dai, SI 3: Du
Commonly Used Therapeutic Principles																	
Tonify and nourish Kidney	• DU 4, REN 6, REN 4, KD 12, KD 13, KD 3, KD 6 • ST 36, UB 23, SP 6																
Tonify Spleen and regulate Stomach	• UB 20, UB 21, REN 12, ST 36, ST 21, • REN 17, PC 6, REN 13, SP 1, Du Yin, SP 9, SP 6, ST 40, • Ba Liao [8 UB points located in sacrum (31→34)]																
Move and nourish Liver	• LV 1, LV 2, LV 3, LV 5, LI 4, SP 6, GB 26, GB 27, GB 28 • Ba Liao, UB 18, UB 17, UB 23, SP 10, LI 11, Tai Yang, GB 20, PC 6, Du 26																
Tonify Qi and Blood	• UB 17, UB 20, ST 36, SP 6, • REN 4, REN 6, REN 17																
Invigorate Blood & transform Blood stasis	• SP 6, LI 4, SP 10, GB 21, LV 2, LV 3, REN 6, • ST 28, ST 29, SP 8, KD 12																
Clear heat and cool Blood	• REN 2, REN 3, GB 26, LV 3, K 14, Ba Liao, • LV 1, SP1, SP 10, LV 2, SP 6																
Regulate Extra meridians	• DU 3, DU 4, DU 9 • DU 14 [all Yang meridians], • DU 20 [intersection of all meridians] • REN 3, REN 4: Intersections between Ren & 3 foot yin meridians (LV, SP, KD) • REN 2, REN 5, REN 6 • REN 7: Intersection of Ren & Chong • REN 1: Intersection of Chong, Ren & Du • GB & Dai Points: GB 26 [Dai Mai], GB 27, GB 28 • Chong points [KD 11, KD 12, KD 13, KD 14, KD 15, KD 16, KD 17, KD 18, KD 19, KD 20, KD 21] • ST 30: Intersection of ST & Chong • LU 7: Ren, SP 4: Chong • GB 41: Dai, SI 3: Du																
Pathological Characteristic of Females • Blood and Qi are easy to be damaged or disturbed. • Qi xu, Qi stagnation [PMS] ▪ Birth control pills can also cause stagnation and even cancer ▪ Hormone replacement therapy can cause cancer • Blood xu, Blood stagnation, • Blood coldness [polar bear plunge is not good], Blood heat • Chong and Ren disharmony and injury are the most frequently seen pathology for women. Easily damaged. • Du: Loss Of Warming [If uterus is cold, then no fetus will like it & will move to other room → Infertility] • Chong Ren: Xu & Injury (abortion, surgeries, birth control pills) ▪ First is Ren, then Chong is last resort (ocean) • Chong Ren: Loss Of Consolidation • Dai: Loss Of Controlling																	

Point	Significance	Disorder	Cause
SP 1	Jing-well point	Bleeding disorders in lower orifices	
SP 6	Intersection of Three-foot Yin meridians Very Important → Most frequently used point for gynecology [Contracts/relaxes (normalizes) uterus]	All gynecological disorders [Regulates uterus] GI disorders Postpartum: Contracts uterus Menstrual cramps: relaxes	
SP 9	He-sea point	GYN disorders	Spleen xu with damp accumulation
SP 10	Skin disorders	Gyn disorders	Blood stagnation and blood stasis
SP 12	Intersection of SP & LV meridians	GYN disorders	Spleen and liver dysfunctions
KD 2	Ying-spring point	GYN disorders	Shi and heat
KD 3	Shu-stream & Yuan-source point	Menstrual disorders	Kidney dysfunction
KD 5	Xi-Cleft point	Menstrual disorders	Shi
KD 6	Yin Qiao Mai Influential point	Gyn disorders with urinary difficulties & water retention	Kidney xu
KD 9	Xi-cleft point of Yin Wei Mai Beautiful baby point	Hernias, sickness, seizures	
KD 12	Intersection of KD and Chong Mai	Uterine disorders due to	Kidney and Chong Mai dysfunctions
KD 13	Intersection of KD and Chong Mai	Uterine disorders due to	Kidney xu
KD 14	Intersection of KD and Chong Mai	GYN disorders	Shi and damp
LV 3	Shu-stream & Yuan-source point	GYN disorders	Liver dysfunction
LV 8	He-Sea point	Vaginal & genital disorders with pain, itching	
LV 11		Uterine and pudendal disorders	
ST 18		Disorders of lactation	
ST 25	Front-Mu of LI	GYN disorders	Qi and blood stagnation
ST 28		GYN disorders	Damp heat, cold damp & water retention in lower Jiao
ST 29		GYN disorders	Blockage of meridians
ST 30	Intersection of ST & Chong Mai	Menstrual disorders	Chong dysfunction
ST 36	He-Sea point	GYN disorders	Xu as well as GI disorders
UB 17	Blood Confluent point	GYN disorders	Blood Xu
UB 18		GYN disorders	LV dysfunction
UB 20		GYN disorders	SP dysfunction
UB 23		GYN disorders	KD dysfunction
UB 30		GYN disorders	Qi & blood stagnation
UB 31 → UB 34	Ba liao	GYN disorders	Lower jiao dysfunction
UB 60	Jing-river point	Difficult labor, overdue labor	Difficult labor, overdue labor
UB 67	Jing-well point	Wrong fetus position, difficult labor	
GB 21	Intersection of GB, SJ & Yang Wei Mai	Disorders of lactation, difficult labor	
GB 26	Intersection of GB & Dai Mai	Menstrual and vaginal disorders	GB & Dai Mai dysfunction
GB 28	Intersection of GB & Dai Mai	Vaginal and pelvic disorders	GB & Dai Mai dysfunction
GB 41	Shu-stream point Dai Mai Influential point	GYN disorders	GB and liver damp heat Liver Qi stagnation
HT 7	Shu-stream point Yuan-source point	PMS, menopause and other gyn disorders with shen disturbance	
HT 8	Ying-spring point	Pudendal disorders with itching as well as heart disorders	
SI 1	Jing-well point	Insufficient lactation	
PC 6	Luo-connecting point Yinwei Mai Influential point	GYN disorders with shen disturbance and GI symptoms	
DU 3		Menstrual and sexual disorders	Yang Qi xu
DU 4		GYN disorders	Kidney Yang xu
DU 9		Mastitis	
DU 20		Prolapse of the uterus and vagina	
REN 1	Intersection of Chong, Ren & Du		
REN 2	Intersection of Ren and liver meridians	Menstrual, vaginal and perineum disorders	Shi heat damp
REN 3	Intersection of Ren & Three foot Yin Front Mu point of UB	GYN disorders	Mostly used for Shi type
REN 4	Intersection of Ren & Three foot Yin Front Mu point of SI	GYN disorders	Mostly used for Xu type
REN 6		GYN disorders	Qi dysfunction
REN 17	Front-mu point of PC, Qi Confluent point	Breast disorders and Qi disorders	

Ti Tuo	4 cun lateral to Ren 4	Uterine Prolapse; hernia [Can use with Zi Gong for severe cases of prolapse]
Zi Gong	3 cun lateral to Ren 3	Uterine and ovarian disorders, infertility
Yao Yan	3-4 cun to area between L4 and L5	Painful disorders in lower abdomen and lower back
Du Yin	Midpoint of first crease of 2nd toe [distal]	Menstrual disorders, uterine bleeding
Four Gates	LI 4, LV 3	Qi stagnation [Not used during pregnancy or menstruation]
Female Four Gates	SJ 5, GB 34	Qi stagnation during menstruation or pregnancy; Or mild Qi stagnation
Four Flowers	UB 17, UB 19	SOB, weakness, emaciation

Irregular	Early Menstruation	Late Menstruation	Irregular Menstruation
Definition	• 7-8 days early [More than a week] • Even twice a month • At least 3 months in a row	• 8-9 days late • Even every 40-50 days • At least 3 months in a row	• Sometimes early [more than a week] • Sometimes late [more than a week] • At least 3 months in a row
Etiology & Pathogenesis	• Heat in Blood Level • Flu, febrile diseases • Qi Deficiency • Qi keeps blood circulating in meridians ▪ Menstruation never ends, spotting ▪ Excess bleeding • Too Much American food [greasy, fried food, hormones in meat]	• Cold in Blood • Blood Deficiency • If not enough blood, not enough excess for flow of menstruation • Qi Stagnation • Depression, Anxiety medication • LV Qi Stagnation	• Liver Qi Stagnation • KD Deficiency • KD controls hormones [Tian Gui]
Differentiation	• Heat in Blood • Bright Red blood [heat] • Heavy menstruation • T: Red, yellow greasy or thick coating • P: Fast, forceful • Qi Deficiency • Mild: Early but light, spotting • Significant Deficiency: gushing blood • Fatigue, no energy, shortness of breath • T: Big, flabby • P: Weak, soft, large, mushy, no clear borders, not thin or thready [Not enough blood in vessels]	• Cold in Blood • Feel cold, easily get tired • T: Pale, dusky, moist • P: Tight, slow, uneven, wiry [pain] • Blood Deficiency • Poor Memory, Poor sleep • Heart beats fast • T: Pale & small • P: Thin & weak • Qi Stagnation • Distended sensation • Severe, long term Qi stagnation: change tongue color, distended sublingual veins • T: Dark red • P: Wiry	• Liver Qi Stagnation • Breast tenderness • T: Sublingual veins • P: Wiry • KD Deficiency • Average age for onset of menstruation: 9 • Initial onset very late [15-19] • Very irregular • Small amount of blood flow • Light red blood • Delayed mental development • Weak lower back, weak lower extremities • Frequent night urination, bedwetting • T: Pale • P: deep, weak, especially in KD positions
Treatment Principle	• Regulate 3 Foot Yin Channels • Regulate Chong & Ren Channels • Excess: Reducing techniques • Deficient: Tonifying techniques & moxa	• Regulate 3 Foot Yin Channels • Regulate Chong & Ren Channels • Excess: Reducing techniques • Deficient: Tonifying techniques & moxa	• Regulate 3 Foot Yin Channels • Regulate Chong & Ren Channels • Excess: Reducing techniques • Deficient: Tonifying techniques & moxa
Prescriptions	• Heat in Blood • SP 10: Heat in blood, excess blood • SP 6: Most frequently used gyn point • REN 3: Intersection 3 foot yin & REN [Excess conditions] • LI 11: Heat • LV Heat: LV 3, LV 2 • KD Xu Heat: KD 3, KD 2 • Xiao Yao Wan • Qi Deficiency • REN 6, REN 12: Tonify Qi • SP 6, ST 36: Tonify SP & Qi • SP Xu: UB 20, UB 21 • KD Xu: UB 23, ▪ REN 4 (Intersection of 3 foot yin & REN): Good for Yuan Qi, all Qi	• Cold in Blood & Blood Deficiency • UB 17, REN 6, • Zi Gong [3 cun lateral to REN 3], SP 6 [Make sure not pregnant before needling] • SP Xu: UB 20, ST 36 • KD Yang Xu: DU 4, REN 4 [Warm up Yang] ▪ Either side is okay [Mountain burning, ▪ Moxa: Heat penetrates to other side (20 minutes of moxa for heat penetration) • Cold blocked in meridians: ST 25, ST 29 • Cold pain: KD 12, KD 13 [Intersection KD & Chong] • Qi Stagnation • SP 8 (Xi Cleft, very deep) [Severe Qi Stagnation]: Except GI blockage from Qi stagnation • LV 3, LI 4 [4 gates]: Make sure no pregnancy! • SJ 5, GB 34 [tes]: ▪ Use during pregnancy, ▪ Menses, excess bleeding • REN 3 • LV Qi Stagnation: LV 14, LV 2 • Severe Qi Stagnation: LV 5 (5 cun above, Luo connecting → GB), UB 18 • Breast tenderness, emotional stress: ▪ REN 17, PC 6: Qi Stagnation (upper jiao)	• Liver Qi Stagnation • UB 18, LV 14, LV 5, KD 13 [Tonify Chong Mai, Blood] • SJ 5, GB 34: If patient is weak • LV 3, LI 4: If patient is not as weak • SJ 5, GB 41: Headaches with menstruation, especially migraines • REN 6, KD 14: Qi stagnation [lower jiao]: constipation, pressure in lower abdomen, pain, stagnation, pressure • REN 17, PC 6: Qi stagnation, upper or middle jiao • KD Deficiency • Tonify KD: ▪ REN 4: Connection Chong, Ren, Du ▪ UB 23 ▪ SP 6 (3 Foot Yin: KD, LV, SP) ▪ KD 3: Yuan Source • Severe KD Xu: ▪ KD 10 (He Sea) ▪ KD 9 (Alt for KD 10): Beautiful Baby!!! * Beautiful Baby = Healthy Baby * Don't use fancy techniques * Acupressure also helpful ▪ KD 7 • Chong & Ren Xu: SP 4, LU 7 ▪ Also REN 4, KD 11, 12, 13
Other Notes & Therapies	• Extra meridians are deeper & bigger than other meridians • Long term stagnation [LV Qi Stagnation] has a tendency to create heat • Skinny people tend to have more fire • Chubby people tend to have more phlegm • Pregnancy gives a big boost of blood, yin, yang, essence [Life growing inside gives a good boost of energy] • Best time to treat: Week before menstruation	• Moxibustion • DU 4 & REN 4: Chronic conditions [MS, leukemia → usually blood in normal range after treatment] • Head acupuncture [Reproductive (electro)] • Ear acupuncture: • Ovaries, KD, uterus, endocrine	• Herbs • Xiao Yao Wan • Shu Gan Wan: Move LV Qi [Severe] • Wu Ji Bai Feng Wan: Hormones [teenagers with irregular menstruation] • Ba Zhen Tang (Women's Precious): ▪ Qi & Blood Xu • Shi Quan Da Bu Wan: Qi, Blood, Yin & Yang Xu

Dysmenorrhea	
Primary dysmenorrhea: About half of menstruating women. Causes: • Contraction-causing chemicals [prostaglandins, arachidonic acid → induce myometrium (uterine muscle) contractions] • Abnormal nervous system response: Some women may have autonomic nervous systems that are overly sensitive to menstrual cycle changes • Autonomic nervous system regulates heart rate, blood pressure & contains pain receptors in nerve fibers in uterus & pelvic area • Abnormalities in the arteries in the uterus • Doppler ultrasounds show impaired blood flow through uterine arteries in women with severe dysmenorrhea • Genetic factors may play critical role in >50% of primary dysmenorrhea cases. • Onset usually occurs 2-3 years after periods have started • Pain typically develops when bleeding starts & continues for 32-48 hours Secondary • Menstrually related pain that accompanies another medical or physical condition [endometriosis, IUD, pelvic inflammatory disease [PID], uterine fibroids, miscarriage, ectopic pregnancy, uterine polyps, cancer] Risk Factors • Adolescence & Early Puberty: Start menstruating early (< 11 yo) → Higher risk for severe pain, longer periods, longer menstrual cycles. • 20%-90% of teenagers report menstrual pain, 15% report severe pain • Over/Underweight: Underweight has higher risk for frequent menstrual pain. Overweight women have twice the risk for having severe, prolonged cramping. • Smoking & Alcohol use: Smokers have 50% higher risk of menstrual pain. • Higher risk of dysmenorrhea for women exposed to secondhand smoke. • Alcohol consumption may prolong cramps. • Stress • Chronic Pelvic Pain: Common causes: Stress & Irritable bowel syndrome	Etiology & Pathogenesis • Cramps occur from contractions in uterus [part of menstrual process] • Uterus is very squishy, wants to get rid of blood & membrane • Emotional Stimulation • Exogenous factors • Qi & Blood Stagnation [Qi Stagnation → Blood Stagnation → Blood Stasis] • Chong & Ren Damage [Cramps more severe with a lot of bleeding disorders, deep black bleeding, clots (internal damage)] • Chong & Ren are very deep and big, like a reservoir • Damage from surgeries [ovarian cyst, tumors, fibroids, pregnancy termination] • Sexual abuse [Very common in US] Other Therapies • Moxa: REN 4, DU 4 [warm up local area] • TDP lamp on lower abdomen • Ear Acupuncture: Uterus, ovaries, brain, endocrine [4 points] • Cutaneous Acupuncture: 7 star hammer on HTJJ [lumbar/sacral area] • Head Acupuncture: Reproductive area • Herbs • Loose Herbs: Yi Mu Cao, Dang Gui, Chuan Xiong • Patents ▪ Wu Chi Pai Feng Wan [Black Chicken, White Phoenix pill]: Teenagers, balance hormones ▪ Shu Gan Wan ▪ Xiao Yao Wan: LV Qi Xu & SP Qi Xu ▪ Women's Precious [Ba Zhen Tang]: Qi & Blood Deficiency ▪ Shi Quan Da Bu Wan: Qi, Blood, Yin Yang Xu [Tonify everything] ▪ Dang Gui Pian: Blood Xu & Stagnation

Dysmenorrhea	Excess	Deficiency
Differentiation	• Pain precedes or during menstruation • Sharp Pain • Chong & Ren Damage	• Dull Pain [End of day worse, better in morning] • After eating better
Etiology	• Blood Stagnation: • Fixed pain • Pain gets better with large clots • Tongue: Purple, blue, distended sublingual veins • Pulse: Choppy • Chronic can cause Blood Deficiency [1 Yellow, 5 Pales] • Qi Stagnation [LV Qi Stagnation] • Distending, wandering pain [Sometimes more distended than pain] • Hypochondriac distention & pain • Burping, passing gas improves distended feeling • Breast tenderness • Emotions: Mood swings • T: Normal, distended sublingual veins • P: Wiry • Excess Cold [Cold Invasion] • Cold pain, cramping, spasmodic, chronic pain • Better with heat, worse with cold • Feel cold • Late Menstruation • T: Pale, bluish, moist coating • P: Slow & wiry [pain, cold]	• Dull pain usually starting by the end or after menstruation • Qi Deficiency • Dull Pain, comes & goes • Tired, fatigue, no energy, shortness of breath, no voice • T: Large, toothmarks, moist • P: Weak, big, no borders, flabby • Blood Deficiency • Pain starts at end of menstruation, worse when tired & hungry • Comes & goes, very dull • 5 Pales [• Poor memory, dizziness, palpitations • T: Pale & small • P: Thin, thready, weak [smaller size, clear borders] • Qi & Blood Deficiency • All symptoms from above [More common]
Principles	• Invigorate blood flow, Spread Qi through uterus • Reducing techniques & Moxa [if Cold Excess]	• Invigorate blood flow, Spread Qi through uterus • Tonifying techniques
Treatment	• REN 3 [Excess (Intersection of REN & 3 Foot Yin)] • UB 32: Connected to abdomen [Regulating] • Frequently used gynecological point, especially for pain • SP 8: Moves Qi & Blood, SP 10: Move Blood • Qi Stagnation: REN 6: Qi Ocean, KD 13: Qi Shu, • SJ 5, GB 34: Move blood to move Qi • Blood Stagnation: SP 6, LI 4, LV 3 • Excess Cold: REN 4, Zi Gong, DU 4 [Moxa to warm → Abdomen] • Damp Accumulation: SP 9, ST 28 [Open water sewer channel], REN 9 • Damp Heat: ST 40, KD 14 [Move Qi, Dry Damp], Zi Gong, DU 3, • SP 6: Good for severe pain	• REN 4 [Deficiency (Intersection of REN & 3 Foot Yin)] • UB 23 [Lower Jiao KD point] • ST 36 & REN 6: Tonify Qi & Blood, KD • Qi Deficiency: SP 6, • REN 17 (upper jiao), Ren 12 (middle Jiao), Ren 6/4 (lower jiao) • Blood Deficiency: UB 17, SP 6, LV 8, SP 10, UB 18, UB 20 • Qi & Blood Deficiency:

Amenorrhea	
• Primary: Never experienced menstruation until 18 years old ♦ Main cause: Late puberty [Reason often unknown] ♦ Other causes ▪ Hypothyroidism, genetic disorder (chromosome abnormalities) ▪ Birth defects, lack of vagina or uterus • Secondary: Menstrual cycle suspended > 3 months [associated with other signs & symptoms, possible family history] ♦ Most common cause: Pregnancy, breastfeeding → Test for pregnancy! ▪ Don't use techniques & points that are contraindicated for pregnancy!!! ♦ May take > 3 months for periods to resume after birth control pills or stopping nursing ♦ Other Causes: ▪ Emotional stress, brain injury, depression, heavy smoking ▪ Vigorous exercise: Stimulates body to produce more testosterone and suppresses estrogen * 90% of estrogen is stored in fat cells → If not enough fat cells, no room for estrogen storage ▪ Tumors: Pituitary gland, ovary, adrenal gland ▪ Ovarian cysts, pseudocyesis (phantom pregnancy), thyroid problems ▪ Increased production of hormone prolactin from pituitary gland ▪ Drugs: tranquilizers, antidepressants ▪ Rapid weight gain/loss ▪ Chemotherapy, radiotherapy (especially in pelvic area): Kill blood cells ▪ Chronic diseases: kidney failure, cystic fibrosis, colitis (ulcerative, amoebic) ▪ Asherman's syndrome [Scarring of lining resulting from an infection of surgery like a D&C] ♦ Chronic Physical stress: Can cause long lapses between periods (> 6 months) ▪ Excessive weight loss, anorexia, little or no body fat ♦ Menopause ▪ Permanent Secondary amenorrhea occurs after menopause ▪ Premature Menopause: Before age 40 [Depends on family history] ▪ Periods stop after hysterectomy ▪ Hormone replacement therapy causes breast/ovarian cancer ♦ Other symptoms depend on cause of amenorrhea ▪ Hormone Imbalance: excess body & facial hair, acne, breast milk secretions, change in voice or sex drive	Other Therapies • Herbs: Especially for Blood Deficiency ♦ Tong Jing Wan [Open up meridians for blood stagnation] ♦ Xiao Yao Wan ♦ Placenta pill [Very strong for Chong & Ren damage] ♦ Gui Ling Ji ♦ Jing Gui Shen Qi Wan [KD Qi & Yang Xu] • Moxa ♦ REN 4, DU 4 ♦ Zi Gong • Electro ♦ REN 3, SP 8: Excess [Qi & Blood Stagnation] ♦ SP 6, ST 29: Severe stagnation, blood stasis [Severe pain] ♦ REN 2, SP 10: Chong & Ren Damage with excess stasis [after surgery] • Cutaneous: 7 Star hammer → tapping along HTJ [T-11 → S-4] • Auricular: Uterus, ovary, endocrine, kidney, brain, liver ♦ Ear seeds Lifestyle • Maintain Ideal Weight [Diet/Activity changes] • Avoid excessive use of alcohol, mood-altering stimulants, sedative drugs • Avoid cigarette smoking • Reduce stress. Recommend professional help if necessary. • Moderation in all activities: Work, Rest, Recreation • Maintain positive outlook Extra Meridian Pulses • Chong: Slight bump between Cun & Guan positions ♦ Must slide back and forth between Cun & Guan positions ♦ Beginning of menstrual period • Ren: Pulse is there, but when you push down, it disappears ♦ All 3 positions • Dai: Slight bump between Guan & Chi positions ♦ Indicates Dai Mai damage

Amenorrhea	Qi & Blood Stagnation	Qi & Blood Exhaustion	Chong & Ren Damage
Differentiation	• Absence of menstruation for > 3 months • Lower abdominal pain aggravated by pressure • Dark red or purple with many clots • May have abdominal lumps, fibroids • Fixed, stabbing pain • Sallow skin: Blood stagnant for long time → Poor circulation → Reduced nourishment	• Abortions [Deplete Qi & Blood] • Poor diet • Process ♦ Beginning: Late menstruation ♦ Middle: ↓ volume of menstruation ♦ Late: Amenorrhea • 5 Pales • Fatigue, dry skin, vertigo, dizziness • Heart palpitations, poor memory • Low grade fever, afternoon fever [Blood Xu] → borderline yin deficiency	• Chong = Progesterone • Ren = Estrogen • Procedure or surgery done & amenorrhea started after the surgery • Abortions [especially multiple] • Fibroid removal, abdominal surgeries • Heavy bleeding in a short time [Meridians open up and won't close because of deficiency] • Birth control pills can also cause damage • C-Section
Tongue	• Dark red/purplish tongue, spots on borders • Dark, distended sublingual veins	• Pale, small, dry • Not enough nourishment	• Pale, dusky, distended veins
Pulse	• Choppy, uneven, wiry	• Thin, weak, thready (blood deficiency)	• Chong & Ren pulses
Principles	• Clear stagnation from Chong & Ren • Reducing or Even technique	• Tonify KD Qi • Tonifying Technique with moxibustion	• Clear stagnation from Chong & Ren
Treatment	• REN 3: Front Mu UB, Intersection 3 FT Yin • UB 32, • Zi Gong [Liu's Favorite]: prolapse, stagnation • SP 8: Good Moving point] • Blood Stagnation: SP 10, UB 17, SP 6, UB 40 • Phlegm Blockage: ST 40, SP 9 • Hypochondriac Pain/Distention: LV 14, SJ 6 • Abdominal Pain/Distention: ST 28, ST 29 • Chest stifling/ST upset: PC 6 • REN 17: Upper Jiao Qi Moving Point	• REN 4: Front Mu SI, Intersection 3 FT Yin • UB 23, ST 36, • DU 4 [Tonify Qi & Blood in lower body] • Qi Xu: REN 17, REN 6, KD 13 [Intersection KD & Chong] • Blood Xu: UB 17, UB 18, UB 20 • Qi & Blood Xu: SP 10, LV 8, SP 6, UB 17 • Chong & Ren Damage:	Chong & Ren Points [In addition to...] • SP 4, LU 7, Intersection points • REN 7: • REN 1: Chong, REN, DU • KD 11 → KD 21: Chong & KD • ST 30: Intersection Chong & ST

Uterine Bleeding	
• Beng Lou: Uterine bleeding beyond the menstrual period, either copious or continuously spotting • Beng: Sudden onset & profuse bleeding • Lou: Insidious onset & scanty bleeding • One is acute & the other chronic, but they often transform into each other • Profuse bleeding consumes Qi & Blood (Beng) → Continuous scanty bleeding (Lou) • Prolonged scanty bleeding (Lou) [Qi deficiency] → profuse bleeding (Beng) Other Therapies • Cutaneous acupuncture [HTJJ T11→T12, UB 31→34], • Ear needling [5]: Uterus, ovaries, KD, LV, Endocrine • Head acupuncture: Reproduction area, bilaterally • Point injection: Dang Gui, Vitamin B12, ½ mL into REN 4, 3, SP 6, SP 10 • Herbs • Loose: Herba Leonuri, Herba Agrimoniae [Yi Mu Cao, Xian He Cao] • Patent: ▪ Yun Nan Bai Yao: Stop bleeding without causing blood stasis ▪ Ginseng Royal Jelly ▪ Bu Zhong Yi Qi Wan ▪ Shi Quan Da Bu Wan Western Medicine Causes • Hormone imbalance: Most common cause. Sometimes caused by improper use of hormone medicine • Should only use hormones as a last resort because they can interfere with normal development • Much lower rates of breast & ovarian cancer in China because they don't use so many hormones • Aging is healthy. Don't fight it. Don't try to extend the length of life. • Polyps: Growths on cervix or inside uterus [Grows into cavity] • Fibroids: Non-cancerous growths in uterus [Grows in muscle] • Ovarian cyst • Pregnancy complications: Miscarriage, threat of miscarriage, ectopic pregnancy • Cancer: Ovarian, uterine, cervical • Chronic medical disorders: Blood clotting, diabetes, thyroid problems	Western Medicine Diagnosis • Endometrial biopsy: Sample of tissue from inside of uterus examined under microscope • Ultrasound: Sound waves get pictures of uterus, ovaries & pelvis • Sonohysterogram: Ultrasound performed after fluid injected through a tube into uterus to look for problems with uterine lining (fibroids) • Hysteroscope: Thin metal tube with light & tiny camera inserted through the vagina & cervix into uterus to look inside • Laparoscopy: Thin metal tube with light & tiny camera inserted into abdomen & pelvis through a small cut or just below belly button to look at uterus & other pelvic organs • D&C [Dilation & Curettage]: Opens up cervix & scrapes or suctions tissue from uterine lining, tissue examines in lab • Hysterosalpingography: Dye injected into uterus & fallopian tubes through cervix, then take X-Rays. Dye outlines shape & size of uterus & tubes Western Medicine Treatment • Depends on cause of uterine bleeding • Hormone imbalance: hormone treatment • Sometimes surgery needed • D&C • Hysteroscopy • Endometrial ablation: Using a laser, electrocautery instrument or thermal balloon to destroy the uterine lining • Hysterectomy: Removal of uterus

	Excess Heat	Qi Deficiency	Chong & Ren Damage Failure in controlling Yin blood
Etiology & Pathogenesis	• Heart heat damages Chong & Ren • Yin Xu → lack of nourishment of HT & LV → Xu Fire internally burning in Blood Sea • [Blood Sea: LV & Chong Mai] • Exacerbating Factors: Excess consumption of alcohol, coffee, junk food	• SP Xu unable to control blood flow • KD Qi Xu during puberty or menopause → Lack of nourishment of Chong & Ren • KD Qi starts declining during menopausal years	• Abortion, miscarriage, postpartum, surgery injure Chong & Ren • Wind Cold invasion of uterus → blood stagnation • Infection after childbirth • Emotional stimulations cause LV Qi & Blood stagnation → Blockage of Chong & Ren • Steroids kill the yang Qi → Damp water retention, moon face, hump on back
Differentiation	• Sudden onset, profuse, pronounced bleeding • Bright red color • Excess Heat Signs & symptoms • Flushed face, irritability, thirst • Secondary to febrile conditions [meningitis, high fevers, pathogen in blood level]	• Depends on degree of deficiency • Severe Xu: Sudden, profuse bleeding • Mild Xu: Continuous, scanty bleeding • Light red, thin blood • Other Qi Xu symptoms • Tired, shortness of breath, cold extremities, edema (Xu sign)	• History of surgery, procedure, miscarriage • PTSD: spiritual injury → Damages KD Qi • Nightmares even years after experience • Fear, fright damages KD Qi • Abnormal bleeding with dark red blood clots, tissue • Postpartum bleeding partially retained placenta
Tongue	• Red with yellow coating	• Pale, Flabby, moist, toothmarks	• Dusky with blue/purple dots on side
Pulse	• Rapid & forceful	• Weak & large	• Chong, Ren, sometimes Dai pulse
Treatment Principles	• SP & REN channel chosen as main points • Acupuncture with reducing techniques • Clear Heat & Stop Bleeding	• Tonifying technique & moxibustion • Promote restricting function of Qi • Promote controlling power of Chong & Ren	• Tonifying technique & moxibustion • Promote restricting function of Qi • Promote controlling power of Chong & Ren
Prescription	• REN 3 [Intersection!], SP 6 [Severe], • SP 1: Abnormal heavy bleeding • Blood Heat: SP 10 • Blood Xi Cleft: UB 40 [if SP 1 not enough] • LV Heat: LV 1, LV 2 • LV Qi Stagnation [8 Gates] • LI 4, LV 3 • SJ 5, GB 34 [if already very heavy]	• REN 4 [Xu], SP 6, ST 36 • SP Xu: UB 20, UB 21 • Severe Qi Xu: DU 20, REN 17, REN 6 • Blood Xu: UB 17, UB 18 • KD Xu: UB 23, DU 4, KD 2, KD 7 • KD Yin Xu: KD 6, KD 3, UB 52 • Blood & Yin Xu: SP 6 & LV 8 • Heavy Bleeding: SP 1, Du Yin [2nd toe]	• REN 7, ST 30, SP 4, LU 7, KD 11-13, Zi Gong • Heavy Bleeding: SP 1, SP 6 • Qi Stagnation: LV 3, ST 30, SP 12 • Blood Stasis: SP 10, ST 30

Midterm [45 questions, multiple choice]

- Introduction
 - Women easily damage Blood [many functions relate to blood]
 - Chong Ren Du start from uterus or Dan Tian
 - Chong & Ren very often involved in women's pathology/physiology
 - Chong is sea of blood & in charge 14 meridians
 - Ren in charge of yin meridians & development of fetus
 - Women's function: 3 foot yin very closely related
 - Normal menstrual cycle: 25-35 days
 - Extra meridians, main pathological change: Chong & Ren
 - Pathology differentiations: often seen in gynecological disorders → LV Qi Stagnation
- Cases: Look at chief complaint, supporting symptoms, tongue & pulse, which section of pulse is more significant/pronounced
 - Irregular menstruation
 - Dysmenorrhea
- Late Menstruation caused by what?
- Irregular menstrual flow caused by LV Qi Stagnation → What points?
- Menstrual cramps before & during menstruation caused by?
- Menstrual cramps after menstruation caused by?
- Invigorating blood flow & spreading Qi is treatment principle for what?
- Amenorrhea caused by what?
- Non standing late menstruation with scanty light red blood will change to what condition if not treated correctly & timely?
- One point for excess/deficiency dysmenorrhea? SP 6
- Uterine bleeding: sudden onset, profuse bleeding → Beng
- Gradually: Lou
- 6 exogenous factors most often seen in gyn [cold, damp]
- 3 phases of women's life → LV Qi stagnation
- Treatment of menstrual disorders, focus on what?
- REN 4
- REN 3
- REN 1: Chong ren du
- Ren 7: Chong & LU
- Diagnose women's disorders: Women Extra meridian diagnosis
 - Du loss of warming
 - Chong & Ren injury
- Combinations to treat headaches: GB 41 & SJ 5
- Where Zi Gong located?
- Du Yin located?
- Blood Xi Cleft: UB 40
- Combination to treat blood & yin deficiency: LV 8 & SP 6
- Combination to treat LV Qi Stagnation in upper & middle jiao: REN 17 & PC 6
- Most frequent: SP 6
- Severe uterine bleeding: Point combinations SP 1 & Du Yin
- Excess Heat: LI 11 & DU 14

Leukorrhagia	
• Disease characterized by persistent excessive mucous vaginal discharge • TCM Name: Dai Xia [Bai Xia = Normal discharge] ♦ Related to Dai Mai and Damp [gravity] → Spleen: Damp downward infusion • Western Medicine: Infections & other inflammatory disorders affecting vaginal mucosa & sometimes vulva, commonly producing abnormal vaginal discharge • Etiology & Pathogenesis ♦ Improper diet → Damp accumulation in SP/ST ♦ KD Qi Deficiency: Worse after menopause ♦ Loose Dai Mai: Starts near DU 4 (near Spine & KD), then wraps around middle ♦ Long standing LV Qi Stagnation • Take complete history: ♦ Symptoms & color, consistency, odor, duration of discharge ♦ Discharge related to menses? Recurrent? ♦ Itching, burning, pain, lesions? ♦ What bothers her the most? ♦ Sexual history: Contraceptives, STDs, ♦ Candida: Loves damp ♦ Urethral discharge, puritus, post-coital irritation, vaginal infection ♦ Does anyone else in house have genital itching?	Other Therapies • Ear Acupuncture: Uterus, UB, LV, SP, KD, SJ • External Washing Therapy [Special for vaginal discharge → More effective, especially for itching & STDs] (Damp Heat) ♦ Radix Sophorae Flavescentis, Cortex Phellodendri, Fructus Cnidii Sitz ♦ Ku Shen, Huang Bai, She Chuang Zi [Daily] • Patent Herbs ♦ Yu Dai Wan [Cure Abdominal Discharge] ♦ Chian Chin Chi Dai Wan ♦ Shen Ling Bai Zhu Wan ♦ Long Dan Xie Gan Wan [LV/GB Damp Heat] ♦ Chuan Shan Jia: Counter poison pill

	Cold Damp	Damp Heat
Differentiation	• Dilute, clear, white leucorrhea • Generally means no significant infections • Chronic, profuse, clear white or silvery vaginal discharge • No other weird colors or smells • May be poor appetite • Pale complexion, fatigue [SP Qi deficiency symptoms] • Weak, puffy or cold extremities • Sore or cold lower back, abdomen • Loose stool [damp, downward] • Damp in Lower Jiao: Feel thousands of coins wrapped around waist [Very heavy, cold], Like sitting in icy cold water, Basement flooded, cold & dampy ☹ ♦ Dai Mai damaged, Damp Invasion	• Thick, yellow or white-yellow (any color other than white), foul smell ♦ Green, brown, pink • Often means infection • Genital itchiness • May be accompanied by dry stool, scanty & yellow urination, irritated urination • Bitter taste in mouth, irritability • If infection gets worse: fever, lower abdominal pain or lower back pain • Pelvic inflammatory disease
Tongue	• Pale, puffy, moist, toothmarks	• Sticky yellow coating
Pulse	• Deep, slow or soft	• Rapid, wiry
Treatment Principle	• Tonify Spleen • Regulating Dai, Chong, Ren & Du • Transform Damp [Acupuncture & moxa]	• Tonify Spleen • Regulating Dai, Chong, Ren & Du • Transform Damp, Clear up Heat [Acupuncture with reducing techniques]
Prescription	SP, ST, Dai, Ren, Du Points • GB 26: Dai Mai → Restore Function ♦ Intersection of Dai & GB: FINAL!!! • SP 6: Tonify SP • REN 6, • UB 30: Empirical point for excess vaginal discharge, especially Cold Damp [S-4 → 1.5 cun from centerline] • SP Xu: UB 20, ST 36 • KD Qi Xu: UB 23, REN 4, KD 13 ♦ KD 13: Intersection: KD & Chong ♦ KD 11 → 21 [Chong & KD] • Excessive Discharge: UB 32, GB 41, SP 9, REN 3 ♦ UB 32: Relationship with SP & ST • Cold lower abdomen & back: DU 3, REN 4 • KD Yang Xu: REN 4, KD 1, DU 4	SP, ST, Dai, Ren, Du Points • GB 26: Dai Mai • REN 3: Excess in Lower Jiao • LV 2: Heat • SP 9: Damp • UB 34: Very close relationship with LV ♦ Too much damp for long time will create Heat ♦ LV fire, LV overacting on SP/ST ♦ LV Qi stagnation for long time → Heat • Heat Toxin: SP 10, SP 1, Zi Gong ♦ SP 10: Get rid of excess heat ▪ Red or pink discharge → Blood driven out of vessels • Excessive Discharge: GB 27, GB 28, UB 54 ♦ Dai Mai is loose → Need to strengthen ♦ GB 26, 27, 28: Dai Mai Points ♦ UB 54: Strong Qi support in Lower Jiao • Red Discharge: SP 10, LI 11, REN 2 ♦ SP 10: Blood ♦ LI 11: Heat [Cools] ♦ REN 2 [Cool lower jiao → stronger than REN 3] • Itching: HT 8, SP 10 ♦ Treat blood to treat wind • KD Yin Xu: REN 4, KD 3, KD 9 ♦ Tonify KD ♦ REN 4: Dan Tian, SI Front Mu, good for tonifying

Leukorrhagia	
Western Etiology & Pathology - In women of reproductive age, normal physiologic discharge may be mistaken for an infection. - Normal Discharge: Milky white or mucoid, arising from cervix or vagina as an epithelial transudate. - Colonization of vagina by <i>Lactobacillus</i> sp. keeps pH normal [3.8 – 4.2] (acidic) → preventing overgrowth of bacteria & yeast. Menstrual blood, certain infections or semen makes vaginal pH more alkaline. - Causes of vulvar hypersensitivity: Hygiene sprays, perfumes, menstrual pads, laundry soaps, bleaches, fabric softeners, fabric dyes, synthetic fibers, bath-water additives, toilet tissue - Tight, non-porous undergarments or poor hygiene may foster fungal & bacterial growth - Occasionally, sensitivity to spermicides, vaginal lubricants or creams, latex condoms, or diaphragms can cause irritation, which may be confused with an infection. Frequent douching with irritants can result in an overgrowth of vaginal pathogens → leading to infection.	- Reproductive years: Vulvitis is usually secondary to vaginal infections - Premenarchal & Postmenopausal: vulvitis commonly occurs alone - After menopause [natural or from oophorectomy, radiation or chemotherapy]: estrogen deficiency causes thinning of vaginal mucosa → More vulnerable to trauma & infection. Occasionally, thinning results in irritation without infection (atrophic vaginitis) → scanty & alkaline discharge. - Candida infections may occur in diabetic women, women taking hormone replacement therapy or tamoxifen. Bacterial vaginosis is common, except in women confined to bed (nursing homes). Western Treatment - Physiologic discharge can be annoying due to soiled clothing & the feeling of wetness, but unless itching, irritation or malodor is present, treatment is not indicated. - Acute vulvitis: Identify & eliminate cause, take measures to reduce irritation [wear loose, absorbent cotton clothing that allows air circulation & keep vulva clean]. Avoid soaps. Topical corticosteroids reduce itching & are indicated when infection is absent. Oral antihistamines diminish itching & cause drowsiness, assisting in sleep. - Postmenopausal patients with atrophic vaginitis are treated with estrogen.
Infertility	
Definition - Failure to conceive after over 3 years of marriage [or trying] even though both partners are healthy - Failure to conceive for over 3 years after last delivery - PTSD = KD Qi damaged - Get scared & wet pants → KD Qi Damaged Other therapies - Ear Acupuncture - Blood letting plus cupping: UB 32, UB 40 for blood stasis - Use large needle or 3 edged needle, then place cup on area - Herbs - Nuan Gong Ren Zi Wan - Placenta pill - Ge Jie Da Bu Wan - Dang Gui Pian: Emperor's Formula - For blood deficiency, low estrogen - Jing Gui Shen Qi Wan: KD Yang Xu - Shi Quan Da Bu Wan : Qi Blood Yin Yang Xu - Zhi Bai Di Huang Wan: KD yin Xu with deficiency heat - Xiao Yao Wan - Fu Fang Dan Shen Pain: Blood stasis - Qing Qi Hua Tan Wan: Phlegm accumulation Western Perspective Infertility: A couple cannot conceive after one year of unprotected intercourse - Affects about 1 of 5 couples in USA - Etiologic factors - Sperm disorders: 35% of couples - Ovulatory dysfunction: 20% - Tubal dysfunction: 30% - Abnormal cervical mucus: 5% - Unidentified factors: 10% - Diagnosis & treatment require thorough assessment of both partners. - Financial burden & time commitment for diagnostic & therapeutic infertility procedures can cause marital strife. - Failure to conceive often generates frustration, emotional stress, feelings of inadequacy, anger, guilt & resentment → Couples counseling & psychological support are important adjuncts to treatment. Despite all efforts, some couples do not achieve pregnancy. They should be counseled about when to stop treatments & consider adoption.	Related Tests & Procedures Semen analysis: Major test for evaluating male infertility. Performed after 2-3 days of sexual abstinence. Sperm count varies, so examine at least 2-3 ejaculates obtained at intervals of no less than a week. - Normal Results - Sperm count: > 20 million/mL - Sperm motility at 1 & 3 hours > 50% - Sperm Morphology: > 60% Testicular Biopsy: Assesses function of seminiferous tubules Ovulation Monitoring: - Daily measurements of basal body temperature - Only can predict ovulation period within 2 days [not very reliable] - Nadir [lowest point] in temperature suggests impending ovulation - Postovulatory period: Temperature ↑ > 0.5 C (0.9F) Pelvic ultrasound monitoring: More reliable, measures ovarian follicle diameter Ovulation predictor kits: Detect an increase in urinary luteinizing hormone [LH] excretion 24 to 36 hour before ovulation. Hysterosalpingogram: Procedure performed by fluoroscopy 2-5 days after cessation of menstrual flow to determine tubal patency, show intrauterine adhesions, anomalies, filling defects & pelvic adhesions. If intrauterine abnormality found, following procedures can be performed: Hysteroscopy: Hysteroscopic lysis of adhesions to improve fertility. Laparoscopy: Further evaluation of tubal function & sometimes simultaneous fulguration or laser ablation of pelvic adhesions Post-Coital Test: Cervical mucus examined after intercourse, including mucus receptivity & ability of sperm to survive & access upper reproductive tract. Assisted Reproductive Techniques Intrauterine insemination (IUI): Involves placing sperm inside a woman's uterus to facilitate fertilization. Goal: increase number of sperm that reach fallopian tubes → increase the chance of fertilization. Provides sperm an advantage by giving it a head start, but still requires a sperm to reach and fertilize the egg on its own. Less invasive & less expensive option than IVF. In Vitro Fertilization [IVF]: Used for patients with tubal disease, endometriosis, oligospermia, sperm antibodies, unexplained infertility. Procedure involves ovarian hyperstimulation, oocyte retrieval, fertilization, embryo culture & embryo transfer to uterus. Despite transfer of multiple embryos (often 3-4), average term pregnancy rate is 20-25% per attempt. Gamete Intrafallopian Tube Transfer [GIFT]: Used for women who have normal tubal function but unexplained infertility or endometriosis. Multiple oocytes & sperm are obtained like for IVF but transferred (laparoscopically or transvaginally with ultrasound guidance) to distal fallopian tubes, where fertilization occurs. Success rate: 25-35% at most infertility centers. Intracytoplasmic Sperm Injection: Primary method of achieving pregnancy when other techniques have not resulted in fertilization or when semen analysis detects marked abnormalities. Sperm are injected into oocyte, bypassing sperm abnormalities that affect attachment to or penetration into oocyte.

Infertility			
Deficiency	KD Deficiency	Blood Deficiency	Cold Uterus
Etiology & Pathogenesis	KD Deficiency	- Blood, Essence, Chong & Ren Deficiency - Abnormal, late, scanty menstruation or amenorrhea - Bring menstruation back by nourishing Blood - Causes of Chong & Ren Damage - Too much bleeding - Procedures, surgeries can damage Chong & Ren - Sexual abuse can also damage Chong & Ren [especially at younger age]	Ming Men Fire Fading - Baby Palace not warm enough → Baby doesn't want to stay - Baby loves warm places
Symptoms	- Scanty, light colored or irregular menstruation - Lassitude, tinnitus - Soreness & achiness of lower back & extremities [KD Xu]	- Failure to conceive with late or scanty menstruation - PPPP: complexion, nails, tongue, conjunctivas - Dizziness, palpitation, poor memory	- Late menstruation - Scanty, dark, clots, cramps - Better with heat, worse with cold - Cold abdomen, extremities - Clear, profuse urination
Tongue	Normal, pale, deficiency signs	Pale, small	Pale or puffy with white coating
Pulse	Deep, weak, especially in KD positions		- Slow & deep, - Possibly wiry (pain)
Treatment Principle	- Warm uterus by reinforcing KD, Essence & Blood - Tonifying Techniques or moxibustion	- Warm uterus by reinforcing KD, Essence & Blood - Tonifying Techniques or moxibustion	- Warm uterus by reinforcing KD, Essence & Blood - Tonifying Techniques or moxibustion
Prescription	- UB 23, KD 13, KD 2 - KD Qi Xu: - REN 6: Sea of Qi - REN 17, 12, 6: Tonify Qi in 3 Jiao - REN 4: Even stronger - Ti Tuo [Lift & Support] 4 cun lateral to REN 4 - KD Yang Xu: - DU 4, DU 3: Together works better - KD 1 - KD Yin Xu: UB 52, KD 3 KD Jing [Essence] Xu: - KD 10: He Sea is full of Qi - KD 9: Beautiful Baby - SP 6: Very good, tonify KD Jing [KD, LV, SP]	- REN 4 [Dan Tian]: Qi, Essence, Yin, Yang all there - WM Perspective: Food absorbed in Small Intestine - UB 17, SP 6, ST 36 - Qi Xu: - REN 17, KD 13, REN 12, REN 6 - Blood Stasis: - SP 10, - ST 30: Intersects Chong Chong: Center of body → Let Qi flush all stagnation away - KD 11, KD 12 - Yin Xu: LV 8, - KD 6: 3 Foot Yin	- REN 4, DU 4: Don't have to use both if you use good technique → Move Qi all the way through - Zi Gong: Baby Palace - UB 23: Circulates Qi - Dai Damage: GB 41, SJ 5, GB 26 - Surgeries, C-section, etc. - GB 27, GB 28 [Keep adding if not enough] - Ming Men Fire Waning [Fireplace no worky] - KD 1: Moxa, warm up - DU 3, - REN 8: Moxa, big button, once connected with mother [Yin, Yang, Qi, Essence] - Moxibustion

Excess	LV Qi Stagnation	Blood Stasis	Phlegm Obstruction [Slightly Fluffy]
Etiology & Pathogenesis	- LV Qi Stagnation → Blood stagnation - Happier ladies get pregnant more easily & have happier babies → Mother happy, everybody happy	LV Qi Stagnation → Blood stagnation	- Damp & Phlegm blockage → Blocks Qi flow - Need to clean plumbing system periodically - May not see the phlegm damp, but if tried everything else & still not working → Treat phlegm damp [Therapeutic Diagnosis]
Symptoms	- Excess type - Late or hesitant menstruation with clots - Abdominal distention, irritability, PMS, stress - LV Qi stagnation symptoms - Excessive or abnormal discharge - Mood swings, breast tenderness - Qi Stagnation: Moving pain	- Blood stagnation: more pain, fixed, more clots, pain better when pass clots	- Soft lumps under skin [phlegm] - Damp blocks Qi flow, sometimes indirectly - Phlegm misting mind - Fatigue - Foggy brain
Tongue		Sublingual vein distention	Greasy, thick coat
Pulse	Wiry	Choppy	Slippery, soft
Treatment Principle	- Move Qi & Blood - Needling recommended with 2-3 cun needles in deep points in lower abdomen [empty bladder]	- Move Qi & Blood - Needling recommended with 2-3 cun needles in deep points in lower abdomen [empty bladder]	- Transform phlegm with reducing techniques - Needling recommended with 2-3 cun needles in deep points in lower abdomen [empty bladder]
Prescription	- LI 4, LV 3, SJ 5, GB 34 - KD 14, REN 6: Qi Stagnation with Qi deficiency - REN 17, PC 6: Qi stagnation in upper & middle jiao [nausea, vomiting, poor appetite] - LV 14, SP 8: LV overact SP/ST - SJ 5, GB 41: LV Qi stagnation with headaches	- SP 10, UB 17, UB 40 - ST 30, Zi Gong: Blood stasis in uterus [polyps, fibroids] - ST 29, KD 13: Blood stasis with dark clots - REN 7, UB 32: Chong & Ren damage - UB 40, UB 22: Stubborn, severe blood stasis	- SP 9, SP 12: Help digestion - KD 14, ST 28: Phlegm accumulation, edema - ST 40, REN 9: Turbid urination [Recognize what to keep and what to eliminate] - UB 28, UB 39: Promote urination [Guide excess water to UB & eliminate] - UB 20, UB 21: Back Shu for middle jiao weakness [Back button (if front button doesn't work)] - UB 31 → UB 34 - Ba Liao, Zi Gong [Laser for 10 minutes]

Morning Sickness	
- Symptoms including nausea, vomiting, anorexia, dizziness during early pregnancy [often within first trimester of gestation] - Severe cases: - Hyperemesis gravidarum - May emaciate the pregnant woman & lead to other disorders - Common complaint in early stage of pregnancy & usually subsides between week 12-16 Other Therapies - Auricular: LV, ST, SP, Shen Men, Zero - Herbs - Xiang Sha Liu Jun Zi Wan: Tonify SP/ST & Wake up spleen - Xiao Yao Wan: LV Qi Stagnation - Bu Zhong Yi Qi Wan: SP Qi Sinking [Prolapse] - Good Zhong Qi: Speak very well, keep organs in position, habitual miscarriage - Ginseng Royal Jelly - Ginger: Sheng Jiang [Gan Jiang is too hot]	Western Perspective Hyperemesis Gravidarum: Uncontrollable nausea & vomiting during pregnancy that results in dehydration & acidosis. Distinct from ordinary morning sickness with nausea & vomiting. Many pregnant women with morning sickness feel that they are vomiting everything they ingest, but if they continue to gain weight & aren't dehydrated, they do not have hyperemesis gravidarum. Persistent hyperemesis gravidarum is uncommon but may be associated with serious LV damage. Treatment: Acidosis & dehydration corrected with IV fluids, glucose, electrolytes. Patient should be kept in bed in a hospital & not given anything by mouth for 24 hours. Anti-emetics & sedatives used as necessary. Occasionally, IV vitamin therapy necessary.

	SP & ST Deficiency	Disharmony Between LV & ST
Etiology & Pathogenesis	- SP & ST Deficiency - Chong Rebellion: Chong is the Sea/Ocean of Blood - If Chong is half empty → Lot of noise - Empty part is air, easy to bubble up - Chong is big cylinder & if half empty → can cause nausea & vomiting - Chong & ST connected through ST 30 - If ST not quiet, Chong is not quiet - Before get pregnant, be sure that Chong & ST are strong	- LV Blood Deficiency, LV Yang Hyperactivity - LV Blood deficiency always causes Yang excess - LV Yang Rising: Short temper → Nourish, calm - Many relationship problems happen during pregnancy [emotional stimulus]
Symptoms	- Immediately vomiting after meals [undigested food] - Fatigue, poor appetite - Sleepiness	- Vomiting of bitter, sour liquid or food - Epigastric fullness, hypochondriac pain, belching, dizziness - Closely related to emotions Stress, anger
Tongue	Pale, white coating, maybe toothmarks	Slightly yellow coating
Pulse	- Slippery [because extra stuff in body] & weak - First trimester: Slippery is not very significant	Slippery, wiry
Treatment Principle	- Direct rebellious Qi Downward - Harmonize & Tonify Middle Jiao, check vomiting - Use even or mild techniques because of gestation	- Direct rebellious Qi Downward - Harmonize & Tonify Middle Jiao, check vomiting - Use even or mild techniques because of gestation
Prescription	- Major Points - PC 6: Main point for nausea & vomiting - SP 4: Chong Mai - ST 36, REN 12: Tonify SP/ST - Severe SP & ST Xu: UB 20, UB 21 [Back Shu Points] - More difficult to use these in late trimester - Put patient on side to avoid putting pressure on fetus - Excessive Mucus: SP 9, ST 40 - Vomiting liquid - Vomiting after eating: - KD 21 [You Men] - REN 13 [Shang Wan]: Top opening of Stomach [Cardiac sphincter] - Vomiting a few hours after eating: - KD 16 [Huang Shu] - REN 10 [Xia Wan]: Lower opening of ST	- Soothe LV, Tonify SP/ST: REN 12, LV 3, LV 14, ST 36 - ST Heat: ST 44, UB 22 [SJ Back Shu] - Sour liquid, even green - LV Heat: LV 2, GB 34 - Emotional Stress: SJ 5, GB 34 [Female 4 Gates] - Mood Swings: REN 17, KD 6 [Anchor spirit] - Severe Vomiting: PC 3 [Add to PC 6]

Points Contraindicated in Pregnancy	
LI 4	Strong downward direction
SP 6	Causes uterine contractions
UB 31 → UB 34	Sacrum
UB 60	Treats placenta retention, lowers yang
UB 67	Moxa to turn breach, induce labor
GB 21	Strong downward direction
REN 2 → REN 7	Located above uterus

Insufficient Lactation		
Definition	Insufficient milk secretion to nourish baby	
Differentiation	Qi & Blood Deficiency	LV Qi Stagnation [Excess]
Etiology & Pathogenesis	- Constitutional SP & ST Deficiency - ST channel goes through middle part of breast [ST 17 & 18] 2 Meridians in Breast: ST & LV - Profuse Loss of Blood [During delivery]	- Mental Depression - Even with excess, patient has deficiency because of labor & delivery
Symptoms	- Insufficient milk secretion, even absence of milk - Scanty, light milk secretion [not enough] - First milk after birth is the best, has most nutrients - Absence of breast distention - Pale complexion, fatigue, palpitations, night sweating, spontaneous sweating, sleepiness - Poor appetite	- Absence of milk secretion after delivery - Sudden stop of milk secretion, especially with emotional stimulation - Cheating husband, mother-in-law visiting, etc. - Distention or distending pain in breast - Ribcage distention, hypochondriac pain - Mental depression, poor appetite, belching
Tongue	• Pale	•
Pulse	• Weak, thready, rapid	• Wiry pulse
Treatment Principle	- Move Qi & Blood Tonifying techniques, moxa - First Month: Mother should rest & be nourished	- Tonify Qi & Blood Reducing or even techniques
Prescription	Major Points [Used for both Deficiency & Excess] REN 17: Use 2 needles & point towards breasts ST 18: Needle upwards [5th rib] - Difficult to needle for postpartum woman - Push breast up to find the point SI 1: Moxa	
	- ST 36, SP 6 - Blood Xu: UB 17, LV 8 - Poor Digestion: UB 20, REN 12 - Poor Absorption: REN 4, SP 15	- LV 14, PC 6 - Emotional Stress: - SJ 5, GB 34 - LV 3, LI 4: Baby is not there anymore - Chong Qi Rebellion: SP 4, PC 6 - Blood Stagnation: SP 10, SI 1 [Bleeding] - Even with excess, they will have deficiency after birth
Other Therapy	- Auricular: Chest, ST, SP, LV, Endocrine, Shen Men - Herbs ♦ No Ginseng Products!!! - Because of steroid like effects - Baby will puff up quickly [Like dough] → Can cause growth problems later - Can use Dang Shen - Semen Vaccariae [Wang Bu Liu Xing] - Squama Manitis [Chuan Shan Jia] - Shi Quan Da Bu Wan: Qi, Blood, Yin, Yang Xu	

Stop Lactation [Lactifuge]		Western Perspective
Definition	• Women who do not want to nurse or want to discontinue nursing	- Prolactin: Secreted by anterior pituitary gland in response to suckling - Responsible for milk production in alveolus in breast - Stress & anxiety can inhibit let-down reflex - Sight or cry of an infant can stimulate release of oxytocin - Oxytocin: Hormone secreted by posterior pituitary upon stimulation of hypothalamus, carried via bloodstream to breast & uterus, stimulates myoepithelial cells in breast to contract & eject milk from alveolus
Prescription	• GB 41, GB 37 [10 minutes of moxa on each, every day]	
Herbs	- Fried Germinatus Fructus Hordei [Chao Mai Ya]: 30-50 grams: Make tea, drink every day for a week - Don't use Mang Xiao [Toxic, burning]	

Pediatric Disorders	
Children's Characteristics in TCM • Zang Fu fragile & soft Kids often have 2 Common Disorders: URI & GI problems • GI damaged → Lose appetite → Ji → Gan (malnutrition) ♦ Kids' spleen often insufficient ▪ Brand new, never used ▪ Parents don't know how much to feed ♦ Kids' Yin often insufficient [Have excess Yang → always need to move!] ▪ Yang excess, Yin lagging one step behind [Insufficient, not deficient] ▪ Yin is easily damaged (easily dehydrated) • URI: Kids become ill easily, becomes serious quickly, regain health quickly ♦ Fever shoots up quickly because of yang excess ♦ Kids have fever too long, it will damage their CNS → Convulsions ♦ Young Yin, Young Yang → Easy to change, control, adjust ♦ Timely, correct treatment → Get well quickly • Kids aren't able to detox very well [LV not well developed] ♦ Don't give alcohol to baby → Will damage LV & KD ♦ Don't let kids get too dehydrated ♦ Between breast feeding, give babies bottles of water ♦ Babies get hot easily → Yang excess, don't need as many layers ♦ At first sign of illness, treat immediately ♦ Prevent flu: Ban Lan Gen, Jin Yin Hua, Bo He, Sang Ye, Zhu Ye [Aromatic, heat clearing] • Easily affected by Seven Emotions ♦ Create good environment for baby ♦ Kids easily get happy/sad → Emotions change quickly • Internal wind easily stirred up ♦ Closely related to Yang excess Therapeutic Characteristics • Short duration of treatment with a few points (small dosage of herbs) and constant modification of therapies	Index Finger Diagnosis [Best for kids under 5] ♦ Under 5, very accurate ♦ Over 5, not as accurate but still can be used ♦ Slide fingers when taking pulse • 3 regions of index finger vein [Radial Side] (Difficult to feel pulses) ♦ Clear, red, superficial ♦ If not clear, rub until vein is more clear, look at in natural light (window) • Method: Observe vein • Clinical Significance ♦ Appearance of vein in Wind Region [Proximal] ▪ Condition is mild & just started, initial stage ♦ Vein extends to Qi Region [Middle] ▪ Condition getting worse & relatively in Interior, no longer superficial ♦ Further extension through to Life Region [Distal] ▪ Condition is critical, very serious stage → Send to ER ▪ Extend to finger tip → Call 911 immediately • Other ▪ Superficial: Exterior ▪ Deep Rooted: Interior ▪ Dark, Dusky: Excess ▪ Bright Red: Heat ▪ Purplish: Cold • Interview [Difficult to get answers directly from kid → Ask parents] ♦ Food accumulation [Vomiting, malnutrition] (Top problem) ▪ What do you feed, how often, how much? ♦ Invasion of exogenous factors [Upper Respiratory Infection (URI)] ▪ Newborn – 6 months: Babies don't get sick much because they have mother's immunity ▪ After 7 months → 3 Years old: Kids often get sick → Bring home & whole family gets sick ▪ Prevention: Jin Yin Hua, Bo He [Avoid toxic & harsh herbs] ♦ Frightened [Nightmares, scared throughout day] ▪ Fear depletes kidneys

Infantile Convulsion		
Definition	- Series of muscle contractions accompanied by impairment of consciousness Occurs in any season, mostly in those aged 1-5 - Since onset may be either sudden or gradual & symptoms may show deficient or excessive pattern, classified into two types.	
	Acute Infantile Convulsion [Internal Wind]	Chronic Infantile Convulsion [Internal Wind]
Etiology & Pathogenesis	- EPI Invasion - Accumulation of phlegm fire - Sudden fright [Fear damages KD Qi] → Frighten many times, may lead to convulsions	- Persistent vomiting, diarrhea - SP & ST Deficiency [abdominal distention] - Transmission from acute convulsion [acute attacks turn chronic]
Symptoms	- Unconsciousness, upward staring, lockjaw, stiff neck - Opisthotonos [tight, back arches], Limb contracture - Pathogenic heat: thirst, irritability, high fever, headache, coughing, congested throat - Phlegm heat: vomiting, abdominal distention, excess mucus, phlegm gurgling in throat, constipation or stinky defecation - Sudden fright: Accompanied with cold extremities, disturbed sleep, crying & screaming upon waking, intermittent contraction of muscles	- Intermittent convulsion, emaciation, lassitude, pale complexion (malnutrition) - Lethargy, eyes open but without spirit, loose stools with undigested food - Clear & profuse urination - Mild, comes & goes from time to time
Tongue	•	•
Pulse	• Rapid & wiry	• Deep, weak
Treatment Principle	- Refer to ER or MD for acute type - If have to treat (while waiting for 911, etc.) - Suppress Wind [internal], relieve convulsion - Restore consciousness, Clear Heat, calm spirit - Points chosen mainly from REN, DU & LV channels - Ren, Du in charge of getting rid of heat - LV: in charge of internal wind - Usually no needle retention required Insert, De Qi, Out - Fewer points, no strong stimulation, no electro	- Suppress Wind, relieve convulsion, restore consciousness - Points chosen mainly from REN, DU & LV channels - Usually no needle retention required - Nourish tonif
Prescription	Yin Tang, DU 26, LV 3, KD 1 [In & Out, no retention] - Heat: DU 14, LI 11 12 Jing Well points - Phlegm Heat: ST 40, LI 4, REN 12, - SJ 18, SJ 19: Running needle technique - Fright: Si Chen Cong, PC 8	DU 20: Yang Qi to brain DU 24: Calm spirit REN 4 (Yuan Qi, Dan Tian), SP 6, ST 36: [Nourish, tonify, moxa] - SP/ST Xu: UB 20, 21, REN 12 - Daytime attacks more significant: UB 62 [Yang Qiao] - Nighttime attacks: KD 6 [Yin Qiao] - Moxa
Other therapies	- Hand Acupuncture [don't have to needle, can press, massage] - Revive: Tip of middle finger, 0.2 cun from fingernail - Stop convulsion: Midpoint of intersection of thenar & hypothenar eminence - Ear Acupuncture: LV, Brain, Shen Men - Herbs [If herbs too strong or nasty, have mother drink herbs & baby will get through breast milk] - Smaller doses, short duration (< 1 week), constantly modify treatment - Jing Feng Wan [Acute, especially heat] - Niu Huang Qing Xin [Cold] - An Gong Niu Huang Wan [Extreme Heat] - Bu Zhong Yi Qi Wan [SP Qi Xu/Sinking] - Jian Pi Wan [ST Deficiency, poor appetite] - Tuina, Gua Sha, Cupping - Avoid bleeding, strong stimulation	Western View - Abnormal electrical discharges in CNS occurring in babies - Usually manifested by stereotyped muscular activity or autonomic changes - Causes: - Primary intracranial process [meningitis, cerebrovascular accident, encephalitis, intracranial, hemorrhage, tumor] - Secondary to a systemic or metabolic problem [hypoxia-ischemia, hypoglycemia, hypocalcemia, hyponatremia] - Evaluation - Begin with blood glucose, Na, K, Cl, Bicarbonate, Ca, Mg - Obtain cultures from peripheral sites, blood, CSF - Examine CSF microscopically for WBC, RBC, organisms - Measure glucose & protein levels - Skull X-rays may reveal intracranial calcifications - EEG helpful for difficulty deciding whether infant is having seizures - Treatment should immediately follow initial efforts to identify cause - Drug of Choice: Phenobarbital → Loading dose of 20 mg/kg IV

	Infantile Diarrhea	Nocturnal Enuresis
Definition	• Characterized by disharmony of SP & ST with frequent bowel movements & loose or watery feces • Children often have diarrhea, also have frequent bowel movements • Intestines still developing, relatively short, • SP Qi is relatively deficient because it's still developing • 2-4 times per day is normal as long as the quality is good [Like butter] • May occur in any season, but more frequently in summer & fall [More contaminated foods] • Feed baby 70% full, Dress baby 70% warm	• Bedwetting: Urination during sleeping in kids > 3 years old • Zang Fu: LU, SP, KD, UB Control of Urination • TCM: KD • WM: UB
Etiology & Pathogenesis	• Irregular diet: Need to set up new regularity, new patterns • Contaminated food & milk intake • Improper attending • SP & ST Xu • Unable to digest & absorption	• Weak constitution: Unable to properly secure body fluids • KD Qi Deficiency: KD controls urination [UB power granted by KD] • Unable to restrain urine • LU & SP Qi Deficiency [Chronic diseases] • Inquire: Respiratory infections, lung issues?
Symptoms	• Abdominal distention accompanied by borborygmus & abdominal pain • Pain usually followed by bowel movement, relieved after bowel movement [Crying, scratch stomach] • Several times of BM a day with sour & putrid feces • Overfeeding: Undigested food, undigested milk in stool, frequent belching, turn away when try to feed • Damp Heat: Inflammation, loose stool with yellow color & offensive smell, sometimes even with pink/red color, abdominal pain, fever, thirst, burning sensation on anus, • Scanty, dark urine: not enough water to form urine → concentrated	• Lower Jiao Cold & Deficiency [KD Yang Qi Xu] • 1-2 times bedwetting each night • Accompanied with pale complexion, delayed development • Clear, frequent urination during day • Prefer warmth, feel cold all time, cold extremities • Tongue: Pale • Index finger: Vein on Qi section → KD organ • LU & SP Qi Deficiency • Bedwetting after suffering from respiratory disease • Frequent, but small amount, scanty • Fatigue, lassitude, poor appetite, loose stools • Light or puffy tongue
Tongue	• Overfeeding: Sticky tongue coating • Damp Heat: Yellow, sticky tongue coating	•
Pulse	•	•
Treatment Principle	• Stop Diarrhea by adjusting SP/ST or eliminating Damp Heat • Points: SP, ST, REN channels	• Warm & Strengthen KD Qi/Yang by reinforcing techniques & moxa • REN, SP, UB, LU points [Water related organs, irrigation system] • LU: Upper • SP: Middle • UB: Container
Prescription	• SP 15, ST 25, ST 37, • Si Feng: On palmar side of hand, proximal crease of fingers • Mostly just for kids, not adults • Used for food accumulation, malnutrition • Needle & squeeze out yellow/pink fluid • Can also use acupressure or needle (in/out) • Zhi Xie [Stop Diarrhea]: 0.5 cun above REN 4 → Moxa • SP & ST Xu: St 36, SP 6, UB 20, UB 21 • Overfeeding: REN 12, REN 6 • Damp Heat: SP 9, LI 11, LI 4 • Vomiting: PC 6 [If not enough → PC 3] • Frequent BM: REN 8, REN 4	• Major: REN 4 [Dan Tian, Source Qi], SP 6 [Intersection KD, SP, LV] • Secondary Points [Choose 1 or 2 based on diagnosis] • REN 6, DU 20, SP 9, SP 6, REN 3, • UB 28, UB 23, UB 22, UB 20, • ST 36, LU 7 • Special Technique • Empty UB before treatment • De Qi [Get Qi extended to genital area] • Inducing Qi • Moxa to warm up lower abdomen, extend to genital area
Other therapies	• Ear acupuncture: LI, SI, SP, ST, Shen Men • Hand acupuncture • Gastrointestinal: Located at midpoint between PC 7 & PC 8 • Herb • Bao Huo Wan [Overfeeding, Thanksgiving dinner, too much protein] • Da Shan Zha Wan [Overeating with meat] • Jian Pi Wan [Promote appetite] • Bu Zhong Yi Qi Wan [Middle Jiao Qi Deficiency, Qi Sinking] • SP Qi Sinking → Anal prolapse • Fu Zi Ni Zhong Wan [SP & KD Yang Xu] • Tui Na	NO BLEEDING!!! • Hand Acupuncture • Bed wetting point: On palmar side of pinky, distal crease ▪ Massage, Tui Na, needle, acupressure • Cupping: REN 4 with needle inside [Difficult cases] • Moxa: REN 3 or REN 4, UB 33 until heat spreads to lower genital area • Ear Acupuncture: KD, UB, Brain, Urethra, Shen Men, Empathetic? • Point Injection: • Inject B1 or B12, Dang Gui (Angelica) • UB 23 or 28 [0.1 mL once/week] • Cutaneous acupuncture [7 star] • HTJJ [T4 → L2] • REN 4, REN 6, SP 6, UB 33 • Head acupuncture: Leg, motor sensory area, reproduction • Herbs • Suo Quan Wan • Tui Na

Final [After midterm]

Pediatrics

- Introduction
 - Kids have 2 common disorders [80%]
 - GI disorders [overeating, overfeeding]
 - URI [respiratory]
- Special diagnostic approach: index finger [3 sections]
- What is relatively insufficient [Yin]: 1 step behind, Yang run too fast
- Kids still in development of spirit, Zang Fu, → Liable to be aff
 - EPI
 - 7 emotions
 - High fever → Convulsions
 - (everything delicate, in development)
- 3 index finger
 - Mild: Wind section
 - Vein show up on fingertip → Condition very severe, critical
- When treating kids, often make treatment short & mild stimulation [herbs small dose], constantly change treatment, few points as possible
- Convulsions
 - Usually happen in which age range? 1-5
 - 2 types: what are they?
- Case study on infantile convulsions
 - Do what for emergency, acute → Send to ER
 - IN countryside: What do you do? (no doctor available)
 - How treat acute convulsions? Technique, principle, points, secondary points
- Diarrhea
 - Often occurs in which season: Summer & fall [more bugs]
 - Case study: pay attention to overfeeding of babies → diarrhea
 - Treatment, diagnosis, acupuncture points & secondary points
- Vomiting too much: which points to use?
- Reconnect heart & kd: Which points? Front mu of heart REN 14 + KD 2
- TCM bedwetting: Associated with which organs? LU, SP, KD, UB
- Treat bedwetting: so many approaches → everything except bleeding
 - Cupping, moxa, 7 star hammer, herbs [NOT bleeding]
- Morning sickness
 - How diagnose
 - Differentiation: how many?
- Insufficient lactation: how treat? Points? Techniques?
 - 2 points use for what: GB 41 & GB 37 → Terminate lactation [Lactifuge]
- Infertility: Case study
 - TCM very good for infertility → what diagnosis? Slightly fluffy [damp phlegm, stagnation] → Good clinical results
 - How treat infertility caused by phlegm, stagnation, how needle them, before needle, what do you do?
 - How tonify KD essence?
 - KD tonics → He Sea points KD 10, beautiful baby point [KD 9], SP 6 [Very good tonify KD essence]
- Women change life to menopause: What gets deficient? KD Declining → causes menopause
 - KD Qi gets deficient first, then Yin & Yang
- Infertility caused by cold uterus → How treat
- One point in gyn: Du Yin → what used for? Excessive menstrual bleeding
- External wash: what condition? Only one condition mentioned that
- Needle for morning sickness: Focus on contraindicated points during pregnancy [which ones are that?]
- When you treat pregnant women? What techniques use? Even or MILD!!! Not strong!
- Bedwetting: What age in definition [3 years and older]
- Menstrual cramps: very painful, dysmenorrhea, which point → SP 6, Zi gong [relieve pain then get diagnosis]
- Extra meridian: Dai Mai doesn't have own points → GB points [26, 27, 28, 41] (Borrow from just one meridian)
- Menstruation related headaches: GB 41, [points]
- Extra point: Zhi Xie → Stop diarrhea!
- Review all handouts

Angina Pectoris [Xiong Bi]

• **Definition: Angina or Angina Pectoris**

- Chest pain due to ischemia of heart muscle
- Most common symptom of coronary artery disease

• **Gender:** M > F• **Age:** Older > Younger [52-57]

- People that suffer from average to severe cases of angina have an increased percentage of death before the age of 55, usually around 60%

Western Medicine: Etiology, Pathology, Manifestations• **Most common cause:** Coronary Artery Disease (CAD) by atherosclerosis

[caused by deposition of cholesterol plaque on the endothelium, which makes the arteries narrow & stiff → impedes supply of oxygen to heart & causes chest pain]

• **Another cause:** Coronary artery spasm. Results in reduction of adequate supply of oxygenated blood to heart muscle cells

- Inadequate oxygen → Necrosis

Common causes

- Age [M: About 55, W: About 65]
- Cigarette smoking
- Diabetes Mellitus (DM)
- Dyslipidemia
- Family history of premature cardiovascular disease
- Hypertension,
- Kidney disease
- Obesity [BMI > 30]
- Physical inactivity
- Prolonged psychosocial stress [stress, anxiety]

Conditions that exacerbate or provoke angina

- Medications [Nitrates, nitroglycerine]
 - Sublingual administration: faster absorption, no liver metabolism [or chew & put under tongue]
 - 3 doses max (1 dose every 5 minutes, after 15 minutes, go to ER)
 - Patient shouldn't lay down → lean against wall
- Vasodilators/Vasoconstrictors
- Excessive thyroid replacement
- Polycythemia
- Profound anemia
- Uncontrolled hypertension
- Hyperthyroidism
- Hypoxemia
- Tachyarrhythmia
- Bradyarrhythmia
- Valvular heart disease
- Hypertrophic cardiomyopathy

Western Medicine Classification• **Stable Angina [Effort Angina]**

- Definition: Refers to symptoms related to some activity with minimal or non-existent symptoms at rest or with administration of sublingual nitroglycerin [Heart muscles need more oxygen]
- Exhibits a **definite pattern** [Bad news may exacerbate]
- Commonly induced by exercise
- Generally relieved after resting
- Pain usually lasts 3-5 minutes, medications help relieve pain
- Pain Experienced in chest may sometimes spread to other parts of body [neck, shoulder, left upper back, left arm]
- Pale face, spontaneous sweating, cold, blood pressure changes

• **Unstable Angina**

- Occurs at rest or with minimal exertion [Usually lasting > 10 min]
- Chest pain can last 10-15 minutes
- Severe & new onset
- Occurs with **crescendo pattern**
- Can't be cured by rest or medications
- **NO regular predictable pattern like stable angina**
- EKG Pattern: ST up
- Sound: More than 2 sounds [3-4 sounds]

• **Variant Angina [Prinzmetal]**

- Narrowing of coronary arteries caused by contraction of smooth muscle tissue in vessel walls rather than directly by atherosclerosis. Occurs more in younger women (~55) → Can lead to heart attack
- More chest discomfort than actual pain
- Described as heaviness, burning, choking, squeezing, constricting, tightness, pressure or crushing [Elephant leg pressing on chest]
- Pain location may be experienced in epigastrium, back, neck, jaw, shoulders or arms [Pain Radiation]
- Lasts from 5-30 minutes
- Can cause fainting or loss of consciousness
- Can occur while resting or sleeping
- Rest not helpful
- Relieved by taking appropriate medicines
- Occurs usually between midnight & morning
- Anti-acids & simple analgesia do not usually relieve pain

Clinical Manifestation	Angina Pectoris	Acute Cardiac Infarction
Cause	Emotion, exertion, Eating too much	Not Obvious
Location	Behind sternum [50%-75%]	More at left chest Less at sternum
Type	Pressure	Squeezing
Radiation	Localized	Wide
Duration	Several minutes	> 30 minutes
Nitroglycerine	Effective	Not effective
Blood pressure	No change, slightly raised	Lower
Coma	No	Yes
Difficult respiration	No or Less	Yes
Fever	No	Yes
WBC Increased	No	Yes
ESR [Erythrocyte Sedimentation Rate]	No	Rapid
Seroenzyme	No	Raised

Angina Pectoris [Xiong Bi]				
Excess	Heart Blood Stagnation	Pathogenic Cold Accumulation	Pathogenic Phlegm Damp Accumulation	Heart Fire Blazing
Etiology	- Qi Stagnation, Grief, anxiety - Deficiency conditions - Long term illness + bad news or emotional stress, anger	•	•	•
Main Symptoms	- Palpitation - Spontaneous sweating - Stabbing pain in chest - Pain fixed or spreads to back & ulnar side of left arm - Worse at night or at rest - Often caused by over-exertion, emotional changes, over eating, excessive drinking - Severe cases: green color on face, dark green color on lips, nails, cold limbs	- Colicky or twisting pain - Sudden onset - Induced by cold pathogen - Exacerbated when attacked by cold - Oppressed feeling in chest (suffocation) - Pale complexion, - Aversion to cold, cold limbs - Asthma in severe cases - Palpitation - Not able to lie down	- Oppressed feeling - Dull pain behind sternum - Pain spreading to shoulder, abdomen & back - Occurs after overeating - Obesity, Excessive sputum - Head distention - Dull mental activities - Heavy limbs - Fullness feeling in stomach - Low back pain from obesity - Phlegm Damp: Drain damp	- Palpitations, burning pain - Mouth & tongue ulcers - Mental restlessness - Agitation, impulsiveness - Insomnia, Dream disturbed sleep - Blood in urine or dark urine - Bitter taste in mouth - Thirst, heat sensation - Midline crack (line from lower jiao to upper jiao) → KD water disharmonized → KD not sending water to calm HT fire → Insomnia, KD & HT disconnect [KD Yin Xu]
Tongue	• Dark purple, thin coat	• Pale tongue, white coat	• Mucous & greasy coat [Chronic damp]	- Red with very red tip [HT fire] - Yellow coat [heat] - Possible midline crack
Pulse	• Choppy	• Deep, tense [pain due to cold accumulation], slow [cold]	• Slippery	- Rapid & full especially - Possibly irregular
Treatment Principles	- Regulate Blood, Remove stasis, - Tonify & warm HT yang, or - Sedate HT Fire or Tonify HT Blood, Calm Shen	- Activate Yang - Expel Cold - Relieve Stagnation	- Activate yang, - Eliminate phlegm - Relieve stagnation	- Clear Heat in HT - Calm Shen
Points	- PC 6: Regulate blood flow [open chest], regulate heartbeat - PC 4: Very good for HT pain - HT 6: Move - HT 7: Calm - REN 17: Open chest [w/ PC 6] - REN 14: Local [Front mu of HT] - UB 14, 15: Local, regulate blood circulation - UB 17, SP 10: Move blood - KD 25: Local → Move blood	- UB 15 - UB 14 - PC 6 - HT 5: Tonify HT Qi - UB 12 [Wind Gate] & UB 13: Increase Wei Qi to better tolerate cold - REN 4 & 6: tonify [Moxa → cold]	- REN 17 - REN 12: Stomach - REN 6 - REN 14: Local, Front Mu of HT - PC 4: Stop pain - ST 40: Phlegm damp - LU 9: Protect lung, help LU Qi - UB 13: LU - UB 15: HT - UB 23: manage water - UB 24: Help KD, local	- HT 9 & HT 8: clear HT heat - HT 7: Calm - REN 17: calm - SP 6: Nourish - KD 6: Nourish & clear heat
Herbs	Tao Ren Hong Hua Tang - Tao Ren 9, Hong Hua 9 - Dang Gui 9, Sheng Di 9 - Chi Shao 9, Chuan Xiong 6 - Zhi Xiang Hu 9, Dan Shen 9 - Qing Pi 6, Chuan Shan Jia 9 - Yan Hu 9	• Guan Xin Su He Wan	• Gua Lou Pian	- Zhi Mu 10, Huang Bai 10 - Sheng Di 12, Shan Yu Rou 10 - Dan Pi 6, Zhi Xie 6 - Fu Ling 10, Ye Jia Teng 18 - He Huan Pi 12, Shi Chang Pu 10 - Lian Xin 10
Lifestyle	- Stop smoking - Regular exercise - Control weight - Early bed, early morning exercise - Deficient constitution [HT Yang Xu → Blood vessels not circulating well] Morning exercise tonifies yang - Manage cholesterol, blood pressure, DM - Dietary: Low calorie, low fat, low cholesterol, light taste, - Avoid spicy, pungent, high protein, high fiber, unsaturated fatty acid - Avoid overeating, cigarettes, alcohol - Avoid constipation	- Keep warm, avoid cold - Eat warm food, avoid cold & raw food	- Diet should be light taste, low salt, easily digested food but high nutrition [don't want SP to work too hard because it is already deficient] - Avoid cigarettes, alcohol, pungent food	- Diet: Light taste, low salt, easy digested food but high nutrition [for yin → Need substance to nourish yin] - Avoid: cigarette, alcohol, pungent food, deep fried food [no nutrition]

Angina Pectoris [Xiong Bi]				
Deficient	HT & KD Yin Xu	HT Blood Deficiency	HT Yang Deficiency	HT Qi Deficiency
Main Symptoms	• Dull chest pain • Palpitations • Insomnia, wakes often • Mental restlessness • Easily startled, poor memory • Anxiety • Heat sensation pronounced in evening • Low grade fever [may not have fever, but feel like have fever] • Malar flush • Night sweats & 5 Palm Heat • Dry mouth & throat • Vertigo, tinnitus, weak knees • Sore back	• Palpitations • Dull pain • Discomfort feeling • Insomnia, Dream disturbed sleep • Poor memory, Anxiety • Easily startled • Dull, pale complexion • Pale lips, dizziness	• Yang = function • Palpitations • Dull pain • Discomfort feeling • Shortness of breath on exertion • Fatigue, sweating • Discomfort in chest & heart region • Sensation of cold • Cold limbs & hands • Bright, pale face • Pale lips & nails • Bruised, sore lower back	• Palpitations • Dull pain • Discomfort feeling • Fatigue • Shortness of breath • Spontaneous sweating • Pale face
Tongue	• Red with no coat • Possible red tip or red points	• Pale & slightly dry	• Pale, wet, swollen body	• Normal color • Severe: pale
Pulse	• Fine & rapid or • Floating, empty, rapid	• Choppy or fine	• Deep & weak • Knotted in severe cases	• Deep & weak
Treatment Principles	• Tonify & nourish HT Yin • Nourish KD Yin, Calm Shen	• Tonify HT Blood • Calm Shen	• Tonify HT Yang	• Tonify HT Qi
Points	• HT 7: Calm shen • PC 6: open • REN 14, • REN 15 • REN 4: Tonify yin [moxa to tonify yang] • HT 6, KD 7: Night sweat • KD 6: Clear heat • SP 6: Tonify yin	• HT 7 • PC 6: • REN 14: • REN 15: • REN 4: • UB 17: Tonify blood • UB 20: SP [absorb nutrition for blood]	• HT 5: tonify • PC 6: harmonize, open chest, move blood, help circulation • UB 15: local • REN 17: open chest, local • REN 6: Qi • DU 14: yang [moxa]	• HT 5 • PC 6 [PC 6 & REN 17 often go together to open chest] • UB 15
Herbs	• Zuo Gui Wan	• Gui Pi Wan	• Huo Xin Wan	• Huo Xin Wan
Lifestyle	•	•	•	• Ren Shen San Qi Soup • Ren Shen 10g • San Qi 5g [blood] • Pork 100g [guide] • Mild taste, salty [work with other tastes]

Palpitations	
• Palpitation Definition: Term that patient describes the feeling he/she can feel • Abnormality in normal beating of heart • Abnormality of heartbeat that ranges from often unnoticed skipped beats or accelerated heart rate to very noticeable changes accompanied by dizziness or difficulty breathing Western Medicine Etiology & Pathology Common Causes: • Hyperthyroidism • Adrenaline • Strong emotional responses [increase adrenaline] • Foods/Chemicals can imitate adrenaline effects: Trans fat, caffeine, alcohol • Hypoglycemia • Abnormal electrolyte levels [Too much sweat], • Excess/Insufficient glucose can cause electrolyte imbalance • Severe, long-term diarrhea • Hypopotassaemia • Hypomagnesemia: Seafood, seaweed, Calcium (milk, shellfish) • Lung Diseases • Heart Neurosis [Not heart organ issue] • Atrial Fibrillation • Supraventricular Tachycardia • Premature ventricular contractions, ventricular tachycardia, ventricular fibrillation • Mitral valve prolapse • Bradycardia: Too slow • Pulmonary heart disease • Arrhythmia • Angina pectoris • Rheumatic heart disease, Hypertensive heart disease • Strenuous exercise • Anemia • Stimulants: Caffeine, rich food, spicy food, alcohol, nicotine, pseudoephedrine, Ma Huang, albuterol inhalers, theophylline, thyroid replacement medications, illegal street drugs [cocaine, amphetamine] • Panic attacks • Fever • Dehydration • Hormone changes Manifestations • Rapid heartbeats • Skipped heartbeats sensation [Genetic or pathogenic] • Fluttering heartbeats • Pounding or racing feelings • Chest pain • Chest fullness, sometimes in throat or neck • Dizziness, shortness of breath, sweating, nausea & vomiting • Heartbeats pumping harder than usual • Fatigue • Syncope • Heart palpitations can occur whether you're active or at rest, whether you're standing, seated or lying down and after eating • Duration: few seconds to several hours • Frequency: Rare to more than daily When to refer to ER? • Any heart disease that could predispose to a dangerous arrhythmia • Ischemic Heart Disease, Heart Failure, Cardiomyopathy, Valve disease • Symptoms indicative of serious complications • Breathlessness • Chest Pain • Syncope or near syncope [dizziness, cold sweat, shaking, pre-coma symptoms, severe bleeding (possibly internal)] • Elevated or low blood pressure • Low Blood Pressure is very dangerous	TCM Etiology & Pathology Excess Conditions causing Palpitations • Mental Disorders [Timidity, Fright, Rage] • Impairment of LV & KD: Not enough Blood & Qi, then strong emotional stimulation → palpitation • Yin Xu, Xu Fire • Weak HT Qi & GB Qi • Phlegm Damp Accumulation • Rich, fatty food → Palpitations • Extra water: Phlegm or edema [extra water] • SP Yang Deficiency: Water will mist the HT → HT function fail to work • Phlegm becomes Heat → Goes upward to mist HT • Pathogenic Factors invading HT • Bacteria, viruses • Illegal drugs, poison, poison herbs • Improperly prepared Fu Zi [20-30 g of raw Fu Zi] • Accumulation of blood stasis → HT Blood stagnation ▪ Hurts yang • Chronic Disease, Impairment of HT Yang Qi • Accumulation of blood stasis → HT blood stagnation → Palpitation Deficiency Conditions causing Palpitations • Chronic Disease, Weak Constitution → Impairment of HT & SP → Heart Blood Xu → Palpitation • Overstrain & over consumption of Yin/Blood/Qi or severe blood loss → • Insufficient nourishment of HT → Palpitation • Work too hard, exercise too much without proper nutrition • Sexual indulgence, Frequent emissions, frequent childbirth [Loss of KD Qi] • KD Yin Xu → Xu Fire → HT & Mind disturbance → Palpitation • KD Yin Xu: KD doesn't have enough water to calm HT fire → HT & KD disharmony [HT can't calm] → Palpitation • Chronic disease, impairment of HT Yang Qi → KD & SP Yang Xu → Palpitation Other Therapies • Auricular: HT, Sympathetic, Shen Men, Subcortex, SI • Lifestyle: • Avoid rich food, spicy food, greasy food, caffeine ▪ Yang Xu → SP cannot digest [eat light taste, easy to digest food] • Moderation: Workload, work schedule, rest amount, rest schedule • Reduce stress, be cheerful [Don't worry, be happy] • Stop smoking & Recreational drugs • Dress according to health & weather • Avoiding medications that act as stimulants • Proper exercise: Depends on health

Palpitations			
	Excess Conditions		Deficiency Conditions
	Heart Blood Stagnation	Heart Phlegm Fire	Pathogenic Water Attacking Heart
Etiology	• Qi deficiency for a long time → Get lazy → Cause stagnation • Source: HT Yang Deficiency → Causes stagnation • Diagnosis should always match chief complaint	• Eating too much fatty food → Hurts SP • Causes Damp phlegm accumulation → Heat	• SP Qi/Yang Xu → Phlegm accumulation → Water Retention [Edema] due to failure of SP functions • Peristalsis slow → fullness in stomach area • Don't like to lay down due to water retention in middle diao • Yang Xu → turbid yang goes up [clear, good yang is Xu → Turbid yang goes up and takes pathogenic factors [HT, brain] → phlegm mist mind, stroke → Mist HT → Palpitations]
Main Symptoms	• Palpitations, skipping/fluttering heartbeats • Worse at night • Stabbing Chest pain • Dark purple lips & nails	• Palpitation • Vertigo, vomiting phlegm, cloudy mind [phlegm misting HT] • Fluttering heartbeats, dull chest pain • Nausea, dizziness • Irritability [Heat], restlessness • Bitter taste [heat, fire] • Abdominal distention [phlegm] • Dry stool or constipation • Dream disturbed sleep [fire]	• Palpitation • Expectoration of mucous sputum [not thick] • Fullness in chest & epigastrium • Lassitude, weakness, cold extremities • SP & KD Yang Xu: Scanty urine, thirst without desire to drink [indicates phlegm damp accumulation]
Tongue	• Dark purple, • Thin white coating • [Source: HT yang deficiency → Qi Xu plus cold, not enough Qi. If affects SP Yang, will be thick coating → If thin coating, SP is ok]	• Red • Yellow greasy [long term damp] coat	• White coating
Pulse	• Choppy, knotted, Intermittent	• Slippery, rapid, wiry	• String-taut, rolling [not slippery, no phlegm] • [Not phlegm damp accumulation] • Wiry & tight similar → indicate stagnation • Wiry: Qi stagnation • Tight: Stagnation of visible stuff → rolling sensation [make sure not slippery]
Treatment Principles	• Regulate Blood • Remove stasis	• Transform phlegm, Clear Heat • Promote blood circulation	• Drain damp • Calm shen
Points	• PC 4: Help to stop HT pain • HT 3: Calm shen, move stagnation • REN 17: Open chest [originally yang xu] • REN 14: Front Mu of HT [local] • UB 15: [Local] • UB 17 & SP 10: Blood • SP 21: Regulate beat [Pay attention when needling]	• HT 4: Calm Shen • PC 7: Calm Shen, Clear Heat • LU 5: Clear Heat • ST 40: Phlegm • SP 6: Help SP Qi, Clear Xu heat • ST 44: Clear heat • PC 6: Calm Shen	• PC 6: Calm, open chest • HT 7: Calm • UB 15: Local • REN 14: Local, open chest, front mu • ST 36: • HT 5: Calm shen, regulate heartbeat • REN 9: Good for Water • REN 4: Qi
Herbs	• Fu Fang Dan Shen Pian	• Wen Dan Pian	• Ling Gui Zhu Gan Tang

Palpitations				
Deficiency	Heart Qi Deficiency	Heart Blood Deficiency	Heart Yin Deficiency	Heart Yang Deficiency
Etiology	• Full of fear [fly, fly, run away] • Scare them → die • Chicken, less blood in heart • Not enough blood supply to HT • Don't eat right food → insufficient nutrition	• Chronic Disease, Weak Constitution → Impairment of HT & SP → Heart Blood Xu → Palpitation	• Overstrain & over consumption of Yin/Blood/Qi or severe blood loss → • Insufficient nourishment of HT → Palpitation • Work too hard, exercise too much without proper nutrition	• Chronic disease, impairment of HT Yang Qi → KD & SP Yang Xu → Palpitation
Main Symptoms	• Palpitations, racing heart beats • Exacerbated after exercise or physical exertion • Shortness of breath • Spontaneous sweating • Pale complexion, dizziness • Fatigue, shortness of breath • Insomnia: cannot calm	• Palpitations [initiated or aggravated by mental exertion (uses HT Blood), worry for others] • Sallow complexion • Pale nails, blurry vision • Spots in visual field • Shortness of breath, fatigue • Pale lips, general fatigue, • Dizziness, insomnia • Poor Memory, concentration	• Palpitations [initiated or aggravated by mental agitation] • Startled or frightened easily • Insomnia, • Waking with palpitations • 5 Palm fever • Hot flashes, Night Sweat • Tinnitus • Dizziness, low back pain • Yang Xu: LBP & cold • Yin Xu: LBP & normal temp • LBP & hot → Inflammation [Qi stagnation or Bi Syndrome] • Weakness of knees & legs • May have atrial fibrillation or flutter	• Palpitations [aggravated by cold or physical exertion] • Slow pounding sensation • Oppressed feeling in chest • Insomnia, waking with palpitations • Pale complexion • Dizziness, shortness of breath • Scanty or frequent urination • Could have pitting edema [water retention]
Tongue	• Flabby [big → Not yin Xu] • Thin, white coating • [SP Qi Xu → thick coating]	• Small [blood Xu, possible yin xu] • Pale • Thin white coat	• Small, red • Little/no coat • KD & HT disharmony: Front to back crack on tongue	• Pale, thin white coat [SP]
Pulse	• Thin, weak	• Thready, weak	• Thready, rapid	• Thready & weak or • Deep & rapid
Treatment Principles	• Tonify HT & SP Qi • Strengthen HT function	• Nourish HT, Calm Shen	• Use KD Water to calm HT fire • Nourish HT Yin, Tranquilize mind • Regulate HT function • Connect HT & KD	• Nourish HT Yang
Points	• UB 15: HT • REN 14: HT • PC 5: Calm Shen • ST 36: SP Qi • UB 43: Tonify HT Qi [Zhong Qi → Receive nutrition, not SP Qi only] • DU 25: ↑ yang, best yang tonic point • HT 5: • HT 7: • ST 9: Regulate heartbeat, Be careful • PC 6: Open chest	• UB 15: Local • UB 17: Blood • UB 20: SP • REN 14 • ST 36: SP • HT 7: Calm • SP 3: Tonify blood	• HT 6: Clear heat • HT 7: Calm Shen • KD 6: Clear heat • UB 15: Local • UB 23: Help KD water • PC 8: Clear heat • KD 1: Clear heat, make more water	• PC 6: • HT 5: • REN 4: • ST 36: • KD 7: Water [distribution of liquid → water go to right place] → Tonify yang so that it can function • UB 14: PC • UB 15: HT • UB 23: KD
Herbs	• An Shen Ding Zhi Wan	• Gui Pi Wan	• Tian Wang Bu Xin Dan	• Shen Fu Tang

Dizziness & Vertigo	
Definition: Dizziness includes two different feelings • Lightheaded: Feeling about to faint (Does not produce spinning sensation) • Vertigo: Causes spinning or whirling sensation, with No actual motion Western Medicine Etiology & Pathology Lightheadedness Common Causes • Orthostatic hypotension: Stand up too fast, change of position • Allergies: Drugs, smoke • Common cold • Dehydration: Fever, severe vomiting, diarrhea • Hyperventilation: breathing too fast, deep • Anxiety, stress • Alcohol, tobacco, drugs • Severe bleeding: injury, heavy menstruation, internal bleeding • Arrhythmia • Medicines: taking too much, adverse reactions, forget if took it Vertigo Common Causes • Inner ear disorders [Benign Paroxysmal Positional Vertigo (BPPV): Crystal in ear drops outwards?] • Injury to ear, head, neck → injury to arteries → blood supply to brain drops • Neck: pinched nerve • Migraines • Vertebrobasilar insufficiency • Cholesteatoma • Acoustic neuroma: tumor in ear • Brain tumors, cancer • Stroke • Transient Ischemic Attack [TIA] • Cerebellar hemorrhage (bleeding in brain space): Urgent care needed • Severe headache, difficulty walking • Have eyes follow finger: can go to side with no bleeding but not go to side with bleeding • Sooner treatment, the better → Less brain damage • Not sub-arachnoid bleeding: could have coma, vomiting, nausea, seizure, trouble speaking, faster speaking rate [can't understand] → Very urgent, usually die within a day • Parasite bit foot → moved to brain & caused bleeding • Diabetes • Overmedicating • Alcohol & medicine interactions • Drug intoxication or withdrawal effects • Multiple sclerosis Vertigo manifestations • Sensation of disorientation or motion, • Nausea or vomiting • Sweating [can be cold sweat], • Abnormal eye movements • Difficulty speaking [Is this the speed you usually speak?] • Difficulty walking, Decreased level of consciousness • Symptoms can be constant or episodic • Duration: minutes to hours • Onset cause: movement or change in position • May have hearing loss or ringing in ears When Refer to ER? • Double vision: Tumor pressing on nerve in brain, insufficient blood supply due to pressure • Headache: Severe, splitting, extreme, could be hemorrhagic stroke • Subarachnoid, cerebellar • Weakness in limbs: Stroke [One arm → ER immediately, probably stroke] • Difficulty walking • Difficulty controlling arms: Usually cannot control index finger first, once it gets to arms, is very advanced, severe • Difficulty speaking: Difficulty saying simple words, Brain & tongue don't move • Abnormal eye movements • Consciousness: Not acting appropriately → Hemorrhagic stroke	TCM Etiology & Pathology • Most dizziness patients are deficient [Most often SP, LV, KD] • Vertigo: Classified as those caused by external or Internal Influences • External: Invasion by external pathogen [virus or bacteria] • Internal: Deficiency in body, resulting in too much (turbid) or not enough (clear) Yang to head. Can be caused by chronic illness, long periods of stress or improper diet • Categorized into 2 main categories: Mild & Severe • Mild: Feeling of spinning which disappears once person closes eyes • Severe: Feeling of spinning still present with eyes closed Dietary [First in ancient times, then moxa, then acupuncture, then herbs] • Ai Ye (45g), Black Bean 30g, Egg (2 pieces) → Tonify Blood • Gou Qi Zi 15g [LV], Hong (Da) Zao 10 pieces, Egg (2 pieces) • Chinese Celery 500g, Bitter melon 60g [make soup] • Ginseng [Qi collecting] 3g, Rice 100g [Qi Tonic] Avoid [Sweet, not good for phlegm obstruction] • Honey, Chinese date • Red Pepper [Not good for Yang rising, but can help Yang Qi, Qi & Blood Xu] • Ginger • Green onion (Avoid for Qi deficiency): Can raise Yang Qi • Daikon [Qi mover → enemy of ginseng] (Avoid for Qi deficiency) • Lychee [Very hot: good for yang tonic, avoid for phlegm damp] • Herb (Mostly sweet): Huang Jing, Bing Lang, He Ye, Gui Yuan, Huang Qi, Ginseng, Chuang Xiong • Mustard green [move Qi, using too much can cause wind] • Cinnamon [not good for Qi → moves Qi, can tonify yang a little] • Tea [move Qi], Wine • Goose [eating too much cause muscle spasms, sweet →, • Rooster [sweet, hot → yang tonic], Chicken (hen): • Dog [very yang, hot → nourish yang (eaten in fall season in Asia)], • Fat: Dimsum → 30-50% fat Lifestyle • People whose balance is affected by vertigo should take precautions to prevent injuries from falls → patient should lie down calmly & reduce movement • At onset, one should bed rest in calm & quiet environment, fresh air & darker light room • Be happy, avoid harmful stimulation to mind. Reduce anxiety & fear. • Light diet, especially important for patients with abundant phlegm, taking small, frequent meals • Patients with serious dizziness or vertigo, drastic vomit, eye vibrations, limb numbness vague mind & unstable blood pressure should be promptly treated Tongue Notes • SP Qi: Tooth marks • Big, no tooth marks → LV overacting on SP Pulse Notes • Choppy: Like bamboo scratching [compare to • Slippery: Press → Disappear [metal balls on dish slip out because don't have force to fight] • Choppy: Press & pushes back [stagnation → pushes back] • wiry, tight] • Uneven, irregular: Sometimes there, sometimes not Other Notes • KD 3: Yin [Tonify Yin stronger than KD 6] • KD 6: Stronger to clear heat • Menopause: KD 3, KD 6 & SP 1

Dizziness & Vertigo					
	Excess Conditions			Deficiency Conditions	
	LV Yang Rising	Phlegm Obstruction	Blood Stagnation	Qi & Blood Xu	KD Essence Insufficiency
Etiology, Mechanisms	LV Fire uprising: Fire too much, too long time → Injure yin → Causes more fire → fire & yin Xu → More dizziness LV overacting on SP: SP deficient → LV overact on SP easily [SP can't separate clear & turbid → Clear doesn't rise & turbid goes up (If clear doesn't want to go up, turbid will rise) → SP function ↓ → Clear yang blockage → Dizziness LV Yang will bring wind → Causes dizziness Long term KD Yin Xu → not enough substance to produce LV Blood → LV Blood & Yin deficient → Causes LV Yang ↑ [Mechanism of stroke (long term KD yin Xu)]	Impairment of Zong Qi: Eating wrong food at wrong time [Late at night, don't eat breakfast or lunch, then go to buffet] - Ranges from starving to overeating in short time - Wrong food: Cold, raw, fatty - Live in fresh air & eat right quality food at right time → Produce Ying Qi & Wei Qi Phlegm accumulation: - Phlegm mists mind → Phlegm in middle jiao, goes to upper jiao & causes dizziness	Injury, surgery → Blood stagnation causes Qi stagnation, eventually both Qi & Blood are stagnant → block upward movement	Loss of blood: severe menstruation, bleeding, vomiting blood, long term illness, working too hard mentally & physically → don't have the blood supply to replace what's lost. If don't eat right food to replace/support hard work → Qi & Blood Yang Xu: Qi Xu + Cold Qi & Blood Xu: Brain doesn't have blood to nourish → dizziness	Impaired KD Essence: Indulgence in sex, work, lack of sleep, poor constitution for too long, eat at wrong times [eating when don't want to eat], eat only junk food (chips), deep fried food, food that lacks nutrition, long term illness (diabetes), all factor affect KD essence - Usually happens in older people [severe KD Qi Xu], lost hair
Main Symptoms	Excess: - Dizziness/vertigo - Aggravated by stress, anger - Headache, migraine - Easily angered Bitter taste - Insomnia with disturbed dreams - Blurry vision - Relieved by rest Deficiency: - Dizziness/vertigo Lower back pain, tinnitus - Fatigue, dull mind	- Dizziness/vertigo feels like being on boat or feels like world is spinning, even in bed (feels like bed spinning) or when eyes closed. [Meniere's Disease] - Symptoms may be triggered by movement of head or strong smells Heavy head - Chest distention - Fatigue, Nausea	- Dizziness/vertigo due to external injury in head - Dizziness/vertigo with no cure after treatment for long time Headache in fixed area - Prickling pain with no response to conventional treatment - Dark complexion, lips - Insomnia, lassitude - Palpitation	- Dizziness/vertigo - Easily occurring or aggravated when patient is tired - Pale, dim complexion Pale lips & nails - Lassitude Shortness of breath - Palpitation, insomnia - Dreaming, forgetfulness Poor memory Spots before eyes - Poor appetite - Poor digestion - Western: anemia [blood deficiency]	- Dizziness/vertigo worse with sex, overexertion, late at night - Lower back & knee weakness, Tinnitus Heel pain, listlessness, - Poor sexual function Yin Xu: Feverish sensation in chest, palms, soles, night sweat, nocturnal emission, irregular menstruation Yang Xu: Aversion to cold, cold pain in waist & knees, genitals, impotence
Tongue	- Red body Big (fills whole mouth) with little or no teeth marks [Not just SP Qi Xu → LV overacting on SP] - Thin yellow, peeled coat	- White, greasy [chronic phlegm damp] coat - Big Body	Dark purple tongue with Ecchymosis (bruised, blue spots)	Pale, Thin coat	Yin Xu: Small, red, scanty coat Yang Xu: pale, flabby
Pulse	Wiry, Rapid	Soft, slippery	Choppy, uneven	Thready, weak	Yin Xu: Rapid, thready Yang Xu: Deep, soft
Treatment Principles	- Calm LV to suppress yang - Tonify KD Yin	- Damp, Resolve phlegm - Regulate SP - Stop dizziness	↓ Blood stasis ↑ circulation - Clear channels - Induce resuscitation	- Tonify SP - Nourish HT	Yin Xu: Nourish yin, reinforce KD Yang Xu: Restore yang, warm KD
Points	LV 3: Main - GB 20: LV Wind - UB 18: LV - UB 23: KD - LV 2: Heat - GB 43: Heat - SP 6: Yin - KD 3: Yin - SJ 17: Tinnitus - Tai Yang: Headache	- ST 8: Headache [phlegm obstruction] - PC 6: nausea, vomiting - REN 12: Phlegm - SP 9: Water - SP 6: SP function - ST 40: Phlegm	- DU 20: Help brain - GB 20: Wind [blood stagnation causes wind] - UB 17, SP 10: Blood - LI 4: Qi - SP 6: Yin	DU 20: Raise Yang Qi [moxa] - UB 15: HT - UB 20: SP - UB 17: Blood [Tonify] - REN 4: Qi [moxa] - ST 36: Qi - HT 7: Qi, Blood - PC 6: Regulate chest [Qi & blood] - Si Shen Cong: Stronger than DU 20	- Du 20: Yang [moxa] - Si Chen Cong: Stronger than DU 20 - GB 20: Wind, headache - UB 10 & UB 17: Blood - UB 23: KD - DU 4: Yang [moxa] - KD 3: Yin [Tonify Yin stronger than KD 6] - KD 6: Clear heat better - GB 39: Essence - Tai Yang: Yang
Herbs	Long Dan Xie Gan Wan	Er Chen Wan	Xue Fu Zhu Yu Wan	Shi Chuan Da Bu Wan	- Yin: Zhi Bai Di Huang Wan - Yang: Dan Gui Wan

Hypertension																				
Hypertension Definition: Arterial blood pressure at rest - Systolic > 140 mm Hg - Diastolic > 90 mm Hg - Affects approximately 640 million people worldwide (50 million Americans) Western Medicine Etiology & Pathology High Blood Pressure classified as Primary or Secondary Hypertension Primary: Exact cause of primary high blood pressure unknown. Several factors & conditions may play a role in development - Smoking: Decrease oxygen, increase HR, blood clots - After smoking 1 cigarette: increase - Systolic: increase 10-25 - Being overweight, obese: Every kg increases risk - Lack of physical activity - Too much salt [sodium] in diet, < 6 g salt per day - US: Probably have 30 g salt/day - Too many fatty foods - Too much alcohol consumption [>1-2/day] - Gender, Stress [LV Qi stagnation, LV Yang rising] - Loneliness, older age - Family history of high blood pressure - Environment - Chronic kidney disease - Adrenal & thyroid disorders Secondary - Organs that can increase BP: HT, Brain [stroke], KD - KD Disease [Renal hypertension] - Tumors, - Adrenal glands - Birth control pills, - Pregnancy [Gestational HTN] - Medications: Ask which medications patient is taking <table border="1"> <thead> <tr> <th>Classification</th><th>Systolic</th><th>Diastolic</th></tr> </thead> <tbody> <tr> <td>Normal</td><td>90-119</td><td>60-79</td></tr> <tr> <td>Pre-Hypertension</td><td>120-139</td><td>80-89</td></tr> <tr> <td>Stage 1 Hypertension</td><td>140-159</td><td>90-99</td></tr> <tr> <td>Stage 2 Hypertension</td><td>> 160</td><td>> 100</td></tr> <tr> <td>Isolated Systolic HTN</td><td>> 140</td><td>< 90</td></tr> </tbody> </table> Hypertensive crisis: Severely elevated blood pressure known to confer a high risk of complications [>180/110] Manifestations - Headaches [particularly at back of head & in morning] - Best time to take BP: morning [2nd highest throughout day] - Highest BP at day is noon - Night: BP should ↓ - Dizziness - Vertigo - Tinnitus - Fainting episodes - Anxiety - AV nicking at optic fundus [Look through eyes to see]			Classification	Systolic	Diastolic	Normal	90-119	60-79	Pre-Hypertension	120-139	80-89	Stage 1 Hypertension	140-159	90-99	Stage 2 Hypertension	> 160	> 100	Isolated Systolic HTN	> 140	< 90
Classification	Systolic	Diastolic																		
Normal	90-119	60-79																		
Pre-Hypertension	120-139	80-89																		
Stage 1 Hypertension	140-159	90-99																		
Stage 2 Hypertension	> 160	> 100																		
Isolated Systolic HTN	> 140	< 90																		
When refer to ER? - Systolic > 180 and/or diastolic > 120 - Blurry vision or other vision disturbances [double sided, one-sided] - Headache [very severe], dizziness [worsening] - Nausea, appetite changes - Hypertensive crises Etiology/Pathology - Excess phlegm damp: folic acid deficiency, high homocysteine, high fat diet, high cholesterol, high salt, red meat, dairy, sugar, alcohol, caffeine - LV Yang fire excess & wind stirring: Fire stirs up wind, wind blows upward & brings fire to head to cause hypertension, red face [cause stroke] - LV wind stirring & Qi/Blood rebellion - Fire & wind always go together - LV Wind stirring: Wind causes fire - KD water deficiency: Mental & physical indulgence & old age - Overworking, - Too much physical work → sweat → lose yin → lose yang (yin supports yang), need to eat (substance, yin) to have force (yang) → look older → KD water is less & KD yang doesn't process - KD Yang Xu: Not enough urine (yang doesn't bring urine to bladder) or profuse clear urine Auricular - Subcortex, Shen Men, LV, Sympathetic, HT, Endocrine, KD Dietary - Eat: whole grain, fish, poultry, high iron, high calcium - Hypertension: elastic force less → blood vessels get hard - Foods improve HTN - Daikon (clear), corn (yin), mushroom (qi), soybean (qi), date (blood), tofu (cool), seaweed (yin), hawthorn (very sour → LV), garlic (clean, tonify) - Avoid: salt, fat, dairy, red meat, sweet food, carbohydrate, lower sodium [read labels], limit alcohol & caffeine Lifestyle - Quit smoking - Safe exercise regularly - Reduce stress causes - Get enough rest - Deep breathing - Progressive muscle relaxation - Mental imagery relaxation - Relax to music - Biofeedback Prognosis - Improper treatment: can cause failure of HT, KD, cerebrum Other Notes - Chief Complaint 3 factors - Symptoms/Signs, Location, Duration [Examples] - Headache for 2 months - Elevated Blood Pressure for 2 months - Right ankle pain for 1 week - Symptomatic: Caused by Other diseases [urinary system, blood circulation, endocrine, cranial diseases] - Direction of DU 20 is not a big deal unless for kids, elderly, hospice																				

Hypertension: Excess Conditions			
	LV Yang Uprising	LV Fire Flaring	LV Wind Stirring Internally
Etiology & Pathogenesis	• KD Yin Xu → Not enough water • Mental Stress: causes LV Qi stagnation [Source is deficiency] (#1 cause of TCM HTN) • Stress slowly drain Qi, Blood, Essence • Original problem deficiency → suddenly have HTN [excess] • Too long time anger → Hurt LV Qi → LV Fire → Fire/Heat drains Yin, taking too long hot herbs → drain yin • Poor diet: coffee, sugar, alcohol, processed foods, overfeeding • Anger emotional injury	•	• Hypertensive crisis → Could cause brain damage • Phlegm disturbs shen • Wind stirs fire → brings up phlegm → blocks shen
Symptoms	• High blood pressure, dizziness, vertigo • Irritable, Distending pain of head & eyes • Red complexion, bloodshot eyes, thirst • Dry eyes, insomnia, anxiety, night sweats • Headache, sore & weak knees • Hot hands & feet • Numbness & tremors of limbs [LV Wind] • Dark, concentrated urine, dry stools • Blurred vision, tinnitus	• High blood pressure, dizziness, vertigo • Irritable, flushed face, thirst • Distention in head, eyes • Tight neck & trapezius • Dry, bitter taste → Fire [Bitter taste after sleeping → LV, after eating → ST Fire] • Red face, red eyes, nausea • Constipation, dark urine, epistaxis	• High Blood pressure, dizziness, vertigo • Fainting, sudden onset of headache • High pitched tinnitus • Numbness & trembling of limbs [LV Wind] • Palpitations, insomnia, flushed complexion • Thirst, constipation, scanty urination • Mental: Anxiety, irritability, hot temper, confusion (stroke), tongue stiffness • Sudden collapse, coma, aphasia, eye & mouth deviation, hemiplegia
Tongue	• Red, no coating [Yin Xu], peeled	• Red body, yellow coat, red edges [heat]	• Red body, thin yellow coat
Pulse	• Wiry, rapid	• Wiry, rapid	• Wiry, slippery (damp → blocking meridians, could be wind), rapid (heat)
Treatment Principle	• Calm LV, Drain Fire	• Calm LV, Drain Fire	• Calm LV wind
Prescription	• GB 34: Clear LV fire • SP 6: yin • LV 2: fire • GB 20: LV Wind • DU 20: Clear yang [raises clear yang] • SJ 6: Dry stool • HT 7: insomnia → calm	• LV 2, LI 4, LI 11: Clear heat • GB 20: wind • DU 20: Clear yang • ST 44: heat • ST 36: Qi Appetite [LV fire may impair appetite → help SP qi] • SP 6: Yin	• GB 20: wind • DU 20 • LV 14, LV 3: LV Qi • GB 34: LV Qi • PC 7: Clear HT heat, calm shen
	• Tian Ma Gou Teng Wan [Pian]	• Long Dan Xie Gan Tang	• Tian Ma Gou Teng Wan (Pian)

	Phlegm Obstruction	Head Blood Stagnation
Etiology & Pathogenesis	• Excess phlegm & damp • Impairment of Zhong Qi [Good air, good food, good water → good ying & wei qi] • To have good ying & wei Qi, need to eat • Phlegm accumulations [overeating]	• Head concussion, head injury, head surgery • Stagnation block clear yang from rising
Symptoms	• High blood pressure, dizziness, vertigo • Aggravated heaviness & head pain • Dull mind, somnolence (more sleep → more tired, from damp phlegm), poor appetite • Nausea (phlegm), heavy frontal headache, • Somnolence, limb numbness & heaviness • Obesity, poor appetite, nausea • Feeling in chest/epigastrium	• High blood pressure, dizziness, vertigo • Headache, palpitation, oppression in chest • Dark complexion
Tongue	• White greasy (chronic damp), big body (phlegm damp)	• Dark purple tongue, • Ecchymosis [blue spots on tongue] • Dark purple sublingual veins
Pulse	• Slippery & tight [blocking more]	• Irregular, choppy, deep [long process, chronic, difficult]
Treatment Principle	• Dispel phlegm, transform dampness	• Promote blood circulation to remove blood stasis
Prescription	• ST 40: phlegm • ST 36: Tonify SP Qi • PC 6: regulate, open chest • SP 9: damp, SP 6: yin • SP 4: damp, regulate SP • GB 20: wind symptoms • REN 12: damp, SP qi • DU 20: yang [clear turbid, raise clear]	• UB 17 & SP 10: Blood • UB 10: head stagnation • DU 20: Yang, more for head stagnation → move turbid yang, local stagnation • UB 15: HT • UB 18: LV • PC 4: Move blood
	• Ban Xia Bai Zhu Tian Ma Wan	• San Qi Jiao Nang

Hypertension Deficiency Conditions			
	Qi & Blood Xu	KD Yin Xu → Yang Hyperactivity	Yin & Yang Xu
Etiology & Pathogenesis	• Impairment of SP T&T, not enough eating, nutrition [pick eaters, junk food, spicy], • Need to eat right food for right time, season, location, age, health condition • Old age, • Cold days [doesn't have to be winter], • Lack of exercise → Yang Xu → Not enough yang to bring clear yang	• Impairment of KD Water • Old age, overworking, overindulgence in sex	• Impairment of KD Water
Symptoms	• High blood pressure, dizziness, vertigo • Aggravated by movement • Headache, tinnitus, shortness of breath • Muscular weakness, lack of strength • Numbness of hands, sallow complexion • Fatigue, No appetite, loose stool • Insomnia, palpitations • Blurred vision, dry eyes, floaters • No appetite, loose stools, scanty menses • Amenorrhea or late periods • Brittle nails, dry skin, hair	Excess (yang) symptoms in upper body • High blood pressure, dizziness & vertigo • Blurry vision • Headache [empty feeling] Deficiency (Yin) symptoms in lower body • 5 center burning [yin xu] • Palpitations, insomnia • Aching in lower back & knees • Tinnitus, forgetfulness • Bilateral afternoon malar flush • Bilateral eye dryness	• Yin & Yang Xu Symptoms → Differentiate in mind. Must evaluate which needs tonification more at the time • High blood pressure, dizziness & vertigo • Tinnitus, palpitations, Shortness of breath • Weakness & aching of lower back & legs • Lack of strength, Numbness of hands • Flushed cheeks, low sex drive • Hot palms & soles, aversion to cold • Pale face, frequent nocturnal urination • Impotence, seminal emission • Leg pitting edema
Tongue	• Pale, dry	• Red with little or no coating	• Red (yin xu), Pale (yang xu)
Pulse	• Thin, choppy, slightly wiry in LV position	• Thready, wiry, rapid	• Thin & deep
Treatment Principle	• Tonify Qi & Blood	• Nourish LV & KD Yin • Subdue Yang	• Nourish KD Yin & Yang
Prescription	• LV 8: Blood • DU 20: Qi, Blood • ST 36: Qi • UB 18: LV • UB 20: SP • UB 23: KD • REN 4 & 6: Qi • GB 20: wind • HT 7: Blood • KD 3: Qi • LI 11: heat • LV 3: Qi • SP 6: Qi	• KD 3: yin • LV 3: LV qi & yang • GB 20 • PC 6: open • SJ 17: heat • HT 7: calm • Tai Yang: headache • Yin Tang: calm • SP 6: yin • HT 7: calm • ST 36: Qi • UB 18: LV • UB 23: KD	• REN 4: yin [tonify yang → moxa] • SP 6: yin • DU 4: yang • ST 36: Qi • UB 23: Qi • HT 7: yin
	• Gui Pi Wan	• Qi Du Di Huang Wan	• Er Xian Tang Wan

Wind Stroke	
Wind Stroke [Zhong Feng] TCM Name: "Catching wind" - Cerebrovascular accident [CVA]: Arteries in brain become blocked or ruptured & results in hemiplegia. Definition: Rapid loss of brain function due to disorder where arteries in brain become blocked or ruptured - Causes: Ischemia: blockage: blood clot, tumor, fat, air (from injury or vein rupture bringing air into blood circulation) Hemorrhage: Bleeding - As a result, affected area of brain can't function → can result in hemiplegia - Clinically, we don't treat CVA → refer to ER - TCM can help with recovery Western Etiology & Pathology Hypertension: Main cause - Diabetes [30%] - Gout: doesn't cause stroke but people who have gout have strokes more than people who don't have gout. All because of diet - Usually due to diet: high cholesterol diet → block vessels - Atherosclerosis, Arteriosclerosis - Heart disease: atrial fibrillation, endocarditis - Encephalitis, Aneurysm - Birth control pills, OCP, Contraceptives - Diet: salt, fat, alcohol, Stress - Insufficiency of physical exercise, obesity - Smoking, Age > 55 - Family history of stroke [different type of vessels] Ischemic Stroke [Prognosis better than hemorrhagic] - Thrombosis, embolism, systemic, hypoperfusion - Venous thrombosis, cryptogenic, anterior/atherosclerosis - Onset may be slow [1-2 days] - Cause: Thrombosis, embolism, blockage - Usually recover within a couple of months Hemorrhagic Stroke [Location of bleeding determines how soon/late patient receives treatment] Intracranial: bleeding inside brain Intracerebral: Stiff neck, legs come up too - Subarachnoid: Difficult to diagnose because of headache Manifestations (Early recognition) - Sudden onset decreased sensation & muscle weakness of face, Arm drift - Weakness in SCM with inability to turn head to one side - Abnormal speech, Hemiplegia - Reduction in sensory or vibratory sensation - Increased reflexes [gag, swallow, pupil reactivity to light, Can't swallow saliva] - Loss of consciousness - AV nicking at optic fundus - Headache: extremely severe, sudden, - laying down doesn't help, causes more pain - Turn, shake head → more pain, increased pressure - Vomiting: Due to brain pressure, explosive vomiting When refer to ER? - Call 911 when one suspected - Sudden weakness/numbness occurring in face, arm, leg, particularly on one side of body - Sudden difficulty seeing in one or both eyes [can be short, only a few seconds] - One or both eyes black → Ischemic stroke - Will come back at more severe level - Clumsiness, Repetitive dizziness & vertigo - Sudden confusion, difficulty speaking, difficulty understanding - May have slurred or confused speech - Sudden problems walking, dizziness, loss of balance, coordination - Sudden severe headache, cause unknown - Sudden difficulty swallowing, change in taste - Sudden hearing changes, change of abilities - Changes that affect touch & ability to feel pain, pressure or temperature	TCM Etiology & Pathology - Both Excess/Deficiency - Both Heat/Cold [Real cold, fake heat]: Drink warm/hot water - Rapid pulse, yellow tongue coat, greasy coat - Excess yin, blocking yang outside [yin inside, blocking yang outside] - Yang can't go inside - Temperature feeling cold - Yin deficiency: No substance to help yang, yang doesn't have enough force to come meet yin. (KD Yin Xu) - One real/one fake - LV Yang Excess & KD Yin Xu: Emotional disorder - LV Yang rising → LV Wind - KD Yin Xu: Not enough water to calm yang → LV Wind - Phlegm & Damp accumulation [Irregular diet, wrong diet, eating too much damp cold or damp heat food] - Alcohol, greasy/fatty food, etc. - Over strain & stress: Overwork & aging - Physical & mental - Leads to depletion & deficiency of LV & KD yin - Lifestyle factors 1-3 are all lifestyle factors → Leads to 3 highs - Not enough exercise, eating wrong food 3 High: BP, Cholesterol, Blood sugar Mechanisms of disease [5 factors] Wind Fire [When wind stirring → fire, Emotion can cause fire] Phlegm: irregular diet Stasis: from trauma (brain, head) Deficiency - Blood → Ischemic - Yin: LV & KD Yin - Body Fluid Manifestations: 2 types [Meridians & Zang Fu] - Meridian [3 conditions] Wind Invasion obstruction: aversion, to cold, fever - T: thin coating - P: floating [exterior problem] LV & KD Yin Xu → Stirring up wind - Sore lower back, tinnitus T: red, P: thin Phlegm heat, wind phlegm up disturbing - Profuse phlegm, constipation T: Greasy, P: slippery - Zang Fu - Close type [Bi]: Everything closed except eyes - Tuo collapse type: Eye closed [everything open except eyes] - Loose urine [incontinence] Dietary - More liquid for dysphagia patients - Temperature of food not too cold/hot - Limit oily food & more easily digested food for patients with constipation - Use healthy fats: olive, canola, vegetable oils [plant based sterols] - Trans-free margarine, avoid animal fats - Whole grain cereals, porridge, brown rice, whole wheat bread, pasta, couscous - Recommend at least one vegetarian meal per week - Appropriate amount of protein - More fresh variety of vegetable & fruit - Vitamin B: helps repair nerves - More dietary fiber - Limit salt - Avoid alcohol, coffee, strong tea, sugar, sodium, saturated & trans fat - Add blood nourishing food into diet Lifestyle - Quit smoking, safe exercise regularly - Manage blood sugar for diabetes - Keep blood pressure low

Wind Stroke				
	Excess (Closed Type)		Deficiency (Open Type)	
	Yang Bi	Yin Bi	Yang Tuo	Yin Tuo
Mechanism	Turbid Yang Blocked	Turbid Yang Blocked	Yang Qi From 5 Zang collapse	Yang Qi From 5 Zang collapse
Symptoms	Closed Symptoms • Coma, Tight Jaw, Closed Mouth • Clenched fists, limb spasms • Eyes opened [more excess] • Tight limbs, rough breathing • Red face, hot body	Closed Symptoms • Coma, Tight Jaw, Closed Mouth • Clenched fists, limb spasms • Eyes closed [deficiency] • Rattling sound of phlegm in throat or rough? • Fast breath, wheezing • No bowel movements • No sweat, cold limbs • Cooler body temperature	Open Symptoms • Coma, mouth open, eyes closed • Loose muscles on limbs • Profuse sweat, light breathing • Loose BM & urine • Sudden falling • Open mouth, eyes closed • Pale face • Incontinence of body • Cold limbs	Open Symptoms • Coma, mouth open, eyes closed • Loose muscles on limbs • Profuse sweat, light breathing • Loose BM & urine • Suddenly fall down with loss of consciousness or semi-consciousness • Profuse sticky warm sweating [not good, more sticky → worse, sweating oil is worst, sweat like oil on skin → too weak in yin to support function] • Sweat like oil on face → difficult to treat • Red cheeks, warm limbs • Incontinence of urine/stool • Rapid & rough breath
Tongue	• Red body • Dark, dry, yellow (heat) greasy (chronic) coat	• Pale, dim body • Thick, greasy coating	• Pale, flabby, tooth marks • Moist coating	• Scarlet red, thin body • Peeled coating
Pulse	• Slippery, wiry, rapid [heat]	• Slow [cold], deep [chronic], slippery [phlegm]	• Slow [cold], deep [chronic], Weak, thready [qi/yang xu]	• Thready, weak, racing [even faster than rapid > 7-8 times [140 bpm] per breath → too yin deficient, very bad dehydration] → body condition: lacks O2 • Racing: Yuan Qi almost exhausted
Treatment Principle	• Sedate LV Yang, • Remove inner wind • Descend Qi & Blood • Open orifices	• Remove turbid phlegm & inner wind • Open orifices of internal organs	• Tonify Yang	• Tonify Yin
Prescription	• DU 20: Raise clear yang • DU 26: coma • HT 1: Yang, shen • PC 8: Heat • KD 1: KD water • GB 20: Wind • LV 2: LV heat • LV 3: Move Qi • SJ 5: heat • DU 15: wind, mute [not able to talk] (Benefit tongue → move easier) • DU 16: Wind	• DU 16: Wind • DU 20: Yang • DU 26: Coma • HT 1: • REN 12: phlegm • REN 17, PV 6: chest • ST 40, SP 9: phlegm • GB 20: wind • GB 34: yang • 4 gates: Qi	• REN 4, REN 6 • DU 20 • DU 4: Moxa • UB 35: clear heat • REN 8: calm shen	• REN 1: Quickly tonify yin • KD 1: Usually strong enough if can't needle REN 1 • KD 3, SP 6 • DU 20 • REN 4 • REN 6 • REN 8: Moxa with salt
Herbs	Ling Yang Jiao Tang	Su He Xiang Wan	Du Shen Tang	Zuo Gui Wan

Wind Stroke Convalescence Stage Treatment			
	LV & KD Yin Xu	Damp Phlegm Accumulation	Qi & Blood Deficiency
Etiology & Pathogenesis	- Best results for treatment within 6 months - During treatment, signs will get better - Good treatment results for these patients		
Symptoms	- Twitching of muscles & skin - Red Face, trembling or stiff tongue - Weakness of lower extremities - Headache, dizziness, semi-consciousness - Hemiplegia, flaccidity - Tinnitus, low back pain, 5 center heat, low grade fever, constipation - Dysphagia (difficulty swallowing) will get better - Aphasia (difficulty speaking) will also get better [from low voice almost cannot hear to almost normal]	Vomiting with mucous [explosive, ask about content] Snoring with rattling sound of phlegm in throat, loose stool - Semi-consciousness, heavy sensation in body - Pale face, chest distention, nausea - Poor appetite, loose stool	Bad concentration, insomnia - Exhaustion, pale face, poor spirit, - Poor memory, forgetfulness - Nightmares, - numbness or flaccidity of one side - Muscle twitching [skeletal, skin, eyelids] - Hemiplegia, aphasia - Palpitations, poor appetite - Loose stool or diarrhea, alopecia
Tongue	- Scarlet, small, thin - Peeled with cracks	- Pale, flabby with tooth marks - Thick & greasy coating	Pale with thin white coating
Pulse	Deep, wiry, thin, rapid	Slippery, weak	Thin & weak, deep, thin, thready
Treatment Principle	- Nourish LV & KD Yin, - Expel inner wind - Prevent LV Yang rising	- Tonify SP Qi - Drain damp phlegm & inner wind	Tonify Qi, Nourish Blood
Prescription	- KD 1, KD 3, KD 6, SP 6: Tonify yin - LV 3, LV 8: LV - GB 39: Essence - DU 15: tongue movement - DU 16: wind - UB 23, UB 52, UB 43: Yin	- GB 8 - GB 20: Wind, Yin Tang: calm - REN 17, REN 22: Local - ST 36: Qi, SP 6: Yin - UB 20: SP, UB 21: ST - SP 9, REN 12, REN 17, Phlegm - ST 40: Phlegm - GB 20, DU 16: Wind - GB 34: Wind, inner wind, helps LV Qi, raise baby yang	- Si Shen Cong - ST 36, SP 6 - UB 15 - UB 17: Tonify [not move] - UB 20, UB 21 - SP 10: tonify - REN 14: help heart have more Qi & Blood - REN 15: calm heart, increase HT Qi & blood - GB 20, GB 34 - DU 16
Herbs	Qi Ju Di Huang Wan	Ban Xia Bai Zhu Tian Ma Wan	Gui Pi Wan

Sequelae Stage	Central Facial Paralysis	Hemiplegia	
		Qi Deficiency Blood Stasis	LV Yang Rising
Symptoms	- Not Bell's Palsy [7th cranial nerve paralysis], lip issues not common in Bell's Palsy - Patient can wrinkle forehead & lift both eyebrows [Bell's palsy cannot wrinkle forehead & eyebrow] - Central type: only affect muscles below eyes Deviation of tongue & mouth - Drinking water & food will fall out of the corner of mouth on affected side - Mouth deviates to healthy side - Numbness limbs	Flaccid paralysis, no spasms, only symptoms of numbness, weakness or motor limitations - May have numbness, weakness or special sensations on affected side - Motor limitation & impairment	Spasm paralysis: spasm of affected limb & hypersensitivity - May have numbness, weakness or special sensations on affected side - Motor limitation & impairment
Tongue	Pale body, white greasy coating	Pale body, distended veins	Red with no coating, peeled
Pulse	Wiry & slippery	Weak, Thin, choppy	Wiry, rapid
Treatment Principle	Expel wind, dissolve phlegm, open meridians	- Tonify Qi - Move Blood	- Smooth LV - Suppress Yang
Prescription	- Yin Tang, Tai Yang - Qian Zheng (Local): ½ From center of earlobe on face, needle tip goes towards mouth 1 cun. Press, will be sore, where nerve passes. - Qian: Pulling, Zheng: correcting - Pull face back to correct position - LI 20, SI 18, SI 19 - ST 3, ST 4, ST 6, ST 7, REN 24	- LI 4, LI 11, LI 15, ST 31, ST 36, ST 40 - Scalp: Si Shen Cong to GB 6 [electro] - HTJJ: C3 → T3, L1 → S1	- HT 1 - LV 2: LV Yang - GB 20: Wind - LU 5 - PC 6 - SP 6 - SP 9 - UB 40
Herbs	Qian Zheng San	Bu Yang Huan Wu Tang	Tian Wan Ma Gou Teng Wan (Pian)

Sequelae	Aphasia	Dysphagia
Prescription	- HT 5(Luo), DU 15 (Bleeding only), REN 23 (clear Heat) - Jing Jin & Yu Ye - LU 7 & KD 6: Ren Channel - Scalp: Speech Area III (electro)	- REN 22 & 23 (Bleed), ST 9, LI 18, LU 7 & KD 6 (REN) - LI 17 (Voice/throat), SJ 16 (Heat), SI 16 & 17 (Throat) - Auricular: LV, SP, HT, Eyes, GB, Brain - Scalp: Motor area, Foot sensory area, speech area (electro)

Diabetes Mellitus			TCM Etiology & Pathology		
- Definition: A group of metabolic diseases characterized by hyperglycemia. Produces the symptoms of polyuria (excess urine), polydipsia (excess thirst), and polyphagia (hunger). Type I: Impaired pancreas, doesn't produce enough insulin Type II: Cell doesn't respond to the insulin produced (insulin resistance) - TCM Name: Xiao Ke Syndrome - Xiao: Excessively consume or fluid wasting - Ke: Thirst or unrelieved thirst even after drinking fluids			[WM: Sugar → tired pancreas, TCM: Alcohol → Damp Heat] Heat Accumulation Damaging Liquid: Irregular Diet - Yin Xu → Xu Heat [Dries somewhere (mouth, skin)] LU: Water doesn't know where to go (pee instead of sweating) - Can't regulate water passages - Who needs moisture → LU knows (skin, mouth, ST) - If ST not getting moisture → ST Heat → increased hunger & thirst (SP) SP: Needs more water → increase thirst due to ST Fire affecting SP yin - Doesn't know where to T&T → nutrition doesn't go right place → - Without nutrition → increased hunger → weight loss → SP yin/yang xu [Yin = substance, Yang = function] ST: LU Heat → Not managing water - Eating too much damp heat food → affects SP → Thirst → Increased hunger SJ: Everywhere there is cell metabolism Fire Accumulation Damaging Yin: Emotional disorder (stress) - LV Qi, LV Fire, overthinking, overplanning → Fire/Heat → Hurts yin (cold hurts yang) KD Essence Deficiency: Overindulgent sexual activity overusing KD Essence Congenital Deficiency: Genetic, Family history		
Western Etiology & Pathology			DM Complications		
	Type I	Type II			
	- Autoimmune condition. - Pancreas unable to produce insulin (damage to β cells) - Juvenile diabetes (< 20)	- Defects in insulin sensitivity & secretion → cause glucose accumulation in blood 90-95% of all diabetic cases.			
Onset	Abrupt	Usually > 30 years			
Age	Children & Young Adults	Adults			
Weight	Usually lean	Usually obese			
Risk Factors	Genetic, Family history	- Obesity, Family history of DM - High blood pressure - High cholesterol			
Manifestations Acute Symptoms (People don't usually know) Severe Hyperglycemia: 4 Key: polyuria, polydipsia, polyphagia, weight loss nausea/vomiting (SP/ST), deep and/or rapid breathing, abdominal pain (LV/GB), fruity smelling breath, blurred vision (LV/GB/KD), loss of consciousness - Male > 40 inch waist → 2X chance of DM → concerned with Ca²⁺, DM, hyperthyroidism - Weight Loss Questions: Intentional? How much in period of time? - Impaired growth - Increased susceptibility to infections (recurrent vaginal candidiasis, UTI) → Can lead to death Chronic Symptoms - Microvascular complications - Retinopathy → Potential loss of vision - Nephropathy → Leading to KD Failure - Peripheral Neuropathy → Pain, foot ulcers, limb amputation - Autonomic Neuropathy → Cardiovascular symptoms, GI, genitourinary, sexual dysfunction - Macrovascular [Pretty much cause of death for Type II] - Coronary Heart Disease: Major cause of death for patients with diabetes - Peripheral Vascular Disease - Cerebrovascular Disease			Foot Complications: Diabetic Neuropathy - Diabetic Foot Ulceration - Diabetic foot infections → Serious cases: necrosis, gangrene - Neuropathic osteoarthropathy of foot Diabetic Amyotrophy: Muscle Weakness [Generally in Quadriceps, due to femoral nerve → Big Belly/skinny legs] Diabetic Nephropathy: Chronic renal failure, eventually requiring dialysis Diabetic Retinopathy: Severe vision loss or blindness Diabetic Cardiomyopathy: Diastolic dysfunction & heart failure → death Diabetic Encephalopathy: Alzheimer's → Loss of brain function Diabetic Dermopathy: Diabetic Blisters: For no reason. Look like burn blisters (normally on joints) Eruptive Xanthomatosis (Usually Type I): Skin disease, tiny yellow beads under skin with a red color hole. Usually on buttock, hands, feet, forehead. Usually have high cholesterol Fungal Infections: Nails, looks like a yeast infection (athlete's foot) - Hong Kong or Japanese foot: Sailors, lack of vitamin C, limited showers Auricular: SP, Pancreas, Endocrine, LV, KD SJ Dietary Therapy - Corn silk (tonify KD yin very well), eel (KD yin tonic, especially yellow kind) - Pork pancreas → soup - Spinach, daikon, bitter melon (clears xu heat, ST heat), yam (yin Qi tonic) - Kiwi, water chestnut, - Sea cucumber (no taste → eat for properties, not taste, KD yin tonic) - River snail (LV/KD Yin), - Black chicken, duck (blood yin tonic), Rabbit (70% protein) Lifestyle - Control calorie intake - Increase complex carbohydrates: No sugar → rice, whole wheat bread - High fiber diets: Helps clean intestine - Decrease sugar, salt, fat, cholesterol - Stop smoking & alcohol - Proper exercise: Tai chi, swimming, biking, boating (health dependent) - Manage blood sugar in normal level - Keep skin clean: any infections can be bad - Avoid skin injury - Be happy [LV Qi] - Keep routine schedule: exercise, rest, work - Increase immunity		
Western Medicine Diagnosis of DM: Unless unequivocal hyperglycemia with metabolic decompensation is present, diagnosis of diabetes must be confirmed by repeating any of the tests on a different day.					
Normal [mg/dL] - FPG: 70-110 [fasting] - P2hPG: 70-140		Glucose Intolerance - IFG: 100-126 mg/dL - IGT: 140-200 mg/dL	Diabetes [mg/dL] - FPG > 125 [morning] - P2hPG > 199		
When to refer to ER: Hypoglycemia - Low blood sugar, trembling, weakness - Lack of coordination, drowsiness, confusion - Headache, dizziness, Double vision - Convulsions or unconsciousness Ketoacidosis [Dangerous] - Shortness of breath, Fruity smelling breath - Nausea, vomiting, Very dry mouth, confusion, coma Hyperosmolar Hyperglycemic Non-Ketotic Syndrome [HHNS] - Blood sugar level > 600 mg/dL - Dry, parched mouth - Extreme thirst [may gradually disappear] - Warm, dry skin with NO sweat - High fever (> 101F)					

Diabetes Mellitus				
	Upper Jiao Condition	Middle Jiao Condition	Lower Jiao [KD Yin Deficiency]	Yin & Yang Deficiency
Symptoms	• Polydipsia, high fluid intake • Dry mouth, red lips • Frequent & profuse urination • Gradual emaciation • High blood sugar • High urine sugar	• Polyphagia (high food intake) • High blood sugar • High level of sugar in urine • Dry stool, constipation	• Polyuria, • Turbid or sweet urine • WM: • Turbid urine → stones [beginning] • Proteinuria: KD cannot filter [milky urine] → KD failure → Dialysis • Dry mouth & lips, • Feverish sensation in 5 centers (chest, palms, soles) • Low back pain, knee weakness • Dizziness, blurred vision • Tinnitus, dark face color	• Polyuria • Drink 1 cup of water → Produce 2 cups of urine • Turbid urine like greasy paste • Darkish complexion • Extremely dry helix • Lassitude in loin & knees • Some male diabetics have impotence • Some female diabetics lose interest in sex because of depression, tiredness or painful intercourse due to dryness
Tongue	• Red edges, thin yellow coat [normal or ST Qi ↓, ST Yin ok] • Geographic or peeled [ST yin ↓]	• Dry, yellow coat [Could be many things → middle jiao symptoms, no perfect match]	• Red	• Pale, white coat
Pulse	• Rapid (heat), Full • Excess, Unrooted [False pulse → Xu condition, body trying to get more Qi to repair, ungrounded]	• Slippery, forceful [possibly full] • Slippery may be hard to feel [not dampness, but something extra in body, but skinny, not obese]	• Deep (harder case in LJ) • Rapid, thready (note progression of pulse)	• Deep, thready, no strength
Treatment Principle	• Clear Heat, Moisten Lung • Promote Body fluid	• Clear ST Fire, tonify yin, fluids	• Nourish yin, tonify KD	• Warm Yang, Nourish KD to recover controlling function
Prescription	• HT 8: Clear Heat • UB 15: Clear Upper Jiao • LU 9: Regulate (↑/↓) • UB 13: LU • LU 10: Heat • Wei Wan Xia Shu: 1.5 cun lateral to T8 [also good for DM Type I]	• UB 20: SP • UB 21: ST • SP 6: Yin • ST 44: Heat • ST 36: Regulate • Wei Wan Xia Shu	• UB 23: KD • KD 3: KD Yin • UB 18: LV • LV 3: LV • Wei Wan Xia Shu	• UB 23: KD • KD 3: • REN 6 • DU 4: Moxa • Wei Wan Xia Shu
Herbs	• Xiao Ke Wan	• Tiao Wei Cheng Qi Tang Wan	•	•

Yu Syndrome [Depression]	
- Yang Qi Makes happy → Yang Qi Xu → Yu syndrome - Summer: Not happy - Winter: Dark → Not happy - Too long mental activity [planning, worry, anger], no release → Causes heat → Affects Zang Fu [LV, SP, HT], hurts Yin Definition Depressive disorder: Mood disorder [Not physical disorder] where feelings of sadness, loss, anger or frustration interfering with daily life for weeks or longer [clinically: 6-9 months, often up to 2 years → rely on medication] Etiology & Pathology [Western]: - Exact cause of depression unknown. - Believed cause: chemical imbalance or changes in brain, may be due to a problem with genes or triggered by certain stressful events or a combination of both. - Possible causes: Heredity, alcohol, drug abuse, sleeping disorder, stress, certain medications, certain medical conditions Manifestations - Patients see everything in a negative way - Agitation, restlessness & irritability, anger - Feeling isolation, hopelessness, worthlessness, guilty, self-hate - Hallucinations, paranoia - Fatigue [always tired, don't like physical activity, talking, eating, sleeping] - Rest doesn't fix fatigue, slower in movements - Loss of interest or pleasure in activities once enjoyed - Sudden change in appetite - Weight changes - Constipation [due to inactivity, decreased peristalsis] - Pain [muscular, joint, wandering, - Hurting themselves, Thoughts of suicide - Poor sleeping [inadequate physical activity], concentration [short attention span], sexual drive [Yang Xu] - Often occurs with PMS - Occurs in adults, teens & children When to call 911? - Patients have thoughts of suicide - Harming self/others - Suicide hotlines: 1-800-273-TALK, 1-800-SUICIDE, 1-800-999-9999 - Clinic: Dr. Armstrong When to call PCP? - Symptoms of postpartum depression - Hallucinations - Symptoms of depression for longer than 2 weeks Hypochondriac Pain - Reduce Gas producing foods: Onion, sweet, → cause ST pain - Reduce High fiber foods Cough - Can be from all Zang Fu → Differentiate - Plum pit Qi with cough → LV cough	Differentiation LV Overact on SP: Fixing LV will improve SP symptoms SP Qi Xu: SP is deficient → tonify SP Qi LV Qi Stagnation - Emotional injury → LV Fails to disperse → LV Qi Stagnation → Qi Yu - Qi Stagnation → Blood Stasis → Blood Yu [Qi = Commander of Blood] - Long Term Qi Stagnation → Fire Uprising → Fire Yu - Body fluid retention in Zang Fu & meridians → Phlegm accumulation → Phlegm Yu [Body fluid = good, phlegm = bad] - Fire from stagnation impairs Yin → LV Yin Xu HT Yin Xu - Stress → Impairs HT Yin → HT Fire uprising - Stress → Impairs HT Qi → HT Shen Disturbance [HT Qi Xu is not because of stagnation, is from stress (Excess based on deficiency)] Damp Phlegm Disturbances - Stress, over-deliberate → LV overacting on SP [SP ready for attack (stress → eat more sweet → Hurt SP → SP Qi Xu)] → Impairs SP functions → Food Stagnation [SP doesn't come get food from ST] → Food YU - Stress, over-deliberate → LV overacting on SP → Impairs SP functions [Transformation deficiency, not sending clear to meridians, body fluid doesn't know where to go & stays in meridians] → Damp dispersing obstruction → Damp Yu - Stress, over-deliberate → LV overacting on SP → Impairs SP functions [T&T function fails] → Damp accumulation [Damp is thicker (heat/fire cooks damp)] → Phlegm (thicker) accumulation → Phlegm Yu - Heat impairs ST → Poor appetite [ST yin xu: less appetite, ST Fire: Appetite more] → Body lacks blood producing substances → HT & SP Deficiency [Hurts HT, Blood & SP Yang] - Congenital deficiency, chronic illness, indulgence injury (too much sex) → Ming Men Fire weakness (Not enough to cook rice) → SP & ST Yang Xu → phlegm damp retention (+ not enough clear yang) → turbid Yang takes phlegm damp to mist heart → HT Shen Disturbance - Yang Shen: How practice diet, lifestyle to maintain good health - Year round, 12 months → May is highest Yang Qi → Best time to nourish Yang [Get up early to do yang exercise, eat yang tonic food (hot)] - Onion, garlic chives (after this season, too tough) Other Therapies Auricular: Shen Men, LV, Sympathetic, HT, SP, Endocrine Foods: - Fish oil (helps circulation), - Grapefruit (high vitamin C → Helps entire body, yang Qi), - Spinach (helps blood, high in folic acid), - Cherry (blood, yang, inflammation), - Garlic (yang, prevent fatigue), - Pumpkin (high in B6, zinc, iron), - Shell seafood (vitamin D, calcium, yin/yang tonic), - Dry nuts (mixed nuts), - Sea cucumber (high KD Yin) → Eat balanced food - Shrimp: Yang - Crab: Yin - Zinc & Magnesium, B6, potassium → Make happy Lifestyle - Get more exercise - Maintain good quality sleep & sleep habits [When go to bed/wake up] - Do pleasurable activities - Get involved in group activities [Volunteer at zoo, with animals] - Try to be around caring & positive people - Talk about feelings to someone who will listen - Avoid alcohol & illegal drugs

Yu Syndrome [Depression]					
Excess Conditions	LV Qi Stagnation	Blood Stasis	LV Fire Rising	Qi Stagnation, Phlegm Accumulation	Heart Shen Disturbance
Etiology & Pathogenesis	Emotional injury → LV Fails to disperse → LV Qi Stagnation → Qi Yu	- Qi Stagnation → Blood Stasis → Blood Yu [Qi = Commander of Blood]	Long Term Qi Stagnation → Fire Uprising → Fire Yu	- Body fluid retention in Zang Fu & meridians → Phlegm accumulation → Phlegm Yu [Body fluid = good, phlegm = bad]	- HT Yin Xu - Stress → Impairs HT Yin → HT Fire uprising - Stress → Impairs HT Qi → HT Shen Disturbance
Symptoms	All: See everything in a negative way, hopeless, Feeling isolated, Loss of interest in previously enjoyed activities Stiffness & pain in chest & hypochondria Often sighing - Feeling of distention - Illness site not fixed - Depression, Unease				
		Dim complexion Amenorrhea	- Feeling of distention, stuffiness Pain in chest & hypochondria Irritability, anger - Headache, flushed face, red eyes, dry & bitter taste in mouth - Gastric discomfort with acid regurgitation - Constipation	Sensation of object in throat [Plum Pit Qi] (can't be expectorated or swallowed) - Chest distention & hypochondria	- Hallucinations Skeptical, hyperarousal Involuntary movement of hands & feet - Emotional instability
Tongue	Thin, greasy coat	Purple, dimmer	Red body	White, greasy coat	Red tip [planning, thinking, worry too much?]
Pulse	Wiry	Wiry, choppy	Rapid, tight	Wiry, slippery	Wiry
Treatment Principle	Soothe LV Qi, Alleviate mental depression	Soothe LV Qi, Alleviate mental depression Move blood	Purge pathogenic LV Fire Alleviate Mental Depression	Resolve phlegm Promote Qi Flow Alleviate depression	Nourish heart Calm shen
Prescription	- LV 14: LV Q - LV 3: Move - GB 34, SJ 5: Move & clear heat - PC 6: Open chest - ST 36: Help greasy coating	- LV 14 - LV 3 - SP 10, UB 17: Move - PC 6, REN 17: Open chest, treat pain	- LV 14 - LV 2: Clear LV heat - GB 34: Balance LV heat - ST 44: Clear heat - SJ 6: Clear heat, help constipation	- PC 7: Clear HT heat - HT 5: Help chest, HT Heat - ST 36: Greasy coat PC 6, REN 17: Open chest - UB 15: HT	- PC 6 - HT 5: Clear HT heat, balance - HT 7: Calm - DU 26: HT Shen - LI 10: Clear Heat - LI 4: Move Qi - SI 3: Arm movement - GB 34: Clear Heat - UB 60: Leg Movement - PC 6, REN 17, UB 15
	Xiao Yao Wan	Tao Hong Si Wu Tang	Long Dan Xie Gan Wan	Xia Hou Bu Tang Wan	Pai Zi Yang Xin Wan

Deficiency	HT & SP Deficiency	HT Yin Xu	LV Yin Xu	SP & KD Yang Xu
Etiology & Pathogenesis	Heat hurts HT Qi → Hurts SP/ST Qi	- Stress → Impairs HT Yin → HT Fire uprising - Stress → Impairs HT Qi → HT Shen Disturbance	- Fire from stagnation impairs Yin → LV Yin Xu - LV & KD always go together	Congenital,
Symptoms	All: See everything in a negative way, hopeless, Feeling isolated, Loss of interest in previously enjoyed activities Over deliberate, palpating Timid, Loss of appetite - Short of sleep, fatigue - Amnesia, poor memory - Pale complexion, dizziness			
		5 center heat, Night sweats - Dry mouth	- Dizziness & vertigo Blurred vision, red ears - Irritability, headache, red face	Somnolence - More sleep → more fatigue - Lassitude, Irritability, - Palpitation, insomnia, pale face
Tongue	Pale	- Red more on tip, - More yin Xu: less coating, could be peeled	Red	Pale body
Pulse	Thready, weak	Rapid, thready	Rapid, wiry	Deep thready
Treatment Principle	Invigorate SP, Nourish HT Blood Replenish Qi	Nourish yin, calm shen	Nourish yin, tonify essence, tonify LV & KD	Tonify yang Nourish blood
Prescription	- HT 7: Calm - UB 15: HT - UB 20: SP - SP 6: Yin & Blood - ST 36: SP - REN 12: SP - LV 13: SP	- UB 15: - HT 7: - SP 6: Yin - PC 6: HT - SJ 5: Deficient heat - REN 3: Deficient heat	- UB 23: KD, UB 18: LV - SP 6: Yin, KD 3: KD Yin - PC 6: Chest - LV 8: Blood - LI 4: Qi - LV 2: Heat [Clear better LV heat, doesn't drain turbid yang] - GB 34: Heat [More balancing, drains turbid yang]	UB 23: KD UB 18: LV SP 6: Yin KD 3: Yin [Moxa!] - PC 6: - LV 8: - LI 4: - LV 2: - GB 34:
	Gui Pi Tang	Tian Wang Bu Xin Wan	Dan Zhi Xiao Yao Wan	Dan Zhi Xiao Yao Wan

Epilepsy	
• Epilepsy: Common & diverse set of chronic neurological disorders characterized by seizures • Zang Fu: LV, SP, KD, HT [LV, KD & SP always go together] • Water provide more Qi to wood • When LV needs more Qi, drains KD • LV overacting: Earth [Soil is spleen] Western Medicine Etiology & Pathology • Epileptic seizures result from abnormal, excessive or hypersynchronous neuronal activity in the brain • Can't skip medication Common Causes • Emotional stress, Sleep deprivation, sleeping (day or night: nocturnal seizure) • Starvation, dehydration • High fever, infection (brain infection), alcohol → Stop drinking • Illicit drug use, alcohol withdrawal • Brain tumors (CNS tumors), • Head trauma (sport, C section, hypoxia, adults hitting kids on head) • Degenerative disease • Cerebrovascular disease → common cause • Menstrual cycle, reading, flashing lights, hyperventilation (breathing too fast) Pseudo Seizure • Real seizure from brain, fake seizure not from brain • Inattentive staring, • Benign shudders: looks like spasm but not, too tired, excited • Self-gratification behaviors, conversion disorder • Factors that cause seizures can also cause pseudo seizures • Stress, hyperventilation, running Manifestations • Seizures → May cause head injury → remove obstacles that patient could hit • Tongue may be bitten at tip or on sides during seizure → put something hard into mouth • Autosomal dominant nocturnal frontal lobe epilepsy: [genetic, chromosomal disease] (Must happen at night during sleep) • Occurs at night, Starts with nightmares, starts with kids, • beginning of sleep or in morning before wake up • Can fall off bed & cause injury • During episode → can't control but has recall after episode [key for making diagnosis] • hand clenching, arm raising/lowering, knee bending, shouting, moaning, crying • Benign Rolandic epilepsy [another kids seizure] • Older kids (8-10 years old) • Starts with face, half of face has spasm • Also happens at night during sleep, but can happen during day if napping (Can happen anytime during sleep) • Very short (< 2 minutes), Frequency not often [once a year, lifetime] • No treatment, often grow out of it before adulthood	When refer to ER? • Person's first seizure → Always, no matter how severe • Seizure lasts long time [Longer than 2 minutes] • If anti-seizure medication has been given after a seizure persists for 5 minutes • Has several seizures without time to recover between them • If person does not regain consciousness after seizure [Coma] • Possible injury during seizure • Patient stops breathing • Seizure occurs in water • Protracted epilepsy [repetitive] → Liver lacks soothing/smooth? → Qi Xu → Epilepsy • Stroke treatment: Surround dragon around area of damage • Headaches: blood stasis origin → local points good to break up stasis Other Therapies • Auricular: Shen Men, Brain Stem, Brain, Sub cortex • Extra Point: • Dian Xian (Seizure): 1 cun above GB 20, 1 cun medial • Dian Bing (Epilepsy): On Du channel, between Du 5 & 6 [T 12] • Bleeding: on whole spine from DU 16 to DU 1 [7 star hammer] • DU 20, DU 14, DU 8, Dian Bing, REN 12 • DU 1 Food/Dietary • Drains energy & nutrition: Protein, B6, Thyroid hormone • Food treatment & dietary treatment very important • Very tired after episodes • Poor diet → get worse • Indulgence: sex, physical/mental work → get worse • Avoid fa wu • Look at condition: too much heat or too cold? • Usually seizure is too much heat • Avoid hot food [lamb] • Neutral foods best • Good foods • Wheat: easy to digest, fiber, clean out phlegm • Beans, Fresh lean meat → Soup • Fresh eggs (high protein), fresh fish, • Milk (neutral, high protein): Boil milk with egg [SP doesn't like cold → drink from refrigerator, SP don't like] • Fresh vegetables, fresh fruit [not canned] Lifestyle: • Don't stay up late (causes heat), don't work too hard • Avoid alcohol, coffee [damp heat] • Avoid foods that are high to digest • Avoid Fa Wu → Goose, lamb, hot pepper, green onion, garlic • Proper exercise: walking, tai chi [depends on constitution] • Be happy First Aid • Keep people away • Clear hard, sharp objects away • Don't try to hold person down or hold head, mouth, arms • Place person on side to keep airway clear • Don't drink liquid during /after • Look at watch to time episode

	Acute Seizures		Chronic Seizures
	Wind Phlegm Obstruction	Phlegm Fire Accumulation [Due to LV]	Spleen Deficiency with Phlegm
Etiology & Pathogenesis	- Phlegm is main devil - Phlegm damp accumulation → LV Wind stirs up phlegm → Obstruction in orifice → Epilepsy - Genetic from parents [father or mother, birth injury → hypoxia, drugs during pregnancy]	- LV Qi Stagnation/LV Fire - Liver Fire Uprising [Stress causes LV Heat/Fire, other emotions: fear, worry can also lead to LV fire] - LV Qi stagnation can cause other stagnation [SP → phlegm] - Yin & Yang 1) Fire condenses body fluid → Phlegm 2) Fire produces wind → wind takes phlegm to block orifice [prodromal] → epilepsy	- Protracted epilepsy [repetitive] → Liver lacks soothing/smooth? → Qi Xu → Epilepsy - SP Yang Xu
Symptoms	- Prodromal (symptoms get worse & worse until episode → time to prevent episode) [chronic dizziness & vertigo, distended chest, fatigue, profuse phlegm, worse before episode] - Sudden onset of syncope - Loss of consciousness - Initial rigidity, then quivering or twitching of body & limbs, expressionless staring eyes - Screaming - Salivation, gurgling with sputum - Gatism [loss of bowels] - Impaired consciousness, - Lethargic without limb spasms	- Prodromal Symptoms [phlegm blocking orifice]: irritability, mood alterations, sense of unease, aura may occur with hallucinations or limb jerking - Acute onset, sudden syncope - Tonic contraction of all muscles in body - Bellow like animal crying, mania - Upward rolling of eyes, salivation - Severe headache after waking	- Long history of seizures or medication for epilepsy - Lethargy, fatigue, emaciation, - Frequent dizziness, pale complexion - Cold limbs (yang xu), - ululation (howl or wail) - Vomit whitish sputum & saliva - Unconsciousness, curled lying position - Ask about sleep posture [lay on side & curl up → yang xu] - Frequent spasm, nausea, vomiting - Feeling of fullness & stuffiness in hypochondriac region
Tongue	White greasy (chronic phlegm damp) coat [SP Yang affected → not able to drain fluid]	Red body, yellow greasy coating	Pale, white greasy coat
Pulse	Wiry (LV related), slippery (SP related)	Slippery, rapid, wiry	- Soft & slippery or thready & slippery [not wiry → LV Qi not too bad]
Treatment Principle	- Tonify yang, dissolve phlegm, open orifices - Expel wind, stop convulsion	- Clear & transform phlegm - Extinguish wind, stop seizures	Strengthen SP, transform phlegm
Prescription	- DU 26: Unconsciousness - DU 1: Up to you - DU 12: calm shen, help spasm - DU 20: Helps Yang - HT 5: Helps tongue, calm shen - ST 40: Phlegm - UB 23: Phlegm - SP 6: Phlegm [After surgery, patient can't pee → makes them pee] - GB 34: Yang - DU 8: Wind, spasm - KD 1: KD - REN 6: Qi - Cold hands, cold feet, loose BM → add Moxa	- DU 26: Unconsciousness - Shi Xuan [Fingertips]: Heat, Shen, Consciousness, stroke - DU 12: Shen - GB 13: Phlegm - REN 15: HT, Shen - ST 40: SP, phlegm - LV 3 & LI 4: LV Qi - DU 20: - GB 20: Wind - KD 6: Clear heat - UB 62: Clear heat	- HT 7: Calm - UB 15: Calm - ST 40: Phlegm - UB 20: Phlegm - DU 20: Yang - SP 6: Qi - ST 36: Qi - REN 12: Qi - Si Shen Cong: Yang
	Ding Xian Wan	Long Dan Xie Gan Tang Wan	Gou Teng Liu Jun Si Tang

	Blood stagnation	LV & KD Yin Deficiency
Etiology & Pathogenesis	• Head injury → Blood stasis → Blocks Qi transformation → phlegm accumulation → blocks orifice → epilepsy	• Protracted epilepsy [repetitive] → Liver lacks soothing/smooth? → Qi Xu → Epilepsy • Need more Qi for KD to promote LV
Symptoms	• Seizure related to traumatic incident • Fixed headache • Numbness of limbs or face • Depression, convulsion, headache • Persistent insomnia, excessive dreams • Restlessness	• Protracted seizure, lethargy, dim complexion • Insomnia, forgetfulness, palpitation • Dizziness/vertigo • Blurred vision, weak lumbar & knees • Fatigue
Tongue	• Dark, purple, purple stasis spots, thin white coat	• Thin, greasy
Pulse	• Choppy (blood stasis), wiry	• Weak, thready [very deficient]
Treatment Principle	• Invigorate blood circulation, • Eliminate blood stasis	• Nourish LV & KD Yin • Tranquilize mind
Prescription	• Ashi points: On Head (fixed headache) • UB 10: Wind • GB 20: Wind • DU 20: Yang • GB 8: Wind • GB 14: Wind • Tai Yang: Yang • Yin Tang: Calm • UB 17: Blood • SP 10: Blood • LI 4: Pain	• UB 23: KD • UB 18: LV • KD 3: KD • LV 3: LV • LV 8: LV/KD • SP 6: Yin • KD 6: Yin • GB 37: LV • GB 39: KD • An Mian: Calm
	• Xue Fu Zhu Yu Tang Wan	• He Che Da Zao Wan

Midterm	Final
• Angina ♦ Definition ♦ Cause [western] ♦ Types [western→ stable, unstable, variant] ♦ Symptoms & signs → tcm diagnosis • Palpitations ♦ Definition ♦ Manifestations ♦ When refer to ER ♦ Signs & S → TCM diagnosis • Dizziness ♦ Definition ♦ When refer to ER ♦ TCM causes/factors ♦ TCM etiology/factors ♦ TCM diagnosis [copy/paste] • Hypertension ♦ Definiton ♦ Numbers ♦ Cause/factors ♦ Symptoms ♦ When send to ER ♦ TCM diagnosis [copy/paste] ♦ Lifestyle/dietary • Wind stroke ♦ TCM terminology: name in TCM ♦ Cause [western] ♦ Early signs ♦ TCM cause ♦ Main difference between Bi & Tuo types ♦ TCM diagnosis [copy/paste] • Different sign/symptoms between central type stroke facial paralysis & Bell's palsy	• Auricular [50 questions]: Same format as midterm → Locations ♦ After midterm ♦ 25 questions for Dowling's material Therapeutics • Diabetes ♦ Definition ♦ Character of diabetes [what is too much?] ♦ TCM: 2 words Xiao Ke → Meaning? ♦ Difference between Type 1&2 [Age, injury?] ♦ Main symptoms ♦ When refer to ER? ♦ Possible etiology in TCM ♦ Copy/paste symptoms & signs ♦ Extra points: e shu? ♦ Dietary/lifestyle • Yu syndrome ♦ Definition ♦ Symptoms ♦ Common cause ♦ TCM types [LV Qi type, blood stasis] → ♦ Copy/paste symptoms/signs ♦ When call 911 ♦ Lifestyle • Epilepsy ♦ Definition ♦ Common cause ♦ When refer to ER? ♦ TCM types of acute & chronic ♦ First aid ♦ Copy/paste symptoms/signs ♦ Extra points ♦ Fa Wu ♦ TCM etiology ♦ Patient recommendations

Tui Na For Kids	
Therapy for Kids 5 years & younger [Younger, more effective] Techniques • Baby's skin very tender → be careful [Gentle!] • Tui [Push]: With tips of thumb or index & middle finger • With meridian: tonify • Against meridian: reduce • Straight: Along Du channel, ▪ Food stagnation: Back shu • Transverse: From center to lateral: distance is short ▪ Face, chest, abdomen • Rou [Knead]: Tips of thumb, index & middle fingers or thenars • Rotation or circles • Not only move skin, move muscle under skin → more effective • Most Qi located in muscles • Clockwise: Tonify • Counterclockwise: Reduce • Na [Pinch]: With thumb & middle finger, pinch & knead muscles along spine • Tui Ji: With index & middle finger [Stronger than just push] • Pushing along spine from DU 14 to Lumbosacral region for High fever • Thumb is always in the lead ▪ To go up, thumb is up ▪ To go down, thumb is down • Food stagnation: • Insomnia: Shen disturbance → Back shu, du mai ▪ Excess: Against channel ▪ Deficiency: With channel ▪ Strong technique: Reducing ▪ Mild Technique [gentle]: Tonifying	Tui Na for Common Pediatric Disorders • Diarrhea • Pi Earth: Tui 500 times • LI: Tui 200 times • Dan Tian: Rub 5 minutes • Rou: Navel 3 minutes • Tui: Seven Vertebrae 300 times • Rou: Turtle tail 500 times • Vomiting milk: Add Gate: Rou 50 times • Gan Ji [Malnutrition] • Pi Earth: Tui 500 times • LI: Tui 200 times • 3 Fences: Tui 400 times • Dan Tian: Rub 5 minutes • Na (Ji): 5 times • Fever due to Exterior condition • Sky River: Tui 300 times • Six Fu: Tui 300 times • Ji: Tui 500 times • GB 20 & GB 21: Na 5 times • Fever without sweat: add 3 Fences [Tui 400 times] • Anal Prolapse • Dan Tian: Rou 5 minutes • Turtle Tail: Rou 500 times • Seven Vertebrae: Tui 300 times • Lower Abdomen: Rub 3 minutes • Open Eustachian Tubes [Chronic Ear Infections] • Massage through SJ 17, push down to throat to Adam's apple • Combine with GB 20 & UB 10 area [Grasping]

Point	Location	Indication	Technique	
Pi Earth	Thumb Tip, Palmar surface	Diarrhea & vomiting [Both hands works better]	Tui	200-500 times
LI	Radial aspect of index finger	Diarrhea & food accumulation	Tui	100-300 times
Gate	Thenar protuberance	Congested chest, vomiting, abdominal distention, poor appetite	Tui or Rou	50-200 times
Three Fences	Radial aspect of arm from LI 5 to LI 11	Exterior cold, malnutrition Wind Damp Cold, Wind Damp Heat	Tui	LI 5 → LI 11 100-500 times
Six Fu	Ulnar aspect of arm from HT 7 → HT 3	Fever, profuse sweating [Excess conditions] Counterindication: Xu Syndrome	Tui	HT 3 → HT 7 100-500 times
Sky River	Middle line between 3 Fences & 6 Fu [Tian He Shui] Pericardium meridian	Exterior Heat with fever & irritability	Tui	Wrist to elbow 100-500 times
Seven Vertebrae	Spine from L-4 to coccyx	Diarrhea, dysentery, food accumulation, abdominal distention, constipation from LI Heat	Tui	200-500 times
Turtle Tail	At end of coccyx	Diarrhea, anal prolapse, constipation	Rou	300-600 times
Dan Tian	2 cun below navel	Lower abdominal pain, anal prolapse, nocturnal enuresis, concentrated urination	Rou or rub	3-5 minutes

Therapeutics 6: Eyes, Ears, Nose, Throat [EENT]

- Cataract removal [800 years ago]: Slice the lens away so that they can see
 - Very detailed instructions
- Introduction
- **Wu Lun** [5 tissues in accordance with 5 Zang & 5 Elements]
 - Iris problems: Use LV/GB meridians
 - Canthus: Bloody canthus → HT Fire, insomnia, yin/yang reversed
 - HT Fire flaring up
 - Lids: Middle Jiao, Difficulty closing lids, eyelid twitching [SP Qi deficient]
 - Sclera: LU Cancer patients have dark spots on sclera
 - Includes conjunctiva
 - Pink eye: conjunctivitis
 - Pupil: See deeply into KD [last resort among 5 organs]
 - Pupils different size: KD yin & yang separated
 - Drink too much → Damage KD, LV, Brain


Iris	LV/GB	Wind Circle
Canthus	HT/SI	Blood Circle
Lids	SP/ST	Flesh Circle
Sclera	LU/LI	Qi Circle
Pupil	KD/UB	Water Circle

Ba Kuo [8 Directions Around Eye in accordance with 8 Fu organs & 8 Diagrams]

- Pair: Solid Lines: Yang, Broken Lines: Yin
 - Korean Flag: Qian/Kun, Kan/Li
- 8 Directions
 - 1: Qian [LI]: [3 solid lines → Very Young → Father, Sky, Sun, Fire]
 - 2: Kan [KD/UB]: [Yin on outside, Yang Outside → KD is Yin organ with Yang inside (Ming Men Fire in middle)]
 - Ming Men is an extra organ in ancient terminology
 - 3: Gen [PC]
 - 4: Zhen [Ming Men]
 - 5: Xun [GB]
 - 6: Li [HT/SI]: [Yang Outside, Yin Inside, Fire Organ with HT Blood in Middle]
 - 7: Kun [ST]: 3 Broken Lines → Very Yin → Mother, Moon, Earth
 - 8: Dui [SJ]

Extra Points for Eye Disorders

Shang Jing Ming Above UB 1 (Jing Ming)	• About 0.2 cun above UB 1	• Optic Nerve atrophy • Strabismus • Ametropia • Excessive Lacrimation • Keratoleukoma
Xia Jing Ming (Below Jing Ming)	• About 0.2 cun below UB 1 • Perpendicular insertion	• Optic Nerve atrophy • Strabismus, Ametropia • Excessive Lacrimation • Keratoleukoma
Yu Yao [Belly of Fish]	• Middle of eyebrow • Directly above pupil • Pinch [Go behind hair roots → Less pain]	• Myopia, conjunctivitis • Ophthalmoplegia • Supraorbital neuralgia • Facial paralysis - Yu Tou (UB 2) [Fish Head] - Yu Wei [Lateral] [Fish Tail]
Shang Ming	• Directly below midpoint of eyebrow, Just under superior border of orbit • Slightly ↑ 0.3-0.5 cun	• Optic nerve atrophy • Keratoleukoma • Ametropia
Wai Ming	• About 0.3 cun above outer canthus of eye • Oblique outward or ↑ • 0.5-0.8 cun	• Optic nerve atrophy • Keratoleukoma • Ametropia
Qiu Hou [Behind Ball] Qiu: Ball Hou: Behind [Most important point!]	• At inferior border of orbit • About ¼ distance from lateral ¼ → medial ¼ side of orbit • [More lateral than ST 1] • Needle: 1st → Slightly ↓, halfway through, change direction to slightly ↑ • 0.5-0.8 cun	• Optic nerve atrophy or inflammation • Myopia, glaucoma • Retinitis, • Opacity of vitreous body • Estropia
Tong Ming [lateral to outer canthus]	• 0.5 cun below GB 1 • Horizontal toward back of head, Running needle to Tai Yang	• Ametropia


**Techniques for Points around Eye**

- **Needle:** High quality needles!!! [Seirin]
- **Preparation:** Around eye → no alcohol
- **Insertion:** No rotation, no lift/thrust!!! De Qi, then remove [no retainment]
- **Depth**
- **Withdrawal:** Close needle hole with dry, clean cotton ball
- **Bleeding/Hematoma**
 - No bleeding: Press hole for 2 minutes
 - Bleeding: Press hole for 5 minutes [Prevent black eye]

Nearsightedness & Farsightedness

- **Normal:** Eye correct shape. Light rays focus on retina
- **Nearsighted:** Eye is too long. Light rays focus in front of retina.
- **Farsighted:** Eye too short. Light rays focus in back of retina.

Normal vision occurs when light is focused directly on the retina rather than in front or behind it



Myopia: Near-sightedness or close-sightedness	
Definition • Patient can clearly see objects that are close but not objects that are far away (obscurely) due to hypofunction of lens flexibility. Mostly occurs in children or teenagers. • Usually can be completely corrected with glasses, contact lenses, surgery • TCM: Disorder called “Able to see the near & scared to look at distant.” Etiology & Pathogenesis • Occurs when eye is too long for focus point of cornea. • Light rays that normally focus on the retina focus in front of it. • Causes images to appear blurry. • Some experts think that myopia is something that you’re born with. • Some think it’s caused by the stress of too much reading, close work or computer use. • It’s likely that both factors play a role in this disorder. • Cornea that is too steep may also cause myopia. • In older age, cataracts can cause myopia. • Long standing nearsighted work • Inappropriate working posture • Working in dim conditions • Insufficient LV & KD: Essence deficiency, Yin/Yang deficiency Differentiation • Family History • Eye Health • Blurred vision in looking at objects, especially distant objects • Eye discomfort • Eye strain Diagnosis • Eye doctor will check patient by Reading letters or numbers on a chart 20 feet away, to measure the ability to see distant objects clearly • Dilate eyes by putting eyedrops in them, then look at retinas through ophthalmoscope [look through pupil] • Have patient look through various lenses like those in glasses to see which ones give patient the best distance vision	Treatment Principle • Regulate the Qi in the meridians around the eyes, nourish LV & KD Prescriptions • Points around eyes: ST 1, UB 1 • Techniques: Needle slowly with no rotation • Close needle hole & press for at least 2 minutes upon withdrawal • Points: GB 20, Yi Ming, Tai Yang, LI 4, GB 37 • Yi Ming [Eye Brightening]: 1 cun posterior to SJ 17 • Techniques: Moderate stimulation to obtain Qi extending as far as the eye region or forehead • Conduct Qi from distal points into eyeball • Point needle tip towards eye • Secondary Points • KD Deficiency: KD 3, 7, 9 [Beautiful Baby], UB 23, UB 52 • Nourish LV: LV 8 [nourish], SP 6 [Good Combo] • Auricular: Shen Men, Zero, Occiput, Forehead, LV, KD • SI 6 [Yang Lao → Take care of elders]: Good point, secondary point for deficiency caused eye disorders Other Therapies • Ear Acupuncture • Seven Star Needle: Back Shu, HTJJ [Neck area] • Tui Na: Around eye → GB 20 • Herbs • Loose Herbs ▪ Chrysanthemum [good for eye, especially wind heat], ▪ Lycium fruit [Gou Qi Zi: Goji Berry → nourish LV Blood], ▪ Equisetum [Horse Tail (Mu Zei)] • Patent ▪ Jin Shi Ming [Myopia, especially for kids] ▪ Ming Mu Di Huang Wan: Traditional formula KD & LV tonic ▪ Myopia Pills: Often for kids, mild cases, when first diagnosed ▪ Shi Hu Ye Guang Wan: Traditional formula • Acupuncture definitely effective in treating non-congenital myopia • Tui Ni 2-3 times a day around eyes, whenever you feel tired Western Treatment • Corrective Lenses: Can help eyeball to focus light rays properly on retina • Laser Photorefractive Keratectomy [PRK]: Laser removes tissue from surface of cornea

Conjunctivitis	
Definition - Inflammation of conjunctiva (clear membrane that lines the eyelids & covers white of eye) [Pink/Red, Fire eyes] - TCM: Common acute condition caused by wind heat invasion or LV & GB fire - TCM Name: Red Eye, Fire Eye - Commonly seen external eye disorder - Common Causes: - Overindulgence in alcohol, overuse of eyes, - Exposure to wind heat, lack of light, - Inadequate sleep, graveyard shift, thinking/worrying too much at night - Allergies [wind heat or wind damp heat] - Angry people → constantly yelling → LV congested, LV fire, toxins → Red eyes Etiology & Pathogenesis - Many Causes: Bacterial or viral infections - Viruses: Many that cause the common cold - Bacteria: Chlamydia, staphylococci, streptococci - Viral & Bacterial causes of conjunctivitis can spread easily, by coughing, sneezing or contact with contaminated objects [hands, washcloths, towels, cosmetics, false eyelashes, soft contact lenses] - Don't rub or touch eyes!!! - LU: LU in charge of skin. Conjunctiva is transparent skin on top of eye → wind heat, damp invasion - Wind Heat - LV & GB Fire: Get angry, eat too much spicy food - Yin or fluids deficiency: Scratchy, dry eyes [like to rub, stimulate tears], dry eye syndrome Differentiation - Sudden onset [Wind Heat, Drink too much, Yelling at people] - Congestion, swelling & pain of eyelids, photophobia, lacrimation, watery or sticky eye discharge Wind Heat: Itchy or scratchy eyes, redness [Fever & chills, more fever than chills, sore throat, cough, P: Floating, rapid] - Happens very quickly LV & GB Fire: Pronounced redness, pus discharge, mood swings - Fire eye: bloodshot, veins broken (looks awful) - P: Wiry & rapid, T: Very red, especially sides Viral conjunctivitis usually gets worse 5-7 days after onset. Can improve in 10 days to 1 month. If only one eye affected at first, may take up to 2 weeks for the other eye to be affected. If both eyes affected, first eye has worse conjunctivitis than second. [Pus: dead tissue, white blood cells] - Use acupuncture & herbs to shorten - Da Qing Ye very good for viruses Bacterial conjunctivitis: Should improve within 2-3 days of antibiotic application [Eyedrops better than oral antibiotics] - Huang Lian very good for bacteria - If use herbs, use concentrated forms to get effects - In China: Jin Yin Hua, Chai Hu: Inject into IV or intramuscular injections - Drops in nose for kids: Reduces fever very quickly	Treatment Principle - Disperse wind, drain heat & fire - Use distal & local points in combination with reducing techniques Prescriptions - Tai Yang, LI 4, GB 20, UB 2 - Experienced Points: GB 8, UB 1 - Very good points - Secondary Points - Wind Heat: SJ 5, LU 11, DU 23 - LV GB Fire: LV 2, GB 43 - Headaches: Yin Tang, GB 14 - Irritability, Feverish: SJ 1 Other therapies - Ear acupuncture: LV, GB, LU, Eyes, Ear Apex - Bloodletting [Only for acute, very severe cases] - UB 2, Tai Yang, Yin Tang [3-5 drops blood]: - Just use regular needles, blot with dry cotton ball - Must use gloves! Don't do every day, just once - Moxa: 2 extra points [Best to use real moxa → 3-5 units] Da Gu Kong: On thumb [nail side, middle of distal joint] Shao Gu Kong: On pinky [nail side, middle of proximal joint] - Herbs [Clear Heat] - Ju Hua - Man Jing Zi - Jue Ming Zi - Qing Xiang Zi - Mu Ze - Patent: - Yin Qiao [wind heat] - LV/GB Fire: Long Dan Xie Gan Wan Western Treatment Viral Conjunctivitis: Antihistamine pills to relieve itching & redness - Eyedrops can help control symptoms Bacterial Conjunctivitis: Antibiotic eyedrops - Wash eyes gently to remove any pus or crusts, dry gently with clean towel - Patients who wear contact lenses should stop wearing until eyes healed. Prevention - Wash hands frequently. Do not touch or rub eyes - Never share eye makeup or cosmetics with anyone - Never use eye medicine that has been prescribed for anyone else - Do not share towels, washcloths or sheets with anyone - Avoid swimming in swimming pools if you have conjunctivitis.

Glaucoma	
• Definition: An eye disease in which the flow of aqueous humor (clear, watery fluid that normally circulates in eye) is out of balance, with more fluid staying in the eye than exiting due to flow of fluid out of eye becomes blocked. Results in painful buildup of fluid in eyeball that creates pressure, leading to impaired vision. Patients often report seeing halos around lights in earlier stages. If untreated, the increased pressure can cause atrophy of the optic nerve and cause blindness. • TCM Name: Qing Feng Nei Zhang [Green Wind Internal Blockage] • Main Organs: LV, KD, SP Etiology & Pathogenesis • Onset can be rapid & acute or slow & chronic • Two main types, depending on how flow of fluid is blocked • Open Angle Glaucoma: Caused by gradual blockage in area that drains fluid from eyes into drainage channels. More common type of glaucoma in US & Europe. Usually affects both eyes. • Closed Angle Glaucoma: (More dangerous, often because of injury or trauma) Blockage cause by a change in the position of the iris (colored part of eye), which causes the iris to block the drainage channels. Usually happens in one eye at a time. If one eye gets glaucoma, the other eye is at risk for having the same problem. When this type of glaucoma happens suddenly, it is called acute closed-angle glaucoma & is a medical emergency. • Symptoms of acute closed angle glaucoma • Severe eye pain, Seeing halos around lights • Nausea & vomiting, Headache, Loss of vision Differentiation • Normal IOP [Intraocular pressure]: 11-21 mm/Hg • Exceptions: • Normal or low pressure glaucoma: Some people with normal pressure develop optic nerve damage • Ocular hypertension: Patients have pressure > 21 mm/Hg without any optic nerve injury • Open angle & other chronic forms of glaucoma often have no symptoms in the early stages. In later stages, patients will begin to notice a loss of vision [side vision is affected first] • Glaucoma tends to run in families. Occurs most often after age 35, but sometimes children have it. Common eye disorder in people over age 60. • In US, more common in black people than white people [most likely because of eye structure]	Other Therapies • Herbs • Dan Zhi Shao Yao Wan [Xiao Yao San + 2 heat clearing herbs] • Huang Lian Shang Qing Wan: Heat & toxins in GI, constipation • Qi Ju Di Huang Wan: Eye disorders caused by LV & KD Xu [nourish] • Zhi Bai Di Huang Wan: LV & KD Yin Xu with deficient heat • Auricular • LV, KD, Eye, Sympathetic, Subcortics, Forehead • Same side as eye problems [L eye → L ear] • Needles or seeds • Bleed on back of ear [vein runs perpendicular]: 3-5 drops of blood → pressure drops immediately, also works for hypertension ▪ Distended veins → HBP ▪ Very high IOP: bleed vein, then send immediately to ER [try to save nerve] • 7 star needle • Mild tapping: Tai Yang, Yu Yao, UB 2, GB 14, • Moderate Tapping: SP 6, UB 15 → UB 23 Western Diagnosis • Comprehensive ophthalmic examination essential for diagnosis & prompt treatment • Examination includes visualization of the angle by a special prism or contact lens, IOP measurement, visual field examination, most importantly, examination of optic disks • Eye doctor may use the following test • Tonometry: Painless procedure used to measure pressure in eye • Ophthalmoscopy: Uses instrument to look at the optic nerve inside eye • Visual Field Testing: Can show early changes in side vision caused by damage to optic nerve • Gonioscopy: Examines drainage channels • Western Treatment • Glaucoma treatment goal: Reduce IOP • Methods: eyedrops, oral medication, laser surgery, other surgery • Some eyedrops reduce amount of fluid made by eye • Others increase amount of fluid that flows out • Surgery relieves pressure inside eye by opening up drainage channel or by making another opening to drain fluid. • Patients may need to take medication or control IOP for rest of life.


	LV Qi Stagnation w/ LV Fire	Phlegm Fire Rising	LV & KD Yin Xu with Empty Fire
Etiology & Pathogenesis	• Emotional stress, worry & anger → LV Qi stagnation → LV Fire → Affects eyes [too much energy → Please control LV]	• SP Qi Xu → Damp Phlegm accumulation → Fire rising → Affects eyes • Yang brings fluids up, damp constitution, get angry → Bring fluids up	• True Yin gets consumed internally → Empty Fire Rising → Impairs Eyes • Yin Xu → Empty Heat [lose balance between Yin & Yang]
Symptoms	• Distending pain in head & eye • Irritability, hypochondriac pain, distention • Bitter taste in mouth, Nausea	• Hot pain in eye, blurred vision, dizziness • Irritability, palpitations, poor appetite • Profuse sputum, nausea, bitter taste in mouth • Chest & epigastrium congestion	• Usually senior citizens • Prolonged illness, decreased vision • Blurred vision, no spirit in eye, Poor memory • Distending eye pain, slightly enlarged pupil • Halos around lights, tinnitus, insomnia • Weak & achy low back & knees • 5 center heat sensation [Palms & Soles] • Exacerbated by exertion
Tongue	• Red with yellow coat	• Red with yellow greasy coat	• Red with little or no coating
Pulse	• Thready or wiry	• Wiry, Rapid & slippery	• Rapid, thready, deep, weak pulse
Treatment Principle	• Since glaucoma can result in blindness, early intervention is especially important. • Treatment: Clear Heat, Eliminate Damp Phlegm & Nourish Yin.	• Since glaucoma can result in blindness, early intervention is especially important. • Treatment: Clear Heat, Eliminate Damp Phlegm & Nourish Yin.	• Since glaucoma can result in blindness, early intervention is especially important. • Treatment: Clear Heat, Eliminate Damp Phlegm & Nourish Yin.
Prescription	Don't use all points [Will be too much] • Local: Tai Yang, UB 2, GB 1, ST 2, SJ 23, Tong Ming [Get Qi, not long retention] • Distal: GB 20, UB 10, ST 36, SP 6, LV 2, UB 17, UB 18, UB 23 [Get Qi moving into eye] • LV 3, LI 4, SJ 5, GB 34, LV 1, LI 11, ST 37 [Guide Qi & Blood downwards to Lower Jiao] • GB 34: Good for LV excess [He Sea] • SJ 6: Constipation, help bowel movement → guide substantial stuff down	• Local: Tai Yang, UB 2, GB 1, ST 2, SJ 23, Tong Ming [Get Qi, not long retention] • Distal: GB 20, UB 10, ST 36, SP 6, LV 2, UB 17, UB 18, UB 23 [Get Qi moving into eye] • ST 40, SP 9, ST 44, LV 2, SJ 6, REN 10	• Local: Tai Yang, UB 2, GB 1, ST 2, SJ 23, Tong Ming [Get Qi, not long retention] • Distal: GB 20, UB 10, ST 36, SP 6, LV 2, UB 17, UB 18, UB 23 [Get Qi moving into eye] • UB 47, UB 52: Nourish Yin • SP 6, LV 8: Tonify Yin, Blood • KD 3, KD 7, KD 1: Nourish KD • REN 3: Treat fire

Lid Abscess [Sty]	
• Definition: Also named meibomianitis (acute inflammation of sebaceous glands at edge of eyelids) • TCM Name: Needle eye, wheat abscess [Due to shape & appearance] Etiology & Pathogenesis • Sty occurs when bacteria infect one of the tiny glands at the base of eyelid hairs → gland becomes inflamed Differentiation • At first, symptoms only local redness & swelling in area of sty. • Often a tiny & hard pimple present at affected lid. Infection usually painful & tender only if touched. Soon infection gets worse, redder, bigger, very tender with pressure, pain aggravated with head down. • 3-4 days after onset, yellow purulent dot appears at tip of pimple, then infection bursts & drains (pus flows out). Don't affect vision unless swelling blocks vision. • Very safe as long as you don't cause a big infection [Don't squeeze → Get very swollen eyelid]	Other Therapies • Auricular: eye, LV, ST, SP, LU, ear apex [same side] • Blood letting: UB 2 [Slightly larger size needle]: 3-5 drops blood → relieve pain & inflammation immediately • Herbs • Shang Qing Wan: ST Fire, promote bowel movement • Niu Huang Qing Xin Wan: HT Fire • Ying Qiao Jie Du Wan: Wind Heat Western Treatment • Hot compresses on eyes 3-4 times/day for several days. Compresses help body fight infection & may speed up drainage of sty. • Can also apply antibiotic drops • Sometimes a sty needs to be opened & drained for quick healing

	SP & ST Stagnant Heat	HT Fire	Wind Heat [Exogenous]
Etiology & Pathogenesis	• Constitution • Bad diet [too much fried food, spicy food] •	• Usually on corners of eyes • Think too much, plan, think, worry too much at night, lack of sleep, or excessive dreaming, dream disturbed sleep	• Invasion [Flu, allergy, season] • Seasonal, comes quickly through air
Symptoms	• Thirst, bad smell/breath/mouth • Very strong appetite, eat a lot • Constipation	• Irritability, insomnia, dream disturbed sleep • Ulcers on tongue, in mouth • Scanty, concentrated urination	• Fever & chills, cough, sore throat, headaches
Tongue	• Yellow, thick	• Red, especially tip	•
Pulse	• Slippery, forceful, strong	•	• Floating, rapid
Treatment Principle	• Clear & purge heat with reducing techniques • Followed by constitutional treatment • Dietary: Prevent from happening again	• Clear & purge heat with reducing techniques • Followed by constitutional treatment • Dietary: Prevent from happening again	• Clear & purge heat with reducing techniques • Followed by constitutional treatment • Dietary: Prevent from happening again
Prescription	• LI 4, SJ 5, ST 1, ST 2, ST 44, SP 9 • Change diet: not as much heat producing food, alcohol • Some people don't like bland food, satisfy taste buds → suffer later	• UB 2, SJ 5, PC 6, PC 4, HT 9, DU 23, Yin Tang • REN 9, UB 28: promote urination • Promote urination, drink a lot of water, heat clearing teas	• UB 1, UB 2, LV 2, Tai Yang, GB 20
Dietary	• Cool Yang Ming • Huang Lian • Bo He • Lu Dou [Mung Bean] • Yu Xing Cao? Promote recovery of ST • Pu Gong Ying [leaves not too bad]	• Dan Zhu Ye	• Jin Yin Hua [Flower & Leaves] • Ju Hua

Cataracts	
- Definition: Lens condition affecting eye in which lens or lens capsule becomes opaque, resulting in blurry or dim vision - Usually affects seniors & thought in most cases to be a natural part of aging process. Few people over age 60 don't have beginning of a cataract. - In most people, cataract never develops far & may be little more than a small "milky" dot in part of the lens. In others, this milkiness can extend to whole lens [but not necessarily]. Opacity gradually becoming worse until lens resembles a hard-boiled egg. - Western Medicine: treat cataracts by removing them surgically when condition progresses enough to warrant it. Prevention: Move & exercise eye muscles!!! TCM Name: Yuan Yi Nei Zhang [Internal Screen in Eye] Etiology & Pathogenesis - Main Organs: KD, LV, SP, LU - Body fluids: Quality & quantity keeps Lens clear & transparent - When body fluids become "turbid" or stagnant, cataracts will gradually develop. Lung is responsible for circulation of body fluids & includes circulation inside eye. - KD Yin Xu or exhaustion: Body fluids governed by kidneys & can become turbid [yin fails to nourish eye] - LV Blood Xu: Fails to nourish eye or LV Heat rises [worse] & disturbs clear orifices - SP Qi Xu: Western View Free radicals: Lens gradually becomes more opaque as proteins that form lens degrade. Process occurs naturally with time & is somewhat analogous to degradation of plastics in sunlight. The process accelerated by presence of free radicals in blood. Many sources of free radicals: Imperfect digestion of some proteins, factory produced food, margarine & canola oil intake, UV light, cigarette smoke, photosensitizing drugs (gout medications, cholesterol lowering drugs, antibiotics, diuretics), steroids Diabetes: Western mechanism unknown - TCM: Yin deficiency [Xiao Ke (drink, eat, pee a lot, never gain weight)] - Over/Under-exposure to light [too bright, too dim]	Differentiation - Early stages: Cataract often starts as a localized cloudy area. At first, there may be 1 or 2 diffuse spots that may be off-center and vision may be affected except in poor light when the pupil is fully dilated. - Gradually, these spots grow in size & opacity. Patients initially may be unaware of a cataract developing. They may perceive halos around objects or things may become blurred. Little by little, vision deteriorates so that is more & more difficult to read & discern objects. - In addition, patients can develop a so-called "second sight," where eyesight improves for short interval but does not last. - Food: - Red food: Gou Ji Zi, Da Zao, Red beans, beets, liver Technique - Local points needled gently with enough stimulation to feel Qi in front of eye being treated. - Near points needled on side of affected eye, toward eye - If condition is bilateral, then needle both sides - Tonifying techniques applied for Xu types. - Reducing ones for Shi types. - Tonifying with reducing or Reducing with tonifying for Xu & Shi types. Other Therapies Seven Star needling: GB 20, HTJ at C level, UB 15, UB 18, UB 23, SP 6 - Tonifying techniques. Auricular: LV, KD, Eye, Brain, SP, Shen Men - Gold: More tonifying - Silver: More reducing Prognosis - Most significant progress with early stage cataracts - If cataracts has only just started, there is a possibility of reversing it completely - Once cataract has spread & opacity has deepened, chances of complete reversal are slim. - When patient is old, progress will be slow & frequent treatments are expected. - It should be possible to prevent cataract from getting worse, but regular maintenance treatment needed.

	LV & KD Xu	SP Qi Xu	LV Heat	LU Dryness & Heat
Etiology & Pathogenesis	Fails to nourish eye or LV Heat rises [worse] & disturbs clear orifices	Leads to source of Qi & Blood becomes exhausted	Can be LV excess with deficiency at same time	LU: also responsible for circulation of body fluids [eye is part of body fluid circulation]
Symptoms	- Blurred vision, dizziness, - Tinnitus, weak & achy lower back & knees - Frequent & profuse nocturia - Easily tired - Hypertension with red face or cheeks [Relative LV excess with LV yin → Deficiency below with excess above]	- Blurred vision, fatigue - Lassitude, sallow complexion - Poor appetite, loose stools	- Blurred vision, headaches - Excessive eye discharge [especially yellow discharge] - Red & watery eyes or painful eyes - Bitter taste in mouth - Dry mouth & throat	- Dry & red eyes - Blurred vision - Better with eye drops or just blinking - Chronic lung conditions - Dry skin
Tongue	Pale or Red tongue	Pale, flabby with white coat	Red edges with yellow coating	- Dry & thin - Pointed with red tip [Smaller at tip, very sharp]
Pulse	- Deep, weak pulse or - Thready, tight pulse	Slow, thin, weak	Wiry & rapid	Thready
Treatment Principle	- Treatment should start as soon as possible [Earlier, better] - Nourish LV, KD, LU - Promote circulation of eyes - Clear heat	- Treatment should start as soon as possible [Earlier, better] - Nourish LV, KD, LU - Promote circulation of eyes - Clear heat	- Treatment should start as soon as possible [Earlier, better] - Nourish LV, KD, LU - Promote circulation of eyes - Clear heat	- Treatment should start as soon as possible [Earlier, better] - Nourish LV, KD, LU - Promote circulation of eyes - Clear heat
Prescription	Local: UB 1, GB 1, Qiu Hou SJ 17, SJ 5, GB 20 Distal: GB 37, GB 39 - KD 3, UB 23, UB 18 - UB 47, UB 52, - SI 6: Old people eye disorders caused by deficiency - LV 3	Local: UB 1, GB 1, Qiu Hou SJ 17, SJ 5, GB 20 Distal: GB 37, GB 39 - ST 36, SP 6, UB 20, UB 21 - LI 4, - DU 20: Conduct & encourage blood & fluids up to head	Local: UB 1, GB 1, Qiu Hou SJ 17, SJ 5, GB 20 Distal: GB 37, GB 39 - LV 2, - GB 34: LV Heat. Exit from paired yang organ [yin organs don't have a direct exit]	Local: UB 1, GB 1, Qiu Hou SJ 17, SJ 5, GB 20 Distal: GB 37, GB 39 - UB 13, LU 7, KD 6, - LI 11: LU Heat. Exit from paired yang organ [yin organs don't have a direct exit]

Strabismus	
Definition - Strabismus: Also named squint, refers to disorder where the two eyes of patient are unable to stare straight simultaneously [eyes point in different directions.] Usually one eye pointed straight ahead & other pointed in, out, up or down. - TCM: Wind blowing squint Etiology & Pathogenesis Normal Vision: Brain fuses images from two eyes aimed at same target into one clear image [called binocular vision]. Strabismus: Two different images sent to brain. Occurs when eye muscles are not balanced. Movements of muscles of one eye do not match those of other. Young child: brain starts to ignore image from turned eye & child loses depth perception & vision in turned eye. Adults: Often have double vision because the brain is used to receiving two images and cannot easily ignore image from turned eye. Causes - LV & KD Deficiency Wind invasion into meridians around eye: Internal wind from high fever - Inadequate gesture - Congenital strabismus - Trauma Paralytic Strabismus: Muscular paralysis around eye Esotropia [Eye turns IN] (Cross-eye): Abductor paralysis [internal strabismus] Exotropia Eye turns OUT (walleye): Adductor paralysis [external strabismus] Hypertropia: Inferior muscle paralysis, Eye turns UP Hypotropia: Superior muscle paralysis, Eye turns DOWN Conjugate Strabismus: Most Difficult to treat Differentiation - All: Difficult movement - Squinting in one or both eyes, turning or tilting head, limited movement of one or both eyes, diplopia Treatment Principles - Regulate muscles of eyes - Tonify LV & KD Point Prescription Points: ST 2, ST 36, LI 4, GB 20 Internal [lateral weak muscles]: - Tai Yang, GB1, SJ 23, Qiu Hou [stimulation on lateral side] External [medial weak muscles]: - UB 1, UB 2, Yu Yao, Shang Jing Ming, Xia Jing Ming Other Therapies - Electroacupuncture - Tai Yang, distal points, same side as points - Mild stimulation - Don't retain needles - Tonifying effect [muscle deficiency → Strengthen muscles]	{ MediFee.com } <u>Squint Eye (Strabismus)</u>  Western View & Treatment Strabismus in adults may be caused by: - Strabismus from childhood that recurs - Poor vision in one eye, which begins to drift outward - Concussion (injury to brain) - Injury to nerves that control eye muscle movement, sometimes as a result of high blood pressure, thyroid disorders, diabetes, myasthenia gravis, MS, inflammatory & infectious diseases, tumors, aneurysms Diagnosis: Eye doctor tests vision & ability to follow objects with each eye Treatment: Goals: Restore vision, if amblyopia present, straighten eyes & restore the ability to make normal eye contact & restore binocular vision. - In children, treatment should begin as soon as the condition is detected. Treatment that begins after 6 may improve a child's appearance but not always the vision. - Treating any amblyopia by patching or using special eyedrops in the good eye, which force the brain to pay attention to the weak eye. - Glasses for farsightedness or to improve the focus of the eye. Farsighted children have to work harder to focus their eyes. [An eye with poor vision is more likely to drift.] Glasses that correct the farsightedness help keep the eyes from crossing while they are worn - Eye exercises to train the eyes to move together & focus on the same object at the same time. - Prism glasses for adults, which may eliminate double vision while they are being worn. - Surgery on the eye muscles. Muscles may be loosened, tightened, or repositioned. If this surgery is performed early enough in some children, they may develop normal vision. Like any surgery, eye surgery has risks. Surgery success depends partly on whether coordination between the eyes & brain is good enough to keep the eyes locked on target & in proper alignment.

	Wind Invasion	LV & KD Deficiency	Paralytic Strabismus	Conjugate Strabismus
Etiology & Pathogenesis	Wind invasion into meridians around eye: - Usually happens during high fever [like meningitis], infection may spread out in blood very quickly → systemic infection, septicemia. When blood is infected, it moves very fast → may shake up things inside. In small arteries, clots may block. - Extreme heat → internal wind	- Gradual onset with dizziness, blurred vision, tinnitus, - Deep, thready pulse	- Muscular paralysis around eye [Or nerve that control muscles]	- Muscular imbalance - Sometimes the cause of eye muscle imbalance not known - Children may be born without ability to keep the eyes together - Children with conditions like cerebral palsy or Down syndrome often develop strabismus - Difficult to treat
Symptoms	- Sudden onset with headache, - Nausea, vomiting, fever & chills - Floating, rapid pulse	- Gradual onset with dizziness, - Blurred vision, tinnitus, - Deep, thready pulse	- Patient usually has diplopia [seeing double], - Dizziness, nausea, vomiting	- Have big difference in vision between the two eyes [20/20 & 20/40, etc.]

Optic Nerve Atrophy	
• Optic Nerve Atrophy: Chronic eye disorder characterized by gradual degeneration of visual acuity. ♦ Initial Stage: Blurry vision ♦ Eyesight gradually & continuously decreases • TCM Name: Green Blindness ♦ Mainly caused by Qi & Blood deficiency Etiology & Pathogenesis • Western: Glaucoma, tumor, embolism or trauma can lead to malnutrition of optic nerve, resulting in atrophy of optic nerve. • Divided into primary & secondary ♦ Primary: Due to pathology distant from nerve head ▪ Optic disk become white or grayish with sharp edges ♦ Secondary: Due to pathology at nerve head ▪ Optic disk becomes dirty white with irregular Differentiation • Visual loss: Roughly proportional to degree of nerve atrophy ♦ Ranges from little loss of vision to total blindness with no papillary response to direct light. • Eye appears normal but eyesight keeps decreasing ♦ At first, blurred vision (green, blue or yellow in color) ♦ Eyesight keeps decreasing → Visual field reduces → Optic papilla turns pale → Blindness [Last] Western View • Optic Atrophy is a sign of chronic optic nerve disease & not a standalone diagnosis → its presence demands a search for a cause. • Dramatic return of vision can accompany reversal of certain pathologic processes, for example, central vision & visual field defects may return after relief of pressure on the optic nerve caused by a tumor.	Prescription • UB 1, ST 1, Qiu Hou • GB 20: Point toward eye • GB 37: Point toward eye • Technique: ♦ Local points: De Qi (distending sensation) expanding into eyeball ♦ Frequency: Every day Other Therapies • Moxibustion: ♦ HTJJ → Cervical (Close to vision center → Stimulate vision center) ♦ Back Shu points • Auricular: Eye, LV, KD, SP, Brain [Same side] • Electro: Tai Yang, GB 20, LI 4, GB 37 • Herbs ♦ Ming mu Di Huang Wan ♦ Qi Ju Di Huang Wan ♦ Ge Jie Da Bu Wan [gecko] ♦ Ren Shen Yang Yun Wan [general tonic → Nourish yin, blood, fluid] ♦ Shi Quan Da Bu Wan [Q] ♦ Shu Gan Wan ♦ Shi Hu Ye Guang Wan • Ancient Prescriptions ♦ UB 18, UB 19, UB 23, SI 6, LI 1, GB 37 ♦ UB 2, DU 20, DU 21, DU 22, DU 23, DU 24, UB 40 ♦ UB 18, LI 1 on opposite side ♦ LI 1, ST 3, GB 1, GB 3, UB 6

	LV & KD Yin Deficiency	Qi & Blood Deficiency	LV Stagnation
Symptoms	• Dry eyes, dizziness, • Yin deficiency	• Eyesight decline • Fatigue, weak breath • Insomnia	• Depression, mood swings, • Hypochondriac pain • Vertigo, bitter taste in mouth
Tongue	• Red, peeled	• Pale	• Congested veins
Pulse	• Thin pulse	• Deficient	• Wiry,
Treatment Principle	• Nourish LV & KD	• Tonify Qi & Blood with tonifying techniques	• Move LV Stagnation [even technique]

Ear Infection	
Definition • Ear Infection (otitis media): acute or chronic inflammation of auris media (middle ear). • Most common form of ear infection, seen mostly in children, characterized by otopyorrhea (excessive ear discharge) & ear pain. • TCM Name: Ting Er [purulent ear] Etiology & Pathology • Shao Yang Meridians mainly involved in ear infection • Hand Shao Yang Meridian [SJ] enters ear from back → ends at SJ 21 • Foot Shao Yang Meridian [GB] enters ear from back → ends at GB 2 Other Therapies • Auricular: Ear, SJ, GB [excess], KD [deficiency] • Bloodletting: Bleed Ear apex for excess • Tui Na: Back of ear, front of throat, nape of neck, cervical HTJJ → Pinch • Herbs • Yin Chiao Jie Du Wan • Long Dan Xie Gan Wan • Zhi Bai Di Huang Wan • Zuo Gui Wan	Prevention • Avoid pacifier use • Prevent viral influenza • Prevent bacterial infections • Breastfeeding • Prevent colds/flu • Avoid exposure to cigarette smoke • Dietary factors & supplements Western View • Ear: Organ of hearing & balance • Organized into External, middle & internal areas • Outer Ear: collects sound waves → conducted through canal to tympanic membrane [ear drum] • Tympanic Membrane: Tissue lined on the inside with mucus. Like a drum, vibrates to the incoming sound waves, converting them into mechanical energy. • Middle Ear: Complex structure filled with air & composed of tiny bones that vibrate to the rhythm of the mechanical energy that resonates through the eardrum. Passes sound waves on to the inner ear. • Inner Ear: Filled with fluid. Hair-like structures stimulate nerves to convert the mechanical waves to electrochemical impulses that are carried by a network of nerve cells to the brain, which senses the impulses as sounds. Also contains 3 semi-circular canals that function as body's gyroscope, regulating balance. • Eustachian Tube: Important structure in ear, runs from middle ear to passages behind nose & upper part of throat. Ventilates ear & equalizes air pressure in middle ear to outside air pressure. Problems here are primary factors in most ear infections.

	Acute [Wind Heat Invasion or GB Damp Heat]	Chronic [Yin Fluid Deficiency]
Etiology & Pathogenesis	• Shao Yang Meridians [SJ, GB]: Govern Excess ear disorders • Sudden hearing loss → Excess [LV Yang rising, LV Fire, LV Wind blow phlegm to ear & block it] • Wind heat invasion: Sore throat, URI → middle ear infection due to Eustachian tube blockage • GB Damp Heat causing upward disturbance: More common in adults [LV Yang rising]	• KD: Relates to ear with deficiency, chronic disorders [aging, dehydration] • Yin fluid deficiency: leading to inadequate nourishment [aging]
Symptoms	• Sudden onset [infection, anger] • Throbbing pain in ear, impaired hearing • Possible fever, chills, headache, dizziness • Coughing, nasal congestion, irritability, loss of appetite, vomiting • Possible yellow purulent discharge within a few days of onset due to eardrum rupture	• Lingering or recurrent attacks of otitis media • Continuous scanty purulent discharge from ear • Dizziness, impaired hearing, tinnitus, • Exacerbation by cold/flu or swimming • Possible lassitude, mild fever • Not painful, feeling of stuffiness in ears, like being underwater
Tongue	• Red with yellow coating	• Pale, dry
Pulse	• Rapid, floating, slippery	• Deep, thready
Children's Symptoms	Acute Otitis Media [AOM]: Infection in middle ear that causes inflammation behind tympanic membrane. Often develops during or after cold or flu. Extremely common in children. • Difficult to determine if a pre-verbal child or infant has ear infection. • Some believe that tugging on ear can indicate infection, but more likely indicates teething pain. • Some children may indicate pain if they have trouble swallowing • Severe: Tympanic membrane may rupture & discharge pus [usually brings relief from pain] • Fever & chills make children irritable & fussy → difficult to determine if otitis media is also present • 1/3 of children: Symptoms not apparent	Otitis Media with Effusion [OME]: Effusion (fluid) builds up in one or both middle ears. When this is chronic & severe, the fluid is very sticky & commonly called "glue ear." • Only signal to parent that condition exists may be child complains of "plugged up" hearing • Other symptoms: not responding to verbal commands, talking louder, turning up TV or radio • Children susceptible to OME can have frequent episodes for more than half of their first 3 years of life. • Episodes can last from weeks to months
Treatment Principle	• Clear heat & expel pus from Shao Yang & Yang Ming • Main points from Shao Yang & Yang Ming meridians • Reducing Techniques • Wipe & Wash ear before acupuncture treatment	• Moistens LV & KD • Even or tonifying techniques • Wipe & Wash ear before acupuncture treatment
Prescription	• GB 2, SI 19, SJ 21, SJ 17, LI 4 • EPI: GB 20, SJ 5 • Fever: LI 11, DU 14 • GB Damp Heat: GB 34, GB 40	• GB 2, SI 19, SJ 21, SJ 17, LI 4 • KD Xu: KD 3, UB 23 • SP Xu: ST 36, UB 20 • LV Xu: LV 8, UB 18

Tinnitus & Deafness	
Definition • Tinnitus & Deafness: Auditory disorders • Tinnitus: Characterized by ringing sound in ears felt by patient [Perception of sound in absence of acoustic stimulus (subjective experience of patient)]. Usually an omen of deafness. Discussed together because of • TCM Name: Er Ming • Deafness: Failing or loss of hearing. • TCM Name: Er Long • Keep KD strong → Don't lose hearing • Zang Fu: KD (Xu), Excess: Shao Yang (SJ, GB) Western View: Mechanism causing tinnitus is obscure • May occur as a symptom of nearly all ear disorders → Ear canal obstruction, infections, Eustachian tube obstruction, Meniere's Disease, ototoxicity, cardiovascular diseases (hypertension, arteriosclerosis, aneurysms), anemia, noise-induced hearing loss, acoustic trauma, ringing at same rate as heartbeat (hyperthyroidism, hypertension, aneurysms), anemia, noise-induced hearing loss, acoustic trauma (blast injury, head trauma, etc.) Treatment • The ability to tolerate tinnitus varies by patient. • Treatment should target the underlying disease. • Correcting associated hearing loss usually relieves the tinnitus. • Hearing aids may suppress tinnitus. • No specific medical or surgical therapy for tinnitus, but many patients find relief by playing background music to mask the tinnitus & may go to sleep with the radio playing. • Some patients benefit from using a tinnitus masker, a device worn like a hearing aid that presents a sound more pleasant than the tinnitus. • Hearing Aids: Don't restore hearing, just make sounds louder to get best sound possible to patient's ear. May distort some sounds. • Cochlear Implants: Cochlea is part of ear that turns vibrations into electrical signals. Help with speech reading by providing information about word intonation, speech rhythm & some speech perception. Types of Hearing Loss • Conductive: Hearing loss results when something interferes with sound waves traveling through outer & middle parts of ear. Causes: • Complete blockage in outer ear by wax, infection (otitis media) • Collection of fluid in middle ear, damage to tiny bones in middle ear • Sensorineural: Results from a problem in the innermost part of the ear or auditory nerve. Causes: • Tumors, injury from diseases (meningitis, rubella) • Physical injury to inner ear, abnormal development of inner ear • Children with both hearing & balance problems may have mild delays in development of motor skills • Early testing is important in helping a hearing impaired patient adapt.	Other therapies • Technique: SJ 21, SI 19, GB 2, SJ 17 • Manipulate to get outward distending sensation in ear • Auricular [same side]: KD, LV, Shen Men • Excess: SJ, GB • Techniques ▪ Strong: Excess [silver ball] ▪ Mild: Tonify [gold ball] • Head acupuncture: Vertigo & hearing area [same side] • Point injection: Vitamin B 12, 0.5 mL into SJ 17, GB 20 [once weekly] • Extra Points [Tinnitus & Deafness] • Er Ming: 0.5 cun above SJ 20 [needle downwards toward ear root] • Long Zhong: 3 cun directly below head of fibula [found during cultural revolution → Documentary] Especially good for young kids. Need to wait for Qi to get up to ear. • Therapy for Presbycusis (Senior hearing loss): Pestle Needle Set & Moxa • Ancient prescriptions • DU 23, SJ 17, SI 19, UB 23, SJ 5, LI 4, LI 6 • DU 20, SI 19, GB 2, SJ 21, UB 8, LI 5, SI 3, SI 5, SJ 3 • GB 3, ST 7, DU 20, DU 22, SJ 17, SJ 21, SI 16, SJ 1, SJ 3, GB 2 • Cicada sound: SJ 17, GB 2, SI 19, SJ 3 [Use strong technique] • Deficiency: Lower pitched • Herbs • Er Long Zuo Ci Wan [Tso Tsu Otic]: LV Yang Rising, KD Yin Xu [Includes Ci Shi (Magnetite)] • Liu Wei Di Huang Wan: Mild Yin tonic, balanced formula • Long Dan Xie Gan Wan: LV/GB Damp heat with LV Yang rising • Li Gan Pian [LV Strengthening tablets]: LV Damage with toxins [too many medications → Need to detox] • Jing Gui Shen Qi Wan: KD Yang tonic • Qing Qi Hua Tan Wan: Phlegm & Damp heat accumulation Levels of Severity: Determined by loudness of sound that a patient can hear without a hearing aid. Loudness is measured in decibels [dB] • Mild: Can hear sounds of 20-40 dB or louder. May have trouble hearing faint or distant speech. Most common cause: fluid accumulation in middle ear (conductive hearing loss) • Moderate: Can hear sounds of 45-60 dB or louder. Need speech to be loud. Difficulty understanding speech in group situations. • Severe: Can only hear sounds of 65-85 dB or louder. Can hear only loud voices one foot or less away, or loud sounds in environment. • Profound: May hear loud sounds of 90 dB or louder, but may be more aware of vibrations than sound. The term deaf usually applies to patients with profound hearing losses or no hearing at all. • Patients with hearing loss that crosses two levels of severity are given the label of both (mild to moderate, moderate to severe)

	Deficiency: KD Qi, Essence or Yin Xu	Excess: Phlegm, Damp Heat	Excess: LV & GB Fire [Rage, fright]
Etiology & Pathogenesis	• KD Qi Xu: Initial Stage [Buzzing, car w/o gas] • KD Yin Xu: Everything dried up [skin, hair, eyes, throat]	• Damp mucus constitution • Comes & goes with the mucus blockage • SP/ST damp, Borborygmus	• Rage & Fright: Yelling, working in noisy place
Symptoms	• Protracted deafness • Intermittent tinnitus in low pitch like bee buzzing, aggravated by strain, • Relieved by pressure	• Sudden deafness • Distending sensation & constant ringing in ear in high pitch or screaming sound, like thunder or a roar, or like cicada chirping • Ringing not relieved by pressure	
Tongue	•	• Thick, greasy, white/yellow	•
Pulse	•	• Soft [too much water in mud]	•
Treatment Principle	• Shao Yang as main points • Bring nourishment up to ear, Treat KD • Nourishing Yin & Restraining Yang • Tonifying techniques & Moxa	• Shao Yang as main points • Reducing techniques • Excess: Direct energy down, away from inner ear [Treat Shao Yang]	
Prescription	• Xu Pattern: SJ 17, SJ 21, UB 23, REN 4	• Main Points: SJ 17, GB 2, SJ 3, GB 43 • Excess Phlegm & Damp Heat: • ST 40, SP 9, REN 10, REN 13	• Main Points: SJ 17, GB 2, SJ 3, GB 43 • Severe LV & GB Fire: LV 2, GB 40
Secondary Points	• Severe KD Xu: KD 3, ST 36, KD 1 • Dizziness due to Blood Xu: UB 17, SP 6, LV 8 • LBP & low sex drive: DU 4, GB 26 [Dai Mai to strengthen girdle]	• Severe & Continuous tinnitus: SJ 19, SJ 4 • Shi Pattern With EPI: LI 4, SJ 5, GB 41, SI 19 • Fever & chills: LU 7, DU 14, UB 12, GB 20 • Headaches: Yin Tang, Tai Yang, DU 23, UB 63	

Vasomotor Rhinitis & Nasosinusitis	
• TCM: Bi Yan [Thick & sticky nasal discharge running, loss of the sense of smell, forehead ache] • Lungs are mainly involved because lungs open to the nose.	
Western View [Etiology & Pathology]	
Rhinitis	Nasosinusitis
• Inflammation of nasomembrane • Caused by small blood vessels in nose that are sensitive to changes in environmental conditions such as temperature, humidity & presence of irritants [smoke, dryness, smog, perfume]. In response to these conditions & irritants, nose makes more mucus.	• Inflammation of Nasosinuses • Occurs when sinus membranes swell or become infected. • Very narrow passageways between sinuses & from sinuses to nose • Swelling of sinus linings causes excess mucus production • Swelling & extra mucus may block passageways → causes pressure changes in sinuses → can be painful • Often occurs after a cold, but not always. Other causes: Bacteria, viruses, allergies, fungus. • Injured or deformed nasal bones → partially blocking sinus openings → sinusitis is more likely.
Differentiation	
• Runny nose, • Possible slight nasal congestion	• Feeling of fullness or pressure in head, headache painful when first waking up in morning or when bending head down or forward • Tenderness above, behind or below eyes, runny or stuffy nose, • Cough, especially at night • Sore throat in morning or evening, • Postnasal drainage, aching in upper jaw & teeth (may mistake for toothache)
Diagnosis	
• No specific tests. • May swab lining of nose for mucus sample & examine for eosinophils (allergy cells) [not always present → test not very helpful]	• Ask about symptoms, x-ray to look for swelling, fluid, deformed structure, polyps in sinus
Treatment	
• Nasal steroid or ipratropium sprays for treatment & prevention	• Antibiotics & decongestants for several weeks, • Acetaminophen or aspirin for pain • Antihistamines or nasal sprays (steroids or cromolyn) for allergies • Chronic, Severe Sinusitis: Surgery to create extra or enlarged passageways in sinus cavity walls. Allows sinuses to drain more easily through nasal passages.
• Significant Symptoms for rhinitis & sinusitis: Nasal obstruction, loss of sense of smell, profuse nasal discharge, dull pain in forehead. • Differentiate hypotrophic rhinitis & vasomotor rhinitis: • Apply 0.1% adrenaline in nose ▪ Vasomotor: Gets better immediately with adrenaline ▪ Hypotrophic: Doesn't get better with adrenaline	
Sinuses & Differentiation	
• Maxillary: Both sides of cheeks • Ethmoid: Deep, between eyes • Sphenoid: Deep, behind nose → Headache deep in head, central • Frontal: Above eyes	
Secondary Points	
• Pain around eyebrow: UB 2 → Yu Yao • Headache: DU 20, UB 2 • Treatment: Initial, Secondary & Final points for nasal congestion • Step 1: LI 20, Bi Tong • Step 2: Nasal Blockage: UB 7, REN 18 [Good for nasal blockage] • Step 3: Stubborn Nasal Blockage: DU 23 → Moxa until opens up ▪ Use stick moxa → 3-5 cm (Don't move) • Chronic Bi Yan: Moxa Du 23	
Other Treatments	
• Auricular: Inner Nose, Forehead, adrenal, LU, endocrine, Shen Men • Herbs • Loose: ▪ Fructus Xanthii Cang Er Zi ▪ Flos Magnoliae Xin Yi Hua ▪ Angelica Dahurica Bai Zhu ▪ Ligusticum Sinense Oliv Qiang Huo ▪ Radix Ledebourielae Fang Feng ▪ Mint • Patent herbs ▪ Pe Min Kan Wan: Acute ▪ Bi Yan Pian/Wan: Chronic ▪ Yin Qiao: Wind Heat ▪ Chuan Xin Lian Antiphlogistic [anti-inflammation]: Viral infections ▪ She Dan Chuan Bei Ye: Post nasal discharge • Point injection: Yu Xing Cao [Herba houttuyniae] • 0.1 – 0.2 mL into points • Extra Points • Shan Gen [Foot of mountain]: Between two inner canthus ▪ Ethmoid sinuses & stubborn blockages → Combine with Yin Tang • Shang Ying Xiang [above LI 20]: between softer part of nose to bottom of nose [in groove, medial to LI 20] → Used to open nose • Loss of smell: LI 20, UB 13, DU 25 [moxa] • Ancient prescriptions • Rhinitis ▪ GB 20, DU 23, Yin Tang, LI 20, LI 4 ▪ GB 20, UB 10, DU 23, LI 20, LI 4 ▪ GB 20, UB 10, DU 14, DU 16, UB 12, LI 19, LI 20, LI 4, DU 20, PC 8 • Sinusitis ▪ LI 20, LI 4, GB 20 ▪ GB 20, LI 4, SI 15, DU 23, LI 10, UB 17, LI 20 • Loss of Smell ▪ Point injection: UB 13, LI 20 ▪ Moxa: DU 25	

	Wind Cold	Wind Heat/Lung Heat	Fire in LV/GB
Symptoms	• Chills >> Fever, itchy nose • Sneezing, runny nos	• Fever >> Chills • Thick, yellow, sticky nasal discharge • Cough	• Fetid/yellow nasal discharge • Irritability, Bitter taste in mouth • Dry throat, Headache
Tongue	•	• Red, red tip	• Red, dry, yellow coating
Pulse	• Tight, floating	• Rapid, floating	• Rapid, floating pulse
Treatment Principle	• Disperse Wind Cold • Clear Lungs & Nasal cavities • LU/LI points: → smooth flow of LU Qi, expel pathogenic wind cold by reducing.	• Disperse Wind Heat • Clear Lungs & Nasal cavities • LU/LI points: → smooth flow of LU Qi, expel pathogenic wind heat by reducing.	• Induce LV/GB fire downward
Prescription	• Main: LU 7, LI 20, LI 4, Bi Tong, Yin Tang • GB 20, UB 10, 11, 12	• Main: LU 7, LI 20, LI 4, Bi Tong, Yin Tang • LI 11, LU 5, UB 13, DU 23	• Main: LU 7, LI 20, LI 4, Bi Tong, Yin Tang • LV 2, GB 34

Epistaxis	
- Epistaxis (nosebleed) occurs when the membranes lining the inner nose are disturbed or irritated enough to cause abnormal bleeding. TCM: Bi Nu [Nu = bleeding] - LU, ST, KD mainly involved Common causes: Breakdown in membranes lining the nose - Can be triggered by dry air, probing, bumping, picking or rubbing nose - Blowing nose forcefully can also cause nosebleed, especially if nasal membranes are already inflamed due to allergies or infection. - Injury to face or nose, high altitude, high blood pressure - Re-bleeding from an area of previous nosebleed - Medicine that increases clotting time - Nosebleed after heavy blow to skull could mean fractured skull → ER First Aid - When nose starts bleeding, sit up & lean forward to prevent blood from passing into throat - Pinch nose firmly together between thumb & index finger, just below nasal bones, hold for 10 minutes. - After bleeding stops, use saline nasal spray or nose drops to keep nose moist. - Do not blow nose for several hours. - If a nosebleed lasts > 20 minutes or does not respond to first aid → go to MD - Will likely apply cotton ball soaked in epinephrine, or nose drops like Neo-Synephrine or Afrin to bleeding site for 5-10 minutes to numb & temporarily reduce blood supply to nasal membrane. - Then pack nose with Vaseline coated gauze or special balloon to provide pressure - Can also use cauterization to force blood to coagulate at bleeding site. Will help prevent future bleeding.	Other Therapies - Auricular: Inner LU, adrenal, KD, ST, Shen Men, Zero - Bleeding: LU 11, LI 1, UB 40 3-5 drops, get rid of heat - Ancient Prescriptions - DU 23, UB 45, SJ 16, GB 20 100 units moxa on KD 1 [10 more practical] - Du 16, LI 2, LI 20 - Herbs - Yun Nan Bai Yao [Best: Capsules, tincture] - Lower back pain, knee pain

	Accumulated Wind Heat in Lung	ST Fire	Deficient Fire Flaring Up [KD Yin Deficiency]
Etiology & Pathogenesis	Smoking too much [heat accumulates in lung], nicotine addiction		
Symptoms	- Nosebleed - Fever>> Chills - Cough w/scanty yellow sputum - Dry nose, throat, eyes - Stuffy nose → blow hard → bleeding - Nosebleed every time have wind heat	- Nosebleed - Bad breath - Thirst with desire for cold drinks - Irritability, constipation	- Nosebleed - Dry mouth, malar flush - Dizziness, tinnitus - Blurred vision - Afternoon fever, night sweat 5 center burning
Tongue		Red with yellow coating	Red, little coat
Pulse	Floating, rapid	Forceful	Thready, rapid
Treatment Principle	Clear heat	Clear heat	Nourish Yin & descend fire
Prescription	Yang Ming & Du LI 20, LI 4, DU 23 - Ice: Yin Tang, DU 23 - GB 20, LU 11, LU 5 - Extreme heat: SJ 5, LI 1 - Extreme/Continuous bleeding: LI 2 - LV/KD Xu: SP 1, KD 1	Yang Ming & Du LI 20, LI 4, DU 23 - Ice: Yin Tang, DU 23 - ST 44	Yang Ming & Du LI 20, LI 4, DU 23 - Ice: Yin Tang, DU 23 - KD 3, LV 3 - KD 6, UB 7

Toothache	
- Common ailment → Pain in or around tooth - Pain causes: Infected tooth, infected gum, irritated nerve, problem with sinuses TCM: Huo Ya - ST & Wind Fire, KD deficiency Etiology & Pathogenesis - Tooth covered with calcified enamel that protects soft living center of the tooth, which contains the blood supply, nerve & pulp (tissue surrounding blood vessels & nerve) - Pain may occur if patient has tooth decay, which may irritate the nerve or may lead to bacterial infection of pulp, which can be very painful. - Tooth's nerve can be irritated by fracture or crack. - Patient may get toothache if a filling in tooth is damaged - Repetitive motions such as chewing gum more than usual or grinding teeth during sleep can also cause damage & pain - ST heat, fire, parasites Meridians [NCCAOM] - ST goes to upper gum - LI goes to lower gum Differentiation - Tooth pain may be sharp, throbbing or constant or may hurt only when patient puts pressure on tooth. - Patient may have swelling around tooth or get fever or headache. - Sometimes foul tasting drainage from an infected tooth - If patient with toothache has teeth in good condition → examine ear, throat, jaw, or sinuses. - KD Deficiency: Teeth get loose [gums receding]	Other Therapies - Secondary points: - Cavities: LI 2, SJ 5 - Gingival swelling: SJ 20, SI 8 - Auricular: Shen Men, Zero, LI, ST, KD, Jaw [Tragus apex] - Hand: Toothache: between 3rd & 4th metacarpal points, 1 cun from web, on palmar side - Scalp: Sensory area, lower 2/5th - Herbs - Huang Lian (Coptidis) - Water Melon Frost - Ancient prescriptions - Nei Jing: - Upper toothache: SJ 20 - Lower toothache: ST 5 - Zhen Jiu Da Chen - Upper toothache: DU 26, LU 9 - Lower toothache: REN 24, LI 4 Prevent toothache - Healthy diet: rich in fresh fruit, vegetables & whole grains - Avoid food with refined sugar: sweets, sweet, sticky food, dried fruit → Stick in teeth & cause decay - Clean teeth often Western Treatment - Pain medications: - Acetaminophen (Tylenol) - Anti-inflammatory (ibuprofen) - Antibiotics

	Stomach Fire	Wind Fire [Used only for toothache]	KD Deficiency Fire
Etiology & Pathogenesis	- Triggered by eating something hot, spicy, heat producing - Eating food that's warm/hot in nature - Walnuts → Nose & gum bleeding - Roasted walnuts even hotter	Can happen during trip, outside	Usually older people, degeneration
Symptoms	- Severe toothache with bad breath - Thirst, constipation - Possible gum bleeding	- Comes quickly [breathe cold air, drink cold water] - Acute toothache with gingival swelling - Chills & fever	- Dull pain, intermittent - Loose teeth, gum atrophy - Absence of bad breath
Tongue	Yellow coating		Red
Pulse	Rapid, forceful	Floating, rapid	Thready & rapid
Treatment Principle	- Main Points: Yang Ming channels - Spread Qi thru channels near affected area	- Main Points: Yang Ming channels - Spread Qi thru channels near affected area	- Main Points: Yang Ming channels - Spread Qi thru channels near affected area - Guide heat down
Prescription	- LI 4, ST 6, ST 44, ST 7 - PC 8 [energy promoter]: Get rid of excess heat (can use acupressure)	LI 4, ST 6, ST 7, SJ 5, GB 20, SJ 2	- ST 6, ST 7, KD 3, LV 2

Sore Throat	
- Sore Throat: Acute tonsillitis, acute & chronic pharyngitis - Commonly seen clinically TCM Name: Hou E, Throat Bi Etiology & Pathogenesis - Many things can cause sore throat: Viruses (cause colds), Bacteria, smoking, breathing polluted air, drinking alcohol, hay fever, other allergies. Tonsillitis: Usually caused by bacteria, but sometimes viral. Strep Throat: Caused by streptococcus bacteria. If not treated, can cause rheumatic fever, which can cause heart valve damage Mononucleosis (mono): Caused by Epstein-Barr virus. Main sign of mono is sore throat that can last for 1-4 weeks. Other signs: swollen glands in neck, armpits & groin, fever, chills, headache, fatigue.	Secondary Points - Acute tonsillitis: add SI 17, - Hoarse voice: LI 18 - Extreme heat: ST 43, SJ 1, ST 9 - Constipation: ST 37, SJ 6 5 Center Burn: HT 8 - Wind Heat: LI 1, LU 11 Sore Throat Extra Point: Acute Sore throat caused by wind heat: 1.5 cun lateral to REN 23, bilateral, point towards root of tongue Other Therapies - Auricular: - Chronic: Throat, tonsil, adrenal - Acute: Helix 1,2,3, bleed posterior auricular veins [3-5 drops] - Hand Points: Throat point [Back of hand, just distal to web, ulnar side of middle finger (like Ba Xie, but close to middle finger), Tonsil: LU 10 Herbs - Loose - Niu Bang Zi (burdock) [Arctium Lappa] - She Gan [Belamcanda Chinesis] - Ma Bo [Lasiosphaera Fenzlii Reich] - Pang Da Hai [Yin deficiency, talk too much] - Formulas [Patent] - Niu Huang Chieh Tu Pian: ST Fire - Lu Shen Wan: Excess Heat causing acute tonsillitis & pharyngitis - Water Melon Frost: Squeeze into throat - Chuan Xin Lian Antiphlogistic tablet: Viral infection causing sore throat

	Wind Heat	Accumulated LU & ST Heat	KD Deficient Fire
Etiology & Pathogenesis	Sometimes sore throat precedes symptoms or lasts longer than other symptoms	- Throat → Esophagus → ST - Throat → Trachea → LU - Use flashlight to look into throat	- Back of throat (internal branch) → KD meridian - Talk/yell too much, sing too much (consumes yin fluids → Yin Xu) → Keep drinking water to moisten throat
Symptoms	- Abrupt onset → congestion & sore throat - Chills, fever, headaches, coughing - Hoarse voice	- Red, congested sore throat - Fever, thirst with desire to drink cold water - Cough with yellow, sticky sputum - Bad breath, constipation, concentrated urine	- Gradual onset of slightly red and mild sore throat, intermittent, worse in evening - Dry, scratchy throat, dry mouth - Aggravated at night, evening - Low grade fever, afternoon fever 5 center burning
Tongue	•	• Red with yellow coat	• Red with little coating
Pulse	• Floating & rapid	• Forceful & rapid	• Thready, rapid
Treatment Principle	- Disperse heat - Reducing Patterns	- Disperse heat - Reducing Patterns	- Nourish Yin, Reduce Xu fire - Tonifying Techniques
Prescription	• LU 11, LU 5, LI 4, LI 11	• LI 1, ST 44, ST 40, REN 22	• KD 3, KD 6, LU 7, LU 10, REN 23

Midterm: • Tui Na for kids [1st week] • Review handout • Kids under what age? • What kind of techniques we use for kids? Aggressive, elbow, rolling? ▪ Gentle • Where the kids tui na areas located? Where kids Dan Tian located? ▪ Proportionally smaller in body • Where Pi earth, LI, Gate, 6 fu? Sky river, 3 fences? Stuff we studied. All on handout, please review • Introduction to ophthal. • Useful series wu wen? 5 areas responds to 5 elements, 5 organs • Extra points: • Where located? Qiu Hou, Shang Jing Ming? Xia Jing Ming? Very important points • Extra points not around eye: Da Gu Kong & Xiao Gu Kong → Where located? What used for? • Moxa to conduct reducing technique: Blow on it to speed up burning • Moxa also can reduce & tonify • Myopia • Case on myopia → study case, diagnose, treatment, points, secondary points, technique • How to needle ST 1? How do you withdraw needle after needling ST 1? Close/open, thrust, retainment? • How many minutes press with dry clean cotton ball? • Red eye in TCM: Conjunctivitis [pink eye], nickname • How many types of red eye in TCM, differentiations? Points for each type? • How differentiate conjunctivitis • Cataracts • How many types of differentiation for cataracts? What are they? • How treat point selection for cataracts? • Normal IOP numbers? • Case studies: Conjunctivitis • Diagnosis, treatment, points, techniques • How give patient advice after treatment to maintain eye health? • Stye • How many types? • Etiology/Pathology of stye, excess/deficient • Other therapies for treating stye [in addition to acupuncture] • Typical manifestations of stye • Strabismus • Internal: esotropia? Which muscle has paralysis, how treat? • External: Which muscle has paralysis, how treat? • Extra point: tong ming? Where located? • Yi Ming? Where located? • Glaucoma: how many types, treatments, point selections • What conditions lead to if not treated properly/correctly? •	Final: Multiple choice [45 questions] • 3 case studies • Pay attention: rhinitis, sinusitis • What pattern? • Someone wake up every morning to cold air, sneezing, water come out ▪ What condition? Allergic rhinitis → allergic to cold • Sore throat: started gradually, middle aged after talking too much → KD Xu • Ear ringing: tinnitus ▪ Excess? Deficiency? Review, Differentiate, treatment, principles, points ▪ Secondary points, extra points ▪ What Er Ming used for? Clear ears → tinnitus not sinusitis ▪ What Shan gen used for? ▪ Shang Ying Xiang used for? Location? ▪ Long Zhong used for? Location? ▪ Extra points: where located, what used for? • What Zang Fu & organs involved in vasomotor rhinitis & nasal sinusitis? • Treatment principles & chief meridians for each condition • Nasal congestion after regular treatment, still have congestion, what other points used to resolve congestion? • One point use moxa to treat nasal congestion DU 23 • Initial, secondary and final points for nasal congestion • Sinusitis: Frontal, maxillary, ethmoid, sphenoid → Differentiate with symptoms • Chronic sinusitis & lose sense of smell → what do get back smell? • ZangFu involved in tinnitus & deafness? Epistaxis? Toothache? Sore throat? • Case studies: techniques, diagnosis, treatment principle, secondary points, auricular • For example: treat sore throat → auricular points [chronic, acute] • Extra point hand acupuncture: tonsil → LU 10 • Toothache differentiation types → how many? Meridian branches: upper/lower gum? • Which most frequently chosen point for treating toothache? LI 4!!! • Treat toothache with head acupuncture → sensory, which section? Lower 2/3 • Continuous nose bleed which points? • Patient come in with inner ear throbbing pain & expanding all over head, stabbing, dizzy, nauseous, high fever → what do? Refer to ER!!! •
---	---

Nocturnal Enuresis (Bedwetting)	
Definition: - Accidental urine leakage while in unconscious condition during sleeping - Most common in children - Age: > 3 years old until teenager (13-15) TCM Organs: LU, SP, KD, UB	Other Therapies - Hand Acupuncture: Bed wetting point: Located at 5th finger, in middle of distal crease - Use seed [needle is painful and can't go very deep] - Foot Acupuncture Incontinence point: Tip of medial malleolus - Cupping: REN 3, REN 4 with needle inside - Moxa: REN 3, 4, UB 23 - Ear Acupuncture: Brain, KD, UB, Sympathetic, Shen Men, Ureter - Point Injection: Vitamin B12, Dang Gui, Vitamin B1 - Cutaneous Acupuncture: REN 4, REN 6, REN 2, SP 6, UB 23, HTJJ: T4 → L2 - Extra Acupuncture: Enuresis line: from REN 5 to REN 3 - Hard knot → palpate on line, find hard strip of tissue, then needle to break the hardness Enuresis point: 5th toe on bottom of foot, on crease (only one line) - Head Acupuncture - Reproductive area on head: ST 8 - Herbs: KD Yin tonics [Ba Wei Di Huang Wan, Suo Quan Wan] - Tui Na: Pressing & kneading REN 4 → 200 Times - Folk Medicine - Water beetle: couple weeks see result - Asthma: Eat newborn rat
Etiology & Pathogenesis Weak constitution (severe disease: brain injury, spine injury, surgery in hip area) → Anything that can bother the area of the bladder, enervation of bladder KD Qi Deficiency: Drugs that mother takes during pregnancy that causes KD Qi deficiency in child LU & SP Qi Deficiency: Fluid dispersion - WM: Diseases [Asthma] - Weakest organs in Newborn babies (western viewpoint): LU & GI system	
Treatment Principle Warm & strengthen KD Qi by reinforcing technique & moxibustion on REN, SP & LU points [REN 1, 2, 3]	
Prescription - Ren 4: Local - REN 6: Local - REN 3: Main point (local, moxa) [needle point towards genitals] - SP 6 - DU 20: Yang - SP 9: Damp, SP, Fluid distribution - LU 7: Fluid distribution - ST 36: Help yang - UB 20: SP - UB 23: KD	
Techniques - Small kids: needle in & out only - Older kids: retain needles - Special technique: - Try to get Qi from abdomen, point downward to genital area - More frequent treatment (daily)	Lifestyle - Urination Exercise: Train children to stop urinating in middle of urination, then count to 10 before continuing. - Hold urine no more than 30 minutes after drinking plenty of water. Repeat once a day - Wake up child to urinate 30 minutes prior to the usual time of bed-wetting if time of bed-wetting is known. - Drink less water at night. - Do not be angry with the child. Be patient.

	Deficiency [Usually in younger kids]		Excess [Usually in older kids]	
	Lower Jiao Cold & Deficiency	LU & SP Qi Deficiency	LV Fire	HT Fire
Etiology & Pathogenesis	•	•	- Shen disturbance - Shock	LV fire for long time → Chronic → HT Fire
Symptoms	- Bedwetting once or twice, - Pale complexion, - Clear & frequent urine, - Cold limbs, - Slow development	- Frequently occurs but not a large amount - Lassitude, fatigue - Poor appetite, loose stool	- Nocturnal enuresis in children - Teeth grinding at night [stress] - Restless sleep [too much activity during day → too tired → move more at night] - Nightmares - Waking up crying	- Emotional stress - Palpitation, insomnia - Nightmares, Crying at night - Thirst - Nocturnal enuresis in older children (12-13) - Can affect KD & cause KD Xu
Tongue	• Light color	• Light color	• Red, yellow coating	- Red, redder tip, - Thick yellow coat
Pulse	• Thready	• Thready, slippery	• Wiry, rapid	• Overflowing HT pulse

Urinary Incontinence	
Definition: Accidental urine leakage while in conscious condition - May be more common as a person ages but is not a normal part of aging Nocturnal Enuresis: Accidental urine leakage while in unconscious condition during sleeping. Usually related to young children. - More often occurs in females than males - Frequent with new moms → pressure during pregnancy (KD Qi/Yang Xu) - Male: prostate surgery or low back herniated disc surgery - Fracture of hip or surgery in hip area 20% senior citizens - Main TCM organs involved in water metabolism: LU, SP, KD Western Etiology & Pathogenesis Stress Incontinence: Lifting objects, sneezing, coughing, laughing [long history of disease like chronic cough] Urgent Incontinence: Urge to urinate so strong that can't make it to toilet in time (overactive bladder → nerve, muscle) [Bladder infection] Overflow Incontinence: Bladder doesn't empty as it should & then leaks urine later. Happens when bladder muscles are weak. Usually have urge at 300 cc. Bladder can usually hold up to 800 cc. Total Incontinence: Bladder is always leaking urine. Sphincter muscle no longer works. Involuntary Incontinence: Unaware of incontinence Functional Incontinence: Can't make it to bathroom in time to urinate. Not common. Hold it & can't go to bathroom on time. Enuresis/Nocturnal Enuresis: Occurs at night while person sleeping (bedwetting)	Clinical Manifestation [Western Medicine] Most common sign of urinary incontinence is leaking urine from bladder. Other signs will depend on type of urinary incontinence. Weak Constitution: Long term debilitating disease → Weakens KD Shock to developing child or fetus (accident with mother): Causes disruption to the spiritual being of development. Could be psycho-emotional. Shen disturbance and/or abuse. Old age: Physiological damage Excessive Sexual Activity: Loss of kidney function Childbirth: Loss of KD function. Childbirth depletes KD essence. Chronic cough: Repeated coughing weakens pelvic floor over time. Exercises - Kegel exercises: require effort 10 kegels for 10 seconds 3 times daily - Bladder training: signals can be seen in short amount of time. - Retrain signal to train brain to go to bathroom at different time intervals. - Go to bathroom every 30 minutes, even if don't have to go. - Eventually increase the time interval. - Diet: Control water in/out - Food: Garlic chives (yang tonic), walnut seed, da zao, longan, lamb (yang tonic) - Avoid: Coffee, tea, alcohol, spicy-hot food, citrus, carbonated drinks, chocolate, tomato, curry, pepper, sugar, honey - Juice not irritate bladder: grape, cherry, apple
General Treatment - UB 23 with moxa: Tonify KD yang - SP 6: Yin, meeting of SP, LV, KD - UB 28: UB back Shu - LV 1 with moxa: LV heat, moxa to enhance flow of Qi to urethra - REN 3: Drain damp - DU 20: Raise Qi to hold urine (sphincter)	Extra Points Enuresis Line: Needle, moxa or both Incontinence Point: Needle, moxa or both Enuresis Point: Needle, moxa or both Microacupuncture: Down 1 (Lower 1) 3 cun above lateral malleolus, just in front of Achilles (needle can touch Achilles). Needle.

Deficient Types				
	KD Yang Xu	KD Yin Xu	SP Qi Xu/Sinking	LU Qi Xu
Symptoms	- Most common form of incontinence - KD Yang Energy involved in holding sphincters closed - Knee Pain, frequent urination - Nocturia - Cold sensation in low back & knees - Qi Xu: Fatigue	- Less substance - Dribbling after urination - Smaller amount of urine with the urge to urinate but less force - Afternoon fever, night sweat - Hot palms, moist - Lose blood → lose yin - Overactive bladder	- Incontinence, fatigue - Poor appetite, loose stool - Any age, can be seen at younger ages (like bedwetting) - Harder to treat → Muscles not functioning (nerve dysfunction) - Check KD Yang - Downward direction	- LU & KD always go together - Long term LU disease will cause KD/UB disease - Slight incontinence on coughing or sneezing - Dribbling - Soft, weak voice - Fatigue, spontaneous sweat
Tongue	- Pale, flabby, moist coat - Thick body (fluid)	Small, red, no coat	Pale, puffy	Pale
Pulse	Deep, weak, slow	Floating, empty	Weak	Weak, Deep, Thready
Prescription	- Moxa: UB 23, DU 4 - KD 7: KD Yang - REN 6, DU 20, SP 6, HT 7 - UB 23 (moxa), 28, 32, 53 - Yin Tang	- REN 4 - UB 23, 28, 52 - SP 6, HT 7, KD 6	- ST 36 - REN 12 - REN 6, DU 20 - UB 20, 23, 28, 53	- DU 12, DU 20 - LU 7 - REN 6 - UB 13, 23, 28, 53
Herbs	- Jin Suo Gu Jing Wan - Nan Xing Bu Shen Wan	- Jin Suo Gu Jing Wan + - Liu Wei Di Huang Wan	Bu Zhong Yi Qi Wan	Bu Zhong Yi Qi Wan

Excess Types			
	LV Fire	HT Fire	Damp Heat in UB
Symptoms	- Anxiety, stress, hyperactivity, thirst - Bitter taste in mouth, Hypochondriac pain - Nocturnal enuresis in children - Teeth grinding at night, restless sleep - Nightmares, waking up crying	- Emotional stress, palpitation - Emotional attack - Long term LV Fire → HT Fire - Insomnia, nightmares - Crying at night, thirst	- Nocturnal enuresis or incontinence - Difficult urination - Burning urination
Tongue	Red tongue, redder sides, yellow coating	Red tongue, redder tip, thick yellow coat	Sticky yellow coat
Pulse	Wiry, rapid	Overflowing HT pulse	Slippery, rapid
Prescription	- LV 2, 5, 8 - HT 7, SP 6, UB 28, REN 3, Yin Tang	- HT 8, REN 14, SP 6 - KD 3	- SP 6, 9 - REN 9 (Water), ST 28, UB 22, REN 3
Herbs	Long Dan Xie Gan Wan	Dao Chi San (remove Mu Tong)	Ba Zheng San

Male Infertility	
Definition: Inability of a male to achieve pregnancy in a fertile female after one year of unprotected intercourse. In humans, it accounts for 40-50% of infertility. TCM Main Organ: KD Western Medicine factors related to male infertility: • Pre-testicular • Testicular • Post-testicular Pre-Testicular Factors: Conditions that impede adequate support of the testes • Obesity: Can lead to hormone issues [Hypogonadism (diminished functional activity of gonads) → Lower male hormones → ↑ risk of male breast cancer] • Drugs • Alcohol: Interferes with DNA methylation • Tobacco smoking: 30% higher chance of infertility [Cadmium toxins (absorbed from soil) in tobacco replace zinc. Male sexual organs rely on zinc → decreased zinc levels → semen quality ↓] • Strenuous riding: • Bicycling long distance → small seat → pressure on blood supply to testes • Tight shorts or underwear → testes too close to body → too warm • Medication: Anti-depressants, chemotherapy, steroids • Genetic abnormalities [Robertsonian translocation]: participating chromosomes break at their centromeres and the long arms fuse to form a single, large chromosome with a single centromere. They generally occur in the five acrocentric chromosome pairs, namely 13, 14, 15, 21 and 22. Testicular factors: Testes produce semen of low quantity and/or poor quality • Age • Genetic defects on Y chromosome • Y chromosome microdeletions • Abnormal set of chromosomes • Klinefelter syndrome: XXY → testes smaller, some female characteristics, can't get pregnant • Testicular cancer • Radiation therapy to a testis decreases function, but infertility → avoid radiation to both testes Post-testicular causes: Decrease male fertility due to conditions that affect the male genital system after testicular sperm production and include genital tract defects and ejaculation problems • Infection • Retrograde ejaculation (semen goes backwards) • Ejaculatory duct obstruction • Hypospadias: Have both penis & vagina → sit to pee, fixable by surgery • Impotence	Chinese Medicine Perspective Oligospermia: Low sperm count: < 20 million sperm per mL • Sperm analysis: abnormal heads, tails, immature germ, sperm motility, semen pH & color (green, yellow, should not have blood) • KD Jing Xu: thin, watery ejaculate • KD Yang Xu: more common in elderly • KD Yin Xu: more common in younger males • Blood stagnation in lower jiao: varicocele • Damp heat in lower jiao (infection): too many WBC in semen Azoospermia (no sperm) → ejaculate only semen, no sperm • KD Yang Xu: low libido • KD Yin Xu: heat symptoms • Qi & blood stagnation: mass, varicocele (decreases semen quality → duct obstruction) • Phlegm damp: obese → duct obstruction • Qi & blood Xu: not enough resources to produce sperm [HT & SP Xu] Poor Sperm Motility [Need > 50% of sperm in categories 3 & 4] • Categories • 0: No movement • 1: some movement, little forward motion • 2: slow motion, not straight • 3: Fast motion but not necessarily in right direction • 4: Fast forward motion • KD Yang Xu • KD Yin Xu • Qi & Blood Xu: • LV Channel Damp heat/ Damp heat in lower jiao [abnormal Semen color → green, yellow, etc.] Poor liquefaction (Semen watery at ejaculation → coagulates, then watery again within 30 minutes) • KD Yang Xu • KD Yin Xu • Damp Heat (infection) Abnormal Morphology (shape) • Head: KD • Body/Tail: SP (movement) • SP Qi Xu • KD & SP Xu: • KD Yang Xu & blood stagnation: Low, slow motility, some sperm might have double head, double tails • KD Yin & Yang Xu: Low sperm count, normal sperm shape but head not sharp → can't penetrate egg Treatment • See under Erectile Dysfunction • Avoid hot baths, hot tubs, long distance bike riding, tight underwear • Avoid smoking & spermicidal ingredients (cottonseed oil, peppermint) • Refer patient to fertility clinic for sperm analysis

Impotence [Erectile Dysfunction (ED)]	
- Male sexual dysfunction characterized by persistent inability to develop or maintain an erection of the penis satisfactory during sexual performance. 15-30 million ED patients in US. - Needs to be longer than 7 minutes. ED patients: average 2 minutes TCM Name: Yang Wei, Yin Wei, Jin Wei (Jin = tendon) TCM concept: ED occurs only occurs in males < 8x8 (64 years old) [Tian Gui] Western Etiology - Penile erection based on physiological phenomenon where the human penis becomes firm & enlarged - Causes: complex interaction of psychological, neural, vascular & endocrine factors, usually associated with sexual arousal or sexual attraction. - Erectile dysfunction is indicated when an erection is difficult to achieve - Clinically, 2 types: - Psychogenic causes: 10-20% → better prognosis - Disease cause: 70% - Common causative diseases: Hypertension, atherosclerosis, cholesterol deposits in blood vessels (many block small arteries first → penis has smaller arteries than heart, DM, etc. - Dietary: low potassium (eat bananas, avocados), arsenic (brown rice → 3x higher than white rice) Western Treatment - Physician evaluates the condition in order to determine the specific cause of erectile dysfunction. The evaluation usually includes a medical history, detailed sexual history, physical exam & other basic blood tests (hormones). The physician then determines if the causes are psychological or physical. - Severe clinical depression: prescribe antidepressant drugs - Lack of hormones: Hormone replacement therapy - Psychological reasons: Recommend counseling or sex therapy	TCM treatment General Points: REN 3, REN 4, KD 3, LV 3, PC 7 (damp), SP 6 (yin) - UB 23 (needle for KD yin, Moxa for KD yang), DU 4 (yang) ED Point [warming needle]: 2.5 cun above UB 23, 1 cun bilateral to DU meridian (not on UB meridian) → Needle, moxa, patient do acupressure Impotence points: Line from REN 3 → REN 8 → Moxa or needle upper 1/3, middle 1/3, lower 1/3 (3 points on line) [divide line into 4 parts, then needle or moxa the 3 points] - Also 1 cun bilateral to midpoint 1 treatment every other day, 20 minutes per treatment - Moxa box also works Auricular: KD, subcortex, external genital organs, shen men Aquapuncture: Inject [0.2 mg B12 mixed with 2 mL Dang Gui or Huang Qi with same amount of 10% Glucose Injection Solution] - Pick 2 points to do injection once a week [REN 3, REN 4, UB 23] - B12: 5-7 days → very strong stimulation [stimulates point for whole week] Erectile Dysfunction (ED) Food - Lu Rong: Plum Flower deer (with white spots) → drink deer's blood, eat antlers to prolong sexual life - Oyster: high in zinc (100 mg of zinc in 100 g of oyster) → tonify yin - Chinese Chive: high in yang - Yellow onion: stimulate male sexual hormones - Rooster: very yang tonic - Sea Horse: very yang tonic → usually dried → powder, drink in hot water → good for ED Impotence Soup: cook with pork, good for yang (lamb too strong smell) - Huai Shan 10g [qi] - Yin Yang Huo 10g [yang] - Lian Zi 20g [calm] - Bai Ji 10g [yang] - Du Zhong 10g [KD/LV] - Huang Qi 10g [Qi] - Mi Zao 20g [blood, taste] (plum) - Qian Shi 15g [hold sperm] - Bring to boil, slow simmer for half hour Lifestyle - Avoid addictive drugs like marijuana - Avoid smoking cigarettes - Avoid stress - Avoid drinking high degree alcohol - Routine cardio exercise - Rest & work according to chinese time schedule

TCM Diagnosis & Etiology → Impotence	Symptoms	Treatment
Poor congenital constitution	• Impotence, fatigue • Shorter stature, penis smaller	• Warm KD & nourish yin • REN 3, REN 4, REN 6, DU 20, UB 15, UB 23 • GB 34, LV 8, ST 36, SP 6 • Herbs: You Gui Wan
Ming Men fire deficiency (penis loves warmth → if ming men fire not enough, penis cannot erect) • T: pale body, white coat, wet & big, teethmarks • P: Deep, weak, especially in KD positions	• KD essence deficiency + Yang deficiency → lose hair, teeth • Body can't manage water • Impotence or erection doesn't last long • Sore lower back, weak knees, fatigue, • Aversion to cold, dizziness, tinnitus, pale face	• Tonify KD Yang, Warm Life-Gate Fire • DU 20, REN 3, REN 4, UB 23, KD 3, SI 3 & UB 62 • Herbs: You Gui Wan
HT/SP Xu → Qi & blood Xu (not enough substance)	• HT/SP Qi Xu: Impotence, palpitation, shortness of breath, spontaneous sweating, fatigue, poor appetite, abdominal distention, loose stool ♦ T: Pale, P: Thready • HT/SP Blood Xu: Palpitation, insomnia, fatigue, pale face, dreams don't make sense, forgetfulness, not necessarily overweight, very nervous, often skinny, short attention span (3-5 minutes) ♦ T: Pale, P: Thready	• Tonify SP & HT • UB 15, PC 6, SP 6, REN 4, UB 23, ST 36 • DU 14, Yin Tang • Herbs: Gui Pi Wan
Emotional injury: stress, worry, wife too strong	• LV Qi stagnation: impotence or erection doesn't last long, stress, chest distention, difficult erection, not firm when erect, even when firm doesn't last long ♦ T: dim, red	• Move LV Qi • LV 3, LV 5, REN 6, GB 13 & SU 24, GB 34 & PC 6 • Herb: Xiao Yao San
	• KD fear: impotence, easily afraid, so sensitive to whatever you say, paranoia, insomnia, dream disturbed sleep, can have erection when no sex, trying to have sex, but no erection (opposite)	• Calm Shen, Tonify KD • HT 7, KD 3, KD 7, DU 20, SI 3 & UB 62 • DU 24 & REN 15, HT 5 & UB 15, UB 23 & REN 4 • Herbs: Ding Zhi Wan
Damp heat invading lower jiao (infection, prostatitis) • T: yellow, sticky, thick coating • P: Wiry, rapid, slippery (heat)	• Burning urination, itchy/wet genitals, profuse urination, irritability, thirst, fatigue [LV channel]	• Clear Damp Heat, stimulate Zong Jin • REN 4, LV 1, LV 5, REN 2, SP 6, SP 9, GB 30, GB 34 • UB 17, UB 18, UB 23, LV 3, DU 4, SP 4 & PC 6 • LU 7 & KD 6, REN 3 & UB 34, REN 9 & UB 22 • Herbs: Long Dan Xie Gan Tang
Yin fluid deficiency (erection is yang activity) • T: purple, red, less coating • P: Thready, rapid	• Weak/soft penis, weak low back, weak knees • Dizziness, tinnitus, night sweat, afternoon fever, dry mouth	• Tonify KD yin • UB 23, KD 3, REN 3, REN 4, REN 6, SP 6 • LU 7 & KD 6 • Herbs: Zhi Bai Di Huang Wan
Yin/Yang deficiency (yin supports yang so yang can function → makes yin more)	• Combination of signs & symptoms of Yin/Yang Xu	• KD 3, UB 18, UB 20, UB 23, SI 3 & UB 62, • DU 20 & REN 6, REN 3 & 4, LU 7 & KD 6 • Yin Tonic: Gui Lu Er Xian Jiao • Yang Tonic: Jin Gui Shen Qi Wan
Phlegm Damp Blockage • T: pale or red • P: Slippery	• Impotence, obesity • May/may not cough [lower jiao blockage → LU can't send Qi to lower jiao] • Phlegm in throat • Dizziness, nausea, chest distention (phlegm) • Heavy body, Less urination	• Drain Phlegm Damp • REN 2, REN 3, LV 5, SP 6, SP 9, PC 6 & SP 4 • LU 7 & KD 6, REN 9 & UB 22, REN 3 & UB 34 • LV 1 & LV 3 • Herbs: Er Chen Tang
Local Blockage → less blood supply • T: thin, yellow, bruised spots • P: wiry, choppy tight	• Impotence even when there is an erection (BPH) • Lower abdominal distention, Low back pain • Painful penis glans • White pus dripping • Irritability, Dizziness	• Drain Phlegm Damp • SP 4, KD 14, ST 38, LV 3, SP 10, ST 40, REN 9 • SP 9 & UB 22, REN 3 & UB 34 • Herbs: Ba Zheng San
Cold Invading LV Meridian • T: pale, white coating • P: Slow	• Impotence, cold genital area, • Pulling pain toward low abdomen • Profuse urination • Aversion to cold • Fever, headache, no thirst, don't want to drink	• Warm LV, Stop pain • UB 18, DU 20, REN 4, LV 8, • Moxa: ST 36 & SP 6, REN 3 & UB 34 • Herbs: Nuan Gan Jian
LV Qi Stagnation, Blood Stasis: anxiety, stress, too much mental/physical activity. Too much mental → hurt LV Qi, too much physical → Hurt blood (long distance driving) • T: dark, dim, bruised spots on edges • P: deep, choppy	• Long term LV Qi stagnation + overuse of body → Causes heat → goes upward & disturbs sleep → insomnia • Impotence, dizziness (turbid yang upward to block orifices), blurry vision • Abdominal distention, Hypochondriac pain • Irritability, insomnia, bloody urine • Low back pain, Tight abdomen & penis	• Warm Channel, move blood • LV 3, LV 5, REN 6, GB 13 & DU 24, GB 34 & PC 6 • Herbs: Shao Fu Zhu Yu Tang

Premature Ejaculation [PE]	
Definition: Occurs when a man has an orgasm sooner during intercourse than he or his partner wishes. - Average intercourse time: 7 min - PE Diagnosis: < 2 min (Average: 1.8 min) - Ejaculation definition: Semen comes out of penis - Retrograde Ejaculation: Semen goes backwards, towards bladder → Can cause infection, may lead to cancer. Western Medicine Etiology & Pathology - ED - Anxiety, Stress, Depression - Stimulation - Biological causes: hormone issues, infections (UTI, bladder, prostatitis) - Masturbation: Get too used to the stimulation - Relationship: Wife too strong, relationship issues - Drugs & Alcohol - Medical condition: MS, prostatitis, prostate cancer, surgery in area (hernia), spinal cord injury	TCM Main Organ: KD [Traditionally, it's not recommended to have sex for a period of time during treatment] TCM Etiology & Pathology - KD Yang Deficiency - KD Yin Deficiency - KD Qi Deficiency - LV Qi Stagnation - LV Blood Deficiency Tongue Differentiation - SP Qi Xu: Flabby, Toothmarks - LV Overacting on SP: Flabby but No toothmarks or very slight toothmarks - KD Yang: Swollen, wet [KD Yang manages water → water where it's not supposed to be, edema, etc.] Topical - Apply Wu Bei Zi 20 g on penis for 10 minutes daily [Boil water, let cool until tolerable, insert penis into water for 10 minutes] Lifestyle - Exercise regularly - Avoid factors causing anxiety

	KD Yang Deficiency	KD Yin Deficiency	KD Qi Deficiency
Etiology & Pathogenesis	Cold herbs, cold drugs (antibiotics) can damage yang	- Overindulgence in sex damages KD Yin - More easily damaged than KD Yang	
Symptoms	- PE, impotence, low libido (high function) - Sore/cold low back, Weak/cold knees - Clear profuse urination, infertility, lassitude - Lasts longer time than KD Yin	- PE, Low back pain, weak knees, Tinnitus - Malar flush, dry stools, yellow urine High libido (low function), Irritability - Insomnia, excessive dreams, dry throat	- PE, low back pain, weak knees - Frequent clear urination, incontinence - Dribbling urination, nocturia - Poor hearing
Tongue	- Pale, swollen, wet, More square - Looks shorter than KD yin	- Small, dry, red, peeled - Looks shorter than KD Yang	Pale with white coat
Pulse	Deep, weak	Thready, rapid	Deep, weak
Treatment Principle	- Tonify yang, warm KD - Moxa for yang (warming needle, smoky)	- Nourish KD Yin, clear deficient heat - No moxa for yin	Tonify KD Qi
Prescription	- UB 23, DU 4, REN 4, DU 20 - KD 3, KD 7 (manage water) - UB 52 (spiritual/emotional issues) - ST 27 (hold sperm)	- KD 1 (Clear deficient heat) - KD 3, KD 6 (more heat): Both → Heat & yin - SP 6, REN 4	KD 3, UB 23, REN 4, DU 4, DU 20
Herbs	You Gui Wan	Zuo Gui Wan	Jin Suo Gu Jing Wan

	LV Qi Stagnation	LV Blood Xu
Symptoms	- PE, impotence, abdominal distention - Hypochondriac pain, irritability, insomnia - Tight low abdomen & penis, low back pain	- PE, tinnitus, dizziness, pale complexion - Dry eyes, blurry vision, insomnia - Neuropathy, Dry nails
Tongue	Dark, dim, bruised spots on the edge	Pale tongue & lips, thin coat
Pulse	Deep, choppy or wiry	Thready, weak
Treatment Principle	Move Qi & Blood	Nourish LV Blood
Prescription	- REN 4 (KD), LV 3 (Qi), SP 10 (Blood), - KD 3 (↑ KD)	REN 4, LV 8, SP 6
	Shao Fu Zhu Yu Tang	Gui Pi Wan

Seminal Emission	
Definition: Discharge of semen without sexual intercourse. - Is it a disease? Arguable - Adolescence: Seminal emission means that boy's hormones are same level as adult hormones. 80% of boys experience this → Can be up to 2-3 times a night, 2-3 times a month - WM: Normal [Like pregnancy, menstruation] - TCM: Hurts Zang Fu → Avoid seminal emission - Nighttime: outside temperature drop to 40s, but don't have comforter too warm (kick off → cause cold in abdomen) - Other notes - At nighttime, men have natural erection periodically during sleep - Erection: anything that stimulates bladder sphincter can trigger emission - Qi Gong: sex without ejaculation, practice holding bladder sphincter - Too tight shorts - Types Wet dream: Spontaneous emission with dream [usually sex dream] Slip Semen: Spontaneous emission without dream [slips out by itself], - Can happen anytime, even during the day, while awake, - Most serious, from chronic wet dream, body can't hold sperm/semen TCM Organs: KD, LV, HT Western Etiology - Over-anxiety, Sexual overindulgence TCM Etiology - Disharmony between HT & KD [too much fire, not enough water] - Eating too much greasy & pungent foods [injure SP functions → injure yin] - Accumulation of dampness into heat [from injured SP] - Seminal Fluid: Main part of seminal fluid → Zinc - Qi Gong: 1 drop semen = 10 drops of blood - Ejaculation: 2 – 6 mL → Lose a lot of blood	External Therapy - Make a decoction with Wu Bei Zi 10g and Bai Zhi 5 g. Grind into powder & mix with water or vinegar. - Apply decoction to umbilicus before bed daily for 5 days. - Auricular: Internal Genital, Shen Men, LV, KD, Subcortex Dietary - High protein diet recommended [semen (sperm) = protein → Need to replace missing nutrition] - Nuts, shrimp (zinc, selenium, cholesterol) - Light taste food recommended such as fruit & vegetables - Avoid pungent, hot food: Pepper, cinnamon, ginger, lamb (high cholesterol, highest cholesterol is lamb brain) → Cook slow - Regular cooking speed will ruin the nutrition in ingredients (too high heat) → Deep fried, no nutrition - Slower cooking at lower temperature → preserve nutrients - Avoid strong taste food [Strong taste hurts SP] - The stronger the flavor, the more it damages the SP - Avoid damp heat food [alcohol, tea (diuretic → drain water), coffee] - Avoid diuretic foods (watermelon, tea) Lifestyle - Exercise regularly → for emotions, SP, KD - Avoid factors causing anxiety - Avoid masturbation - Avoid wearing tight underwear or sleeping in hot comforter - Eat more food from ED section - Too much sex hurt HT, KD - Too much joy hurts HT - A lot of men die on women while having the sex.

	KD Yang Xu	KD Yin Xu	SP Qi Xu	HT & KD Disharmony
Leakage	• SE when awake or without dreams	• SE without dream	• SE without dream	• SE from dreams
Symptoms	• Sore lower back & knees • Loss of teeth & hair • Slip semen when chronic • Nocturia many times	• Dizziness, insomnia, red face • Low back pain, high sex drive • Irritability, Yellow & scanty urine • Tinnitus, weight loss	• Frequent seminal emission • Aggravated after fatigue • Clear semen, poor appetite • Loose stool, fatigue	• Easy erection, dizziness • Tinnitus, insomnia, palpitations • Aching loins, spiritual lassitude • Red face, high libido, • Bitter taste in mouth, • Short urination
Tongue	• Pale with white coat	• Small, red tip, peeled	• Pale with thin white coat	• Red body, thin yellow coat
Pulse	• Deep, thin & weak	• Deep, Rapid, Thin, thready	• Weak, slippery	• Thin, rapid
Treatment Principle	• Warm KD Yang • (Moxa for Yang)	• Tonify KD Yin	• Tonify SP	• Tonify KD, clear heart
Prescription	• REN 3, REN 4, REN 6, UB 23 • DU 4, ST 36 (SP Qi)	• REN 3, REN 4, REN 6, UB 23 • ST 36 (SP Qi), SP 6	• REN 3, REN 4, REN 6, UB 23 (KD) • SP 6, HT 7 (yin, HT Fire), ST 36	• REN 3 (Clears heat), REN 4, • REN 6, UB 15 & HT 7 (HT) • PC 6 (Calm)
Herbs	• You Gui Wan	• Zuo Gui Wan	• Bu Zhong Yi Qi Tang	• Zhi Bai Di Huang Wan

	LV Fire	Blood Stasis	Damp Heat in Lower Jiao
Leakage	• SE from dreams	• SE without dream	• SE with or without dreams
Symptoms	• Easy erection, irritability • Hypochondriac pain • Bitter taste in mouth • Dry throat, constipation • Dizziness [Fire comes from LV Qi Stagnation (emotions)]	• Chronic SE, • Benign prostatic hyperplasia (BPH) • Pain in groin & lower abdomen	• Frequent Seminal emission • Lassitude, anorexia • Dampness & itch in groin • Overweight, sweats easily • Yellow & brown urine • Unsmooth urination or burning sensation in urination
Tongue	• Red with yellow coat	• Purple, bruised	• Red tip with yellow, greasy coat
Pulse	• Wiry	• Deep, choppy	• Slippery or rapid
Treatment Principle	• Suppress LV fire	• Move blood	• Drain damp heat
Prescription	• REN 3, REN 4, REN 6, • UB 23, LV 3, KD 3	• REN 4, REN 4, REN 6, UB23, SP 9 • SP 10 & LV 8 (Tonify Blood),	• REN 3, REN 4, REN 6, UB 23 • LV 3, SP 9, SP 6
Herbs	• Long Dan Xie Gan Tang	• Xue Fu Zhu Yu Tang	• Ba Zheng San

Edema																	
Definition: Abnormal accumulation of fluid beneath the skin [visible: eyelid, ankle, knee, etc.] or in one or more cavities in the body [invisible: Brain, Inside eyes, KD, LV, HT, etc.] that produces swelling. • Can be visible or invisible [see above] TCM Organs: LU, SP, KD, SJ (water metabolism organs)		Clinical Manifestations • Ascites • Stiff Joints • Weight Loss: KD disease • Weight Gain: SP • Raised pulse rate • Aching body parts • Skin swelling • Poor blood circulation • Skin Ulcerations (chronic edema causes poor function of skin capillaries → Not able to heal → Infections → Ulcerations → Avoid injuries) • Spider angioma: Indicates end stage LV disease • Fuller veins on Hand & Neck • Puffiness of ankles, face, or eyes • Hypertension (↑ blood pressure) • Stretched, itchy, shiny skin (Yang) • Scarring between tissue layers • Arteries, veins & joints may lose elasticity • Swollen area more likely to become infected • Skin may retain a dimple after being pressed for about 10 seconds (Pitting edema) • Belly button pushed out indicates increased abdominal pressure															
Western Etiology & Pathology • Edema can be generalized or local • Most common types: • Peripheral Edema: ankles, legs (injury, lymph blockage) • Cerebral Edema: Most serious, can cause death • Eye Edema: Visible or invisible, can cause increased pressure ▪ 1st Question: Only in morning? Yes → KD Edema																	
Most Common Causes																	
• Less Physical Activity • Genetics • Surgery, Drugs • High altitudes • Burns: causes malnutrition • Pregnancy: Enlarged uterus presses on veins/arteries in abdomen → causes Sodium/Water imbalance	• Salt, Malnutrition • Bone TB → swollen knee • KD, HT, LU or LV disease • Diabetes mellitus • Allergies • Arthritis • Thyroid disease • Brain tumor, Head injury																
External Therapy • Decoct Zi Su Ye (Folium Perillae) & wash body with decoction twice a week. • Folk Medicine: Crush 2-3 river snails (clear heat, diuretic), mix with 15 g salt & apply 2 fingers below navel		Pitting Edema Diagnosis <table> <tr> <th>Degree</th><th>Depth of Pit</th><th>Rebound Time</th></tr> <tr> <td>1+</td><td>2 mm (Barely detectable)</td><td>Immediate</td></tr> <tr> <td>2+</td><td>4 mm</td><td>Few seconds</td></tr> <tr> <td>3+</td><td>6 mm</td><td>10 – 12 seconds</td></tr> <tr> <td>4+</td><td>8 mm (Very deep pit)</td><td>> 20 seconds</td></tr> </table>	Degree	Depth of Pit	Rebound Time	1+	2 mm (Barely detectable)	Immediate	2+	4 mm	Few seconds	3+	6 mm	10 – 12 seconds	4+	8 mm (Very deep pit)	> 20 seconds
Degree	Depth of Pit	Rebound Time															
1+	2 mm (Barely detectable)	Immediate															
2+	4 mm	Few seconds															
3+	6 mm	10 – 12 seconds															
4+	8 mm (Very deep pit)	> 20 seconds															
Elephantiasis: Hard to press → blockage in local lymph circulation • Causes: Congenital or Infection		Lifestyle • Lower salt consumption • Avoid sitting/standing for too long • Massage affected area • Avoid strong tasting food (Don't hurt SP Yang) • Exercise regularly (increase slowly) • Raise legs several times per day (Higher than HT for circulation)															

TCM Types	Duration	Development	Region	Skin Color	Acupuncture
Yang	Short	Rapid	Head, Face, Skin	Shiny, thin	UB 13, UB 22, SP 9, REN 9, LU 7, LI 4, SJ 5, LI 10
Yin	Long	Gradual	Lower Limbs	Sallow, greyish	UB 20, UB 23, REN 6, REN 9, ST 36, GB 37, SP 9

	Wind Invasion	Heat Toxin	SP Yang Deficiency	KD Yang Deficiency	Exterior Cold
Etiology & Pathogenesis	• Wind attacks LU → Failure of Dispersing & Descending function → LU Fails to manage water	• Burns	• SP T&T function not working well • Diet: Consume too much Strong, spicy, sweet food, or alcohol • Too cold, work too hard, too long	• Overwork, overthink • Too much sex • Worry too much • Can't manage fluids	• Stand in rain & cold for too long (over career, for years) → Hurts SP Yang • Long term → SP Yang Xu
Onset	• Acute	• Acute	• Chronic	• Chronic	• Chronic
Region	• Eyelids, Limbs, • Whole body	• Eyelids • Whole body	• Pitted edema of whole body	• Pitted edema, below loins	• Pitted edema, below loins
Symptoms	• Dysuria • Aversion to Cold • Fever, sore limbs/joints	• Dysuria • Skin ulceration, fever • Aversion to wind	• Scanty urine, loose stool • Heavy body, cold limbs • Chest congestion • Poor appetite, nausea • Lusterless complexion	• Cold limbs, lassitude • Aversion to cold • Pale complexion • Palpitations • Sore, heavy loins	• Loose stool • Lusterless complexion • Cold limbs
Tongue	• Red	• Red, yellow coat	• Pale body, greasy coat	• Pale body, white coat	• Greasy coat
Pulse	• Superficial, tense	• Superficial, rapid	• Deep, slippery	• Deep, slow pulse	• Deep, slippery
Treatment Principle	• Expel Wind, Disperse LU • Circulate Water	• Disperse LU • Promote diuresis	• Tonify SP Yang [moxa] • Drain Damp	• Warm KD Yang	• Warm SP Yang
Acupuncture	• LU 7, LI 4, SJ 5, LI 10 • REN 17, ST 36	• LI 11, REN 9 (H ₂ O), SP 9 • LU 7, UB 13 (LU)	• Moxa: SP 9, DU 20, ST 36	• Moxa: REN 3, REN 4 & DU 4	• Moxa: DU 20, ST 36, SP 9
Herbs	Yue Bi Jia Zhu Tang • Ma Huang (18g) • Sheng Jiang (9g) • Shi Gao (48g) • Bai Zhu (12g) • Da Zao (15 pc) • Gan Cao (6g)	Ma Huang Lian Qiao Chi Xiao Dou Tang • Ma Huang (6g) • Lian Qiao (9g) • Sheng Jiang (6g) • Chi Xiao Dou (30g) • Sang Bai Pi (10g) • Da Zao (12 pc) • Xing Ren (9g) • Gan Cao (6g)	Wu Pi Yin • Di Gu Pi (15g) • Wu Jia Pi (9g) • Da Fu Pi (15g) • Fu Ling Pi (15g) • Sheng Jiang Pi (6g)	Ji Sheng Shen Qi Wan • Mu Dan Pi (30g) • Fu Ling (30g) • Che Qian Zi (30g) • Ze Xie (30g) • Chuan Niu Xi (15g) • Shan Yao (30g) • Shu Di Huang (15g) • Shan Zhu Yu (30g) • Fu Zi (15g) • Rou Gui (15g)	Shi Pi Yin • Gan Jiang, Fu Zi (6g) • Bai Zhu (12g) • Fu Ling (15g) • Mu Gua, Hou Po (6g) • Cao Guo (3g) • Da Fu Pi (6g) • Mu Xiang (3g) • Da Zao (3 pc) • Zhi Gan Cao (3g) • Sheng Jiang (3 pc)

Urinary Retention	
• Definition: Situation in which Urinary Bladder is either completely unable to void or can only partially void. • Long: Urinary Bladder is full of urine but can only partially void. • Bi: Urinary Bladder is full of urine but is unable to void. • Bladder Maximum Capacity: 800 cc • 300-500 cc: Strong urge to urinate • 150 cc: Can feel the pressure Western Etiology & Pathogenesis • Prostate Enlargement: 50-60s (Urethra goes through prostate) • Cystocele: Wall between woman's bladder & vagina weakens & allows bladder to protrude through. • Rectocele: Rectum drops into the back wall of the vagina • Nerve Damage: If nerves aren't working, the brain may not get the message that the bladder is full (brain/spine injury, infection in pelvic area, MS → prognosis not good) • Urinary Tract Infection (UTI) • Anesthesia in surgery • Medication: Stop taking medication • Bladder stones: Remove stones • Urethral stricture • Scarring of bladder neck: Injury/surgery Long Term Effects of Urinary Tract Obstruction • Bladder stones • Loss of detrusor muscle tone, Hypertrophy of detrusor muscle • Hydronephrosis: Swelling of a kidney due to a build-up of urine. Happens when urine cannot drain out from the kidney to the bladder from a blockage or obstruction. • Bladder wall Diverticula	Treatment • Deficiency: Tonify KD Qi, KD Yang, SP Qi, Regulate water passages, promote urination • KD 7 (Yang), KD 10 (Tonify Yang for Long term Yang Xu) • UB 20 (SP), UB 22 (SJ), UB 23 (KD), UB 28 (UB), • UB 32 (Gets urine going), UB 39 (Acute Blood stagnation) • REN 4, REN 6: Qi • Excess: Regulate UB Function (Takes a long time) • ST 28 (water passages), KD 14 (Lower Jiao Blood Stagnation, water passages) • SP 10 & UB 17 (Blood Stagnation) • LI 4 & LV 3: Qi Stagnation [Qi Stagnation leads to Blood stagnation] • Auricular: KD, UB, Urethra, Subcortex, Sympathetic, Brain to brainstem Diet: Control Water In/Out • Rice (SP Yang), Corn Silk (KD, Diuretic) • Chinese chive (Tonify yang), vegetables • Duck (Tonify yin) • Fish: Tilapia (LU Yin), Eel & Catfish (KD Yin), • Watermelon (Clear Heat), Winter Melon, Bitter melon • Apple, Tomato (Clear Heat → Bladder, Prostate) • Oyster, Black sesame, Black fungus (Blood Stagnation) • Yi Yi Ren (SP, drain damp), San Qi (Blood Stagnation) • Luffa (clear heat), Water Chestnut (diuretic), Vitamin B (Tonify SP) • Coffee, Tea (diuretics) Lifestyle • Avoid cold invasion of groin • Avoid food that is too sweet, spicy, fatty • Avoid limiting water consumption due to frequent urination • Avoid alcohol • Exercise regularly

Deficiency	KD Yang Xu	SP Qi Xu
Etiology & Pathogenesis	• Mostly happens in old age, takes a long time to develop • Dietary is very important → KD Yin food for all KD conditions • KD Yang relates to sphincter = incontinence	•
Symptoms	• Urinary Retention, dribbling urine, nocturia (> 2x/night → problem) • Aching lower back, weak knees, tinnitus, feeling cold, pale urine • Pale face, fatigue, loose stool, anal prolapse, low sex drive, impotency	• Patient feels energetic → urine flows with more strength (Opposite when tired), Dysuria, pale urine, poor appetite (slow peristalsis → full) • Loose stools (Too much fluid in intestines → Loose stool)
Tongue	• Pale	• Pale
Pulse	• Deep, weak	• Weak
Herbs	Jin Gui Shen Qi Wan • Sheng Di Huang (24g) • Shan Yao & Shan Zhu Yu (12g) • Fu Zi & Gui Zhi (3g) • Mu Dan Pi, Fu Ling, Ze Xie (9g)	•

Excess	LV Qi Stagnation	LU Heat	Blood Stagnation	Damp Heat Invasion of UB
Etiology & Pathogenesis	• Emotions	• LU cannot manage descending to KD	• Scarring • Benign Prostatic Hyperplasia	• Wind Heat/Wind Cold: Tai Yang Disease (Normal: 7-10 days) → After 7-10 days → Invades UB
Symptoms	• Urinary retention, dysuria • Irritability, abdominal distention • Hypogastric distention • Worse with emotions	• Acute urinary retention • Dysuria, thirst, cough • Breathlessness	• Urinary retention, dysuria • Stabbing hypogastric pain	• Dripping, Sudden stop • Dark, scanty urine • Hypogastrium fullness • Sticky taste in mouth
Tongue	• Slightly red on sides	• Red, yellow coat	• Purple	• Sticky yellow coat
Pulse	• Wiry	• Rapid	• Wiry, firm, choppy	• Slippery, rapid
Herbs	•	•	Gui Zhi Fu Ling Wan • Gui Zhi (9-12g) • Fu Ling (9-12g) • Shao Yao (9-15g) • Tao Ren (9-12g) • Mu Dan Pi (9-12g)	Wu Ling San • Ze Xie (4g) • Fu Ling (2.3g) • Zhu Ling (2.3g) • Bai Zhu (2.3g) • Gui Zhi (1.5g)

Tuberculosis	
• Definition: Contagious bacterial infection that involves lungs, but may spread to other organs [Can be anywhere in body] ▪ Agricultural countries: Most common is in knee ▪ Developing countries: Can affect spine • Known since ancient Egypt. Most common mode of transmission in US is inhalation of infected airborne droplets. Initial TB infection can manifest clinically as the disease, but usually presents with no symptoms because the immune system controls the bacteria. • Recrudescence (reactivation) of dormant bacteria is most common clinical presentation of TB • TCM Organs: LU (primary), can also involve SP & KD • Transmission: Saliva, cough, food ♦ Most TB bacteria killed in stomach, unless ingested in large amounts ♦ Bacteria multiply slowly → 10-20 hours to make next generation → Antibodies can fight & win ♦ Bacteria killed easily (no flying sword sputum): Cough sputum into paper & burn it → Bacteria die in strong sunlight in 2-7 hours. ▪ Put bedding in yard in sunlight for a whole day ▪ Must boil tableware for 4-5 hours ▪ 70% alcohol: 5-30 minutes to kill bacteria [Rubbing not enough to kill] ▪ Most Asian kids get immunized for TB ▪ Autoclave Risk Factors for Active TB • Living in crowded or unsanitary living conditions • Chronic cough or on an airplane • Weakened immune systems (AIDS, chemotherapy, diabetes, people taking certain medications, steroids, etc.) • Elderly • Infants • Frequent contact with TB patients: 8-10 hours • Poor nutrition • Medical providers TB Categories • Active pulmonary tuberculosis: Sputum contains M. tuberculosis → contagious • Dormant (Latent) Pulmonary tuberculosis: Sputum does not contain M. tuberculosis → Not infectious TB Transmission Modes • Direct Infection ♦ Direct inhalation of active tuberculosis in air droplets spraying from nose & mouth from patients coughing, sneezing, loud conversation [Most important mode of transmission] ♦ Kissing active pulmonary tuberculosis patients ♦ Using tableware & consuming food polluted by the patient [lower chance of infection] ♦ Bacteria can live on surfaces for 8-10 days • Indirect Infection ♦ Indirect inhalation of air droplets containing TB. Often occurs in poorly ventilated rooms. ♦ Can survive in dirt for 6 months. ♦ Inhalation of dust contaminated with tuberculosis. Contaminated by sputum of patients on floors, clothing, bedding. ♦ Not every contact with tuberculosis will contract TB. Only people with poor resistance are more susceptible to TB infection. Pulmonary Symptoms • Cough: Chicken cough [Short, loud, sounds like a shrill sneeze], stimulating cough • Chest pain: Dull to stabbing, depends on stage • Sputum: Dry, sticky, may have fresh red blood • Hemoptysis	Tests • Tuberculin skin test (PPD): < 5mm → Negative ♦ People who have had the immunization will have positive PPD • Chest X-ray ♦ Early Lung TB mostly has no symptoms, is easy to overlook or delay treatment and often is found inadvertently on chest X-ray ♦ Edges are clear on X-ray ♦ Cancer does not have clear edges because of blood vessels surrounding it. ♦ Often in upper lobes TCM Diagnoses • LU & KD yin deficiency ♦ Adults: LU disease also affects KD [Takes yin from KD] (LU Sends water to KD, if KD can't moisten LU) ♦ WM treatment for LU TB is very strong → Take antibiotics for 6 months → Depletes body (kills all the good bacteria in intestine) → Not easy to recover • SP & KD Yang deficiency ♦ KD Yang Xu: Poor management → Sends too much water to LU → cough clear sputum, edema Clinical Manifestations • Deficiency of LU & KD yin ♦ Cough blood, night sweats, ♦ Poor appetite → SP has no substance to run functions, ♦ Weight loss: If not on purpose → cause for concern ♦ T: red with thin yellow coat [LU yin xu] or no coating [KD yin xu] • SP & KD Yang Deficiency ♦ Puffy & pale tongue body, thick tongue coating with teeth marks ♦ Can lead to whole body edema Treatment • Diet: Yin nourishing foods from animal sources because of wasting process [River fish, turtles, seafood, eels, pears, etc.] • Points ♦ LU 9: Clear heat, nourish LU yin ♦ UB 13 (LU), UB 43 (yin) ♦ ST 36 (nutrition, appetite), ♦ SP 6, KD 3: Yin ♦ LU 5: Heat ♦ LU 6: Coughing blood ♦ KD 7 & LI 6: Lung edema ♦ KD 6 & HT 6: Yin, night sweats, clear heat & tonify yin ♦ KD 7 & HT 7: Night sweat with edema ♦ KD 6 & HT 7: Night sweat with heat & low grade fever ♦ Auricular: LU1, LU 2, KD, SP, Shen Men, Endocrine (yin) Herbs (Yin) • Liu Wei Di Huang Wan • Zhi Bai Di Huang Wan • Da Bu Yin Wan • Dang Gui Liu Huang Tang • Qin Bu Dan Tang ♦ Huang Qin (10g) ♦ Bai Bu (10g) ♦ Dan Shen (10g)

Midterm: 50 questions, pick one answer

1. Nocturnal enuresis (bedwetting)

- Definition
- Diagnosis from case → Copy/paste
- Extra points

2. Incontinence

- Definition
- Train sphincter → Kegel exercises
- Food: What kind food help sphincter?
- What foods avoid?

3. Male infertility

- Which Zang fu related?
- Factors (Western)

4. Impotence

- Definition
- TCM diagnosis → copy/paste
- Extra points
- Food recommendations

5. Premature ejaculation

- Definition
- TCM diagnosis

6. Seminal emission

- Definition

7. Edema

- Definition
- Causative factors
- Chart of pitting edema (how long, how deep)?
- KD & HT edema locations (once chief complaint → Where KD, Where HT?)
- Differentiate Western KD & HT symptoms → IF edema is in HT or brain, refer to ER ASAP!
- Yin & Yang edema differentiation

8. Urinary retention

- Chinese word Long & Bi → Meanings
- Cystocele, rectocele → meaning
- TCM diagnosis → Pick treatment points (wrong diagnosis, wrong points)
- [Remember key points]

9. TB

- Definition
- Differentiate between active [no kissing] & dormant [kissing ok]
- Western symptoms

Benign Prostatic Hyperplasia			
• Prostate Location: Walnut sized gland located between the bladder and penis (only in dogs and adult human males), just in front of the rectum. The urethra runs through the center of the prostate, from the bladder to the penis, letting urine flow out of the body. • Prostate Function: Secretes fluid that nourishes & protects sperm. During ejaculation, the prostate squeezes this fluid into the urethra and it's expelled with sperm as semen. • Benign Prostatic Hyperplasia or Hypertrophy (BPH): Enlarged prostate gland. Occurs in almost all men as they age, but not necessarily a problem of aging.	Common BPH Symptoms: Usually start after age 50 • Trouble starting a urine stream or making more than a dribble • Passing urine often, especially at night • Feeling that the bladder has not fully emptied • Strong or sudden urge to urinate, Weak or slow urine stream • Stopping & starting again several times while passing urine • Pushing or straining to begin passing urine, Hematuria • White color discharge at the Urethral meatus at the end of urination or during bowel movement • Pain in following regions: lumbosacral, low abdominal, groin, pelvic, inguinal, medial aspect of the thigh, testes • Low libido, premature ejaculation, erectile dysfunction, seminal emission, painful ejaculation • Dizziness, fatigue, excessive dreaming, insomnia		
Western Medicine • Etiology & Pathogenesis: Presence of DHT (dihydrotestosterone: male hormone) stimulates growth factors in the prostate, leading to hyperplasia with a resulting increase in size.	Severe Symptoms: BPH can lead to • Weak bladder • Backflow of urine causing bladder or kidney infections • Complete block in the flow of urine • Kidney failure		
Prostate Tests • Digital Rectal Examination (DRE) • Prostate Specific Antigen (PSA) • PSA > 10 ng/mL → biopsy • Between 2.5 – 10 ng/mL ▪ Normal DRE → fPSA test ▪ Abnormal DRE → biopsy • fPSA (Free, unbound PSA): High % fPSA = good news • fPSA ≤ 7% → Biopsy immediately • fPSA: 7% - 15% → Debatable ▪ Most men with prostate cancer have fPSA < 15% ▪ Some doctors will recommend biopsy immediately ▪ Others doctors recommend 6-12 months for another test • fPSA: 15% - 25% → Wait one year for another PSA and fPSA test ▪ Allows PSA velocity to be determined [> 0.5 ng/mL per year → cancer] ▪ Allows refinement of fPSA reading • fPSA > 25% → Likely benign ▪ Repeat PSA and DRE at annual exam • Prostate Ultrasound • Prostate Biopsy	Recommendations <table><tr><td> • Exercise regularly • Avoid alcohol and tobacco, beer, acidic juices, coffee • Avoid medications that can increase BPH symptoms • Avoid foods that cause constipation • Avoid acidic & cold, • Avoid pungent & spicy food • Increase fruit like apple, tomato, carrot [lycopene good for prostate] • Increase foods that contain zinc </td><td> • Urinate when you first get the urge. Go to the bathroom even if you don't have the urge. • Avoid biking & motorcycles • Avoid stress if possible • Drink water regularly • Maintain clean groin & penis • Avoid cold invading prostate gland • Avoid sitting for long periods of time • Perform Kegel exercises </td></tr></table>	• Exercise regularly • Avoid alcohol and tobacco, beer, acidic juices, coffee • Avoid medications that can increase BPH symptoms • Avoid foods that cause constipation • Avoid acidic & cold, • Avoid pungent & spicy food • Increase fruit like apple, tomato, carrot [lycopene good for prostate] • Increase foods that contain zinc	• Urinate when you first get the urge. Go to the bathroom even if you don't have the urge. • Avoid biking & motorcycles • Avoid stress if possible • Drink water regularly • Maintain clean groin & penis • Avoid cold invading prostate gland • Avoid sitting for long periods of time • Perform Kegel exercises
• Exercise regularly • Avoid alcohol and tobacco, beer, acidic juices, coffee • Avoid medications that can increase BPH symptoms • Avoid foods that cause constipation • Avoid acidic & cold, • Avoid pungent & spicy food • Increase fruit like apple, tomato, carrot [lycopene good for prostate] • Increase foods that contain zinc	• Urinate when you first get the urge. Go to the bathroom even if you don't have the urge. • Avoid biking & motorcycles • Avoid stress if possible • Drink water regularly • Maintain clean groin & penis • Avoid cold invading prostate gland • Avoid sitting for long periods of time • Perform Kegel exercises		
	Other Therapies <table><tr><td> • Auricular: Prostate point, urethra • Moxa: ½ piece of Jin Gui Shen Qi Wan at REN 8 </td><td> • Herbs • Ba Zhen Wan • Qian Lie Xian Wan </td></tr></table>	• Auricular: Prostate point, urethra • Moxa: ½ piece of Jin Gui Shen Qi Wan at REN 8	• Herbs • Ba Zhen Wan • Qian Lie Xian Wan
• Auricular: Prostate point, urethra • Moxa: ½ piece of Jin Gui Shen Qi Wan at REN 8	• Herbs • Ba Zhen Wan • Qian Lie Xian Wan		

Excess Type	Tongue/Pulse	Signs & Symptoms	Prescription
Damp Heat in Lower Jiao	• T: Dark red, bruises, • Yellow greasy coat • P: Tight [chronic damp blocking meridians], rapid	• Dribbling, frequent urination • Difficult, painful or burning urination • Painful ejaculation • Visible white pieces in semen	• REN 2, REN 3 [Clear Heat] • LI 4, LI 11, SP 6, SP 9 • Reducing technique on all points 20', QD
LV Qi Stagnation	• T: Red, yellow coat • P: Wiry, rapid	• Dribbling, frequent urination • Irritability, easily angered	• REN 3, LI 4, SJ 5, LV 2, SP 6 • Reducing technique on all points • 20 minutes, Once Daily
Blood Stasis in Lower Jiao	• T: Purple edge • P: Choppy, thin (chronic)	• From Tai Yang channel (common cold, bladder infection) • Difficult & frequent urination, especially at night • Painful ejaculation, thick semen	• REN 2, REN 3, LI 4, SP 6, SP 10 • UB 39 • Once daily

Deficiency	Tongue/Pulse	Signs & Symptoms	Prescription
KD Yin Deficiency [Not enough substance]	• T: Red, scanty or peeled coat • P: Rapid, thready	• Weak knees, 5 center heat • Tinnitus, night sweat	• REN 3, KD 1, SP 6, KD 6 • Once daily
KD Yang Deficiency [Function]	• T: Pale, thin white coat • P: Deep, thready	• Urination blocked, dribbling, hard-going, pale complexion • Aching pain at waist, • Aversion to cold, Weariness, fatigue • Frequent urine at night	• REN 2, REN 3, REN 6, KD 1 w/moxa • KD 3, DU 4 w/moxa • Once daily
SP Qi Deficiency/Sinking [Strong taste hurts SP Qi]	• T: Pale, big body, • Thin white coat, teeth marks • P: Thready, deep	• Frequent urination, fatigue • Abdominal distention, no appetite • Heaviness in anus feeling, • Urge of bowel movement • Light taste	• REN 3, ST 36, REN 6, SP 6 • Once daily
SP Yang Deficiency	• T: Big, pale, teeth marks, • thick coating in back • P: Thready, deep	• Fatigue, heaviness, cold limbs • Poor appetite, loose stool • Distention in lower abdomen • Prolapsed anus	• REN 3, REN 4, ST 36, REN 6 • SP 1 w/moxa, SP 6 • Apply tonification techniques • Once daily

Lin Syndrome [Lin Zheng]	
• Lin Zheng: Stranguria, a syndrome characterized by discomfort during urination with symptoms of urgency, increased frequency, oliguria and painful, difficult urination. • TCM Main Organs: LV, SP, LU, KD, SI, UB, SJ Western Medicine Etiology & Pathology • Lin syndrome includes the Western conditions of urinary renal calculi, milky urine, Neoplasms of the bladder, prostate, tuberculosis of kidney & urethra, urinary retention, prostatitis, UTI	Chinese Medicine • Early stage managed better through TCM than Western Medicine • Diet • Environment • Blood Heat • Damp Heat • Old age, chronic illness • SP & KD Deficiency • Emotional Stress

	Heat Lin [Excess]	Stone Lin [Excess]	Qi Lin [Deficiency]
Factors	• Damp Heat, HT Heat	• Damp Heat, KD Yin	• LV & KD Qi Xu
Condition	• Environment	• Diet • Internal damp heat from Spleen Damp Heat	• Emotional stress • SP Qi Deficiency
Symptoms	• Frequent, urgent, painful, difficult urination • Dark scanty urine, • Burning sensation & Sharp pain in urethra • Lower abdominal pain that may radiate to lower back during urination • Possibly chills, fever • Bitter taste in mouth, nausea or vomiting • Lower back pain, constipation • Best time for TCM treatment	• Difficult urination with sand & stone • Sudden interruption of micturition • Dark yellow urine or possible hematuria in severe cases • Cramping & colicky pain in lower abdomen, low back, perineum • Can cause edema & urine retention	LV Qi Stagnation • Difficulty starting: stops & starts • Broken stream, feeling incomplete • Fullness & pain in lateral aspect of lower abdomen • Fullness & distention in chest & hypochondriac regions SP Qi Xu • Dribbling, discomfort during urination • Pain in lateral aspect of lower abdomen • Sensation of lower abdomen pulling down
Tongue	• Red, yellow greasy coat	• Red, thin yellow coat	• Thin, white coat
Pulse	• Rapid, slippery	• Wiry, rapid	• Wiry
Treatment Principle	• Clear heat, drain damp • Free & promote urination	• Clear heat, drain damp, eliminate stones • Free & promote urination	• Disperse Qi, Tonify SP Qi • Free & promote urination
Prescription	• REN 3, REN 5, SP 9, LI 11 • UB 22, UB 28, UB 63, UB 66	• UB 39 & KD 2, SP 9, ST 28 [Level w/REN 4] • UB 22, UB 28, UB 63 • REN 3, REN 5, REN 6	• LV 2, LV 3, LV 5, SP 6, ST 36 • REN 3, REN 5, REN 6 • UB 28, LU 7 & KD 6, UB 62 & SI 3
Herbs	• Ba Zheng San	• Shi Lin Tong Pian	• Chen Xiang San
Dietary	• Deng Xin Cao 10g, Cong Bai 10g • Luffa 10g	• Daikon 500g	•

	Blood Lin [Deficiency]	Cream Lin [Deficiency]	Fatigue Lin [Deficiency]
Factors	• Heat	• Damp	• Mixture
Condition	• Blood Heat • KD Yin Deficiency	• Damp Heat • SP & KD Deficiency	• Old age, chronic illness
Symptoms	• Frequent, urgent, dripping, painful urination • Sharp, burning pain in urethra • Fullness & distending pain in lower abdomen • Irritability, restlessness • Hematuria with dark red urine • Blood streaked urine • Passage of clots with urine	• Sore, weak lower back & knees • Dizziness, fatigue, tinnitus • Mild or no pain with urination • Emaciation, • Chronic dribbling of cloudy or milky urine • Difficult to treat with TCM	• Fatigue, • Soreness/weakness of lower back, knees • Difficult urination with dribbling that occurs with or exacerbated by exertion • Repeat infections that do not respond well to treatment • Must get Western treatment
Tongue	• Red, yellow coat	• Pale, greasy coat	• Pale
Pulse	• Rapid, slippery, forceful	• Deep, weak	• Deep, weak
Treatment Principle	• Clear Heat, Cool Blood, stop bleeding • Free & promote urination	• Supplement KD, secure essence	• Strengthen SP, Supplement KD
Prescription	• SP 6, SP 10, LV 3, KD 2, KD 6, KD 10 • REN 3, REN 4, REN 5 • UB 17, UB 28, UB 63	• REN 3, REN 5, REN 9, SP 6, SP 9, ST 28 • UB 22, UB 23, UB 28	• REN 4, REN 6, DU 4, KD 3 • SP 6, SP 9, ST 36 • UB 23, UB 28
Herbs	• Xiao Ji Yin Zi	• Bi Xie Fen Qing Yin	• Bu Zhong Yi Qi Tang
Dietary	• Grape 100 mL, Lotus root 100 mL • Sheng Di Huang 50 mL (Tonify Blood)	• River Snail 500g [Clear Heat, promote urination]	• Black Bean 250g, Gan Cao 10g • Ginger 10g


Chronic Fatigue Syndrome	
- Exercise in the yin time (Should exercise in morning) Group of symptoms characterized by severe continued tiredness that is not relieved by rest and is not directly caused by other medical conditions and symptoms last longer than 6 months. - Wrong food (diet), Wrong schedule Western Medicine: Not clearly understood → Theories: - Believed to be due to Epstein Barr virus or human herpes virus 6 (HHV-6) - Inflammation in nervous system, due to faulty immune system response	
Symptoms	
- Fatigue unrelieved by bed rest - Muscle aches, weak muscles - Joint pain with no swelling/redness - Tight & painful shoulder muscles - Insomnia, forgetfulness, confusion - Poor concentration - IBS, diarrhea	- Sore throat - Headaches different from past - Low grade fever - Chest pain, congestion - Weak immunity - Enlarged lymph nodes
Chinese Medicine Residual EPI: After a wind invasion, external wind is not expelled completely - Shang Hang Lun: Discusses Tai Yang first → Yang Ming → Shao Yang (Not Qi Direction, disease direction) - Tai Yang usually lasts a week - Know if it's getting better or worse at Noon - If Tai Yang not better 7-10 days, the Yang Qi comes in to fight (Wei → Goes inward to other channels (can go directly to any channel or organ) - Tai Yang disease goes to Yang Ming → Disease direction (can go directly to yin) - Foot Shao Yin: Go skiing, get trapped in snow, very cold, nobody comes to help for a couple days → Exterior cold invading [Once safe, affects KD Yang] - Cold season: eat/drink too much cold food (watermelon, etc.) Treatment Dietary (very important) - Usually have poor diet → Picky, eat a lot of MSG (makes fatigued), eat restaurant food - Balanced diet with organic, locally grown, seasonal food. [Depends on age, body condition, season] Avoid cold, raw, fatty food (cause damp)	
Herbs - Suan Zao Ren: Calm shen (put seeds in pillow to help sleep) - Ren Shen: Qi, Yang xu (including Hong Shen) - Ling Zhi: Qi, immune system [More than 200 kinds] Improve Sleep Quality - Sleep on time (same time each night): Don't have to fall asleep, but go to bed at same time - Avoid caffeine before bed - Control bedroom temperature [Yang Xu: 60's, Yin Xu: Colder] - Have a noon nap [HT → tonify HT blood] No more than 20-30 min - Keep bedroom quiet & free of TV [Voltage affect sleep quality] - Hot shower before bed - Do not rely on medicine - Avoid stress or pressure [have bad dreams] - Sleep bed quality - Quality, not quantity [Study: Need 8 hours for using brain] Improve energy - Exercise in morning [Yang time → do yang stuff] - Drink water [Yin] - Eat breakfast (king), brunch (cookie, asian cake, banana, fruit) - People who don't eat breakfast tend to have GB stone - Noon nap - Afternoon tea (3-4 pm) - Forgive yourself & others [Less LV Qi] - Good posture [Flow Qi better] - Laugh - Stand while talking on phone [On phone too much] - Meditation [People who meditate, brain can relax better] - Fragrant environment - Increase Iron, B-12 - Sleep at 11 pm, go to bed 1 hour earlier - Enjoy sun Exercise: Needs to be appropriate → both mental & physical - Mental (puzzles, but don't get addicted) - War between 3 kingdoms game . . . - Physical exercise (walk) - Evaluate type of exercise and how they feel afterwards	

	Shao Yang	Yang Ming		
	Half Interior – Half Exterior	Upper Jiao Heat (HT/LU)	Middle Jiao Heat (LV)	Lower Jiao Heat (KD & UB both)
Etiology & Pathogenesis	After Wind invasion, EPI in Tai Yang channel disease goes deeper & lodges in Shao Yang	After Wind invasion, EPI in Tai Yang channel disease goes deeper & lodges in Yang Ming - Causes Yang Ming (ST symptoms) - Diarrhea, constipation, sore throat, frontal headache, eye pain - Toss & turn at night (can't sleep well)		
Symptoms	- Low grade fever, or fever & chills at same time - Poor appetite, - LV heat signs (bitter taste, dry throat, irritability) - LV Pain (hypochondriac pain) - Looks like LV, but not exactly LV	- Lung heat, muscle ache - Fatigue (LU can't distribute dampness → damp goes to muscles & causes fatigue)	[LV can be middle or lower jiao] Fever, irritability	- Catch sore throat → Wind heat (common cold) → urine still yellow even though you drink so much water (heat in UB) - Low grade fever, thirst & want to drink - Hurts Yin
Tongue	• White, slippery coat	• Red, yellow coat	•	•
Pulse	• Wiry, rapid	• Rapid, slightly wiry	•	•
Prescription	• DU 14, SJ 5	- DU 14 (raise yang Qi, clear heat) - SJ 5, LI 11: Clear heat - LU 10, 5: Clear LU heat - HT 8, PC 8: Clear HT heat (excess dreams due to HT heat) - SP 6: Help tonify yin, cool heat	- LV 2: Clear LV heat (excess heat, from stress) - GB 34: Clear LV heat (deficient heat, insomnia, stay up late), not enough, so add SJ 5 (shao yang, baby yang) - SJ 5: Clear heat anywhere - LV 5: Clear LV heat, tonify LV yin	- KD 3, KD 6, SJ 5 - REN 12: tonify yin - REN 3: Yin, Qi

Chronic Fatigue Syndrome			
	SP Damp heat	LU fluid falls back to SP [LU Qi Xu]	LV overacting on SP
Symptoms	• SP Qi deficiency symptoms • Mental & physical fatigue (don't want to move mind or legs), brain foggy • Damp heat → muscles heavy, achy • Poor concentration, poor memory • If have to use mind, get headache (dull, empty headache, ask what kind of headache? → Can't tell) • Hypochondriac fullness, no appetite • Don't want to drink, even if thirsty (damp in middle jiao) • Yellow Urine, Loose stool, bad smell	• SP provides fluid to LU, but it falls backwards due to LU Qi xu (Descending & dispersing function poor) → Get water from SP but falls backwards • Morning fatigue (wake up with fatigue) • Muscles dry → achy easily (use a little & cause pain) → don't want to exercise • LU Qi Xu: low voice, short sentences • Spontaneous sweating, loose stool, abdominal distention, poor appetite	• Not LV Qi stagnation • Both LV & SP (LV causes SP symptoms) • Measure to see if • More deficiency: Tonify • More stagnation: Move more, careful how deep needle, points pick (move too much, affect SP) • GB 34 instead of LI 4/LV 3 (move too much → affect SP)
Tongue	• Not dry → Saliva: sticky, damp, wet • Thick yellow coat	• Pale	• Pale, toothmarks
Pulse	• Slippery	• Thready, deep	• Wiry, slippery
Prescription	• SP 9: Drain damp • SP 6: yin • UB 22: SJ • REN 9: Damp • REN 12: SP • Headache: ST 8 (drain damp, clear heat) • SJ 7: muscle ache • DU 14: raise clear yang	• REN 12: help SP • ST 36: Tonify Qi • UB 20: SP, UB 21: ST • LU 9, DU 12: LU • UB 13: LU (local) • REN 6: Qi • LI 10: Harmonize, help LU Qi dispersing, harmonize SP & LU • DU 20: Raise clear • SP 9, REN 9: Drain damp	• LV 3, LI 4, SP 9, ST 36 • LV 13, UB 18, UB 20, REN 12

	LV Blood Xu	LU Yin Deficiency	ST Yin Xu
Symptoms	• Fatigue, numb hands & feet, scanty period • Blurred vision, dizziness • Muscle fatigue: don't want to move too much (every time move muscles, get mentally & physically tired) • Do exercise to pump blood, if not exercise, blood not moving → Numbness on hands & feet • Fix numbness on hands & feet → Get heart to 160 bpm for 20 minutes a day (if capillaries don't have good circulation, it affects a lot of Zang Fu organs)	• Dry cough: main symptom, especially at night (3-5 am) → wake up from cough • Exhaustion, afternoon fever, night sweat	• Fatigue, epigastric pain • Thirst with no desire to drink • Poor appetite
Tongue	• Pale	• Peeled	• Cracks (middle of the tongue) → Look at how old to guess how chronic • Geographic maps
Pulse	• Thready	• Thin, Rapid	• Rapid, thin
Prescription	• LV 8, ST 36, SP 6, REN 4, UB 17, GB 34	• LU 9 & 5: Clear heat in LU • LU 7: harmonize • UB 13, SP 6	• REN 12, ST 36, SP 6, ST 44

	KD Yin Xu	KD Yang Xu	HT Blood Xu	HT Yin Xu
Symptoms	• LBP, weak knees • Dizziness, tinnitus • Night sweat, insomnia • Dry throat, worse in yin time (at night during sleep) • Wake up, mouth is dry → drink • Sip to moisten mouth, not to drink • Poor sleep quality	• Frequent urination (> 6-7 times per day) • More urine at night (> 2 times) • Weak knees, cold limbs	• Excessive dreams, • Insomnia (difficulty falling asleep, staying asleep) • fatigue, poor memory • Palpitations	• Excessive dreams, • Insomnia (difficulty falling asleep, wake up from dreams, difficulty falling back asleep) • Poor memory • Irritability
Tongue	• Peeled	• Pale	• Pale	• Red tip, geographic map
Pulse	• Rapid, thin (especially in chi)	• Slow, deep in chi position	• Thin, deep	• Rapid, short thready
Prescription	• KD 3, LU 7, SP 6, REN 4, DU 20 • UB 23, UB 52: tonify KD	• REN 4, DU 20, KD 3 • DU 4: Moxa • ST 36: Moxa (warming needle)	• LV 8, SP 10 • ST 36: Qi • DU 20: Yang • PC 6: Harmonize, calm for sleep • REN 6: Yin, blood, Qi	• HT 7: Calm • KD 3, KD 6, SP 6, REN 3



11-1 AM	GB	- Don't miss Shao Yang time! - Miss Shao Yang time: Often have headache, more likely to get stroke - Without baby yang, don't have enough blood for LV (get rid of toxins, send waste to right places, send good Qi to right places)
1-3	LV	- LV & KD always go together → LV blood deficient → dry hair, skin, eyes - Get more wrinkles if stay up late [KD yin xu, LV Blood xu] - Stay up late: tend to have high blood pressure
3-5	LU	- Breathing problems, cough - Treat Lung at this time (medicine, herbs)
5-7	LI	- Clean up body, go to bathroom - People with poor KD Yang → No yang Qi to hold → diarrhea
7-9	ST	Eat breakfast [Eat right time, until full]
9-11	SP	- Digest, send food to meridians (T&T) [Brunch → Not too cold]
11-1 PM	HT	- Palpitations [HT Yang is from ST/SP] - Too high calorie, too fatty → affect HT
1-3	SI	Separate waste from clear, clear to zang fu, waste to LI (not eat right food, affect SI function) → turbid will go to wrong places and cause inflammation
3-5	UB	- Longest channel, runs through so many zang fu, carries water to places - If UB channel has problems, will show on back shu points (painful, knots) → drink a lot of water [Yang Xu: cold, Yin Xu: sore] - Damp: get pain in UB channel - Eat something
5-7	KD	- Important time, origin of Qi, required zang fu. - Eat something to tonify KD
7-9	PC	- Protect HT, if PC not healthy, have palpitations. - Yin Xu → Show at this time [Yin going up to highest at midnight]. Irritability, shortness of breath - Helps blood flow (Blood organ)
9-11	SJ	- Helps Qi flow, Qi deficiency, use Qi to bring the fluid to the right places, if not good function → edema - Affect yang: cold symptoms - Sleepy for next day if yin, - Eating at SJ time causes damp

Multiple Sclerosis		Western Medicine Clinical Manifestation	
• Definition: An autoimmune disease that affects the central nervous system (brain & spinal cord). First described in 1868 by Jean-Martin Charcot. • Affects women more than men • Commonly diagnosed between age 20 – 40, but can be seen at any age. • Affects 400,000 in the US, 1 million patients worldwide • TCM Organs: LU, SP, KD, LV Western Etiology & Pathogenesis: Unknown cause • Most common theory: Virus, gene defect or both to blame • Environmental factors may play a role • Inflammation causes the myelin sheath to disappear, which slows the electrical impulses that travel along the nerves. It also damages the nerves. • Myelin: Mainly located in the white matter in the brain. When lost, the myelin creates scars in the white matter and the axons no longer effectively conduct signals. • Brain: MS affects white matter • Demyelination: Slows down nerve transmission in axon • There is a 25-35% chance of heredity in getting MS. • In 1996, the United States National Multiple Sclerosis Society standardized four clinical courses (stages).		• Patients with MS can have symptoms in many parts of the body. • Damage to nerve fibers of brain stem & cerebellum can cause double vision, difficulty swallowing, gait disturbance or dizziness. • Inflammation of spinal cord: Affects motor, sensory & excretion functions • Nerve damage closer to the spinal cord will affect the limbs • Small number of patients may also suffer epilepsy or mental retardation	
Symptoms			
Muscle Symptoms • Loss of balance, Muscle spasms • Numbness/abnormal sensation (located in any area) • Problems moving arms or legs • Problems walking, with coordination or making small movements • Tremors or weakness in one or more arms/legs		Numbness, tingling, pain • Facial pain, Painful muscle spasms • Tingling, crawling or burning feeling in arms & legs	
Bowel & Bladder symptoms • Constipation, stool leakage • Urine leakage (incontinence) • Urination: Difficulty initiating, Frequent need, Strong urge		Other brain & nerve symptoms • Decreased attention span • Poor judgment, memory loss • Difficulty reasoning, problem solving • Depression, feelings of sadness • Dizziness & balance problems • Hearing loss	
Eye Symptoms • Double vision, Eye Discomfort • Uncontrollable rapid eye movements • Vision Loss (usually affects one eye at a time)		Sexual Symptoms • Problems with erections • Problems with vaginal lubrication	
Factors affecting prognosis • Older than 35 for first attack • Various parts of nervous system damaged in first episode • GI excretory function disorders are main symptom of recurrence • Recurrence more than twice in first year • Relapse after remission not complete		Speech & swallowing symptoms • Slurred, difficult to understand speech • Trouble chewing & swallowing Fatigue: Common & bothersome symptom. Worse in late afternoon.	
Chinese Medicine Category: Wei Syndrome			
External Pathogenic Factor Invasions • Damp Invasion: Damp is most common reason for autoimmune disorders • Wind Heat: Strong type of wind heat with high fever type ▪ Heat drains yin fluid ▪ Most MS patients suffer from yin deficiency ▪ Diet with damp heat will drain yin → Adhere to strict diet		Diet: Avoid Damp food & excessive consumption of Fa Wu (sea food, onions, garlic, deep-fried, duck (cool but fa wu) → Fa Wu causes more inflammation • Burn ST 36, eat Fa Wu → Produce pus → Helps immune system	
Diet: Avoid Damp food & excessive consumption of Fa Wu (sea food, onions, garlic, deep-fried, duck (cool but fa wu) → Fa Wu causes more inflammation • Burn ST 36, eat Fa Wu → Produce pus → Helps immune system		Excessive Sexual Activity: Drains KD Yin fluid, Depletes KD	
Shock & Severe Emotions: HT & SP take the biggest hit.			
Treatment Principles [RRMS most frequently seen in clinic.]			
Most MS patients are deficient → Don't use big needles or too many needles • Most Needle Sensitive: Patients in wheelchair from progressive type, Patients with bowel dysfunction that won't improve, etc. • Poor results with too many needles/points		Active Attacks or Newly Diagnosed Patient: • Main Focus: Releasing body surface, expelling wind, clearing heat, resolving phlegm, activating blood, unblocking meridians • Treat locally and economically during active attacks. • Try to reverse progression of disease. • Treat symptoms: Limb issues → treat limbs, Damp → Treat damp, etc. • Treat locally because it triggers the brain and prolongs the life of the myelin sheath.	
Remission Period or Late Stages: • Main Focus: Fortifying KD, Replenishing essence, Soothing LV, Nourishing blood, Supplementing Qi (vital energy), Reinforcing SP. • Base treatment on syndrome differentiation. • Too much stimulation can cause relapse. • Treat with herbs to build up SP Qi, Resolve damp, Nourish LV & KD yin.			
Four Clinical Stages			
Relapsing-Remitting (RRMS)	• Characterized by unpredictable relapses followed by periods of months to years of remission with no new signs of disease activity. Deficits suffered during attacks may either resolve or leave sequelae [conditions that are the consequences of a previous disease or injury]. • 50-60% of patients, often diagnosed between 20 – 40 years (younger age) • Can be totally gone (no symptoms) and then come back		
Secondary Progressive	• Can take 15-20 years to develop into this from RR type • Once patients have symptoms, they progressively get worse. • More than half the patients that start with RR will turn into progressive. The attacks get worse and closer until they eventually become just one attack with no remission. • Patients may still experience relapses (attacks). These are then followed by partial recoveries or periods of remission, but the disease doesn't disappear between cycles. Steadily worsens.		
Primary Progressive	• 10-25% of patients • Neurological function steadily degrades. Once they have symptoms, they just become worse. No remission (No stairs).		
Progressive Relapsing	• Very rare, not common. 5-10% of patients. • Sustained neurological degradation with intense attacks. No steady period of stability. Sometimes gets a little better. • Patients often end up in a wheelchair very quickly.		
Western Medicine Current theories			
• Possibly due to viral infection (possibly herpes) in genetically susceptible people, combined with environment, timing and age. • Geographical • High Latitude: Incidence rates higher above 40° latitude, worse in west • Very low incidence near equator in tropical regions • Dietary: Saturated fat & dairy (major component) → Damp. • Higher incidence in populations with high saturated fat intake. • 5% died with < 20g saturated fat daily. • 80% died with > 20g saturated fat daily • Need B-12, but get from sources other than red meat. • Genetic: Higher incidence in first-degree relatives of patients with MS (3-5%) • Incidence in dizygotic (fraternal) twins: 3-5% • Incidence in monozygotic (identical) twins: 25% • People of Scandinavian descent have 50% increase of getting MS. • Misdiagnosis: Common in beginning of MS due to symptom localization • Visual impairment: More than 40% of patients have initial symptoms of visual impairment • Limb paralysis: Paraplegia accompanied with urination difficulty often misdiagnosed as myelitis			
Western Medicine Clinical Manifestation			
• Symptoms vary because the location and severity of each attack can be different. Episodes can last for days, weeks or months. These episodes alternate with periods of reduced or no symptoms (remissions). • Fever, hot baths, sun exposure and stress can trigger or worsen attacks. • Relapses (return of the disease) are common. However, the disease may continue to get worse without periods of remission.			

	Meridians obscured by phlegm & heat		Damp Heat Dissemination	Blood Stasis accumulated in meridian	
Symptoms	• Sudden attack • After onset of fever, individuals develop sudden limb weakness, numbness, paralysis • Distended headache, irritability • Chest tightness, Ear ringing • Blurred vision or Possibly sudden blindness • Thirst without desire to drink • Speaking difficulties • Yellow, sticky throat secretions • Urinary difficulties		• Gradual attack • More in lower part of body • Multiple Zang Fu involved [assess during each visit for which Zang Fu most prominent] • Gradual development of limb weakness, obvious in lower limbs, also numbness & slight puffiness in limbs • Tightness in forehead, Generalized heaviness • Sallow complexion, Abdominal distention • Depression, Decreased vision • Diarrhea, yellowish urine	• Blood stagnation: symptoms worse at night [Need to ask in interview] • Blood goes to extremities at night • Limb weakness with numbness, tingling, contracting pain • Dizziness, ear ringing, sallow complexion • Muscular atrophy, • Urinary difficulty, dribbling after voiding • Double vision, even blindness	
Tongue	• Big body with yellow coating • Color depends on the current symptoms		• Yellow, greasy coat	• Pale, thin coat	
Pulse	• Rapid, slippery		• Rapid, slippery	• Thready (Fine, Thin), Weak (Frail)	
Principle	• Resolve damp & phlegm		• Resolve damp & phlegm	• Move Qi & Blood	
Prescription	• SP 6: More urination → Drain damp • SP 9, ST 40		• SP 6: More urination → Drain damp • SP 9, ST 40	• GB 34 & SJ 5: Deficient Heat (Baby Yang) • SP 10 & UB 17: Blood, LV 3 & LI 4: Move Qi • SJ 6: Qi, Heat, Blood	
Formula	Di Tan Tang		Er Miao San	Sheng Yu Tang	
Herbs	• Sheng Jiang, Da Zao • Fu Ling 6g • Zhu Ru 2.1g • Ban Xia 6.6g • Ju Hong 6g	• Zhi Shi 6g • Ren Shen 3g • Gan Cao 1.5 g • Shi Chang Pu 3g • Dan Nan Xing 6.6g	• Huang Bai 9 – 12g • Cang Zhu 6 – 9g	• Sheng Di Huang 9g • Chuan Xiong 9g • Ren Shen 9g	• Huang Qi 9 – 12g • Shu Di Huang 9g • Dang Gui 9 – 12g

	LU & SP Deficiency		LV & KD Deficiency		KD Yang Depletion	
Symptoms	• LU & SP symptoms • Pale complexion, poor appetite • Aversion to wind, catch cold easily • Slow & progressive development of limb weakness, unsteadiness • Tremor & muscular atrophy in lower limbs • Pale complexion, poor appetite • Abdominal distention, diarrhea • Dizziness, inability to void urine • Blurred vision, even blindness		• LV: Tendons, KD: Bones, joints • Symptoms more towards joints • One yin pot: LV/KD yin deficiency affect each other • LV Yin/Blood deficiency symptoms • Blurred vision, vertigo, dryness • Ear ringing, difficult urination • 5 center heat [Palms, soles, chest] • General paralysis, weight loss • Unsteadiness, clumsiness • Soreness in lumbar & knee regions • Facial distortion, Dizziness, vertigo • Throat dryness, constipation, • Difficult urination • Ear ringing, fatigue, depression • Difficulty speaking		• Sore low back, sore knees • Dizziness, vertigo, vision issues • Don't like to speak much [Qi Xu + cold] • Frequent urination: > 5-7 times during day or > 1-2 times at night • General paralysis, numbness • Muscular atrophy, clumsiness, unsteadiness • Blurred vision, drooping of upper eyelids • Declined hearing, Dizziness • Difficulty swallowing or speaking • Cold limbs, cold sensitivity • Fatigue, sleepiness, poor appetite • Urinary frequency, diarrhea	
Tongue	• Pale, white coat		• Red, shiny, scanty coat		• Pale, white coat	
Pulse	• Thready (Fine, Thin), Weak (Frail)		• Rapid (Quick, Fast), Thready (Fine, Thin)		• Slow, Deep (Submerged, Sinking, Deep)	
Treatment Principle	• Tonify SP		• Nourish Yin & Blood • Strengthen Bones & Tendons		• Warm Yang	
Prescription	• ST 36, REN 12, UB 20		Nourish Yin & Blood: REN 4, REN 6, SP 6, • SP 10, UB 17, UB 23, UB 52, ST 36, LV 8 Strengthen Bones & Tendons: GB 34, GB 39, • UB 11, SI 3 & UB 62: Ion pumping cords • For tendons near spine		• MOXA: DU 4, REN 4, UB 23, REN 6, ST 36	
Formula	Shen Ling Bai Zhu San		Zuo Gui Wan		You Gui Wan	
Herbs	• Fu Ling 1 kg • Ren Shen 1 kg • Bai Zhu 1 kg • Zhi Gan Cao 1 kg • Lian Zi 500 g	• Shan Yao 1 kg • Yi Yi Ren 500 g • Bai Bian Dou 750 g • Sha Ren 500 g • Jie Geng 500 g	• Shu Di Huang 240g • Gou Qi Zi 120g • Shan Zhu Yu 120g • Tu Si Zi 120 g • Chuan Niu Xi 90g	• Shan Yao 120g	• Rou Gui 60-120g • Fu Zi 60-180g • Shan Yao 120g • Shu Di Huang 240g • Gou Qi Zi 120g	• Du Zhong 120g • Tu Si Zi 120g • Shan Zhu Yu 90g • Dang Gui 90g

Additional Treatment Principles & Points • Subdue Yang: LV 3, GB 20, SJ 5, GB 34, DU 20 • Extinguish Internal Wind: LV 3, SP 6 (Nourish yin → LV Wind), GB 20, • DU 16, DU 20 [Raise clear yang, ↓ turbid yang, cigar moxa] Diet Recommendations • Eat more alkaline forming food: Fruit, nuts, vegetables, lemon juice • No black pepper & cinnamon: Interfere with nerve transmission • Ren Shen (ginseng) & Huang Qi (astragalus) may interfere with western meds • Ginkgo fruit & B-12 (very important) recommended	Additional Recommendations • Regular exercise [Appropriate exercise] → every day • Can be just 5-10 minutes [No running, gentle exercise] • Usually right after exercise, feel good [Too much: feel bad next day] • Keep reducing amount until they feel good the next day (reduced symptoms) • Acupuncture: Once a week during damp seasons, once a month in summer • Scalp acupuncture beneficial → motor area corresponding to pathology • Gentle Tui Na on atrophy regions & DU meridian • Keep Regular schedules [Sleep, wake, eat]
--	--

Fibromyalgia		
History 1976: researcher Hensch noted syndrome & introduced term fibromyalgia 1990: American College of Rheumatology established firm criteria for classification & diagnosis of fibromyalgia - US: Over 5 million fibromyalgia patients (2% of population) Western Etiology & Pathology: Causative nature unclear - Possible malfunction of central nervous system (serotonin & glutamate) - MSG: Originally from yam - Beef/pork broth: Have natural MSG - Some in medical profession think it has psychological nature (laziness) - Possible muscle problem, but research studies found nothing wrong in muscles - Possible autoimmune problem, but research revealed no immune system disturbance - Observations in fibromyalgia patients - Lower cortisol levels - Swollen capillaries in muscles (under microscope) - Burgdorferi virus infection		TCM Treatment Principles - Promote local blood circulation (tendons don't have good circulation) - Disperse fluids - Remove blockage - Tonify Qi & Blood - Stop Pain Points used for each local tender spot according to ACR 18 spots - Neck Pain: SI 3, UB 10, DU 16, Bai Lao - Shoulder Pain: LI 15, Jian Qian, - Jian Hou (1.5 cun above posterior axillary crease) - Arm Pain: LI 11, SJ 5, LI 4 - Upper Back Pain: UB 11, UB 17, SI 12 - Lower Back Pain: UB 23, UB 25, UB 40 - Thigh Pain: SP 10, GB 31, LV 8 - Leg Pain: ST 36, GB 39, SP 6 Auricular Points - Shen Men: Sleep - LV: Move Qi - HT: Circulation - SP - Sympathetic: Calm nerves, promote circulation Tui Na [↑ circulation, Help supply O₂] - Very effective in addition to acupuncture & herbs. - Move joints → Loosen up - Research has shown significant decrease in pain level with Tui Na - Some practitioners consider Tui Na as main TCM approach for fibromyalgia treatment - Common techniques - Grasping: release muscle tightness (↑ circulation, not release adhesion) - Kneading: Tonifies Qi & blood - Rolling: Reduces inflammation in vessels inside muscles - Chafing: Promotes blood circulation (best to make area warm/red) Other Techniques - Seven star needle: Around tender points [↑ circulation, tap to red, no bleed] - Cupping: Around tender points [They love the cupping] - Gua Sha: Around tender points [↑ circulation, especially tendons]
Manifestations		
Symptoms		
Widespread pain (Main determining factor for diagnosis) - Fatigue, chronic headache - Insomnia (90%), Sleep apnea - Inability to fall into deep sleep - Abdominal pain, gastric distress - Dry mouth, Inability to concentrate - Restless Leg Syndrome	- Severe sensitivity to rain, cold, heat, light, noise, smells, - Worse with stress, cold rain - Numbness in fingers & toes - Widespread stiffness - Forgetfulness, depression, anxiety - IBS (30%), poor appetite	
- Signs: No redness, swelling, heat or scarring - Age: Onset from 18 – 50 years old - Gender: Affects predominantly women over men [Ratio: 8:1 or 9:1] - Palpation: Extreme pain on tender spots from 4 kg force - No range of motion limitation (joints) - X-ray or other imaging: Normal		
Western Medicine Diagnosis - Joint & Muscle examination: Normal - No laboratory abnormalities - History of widespread pain for > 3 months - Digital Palpation: At least 11 of 18 tender point sites - Some patients have fewer tender sites and more regional pain - Alternate diagnosis: Symptoms Score + fewer tender points [Score of 5 and 7+ tender points] or [Score of 9 and 3-6 tender points] - Symptoms - Fatigue [0-3] - Restless after rest [0-3] - Forgetfulness [0-3] - Symptoms after rest [0-3]		
Western Treatment - Painkillers, anti-seizure drugs, anti-depressants [amitriptyline] - These drugs can affect sexual function in males		

Differential Diagnosis					
Symptom	Rheumatoid Arthritis	Fibromyalgia	Symptom	Myofascial pain	Fibromyalgia
Morning stiffness	More on limbs, fingers toes	Widespread, whole body	Trigger Points [Both]	More Localized Stiffness	More Fatigue
Morning Stiffness Duration	Longer	Shorter			
Joint swelling & deformity	Yes [Big finger joints, bamboo fingers, bone Bi]	No	Chest Pain	Heart Disease	Fibromyalgia
Blood tests	Presence of rheumatoid factor	Normal Lab Tests	Radiation	Radiating pain towards pinky, shoulder	Pain lacks radiation, Type & length different
			Nitroglycerin	Relieved by nitroglycerin	Not alleviated by nitroglycerin

	LV Qi Stagnation	Qi & Blood deficiency	KD Deficiency [Yin, Yang, Qi, or Essence]	Bi Syndrome
Symptoms	• Worse when unhappy • Irritable bowel syndrome [Alternating constipation & diarrhea (dry stool before diarrhea)] • Anxiety, depression • Emotional upset, Easily angered • Headaches (including migraine) • Muscle stiffness in neck & shoulders • Insomnia (waking frequently, difficulty falling back asleep) • Dysmenorrhea • Premenstrual syndrome • Symptoms may be triggered by emotional stress	• Dull, empty headache [difficult to find location] • Restless leg: worse at night • SP Qi Xu & LV/HT Blood Xu • Chronic fatigue • Exhaustion, dull headache • Poor appetite, • Muscle weakness & numbness • Waking up tired, Palpitations • Insomnia, dream-disturbed sleep • Restless leg syndrome • Amenorrhea	• Sore low back • Infertility issues (male & female) • Irritable bladder • Dysmenorrhea, amenorrhea • Hot flashes, Night sweats • Forgetfulness • Dull headache	• Aversion to cold & rain [More symptoms] • Toes/fingers feel swollen [but aren't actually swollen] • Wind, Cold, Damp or Heat Invasion • Numbness in limbs
Tongue	• Slightly dusky or slightly puffy [LV overacting on SP] • Slim sublingual veins [Qi Stagnation]	• Pale, Thin, white coat	• Pale & dry with cracks	• Big body • White, greasy coat
Pulse	• Wiry	• Thready, weak • Deep pulse (chronic)	• Thin, weak, deep [Once pulse is deep, not an easy case to treat → too chronic]	• Tight, slippery
Treatment Principle	• Move Qi [Don't like, sensitive] • Calm LV Qi more important than move	• More Tonify than reduce	• Tonify KD	• Move, Tonify to • Each visit: Measure to determine how much to tonify or move [More damp: move, Summer: Moving more → tonify]
Prescription	• Yin Tang • LI 4, LV 3, GB 34 • An Mian, REN 17, REN 12 • ST 25, UB 18, UB 19, UB 20 • Auricular: Shen Men, LV, Sympathetic	• LI 4, ST 36, REN 12, SP 6, SP 10 • PC 6, HT 6, HT 7, KD 3, • UB 17, UB 20 • Auricular: Adrenal, Endocrine, HT, SP	• REN 3, REN 4, REN 6 • LI 11, LV 2, GB 39, • KD 3, KD 6, KD 7 • SP 6, UB 23, UB 31 • Auricular: Adrenal, Endocrine, KD	• SP 3, SP 10, GB 20, DU 20 • ST 36, ST 40 • UB 23, UB 17 • Auricular: SP, HT, Adrenal, Endocrine

Lifestyle • Establish regular sleep routines • Sleep before 11 pm, wake up at 6 am → Go outside & get better energy • Just get outside → Can go outside & sleep on chair • Tips for good sleep habits • Avoid exercising for at least 6 hours before bedtime • Use bed only for sleep, not an office • Avoid caffeine & alcohol 4-6 hours before bedtime • Avoid large meals before bedtime. Light snack might help sleep. • Avoid naps, especially in evening or late afternoon. • Establish regular time for going to bed & getting up in morning. • Maintain regular schedule even on weekends or during vacations • If unable to fall asleep after 15-20 minutes, go into another room and start a quiet activity. Return to bed when you feel sleepy. • Avoid drinking fluids right before bedtime so that you don't have to wake to urinate. • Minimize light & maintain a comfortable, moderate temperature in the bedroom. Keep bedroom well ventilated. • Reduce stress • Develop a plan to avoid or limit overexertion & emotional stress • Allow time each day to relax, and learn to say no without guilt. • Try not to completely change routine. People who quit work or drop all activity do worse than those who stay active. • Try stress management techniques like deep-breathing exercises or meditation. • Exercise regularly. At first, exercise may increase pain. Doing it gradually & regularly often decreases symptoms.	Other Recommendations • Appropriate Exercise • Tai Chi is most effective exercise for fibromyalgia • Promotes circulation of Qi & Blood • Stretches muscles & tendons to stop pain • Yoga, Qi Gong & water exercise also good for fibromyalgia • Write down length & time (poor memory)	
	Dietary	
	Foods to Avoid • Caffeine (make more tired) • Yeast (damp) • Gluten • MSG • Trans Fat • Alcoholic beverages • Carbonated food & beverages • Chocolate (sugar) • High Fat Dairy foods • Fried foods (Fa Wu) • Preservatives, junk food • Food colors & dyes • Tobacco • Crabs (Fa Wu) → Acne • Sugar • Pork (interferes with medication, even for common cold)	Recommended Foods • Fresh, organic, free from dyes, preservatives & additives • Ginger, Licorice • Vegetables [Broccoli, spinach, artichokes, asparagus, celery, yams, sweet potatoes] • Meat (small portions of red meat) • Seafood [Salmon, tuna, flounder, shellfish (lobster, clams, shrimp)] • Yogurt • Nuts & beans (high magnesium) • Fruit • Vinegar [good for lowering blood sugar levels & keeping stomach slightly acidic, which can help with food absorption] • Eggs • Unbleached whole wheat flour • Pure cane sugar

Final	
1. BPH [Diagnosis] ➤ Definition ➤ Function of gland ➤ Western lab tests (PSA) ➤ TCM cause/factors ➤ Diagnosis (copy/paste symptoms/signs) ➤ Patient recommendations 2. Lin syndrome [Diagnosis] ➤ Many types of Lin ➤ TCM cause/factors ➤ Treatment principles for types ➤ Diagnosis 3. Chronic fatigue ➤ Definition ➤ Symptoms ➤ Copy/paste diagnosis ➤ Patient recommendations 4. MS ➤ Definition ➤ Treatment principle for TCM ➤ Patient recommendations 5. Fibromyalgia ➤ Definition [widespread pain] ➤ Diagnosis ➤ Differentiation with other western diseases ➤ Patient recommendations 6.	