



Entry Exit, Four Seas, Mirroring Concepts

Acupuncture Point Selection Strategies


Review: Confluence Points of Extraordinary Meridians

Confluence Point	Extraordinary Vessels	Affected Regions
P6	Yin Wei	Chest/ Heart
SP 4	Chong	Stomach and Abdomen
SJ 5	Yang Wei	Costal, lateral neck, side of head/shoulder
GB 41	Dai	Sides of the body including hips, hernia
LU 7	Ren	Lungs, throat, diaphragm, urination
KID 6	Yin Qiao	Inside of the legs, inner canthus, chronic throat
SI 3	Du	Spine (including head/neck), scapula,
UB 62	Yang Qiao	Back of legs, back, neck, Outer canthus

Entry Exit Points

- As the energy circulates through the 12 major meridians, it "exits" one meridian and "enters" into the following meridian. This can be a common area for qi to get “blocked”.
- Not all of the entry exit points are the first and the last points on a meridian.
 - The exceptions are LU 7, LI 4, ST 42, KD 22, PC 8, TH 22 and GB 41.
- They may be considered if you want to allow a relative excess or deficiency in one meridian to be offset by it's yin yang paired meridian or between meridians that connect. For example, if you want to drain excess from the LU and have it flow into a deficient LI you could needle LU 7 and LI 4.
- Blocks are most often seen between meridians which connect, as opposed to yin/yang pairs such as LV/GB or ST/SP.
- The Entry Exit points are used often in Five Element (Worsley) Style Acupuncture


Entry Exit Points



Entry Exit Points

(Yinyanghouse.com)

	Entry	Exit
LU	LU 1	LU 7 * (LU 11)
LI	LI 4 *(LI 1)	LI 20
ST	ST 1	ST 42* (ST45)
SP	SP 1	SP 21
HT	HT 1	HT 9
SI	SI 1	SI 19
UB	UB 1	UB 67
KD	KD 1	KD 22 * (KD 27)
PC	PC 1	PC 8 * (PC 9)
TH	TH 1	TH 22 * (TH 23)
GB	GB 1	GB 41 * (GB 44)
LV	LV 1	LV 14





Four Seas Points

Four Seas Points

- What are the 4 seas into which the 12 channels flow?
 - Qi, Blood, water and grain, and Marrow

- What points relate to each of the Seas?

Sea of Qi: Ren17, ST9, DU14, DU15

Sea of Blood: UB11, ST37, ST39

Sea of Water and Grain: ST30, ST36

Sea of Marrow: DU16, DU20

Note:

- Regulate conditions of excess and deficiency within the seas

Four Seas Points

Sea of Qi: Ren17, ST9, DU14, DU15

Excess:

- fullness in the chest, urgent breathing and a red complexion

Deficient:

- Shortness of breath and no desire to speak

Sea of Water and Grain: ST30, ST36

Excess:

- Abdominal fullness

Deficient:

- Hunger but no desire to eat

Sea of Blood: UB11, ST37, ST39

Excess:

- a sensation as if the body were big; one feels disquiet, but does not know what disease there is

Deficient:

- sensation of one's body being small; one feels reduced but does not know what could be the illness

Sea of Marrow: DU16, DU20

Excess:

- lightness of the body and much strength and a person's self exceeds the normal level

Deficient:

- whirling sensation of the brain, dizziness, tinnitus, pain of the lower legs, impairment of vision, indolence and desire to sleep

Four Seas Points

Sea of Blood: UB11, ST37, ST39

- “The Spiritual Pivot says “The Penetrating vessel is the sea of the twelve channels. In the upper it is conveyed to Dàzhù BL-11, and in the lower it emerges at both Shàngjùxū ST-37 and Xiàjùxū ST-39 ...”
- “Despite this passage it is worth noting that such indications are not found in subsequent discussions of these three points.”



Mirroring / Cross Body

Mirroring Concept / Cross-Needling

- Instead of needling on the affected area unilaterally or bilaterally to gain greater effect, needle is inserted on the opposite side as if a mirror divides the body in half.
- Examples: Elbow for knee; Front for back; right for left
- Note: Generally speaking, points are selected unilaterally from the affected side of the body, or else needled bilaterally, However, since the channels run bilaterally it is not uncommon to select points from one side of the body to treat disorders on the opposite side (Deadman).

Modern Applications

- Chronic Hemiplegia (greater than 3-6 months)
 - Reducing the healthy side
 - Reinforcing the affected side
- When affected side is too painful or swollen to needle, like an acute ankle sprain.
 - Reducing the healthy side
- When you want to mobilize the affected side to promote Qi and Blood flow and remove obstructions that may be causing pain.
 - Healthy side needled while moving the diseased side

Contralateral needling

- Indication: acute painful disorder
 - This utilizes the Six Channel/Division Relationship
- Select points from the ankle to treat the contralateral wrist, and vice versa
- Select points from the knee to treat the contralateral elbow, and vice versa
- Select points from the hip to treat the contralateral shoulder, and vice versa
- Select points from the palm to treat the contralateral sole, and vice versa
- Select points from the fingers to treat the contralateral toes, and vice versa


Review of Six Channel/Division

	Yin (Internal)	Yang (External)	
Tai Yin	LU	LI	Yang Ming
	SP	ST	
Shao Yin	HT	SI	Tai Yang
	KID	UB	
Jue Yin	PC	SJ	Shao Yang
	LIV	GB	

Case Study

- A patient presents with swelling and pain on the dorsum of the right foot for 3 weeks after being stepped on. There is currently range of motion limitation and slight worsening of pain when weight-bearing.
- Examination revealed tenderness at right ST 41, GB 40, and in the area above the ankle (distal tibialis anterior).
- *Which points would you choose on the left wrist to treat her condition?*

Correspondence of Points between Upper and Lower Body



	Arm	Leg
SHOULDER		
LI	LI 15	ST 31
SJ	SJ 14	
SI	SI 10	
ELBOW		
LI	LI 11	ST 36
SJ	SJ 10	
SI		UB 40
WRIST		
LI	LI 5	ST 41
SJ	SJ 4	
SI		UB 60

Contralateral, cont.

- Examples:

- Using Foot Shao Yang to treat areas around Hand Shao Yang
 - Right GB 40 to treat Left SJ 4
- Using Hand Tai Yin to treat areas around Foot Tai Yin
 - Left LU 5 to treat contralateral knee issues around SP 9
 - Left LU 7 to treat contralateral ankle issues around SP 5
- Using Foot Yang Ming to treat areas around Hand Yang Ming
 - Right ST 36 to treat contralateral elbow issues around LI 11
 - Right ST 31 to treat contralateral shoulder issues around LI 15

Chronic Cases or Channel Issues

- Contralateral distal points (in this case, distal means away from the area affected) are often used to treat acute cases.
- In chronic problems, local and distal points are used to reinforce each other's action on the channel.
 - Chronic issues may be beyond simple MSK sprains and strains, for instance, you may use ST 44 + LI 4 (distal points) to treat toothache, gum issues, and facial pain on the opposite side in addition to some local points on the affected side, like ST 5, ST 3 due to the channel trajectories

Contralateral and Mirroring Method, cont.


- A patient who is a marathon runner presents with hamstrings tendinopathy and pain near the attachment of the ischial tuberosity on the right. He is quite bothered by it since he has stopped training for his next marathon due to this pain. Although the pain is fairly localized, upon palpation, you also found tender points along the hamstrings and the gastrocnemius muscles.
- *Using the contralateral needling method, which points would you select on the left arm while asking the patient to mobilize the right leg?*

Caveat: similar yet different


- Similar principles are utilized in many modern acupuncture schools of thought, such as Master Tung and Master Tan. Some of the point selections falls out of the simple mirroring method described here. Additional considerations, including Yin and Yang Balancing, and 5 Element Balancing are added to many of these methods.

Tung's Correspondence of arm and Leg [Large Taiji]

Projection Arm $\rightleftharpoons$ Leg
Correspondence




Projection Arm $\rightleftharpoons$ Leg
Inverse Correspondence




Tung's Correspondence of the extremities [Large Taiji]


Projection arm $\rightleftharpoons$ arm
Correspondence




Projection leg $\rightleftharpoons$ leg
correspondence



Projection arm $\rightleftharpoons$ arm
Inverse correspondence



Projection leg $\rightleftharpoons$ leg
Inverse Correspondence



	1 Chinese Meridian Name Sharing	2 Bie-Jing / Branching meridians	3 Biao-Li / Int – Ext Pairs	4 Chinese Clock Opposites	5 Chinese Clock Neighbours	6 New System Same Meridian
Lu	Sp	Bl	Col	Bl	Liv	Lu
Col	St	Liv	Lu	Ki	St	Col
St	Col	Pe	Sp	Pe	Col	St
Sp	Lu	SI	St	SJ	He	Sp
He	Ki	GB	SI	GB	Sp	He
SI	Bl	Sp	He	Liv	Bl	SI
Bl	SI	Lu	Ki	Lu	SI	Bl
Ki	He	SJ	Bl	Col	Pe	Ki
Pe	Liv	St	SJ	St	KI	Pe
SJ	GB	Ki	Pe	Sp	GB	SJ
GB	SJ	He	Liv	He	SJ	GB
Liv	Pe	Col	GB	SI	Lu	Liv
Side	Opposite	Either	Opposite	Either	Opposite	Either

Dr. Richard Tan