

[1] Wind Cold Releasing (Acrid/Warm)	[1] Wind Cold Releasing (Acrid/Warm)	[1] Wind Cold Releasing (Acrid/Warm)
Má Huáng (麻黄) [Ephedra] Acrid, Warm, Slightly Bitter [LU, UB] • Wind Cold Invasion (Acute, Excess) • Ma Huang & Gui Zhi • Coughing, Wheezing • Xing Ren, Gan Cao • Heat obstructing Lung (w/ wheezing, nasal flaring) • Shi Gao, Xing Ren • Qi Xu w/ Wind Cold: Ren Shen • Diuretic, Promotes urination • Reduces edema (from EPI) • Chronic cough, wheezing: • Honey-fried (Zhi Ma Huang) • WM: Diaphoretic, antipyretic, bronchodilator, ⬆ BP Gui Zhī (桂枝) [Cinnamon twig] Acrid, Warm, Sweet [HT, LU, UB] • Wind Cold Excess (+ Ma Huang) • Wind Cold Deficiency (+ Bai Shao) • Warms/Unblocks Channels/Collaterals • Bi (Wind Cold Damp) [Chest Bi] • Edema from Cold Phlegm • Warm Chest Yang (Tan Yin Synd.) • Edema w/ urinary dysfunction, dizziness, palpitations • Unblocks Chest Yang Qi (Heart) • GYN: Dysmenorrhea (w/wo masses) • Contraindications: Pregnancy, high risk bleeding, heavy menses • WM: Antibiotic, antiviral, diuretic, antipyretic Zǐ Sū Yè (紫苏叶) [Purple Leaf] Acrid, Slightly Warm, Aromatic [LU, SP] • Expand & disseminate Lung Qi • Stifling sensation in chest • Wind Cold (EPI): Coughing, nasal congestion • Harmonize Middle Jiao • Nausea, vomiting (Middle Jiao) • Calms fetus (restless fetus) • Morning sickness • Seafood poisoning (+ Sheng Jiang) • WM: GI: ⬆ stomach acid secretion & peristalsis Zǐ Sū Gēng (紫苏梗) [Purple stem] Acrid, Slightly Warm, Sweet [LU, SP, ST] • Expands chest & hypochondrium • Harmonize Middle Jiao • Calms Fetus, morning sickness • Abdominal distention	Shēng Jiāng (生姜) [Fresh ginger] Acrid, Slightly Warm [LU, SP, ST] • Exterior Cold (coughing, phlegm) • EPI (early stage) • Coughing (wind cold cough) • Warm Middle Jiao • Vomiting, nausea • Morning sickness (Ban Xia) • Sheng Jiang + Da Zao • Harmonize Ying & Wei level • Harmonize SP & ST • Assists digestion (tonifying herbs) • Eliminate toxins (other herbs), Antidote • Seafood poisoning • WM: ⬆ stomach mucus production, intestinal motility, ⬇ nausea & vomiting Shēng Jiāng Pí (生姜皮) [Ginger skin] Acrid, Cool [LU, ST, SP] Edema (superficial) Xiāng Rú (香薷) [Aromatic madder] Acrid, Slightly warm, Aromatic [LU, ST] • Summer Heat (Summer Ma Huang) • Exterior Wind Cold in Summer • Edema, difficult urination • WM: ⬆ gastric acid secretion but ⬇ peristalsis → treats diarrhea, antibiotic, antipyretic Twins: Jīng Jiè & Fáng Fēng Jīng Jiè (荆芥) [Schizonepeta stem] (A) Slightly warm, Aromatic [LU, LV] • Wind Cold (Fang Feng, Qiang Huo) • Wind Heat (Jin Yin Hua, Lian Qiao) • Skin: Measles, rashes, itching • Bleeding: Stops mild (stool, uterine) • WM: Antipyretic, diaphoretic, antibiotic, hemostatic, bronchodilator Fáng Fēng (防风) [Ledebouriella Rt] (A) Slightly warm, Sweet [UB, LV, SP] • Wind Cold (Jing Jie, Zi Su Ye, BoHe) • Wind Heat (Jing Jie, Lian Qiao, BoHe) • Bi (Wind Cold Damp) • Skin: Itching, rash • Convulsions, spasm (external wind) • Internal wind (stronger in children) • WM: Antipyretic, antibiotic, antiviral, Arsenic antidote Qiāng Huó (羌活) [Notopterygium Rt] (A/W), Bitter, Aromatic [UB, KD] • Headache: Tai Yang (occipital) • Wind Cold (Fang Feng, Bai Zhi) • Bi (Wind Cold Damp) • Guides herbs to Tai Yang Channel & Governing (Du) Vessel • WM: Antipyretic, Analgesic, Increases blood circulation	Bái Zhǐ (白芷) [Angelica Root] Acrid, Warm [LU, SP, ST] • Headache: Yang Ming (Sinus) [YY] • Open nasal passages • Expels pus, reduces swelling, pain • Abscess: Breast, Carbuncles • Vaginal discharge (damp cold LJ) • WM: Antibiotic, anti-inflammatory (chronic sinus), analgesic, antipyretic, anti-spasmodic, muscle relaxant Gǎo Bēn (藁本) [Ligusticum root] Acrid, Warm [UB] • Headache: Vertex (Dian Ding Tong) • Wind Cold (headache, teeth, jaw) • Bi (Wind Cold Damp) • WM: Antibiotic, antipyretic, anti-inflammatory, smooth muscles Cāng Ēr Zǐ (苍耳子) [Cocklebur fruit] (W) Sweet, S-Bitter, S-Toxic [LU] • Opens nasal passages, alleviate pain • Sinus: Thick discharge, ⬇ smell • Bi (Wind Damp) • Headache: back of neck (aux herb) • Skin: Itching, Rash • Caution during pregnancy Xīn Yí Huā (辛夷花) [Magnolia flower] Acrid, Warm [LU, ST] • Unblocks nasal passages • Wind Cold nasal congestion: (Bai Zhi, Fang Feng, Cang Er Zi) • Wind Heat nasal congestion: (Huang Qin, Bo He, Cang Er Zi) • Powder: open nasal passage (inhale) • Cheesecloth for cooking Cōng Bái (葱白) [Green Onion] Acrid, Warm [LU, ST] • Wind Cold (mild, early stage) • (Sheng Jiang, Dan Dou Chi) • Unblocks Yang Qi (disperses cold) • Diarrhea, abdominal pain • Skin: sores, abscesses, ulcerations, bacterial infections (topical) • Internal & External (topical) use • WM: Antibiotic, abscesses, inflammation, abdominal pain

[2] Wind Heat Releasing (Acrid/Cool)	[2] Wind Heat Releasing (Acrid/Cool)	[3] Clear Heat, Drain Fire (Cold)	[3] Clear Heat, Drain Fire (Cold)
Bò Hé (薄荷) [Field Mint] (A/C) Aromatic [LU, LV] - Wind Heat Sore throat, Red Eyes, headache - Ju Hua, Jing Jie, Fang Feng, Sang Ye, Jie Geng - Skin: Measles, rashes Liver Qi Stagnation (mild): GYN - Aromatic: Add at end (last 5-10 min) - WM: ↑ Local blood circulation, antibiotic, antipyretic, diaphoretic, anti-inflammatory Niú Bàn Zǐ (牛蒡子) [Burdock Fruit] (A) Cold (slippery), Bitter [LU, ST] - Wind Heat (fever, cough, etc.) Sore throat (YY) (Jing Jie, Jie Geng, Bo He) - Skin: Measles, rash, carbuncles, mumps, febrile maculopapular rash - Moistens Intestines (Oil seed) (Constipation from wind heat) - WM: Antibiotic (pneumonia, fungi), anti-inflammatory, diuretic, anti-diabetic, renal (↓ proteinuria), migraines Chán Tùì (蝉蜕) [Cicada molting] S-Cold, Sweet, Salty [LU, LV] - Wind Heat (fever, cough) Sore Throat & loss of voice - Skin: Measles (early), rashes, itching Red Eyes, blurry vision (allergy) - Convulsions, childhood febrile diseases, colicky babies - WM: CNS suppression (seizures), chronic urticarial (hives) Dàn Dòu Chǐ (淡豆豉) [Soybeans] Sweet, S-Bitter, Warm/Cold [LU, ST] - Wind Cold (Cong Bai, Sheng Jiang) - Wind Heat (Jing Jie, Bo He, Niu Bang Zi) - Irritability, Insomnia (Zhi Zi) - Stifling sensation in chest Sāng Yè (桑叶) [White Mulberry Leaf] (C) Sweet, Bitter [LU, LV] Cough (Lung heat & dryness) - Honey-fried (Zhi Sang Ye) - Calms/cools Liver (LV Yang Rising) - Brightens eyes Bleeding: cools blood (mild) - WM: Antibiotic, metabolic Jú Huā (菊花) [Chrysanthemum] S-Cold, Sweet, Bitter [LU, LV] - Wind Heat (Upper Jiao): early warm febrile disease w/ fever, headache - Clears Liver (LV fire upward attack) - Brightens Eyes (Bai Ju Hua) - Calms LV, Extinguishes wind (mild): dizziness, headache, deafness (LV Yang ↑) - WM: Hypertension, analgesic	Màn Jīng Zǐ (蔓荆子) [Vitex fruit] (A/C) Bitter [UB, LV, ST] - Headaches: all kinds - Red Eyes, brightens eyes, spot - Bi: Wind Damp (aux herb) Gě Gēn (葛根) [Kudzu root] (A/C) Sweet [SP, ST] Wind cold (Ma Huang, Gui Zhi, Qiang Huo) Wind heat: internal heat (upper body) (stiffness, muscle tightness) Measles (hastens recovery) Diarrhea, dysentery (lifts Yang Qi) Generates fluids, alleviates thirst Hypertension (stiff neck, tinnitus) - WM: Cardiovascular, hypertension, Caution (possible interactions): anticoagulant, antiplatelet, anti-diabetic, anti-alcoholic, anti-spasmodic, antipyretic Gě Huā (葛花) [Kudzu Flower] Sweet, Neutral [ST] Hangover: relieves headache, irritability, thirst, bloating, vomiting Chái Hú (柴胡) [Thorowax root] (A/C) Bitter [GB, LV, HT, SJ] Shao Yang (YY): Alt. Chills/Fever - Fever, bitter taste, irritability, stifling sensation in chest - Huang Qin, Ban Xia (Xiao Chai Hu) Relieves Liver Qi Stagnation (Leading herb): dizziness, vertigo, chest/flank pain, emotional, GYN Prolapse (↑ Yang, ↑ Sunken): anal, uterine, ST, UB, hernia, diarrhea - Sheng Ma, Huang Qi, Bai Zhu - WM: Interaction (Interferon), analgesic, antipyretic, sedative, anti-inflammatory, hepatoprotective, antibiotic, cholagogic (↑ bile) Shēng Má (升麻) [Black cohosh rhiz.] (A/C) Sweet [LU, LI, SP, ST] - Headache: Yang Ming, gum swelling Sore throat (wind heat) Prolapse (↑ Yang, ↑ Sunken) - Skin: Itching, carbuncles - WM: Antibiotic, antipyretic Fú Píng (浮萍) [Duckweed] (A) Cold [UB, LU] Diuretic, diaphoresis (≈Ma Huang) Wind Heat Invasion - Skin: Measles, rashes (hastens expression) Mù Zéi (木贼) [Scouring Rush] Sweet, bitter, Neutral [LV, LU] - Red Eyes - Superficial visual obstruction Bleeding (mild): stool, hemorrhoids - WM: Anti-hypertensive, Interstitial Cystitis (UTI)	Shí Gāo (石膏) [Gypsum] Very Cold, Sweet, Acrid [LU = ST] Clears Heat in Qi Level (YY): Zhi Mu - Clears Excess Lung Heat (Important) - Cough, wheezing, fever, thick viscous sputum Ma Xing Shi Gan Tang (Ma Huang, Xing Ren, Shi Gao, Gan Cao) - Clears blazing Stomach fire - WM: Antipyretic (quick onset, short duration), immunostimulant (↓ recovery time), ↓ water intake - Clears heat, astringent Duan Shi Gao (段石膏) [Calcined Gyp] (Cd) More Astringent [LU, ST] - Skin: Eczema, burns, ulcerated sores Irritability, thirst Internal & External (topical) use Zhī Mǔ (知母) [Anemarrhena rhiz.] (Cd) Bitter [LU, ST, KD] - Excess Lung & Stomach Heat - High fever, irritability, thirst Bai Hu Tang (白虎汤) (White Tiger Decoction) Shi Gao, Zhi Mu {Xiang Xu} Clears deficiency fire (menopause), nourishes yin (+ Huang Bai) Generates fluids, quenches thirst - Xiao Ke (diabetes): Tian Hua Fen - WM: Antipyretic (slow onset, prolonged duration → Partner w/ Shi Gao), antibiotic, antidiabetic Lú Gēn (芦根) [Reed rhizome] (Cd) Sweet [LU, ST] Generates fluids, quenches thirst - Irritability - Vomiting (Clears stomach heat) - Cough (lung heat, moistens dryness) - Urination (Promotes) - WM: ↓ Peristalsis, CNS suppressant Tiān Huā Fěn (天花粉) [Sky flower] (Cd) Bitter, S-Sweet [LU, ST] Generates fluids (clears heat) - Warm febrile disease (injured fluids) - Xiao Ke (Diabetes) - Transforms phlegm, moistens dry Expels pus & ↓ swelling - Abscesses: breast, hot carbuncles Internal & External (topical) use - WM: Abortifacient, Anti-neoplastic (Cancer: breast, liver), Antibiotic Dàn Zhú Yè (淡竹叶) [Bland Bamboo] (Cd) Sweet, Bland [HT, SI, ST] - Clears Heat (HT & SI) Irritability, fever, thirst, canker sore - Urination: Promotes - Clears damp heat (assistant) - WM: Diuretic (mild), ↑ Excreted Chlorides	Zhú Yè (竹叶) [Bamboo Leaf] (Cd) Sweet, Bland, Cold [HT, LU, ST] - Clears Heat (HT & SI), Calms Shen Irritability, thirst, fever, sores Convulsions (childhood) - Urination: Promotes Zhī Zǐ (栀子) [Gardenia Fruit] (Cd) Bitter [HT, LV, LU, ST, SJ] - Clears Heat (HT, LU, ST), Calms Shen - Warm febrile disease (fever, irritability, insomnia, restlessness, stifling sensation in chest) Jaundice (major herb) Damp Heat in LV & GB: jaundice, infectious hepatitis, cholestystitis - Urination: Re Lin (UTI) Bleeding: Cools blood (nose, vomit, stool, urine) Traumatic injuries (swelling, stasis) Internal & External (topical) use - WM: Analgesic, sedative, anti-hypertensive, hepatoprotective (↓ death rate of LV cells), cholagogic, gastrointestinal, CNS suppressant, antibiotic Xiā Kū Cǎo (夏枯草) [Selfheal spike] (Cd) Bitter, Acrid [GB, LV] - Brightens eyes (clears ↑ LV fire) - Red eyes, headache, dizziness Nodules: neck (phlegm fire) Cancer Hypertension (↑ LV Yang) - WM: Anti-hypertensive Hán Shuǐ Shí (寒水石) [Calcium] (Cd) Acrid, Salty [HT, ST, KD] Heat in Qi Level Sore throat, Red eyes (burning) - Skin: Burns, sores, oral ulcers Gǔ Jīng Cǎo (谷精草) [Pipewort] Sweet, Neutral [LV, ST] - Disperses Wind Heat - Brightens eyes (Red eyes, spots) - Eliminates visual obstruction Mī Méng Huā (密蒙花) [Buddleia] (Cd) Sweet [LV] - Clears Liver Heat - Brightens eyes (Red eyes, spots) - Eliminates visual obstruction Qīng Xiāng Zǐ (青箱子) [Celosia seed] (Cd) Sweet [LV] - Clears LV Heat, Drains LV Fire - Brightens eyes (Red eyes, spots) - Eliminates visual obstruction Hypertension (↑ LV Yang) - Dilates pupils → Caution w/ dilated pupil disorders (glaucoma)

[4] Clear Heat, Dry Damp (Bitter/Cold)	[4] Clear Heat, Dry Damp (Bitter/Cold)	[5] Clear Heat, Cool Blood (Bitter/CD)	[5] Clear Heat, Cool Blood (Bitter/CD)
3 Yellow Brothers: Huáng Qín (黄芩) [Skullcap root] (B/Cd) [GB, LI, LU, ST] • Clears Heat (Upper Jiao → LU) ♦ Thick Yellow (sputum, nasal) • Jaundice & Hepatitis ♦ Yin Chen Hao, Zhi Zi, Da Huang • Diarrhea, Dysentery (burning anus) ♦ Huang Lian, Ge Gen (lift DH) • Urination: Re Lin (UTI) • Skin: Sores, lesions, ulcers (toxic heat) [Pu Gong Ying, Lian Qiao] • Clears Heat in Qi Level ♦ Shi Gao, Zhi Mu, Zhi Zi • Shao Yang: Chai Hu • Bleeding: Cools Blood (nose, lung) • Calms Fetus (Heat, miscarriages) ♦ Chao Huang Qin • Calms Fetus (Spotting, Bleeding) ♦ Huang Qin Tan (Bleeding) • Upper Jiao Heat: Jiu Huang Qin • WM: Antibiotic (wide spectrum), Anti-inflammatory, antipyretic, Cholagogic, hepatoprotective, Anti-hypertensive, Hepatitis, Epidemic encephalitis, trachoma Huáng Lián (黄连) [Coptis rhizome] BITTER!!! Cold [HT, LV, LI, ST] • Clears Heat (Middle Jiao → ST) • Diarrhea, Dysentery • Nausea (ST Heat, LV Fire) • Clears HT Heat: Insomnia, Bleeding, Irritability, High Fever, Disoriented • Skin (fire toxin): Bacterial infections • Ulcerations: tongue, mouth • Red eyes, ear infections • Middle Xiao Ke (Diabetes: hunger) • WM: Antimicrobial [Antibiotic (esp. E. coli, antifungal (berberine)), Anti-inflammatory, Anti-hypertensive, antipyretic, cholagogic, anti-ulcer Huáng Bái (黄柏) [Amur Cork bark] (B/Cd) [KD, UB, LI] • Drains Damp Heat (Lower Jiao) ♦ Diarrhea, Dysentery, Jaundice • Vaginal (thick, yellow leucorrhea) • Bi (Damp Heat) • Urinary: Lin Zheng (UTI) • Skin: Inflammation [Eczema, hives] • Skin: Carbuncles, furuncles • Clears deficiency heat (↑ KD Fire) ♦ Zhi Mu, Di Huang, Gui Ban ♦ Salt-Fried (Yan) [KD Xu Heat] • WM: Antibiotic, anti-hypertensive (KD), Antitussive, expectorant	Lóng Dǎn Cǎo (龙胆草) [Dragon GB] (B/Cd) [GB, LV, ST] • Damp Heat in LV & GB: ♦ Herpes, shingles • Sedates LV & GB Fire (Wind) [Lead] ♦ Convulsions, seizures, trembling • Drains/pacifies ↑ Liver Fire ♦ Headache, hypertension, tinnitus ♦ Red Eyes, swollen/painful ears ♦ Sudden deafness, bitter taste • WM: Cholagogic, Hepatoprotective, diuretic, CNS suppression Kǔ Shēn (苦参) [Sophora Root] (B/Cd) [HT, LV, ST, LI, UB] • Jaundice: Zhi Zi, Long Dan Cao, Yin Chen Hao, Huang Qin • Diarrhea, Dysentery: ♦ Mu Xiang, Gan Cao • Vaginal ♦ Yellow leucorrhea: Huang Bai, She Chuang Zi, Bai Zhi ♦ Trichomonal vaginitis (sitz bath) • Kills Parasites, stops itching ♦ Scabies (skin lesions, itching) • Skin: Leading Herb (Inflammation) ♦ Damp, toxic lesions, seepage • Internal & External (topical) use • Urination (UTI): Promotes • Damp Heat in SI, Hot edema • WM: Anti-arrhythmic, ↓ blood pressure, ↑ cardiac muscle blood perfusion, immunostimulant, respiratory (asthma), anti-parasitic (trichomoniasis), anti-neoplastic (Anti-Cancer)	Xī Jiǎo (犀角) [Rhinoceros Horn] (B/Cd) Salty [HT, LV, ST] • Excess Heat in Blood (Xue) Level • Bleeding (severe): nose, vomit, coughing, urine, stool, leukemia ♦ Sheng Di, Mu Dan Pi, Chi Shao • Clears HT Heat, Calms Shen • Heat in Ying (Nutritive)/Xue (Blood) Levels (warm febrile diseases) • Convulsions (internal wind) • Skin: dark purple macula (Xue), rash • WM: Anti-seizure, anti-epilepsy, cardiovascular, antipyretic, boosts immune system Shuǐ Niú Jiǎo (水牛角) [Water Buffalo Horn] (Cd) Salty [HT, LV, ST] • Xi Jiao Substitute (similar effects) • 8 to 10 times the normal dosage of Xi Jiao to achieve similar therapeutic effects Shēng Dì Huáng (生地黃) [Rehmannia, Chinese foxglove root] (B/Cd) [HT, LV, KD] • Heat: Ying & Xue Levels, Cools Blood ♦ Late state warm febrile disease • Nourishes Yin, Generates fluids ♦ Zhi Mu, Qing Hao, Bie Jia • Bleeding (heat): purpura, vomit, menstrual, urine • Skin: purpura, bleeding, macula, blotches (heat toxins) • Irritability, fever, hot flashes (febrile diseases injuring Yin) • Xiao Ke (Diabetes) ♦ Ge Gen, Tian Hua Fen • Constipation (febrile disorder damaging body fluids) Xuán Shēn (玄參) [Figwort root] (B/Cd) Salty, Sweet [KD, LU, ST] • Heat: Ying & Xue Levels • Nourishes Yin, Cools Blood • Heat sunken into Pericardium • Nodules (specialty): extreme sore throat, laryngitis, mumps (toxic) ♦ Wind heat sore throat: ▪ Bo He, Niu Bang Zi, Jie Geng ♦ Internal Heat sore throat: ▪ Mai Dong, Jie Geng, Gan Cao • Phlegm nodules, scrofula, goiter ♦ Zhe Bei Mu, Mu Li • Skin: lesions (bacterial), boils, carbuncles, ulcerations • Red, swollen eyes • WM: Antibiotic, Antidiabetic, Anti-hypertensive	Mǔ Dān Pí (牡丹皮) [Tree peony root] (B/Cd) Acrid [HT, LV, KD] • Heat: Ying & Xue Levels • Bleeding: Nose, sputum, vomit, blotches, bruises, purpura ♦ Xi Jiao, Sheng Di Huang • Clears Deficient Heat: Steaming Bone Disorder, Heat (hiding Yin lv) ♦ Zhi Mu, Huang Bai, Sheng Di • Strong Blood Mover: stasis with amenorrhea, dysmenorrhea, severe menstrual cramps, masses, lumps • Traumatic Injury (including coronary heart disease) • Abscess: Breast, Lung, Intestine (colitis) [Firm, before pus forms] • WM: Anti-inflammatory, coronary artery blood perfusion ↑, immune suppression, anti-hypertensive, antibiotic, CNS suppression Chì Sháo (赤芍) [Red Peony Root] (B) Slightly cold, Sour [LV] • Heat entering Blood (Xue) level • Blood Stasis: amenorrhea, dysmenorrhea (uterus) ♦ Dang Gui, Mu Dan Pi, Ru Xiang, Hong Hua • Traumatic Injuries (bruises) • Red, swollen, painful eyes (LV heat) ♦ Ju Hua, Mu Zei, Xia Ku Cao • Skin: lesions (heat toxin) • WM: Anticoagulant, antiplatelet (caution: WM drug interactions), hematological, ↓ blood pressure, antispasmodic (CNS) Zǐ Cǎo (紫草) [Groomwell root] (Cd) Sweet [HT, LV] • Skin: vents rashes (encourages complete expression), lesions, ulcerations, burning, skin burns, eczema, vaginal itching, diaper rash • Abscesses • Moistens intestines, unblocks bowel, Constipation (heat in blood) • Internal & External (topical) use • WM: Antibiotic, Anti-inflammatory, contraceptive, cardiotonic

[6] Clear Heat, Eliminate Toxicity	[6] Clear Heat, Eliminate Toxicity	[6] Clear Heat, Eliminate Toxicity	[6] Clear Heat, Eliminate Toxicity
Jīn Yín Huā (金银花) [Honeysuckle] (Cd) Sweet [LU, ST, LI] • Sore throat, headache (wind heat) • Heat in Qi Level: Shi Gao, Zhi Mu, Lian Qiao, Huang Qin • Heat in Blood Level: Sheng Di Huang, Mu Dan Pi, Xuan Shen • Skin: Sores, lesions, carbuncles • Abscess: Intestinal • Diarrhea, Dysentery (damp heat) • Smaller Dosage: EPI • Larger Dosage: heat & toxins • WM: Antibiotic (Major, Broad spectrum), anti-inflammatory, CNS stimulant, antihyperlipidemic Lián Qiào (连翘) [Forsythia fruit] (B/Cd) S-Acrid [HT, LV, GB] • Sore throat, headache (wind heat) • Clears Upper Jiao heat (HT & PC) • Skin Conditions & Nodules (YY) • Nodules (leading herb): hot sores, neck lumps, carbuncles (heat toxins) • WM: Antibiotic, anti-inflammatory Pǔ Gōng Yīng (蒲公英) [Dandelion] (B/Cd) Sweet [LV, ST] • Abscesses: Breast (YY), Lung, Intestine (fire toxins) • Skin: carbuncles, furuncles, ulceration • Red, swollen eyes • Jaundice (damp heat) • Urination: painful, difficult • Internal & External (topical) use • WM: Antibiotic (Significant), immune enhancing, diuretic, hepatoprotective, chologogic Zǐ Huā Dì Dīng (紫花地丁) [Violet] (B/Cd) Acrid [HT, LV] (Twin w/ dandelion) • Abscesses, sores • Internal & External (topical) use • Snake Bite (fresh juice topically) • Red, painful, swollen eyes (LV Heat) • WM: Antimicrobial, antipyretic, anti-inflammatory Yě Jú Huā (野菊花) [Wild chrysanthemum] (B/Cd) Acrid [LU, LV] • Skin: Carbuncles, furuncles, sores • Sore throat • Red eyes • Internal & External (topical) use WM: ↓ blood pressure, ↓ heart rate, ↑ coronary artery blood perfusion, anti-hypertension, antibiotic, antiviral, anticoagulant, antiplatelet	Dà Qīng Yè (大青叶) [Indigo leaf] (B) Very Cold [HT, LU, ST] • Heat entering Blood: High fever, Irritability, blotches, purpura • Xi Jiao, Zhi Zi • Sore throat, headache, thirst (wind heat) • Sore throat, canker sores (toxic heat): Use fresh juice • WM: Antimicrobial [Broad Spectrum: Antibacterial, Antiviral (Hepatitis B), Antifungal] Bǎn Lán Gēn (板蓝根) [Indigo Root] (B/Cd) [HT, ST] • Sore throat, mumps • Skin: sores, lesions • WM: Antibiotic (broad), Antiviral (flu), Immunostimulant, Anti-neoplastic (Anti-Cancer), antiplatelet Qīng Dài (青黛) [Indigo Dye] (Cd) Salty [LV, LU, ST] • All Levels (Wei, Qi, Ying, Xue) • Irritability, High Fever, blotches • Shi Gao, Sheng Di, Sheng Ma • Sore throat, mumps, oral & throat inflammation (heat toxins) • Convulsions: childhood febrile (LV & GB Heat) • Cough w/ difficulty breathing, thick, sticky Tan (Lung Heat) • Skin: sores, lesions (heat toxins) • Jin Yin Hua, Lian Qiao, Xuan Shen • Internal & External (topical) use • WM: Antineoplastic (Cancer: Chronic Granulocytic Leukemia), antibiotic, psoriasis, canker sores, Possible sulfur content → allergy Chuān Xīn Lián (穿心莲) [Pierce HT] (B/Cd) [LI, LU, SI, ST] • Cough, Wheezing (Lung Heat) • Abscess: Lung • Sore throat, headache, thirst, fever (warm febrile disease early stage) • Diarrhea, Dysentery (Damp Heat) • Urination (Herbal antibiotic): UTI • Snake Bite (use fresh & make paste) • Skin: Carbuncles, furuncles (topical) • Internal & External (topical) use • Caution during pregnancyWM: Antibiotic (Very Effective: Herbal Antibiotic!), antipyretic, immune enhancement, anti-inflammatory, hepatoprotective, chologogic Niú Huáng (牛黄) [Cattle gallstone] (B/Cd) [HT, LV] • Clears HT & LV heat, opens orifices • Awakens spirit, transforms phlegm • Convulsions, spasms, tremors (Heat entering HT (PC) or LV) • Sore throat (red, swollen) • Skin: sores, carbuncles, hot swelling • WM: Sedative, anticonvulsive, antipyretic, chologogic, anti-inflammatory, antibiotic	Xióng Dǎn (熊胆) [Bear gallbladder] (B/Cd) [GB, HT, LV] • Brightens eyes • Red, painful, swollen eyes • Mild visual obstruction • Convulsions, delirium, epilepsy, fever (warm febrile diseases) • Skin: hot lesions, pain, inflammation • Sore throat (fire toxicity) • Abscesses, hemorrhoids • Usually in powder or pill form (not decoction) Yú Xīng Cǎo (鱼腥草) [Fish Meat Cǎo] Acrid, Cool [LI, LU] • Drains, expels pus • Abscess: Lung (Leading Herb) • Cough, thick yellow sputum (LU heat) • Skin: toxic sores (fresh: mash into paste & apply topically) • Internal & External (topical) use • Urination: promotes, drains damp heat • Diarrhea (damp heat) • WM: Antimicrobial, anti-inflammatory Shè Gān (射干) [Blackberry lily rhiz.] Pierce Shield (B/Cd) [LU] • Sore throat (fire toxin, phlegm heat) • Transforms phlegm (heat or cold) • Cough & wheezing (excess phlegm) • Contraindication: pregnancy • Caution: deficiency cold Shān Dòu Gēn (山豆根) [Mt. Bean Rt] (B/Cd) [LU] • Sore throat, laryngitis (YY) • Sore throat (mild): gargle, decoction • Cough (Lung heat) • Skin: infectious lesions • Cancer: Breast, throat, lung • Jaundice (damp heat): Aux herb • WM: anti-neoplastic, antibiotic, anti-arrhythmia Mǎ Bó (马勃) [Puffball fruiting body] Acrid, neutral [LU] • Sore throat (EPI) • Xuan Shen, Jie Geng, Ban Lan Gen • Sore throat w/ difficulty swallowing • Mang Xiao, She Gan, Sheng Ma • Cough, Loss of voice • Bleeding: Oral cavity, lips • Traumatic Injury • Wrap in cheesecloth for cooking • Place Ma Bo powder directly on throat to reduce swelling & pain	Mǎ Chǐ Xiàn (马齿苋) [Purslane] (Cd) Sour [LI, LV] • Dysentery (damp heat, fire toxin) (Can use fresh juice) • Huang Qin, Huang Lian • Bleeding: cools blood • Skin: Carbuncles, sores • Vaginal: Red & White discharge • Urination: Re Lin (heat), Bloody Lin • Internal & External (topical) use • WM: Antibiotic, uterine stimulant Bái Tóu Wēng (白头翁) [White headed gentleman] (B/Cd) [LI] • Dysentery (Damp Heat in LI): mucus & blood, tenesmus (anal spasms) • Crohn's disease • Menstrual bleeding • WM: Anti-amoebic, antibiotic Qín Pí (秦皮) [Korean Ash Bark] (B/Cd) [LI, LV, GB] • Dysentery: damp heat, bloody • Vaginal: foul-smelling, yellow, turbid (damp heat) • Red, swollen, painful eyes (LV Heat) • Superficial visual obstruction Bài Jiàng Cǎo (败酱草) [Spoiled paste] (B) S-Cold, bitter [LI, LV, ST] • Abscess: Lung, Intestine • LU: Yu Xing Cao, Lu Gen, Jie Geng • Large intestine: ▪ W/ pus: Yi Yi Ren, Fu Zi ▪ W/o pus: Jin Yin Hua, Mu Dan Pi • Expels Pus • Skin: Carbuncles, furuncles • Internal & External (topical) use • Blood stasis (heat): chest & abdomen • WM: Sedative, hypnotic, antibiotic, hepatoprotective Hóng Téng (红藤) [Red Vine] (B) Neutral [LI] • Abscess: Intestinal (YY) • Jin Yin Hua, Lian Qiao, Mu Dan Pi • Skin: Carbuncles, furuncles (heat toxin) • Blood stasis: dysmenorrhea, joints • Trauma Bái Huā Shé Shé Cǎo (白花蛇舌草) [White Flower Snake Tongue Herb] (B/Cd) [ST, LI] • Abscess: Intestinal: Hong Teng, Bai Jiang Cao, Jin Yin Hua • Snake bite (Fresh → apply topically) • Urination (heat, pain) • Jaundice (Damp Heat) • Cancer: Rectal, Stomach, Esophagus • WM: Anti-Cancer

[6] Clear Heat, Eliminate Toxicity	[6] Clear Heat, Eliminate Toxicity	[7] Clear Deficiency Heat (Cold)
Bàn Biān Lián (半边莲) [Half Side Lotus, Lobelia] Sweet, Neutral [HT, LU, SI] • Snake Bite, Stings (wasp, scorpion, centipede) • Urination: Promotes • Edema: floating, ascites (abdominal water retention & swelling) • Anti-Cancer • WM: Diuretic, anti-hypertensive Bái Xiān Pí (白鲜皮) [White Fresh Pi] (B/C) [SP, ST] • Skin Conditions (YY): Sores, itching, carbuncles, rashes, eczema, ulcerated lesions with oozing fluids • Huang Bai, Ku Shen, Fang Feng • 3 Leading Herbs for Skin: • Huang Bai, Ku Shen, Bai Xian Pi • Internal & External (topical) use • WM: Antifungal, cardiovascular Lù Dòu (绿豆) [Mung Bean] Cool, Sweet [HT, ST] • Summer Heat: Irritability, fever, thirst [Use for food or dessert] • Skin: Carbuncles, furuncles, ulcers (heat toxicity) • Antidote: Fu Zi, Ba Dou, other poisons (Powder & soak in cold water) [w/ Gan Cao] Shān Cí Gū (山慈姑) [Mt. Kind Aunt] [Chinese Tulip Bulb] (Cd) Sweet, Slightly Toxic [LV, ST] • Nodules (dissipates), scrofula • Skin: sores, ulcers, carbuncles, swellings (toxic heat) • Cancer: Breast, Leukemia, Cervical, Esophageal, Stomach, Intestines, Liver, Skin Tǔ Fú Líng (土茯苓) [Earth Fungus] Sweet, Bland, Neutral [LV, ST] • Syphilis (spirochetosis) [Leading] • Mercury Poisoning (limb spasms) • Jin Yin Hua, Bai Xian Pi, Gan Cao • Skin: Rashes, carbuncles, ulcers, lesions (toxic heat) • Urination: Lower Jiao Damp Heat (burning, pain, toxicity) • Cancer: Carcinoma (epithelial cells), GI tract, Bladder, Kidney, Prostate • High dosages for cancer, syphilis	Zào Xiū (蚤休) [Paris Rhizome] Qì Yè Yì Zhī Huā (七叶一枝花) Chong Lou (重楼) Du Jiao Lian (独脚莲) • Skin, Sore throat: swollen, painful sores, scrofula, carbuncles, furuncles, tonsillitis • Snake Bite • Convulsions, epilepsy, high fever, delirium, spasms, cramps (LV Heat) [Secondary to Niu Huang] • Traumatic Injuries: Bleeding, inflammation, swelling, redness • Internal & External (topical) use • Anti-Cancer (Secondary herb) Yā Dǎn Zǐ (鸦胆子) [Crow GB Seed] (B/Cd) Toxic [LI, LV] • Malaria (Shao Yang): Alternating fever & chills (Episodes: 2-3 days) • Diarrhea: Chronic intermittent (malarial dysentery): Take SP tonic during remission • Dysentery (Bloody): Wrap Ya Dan Zi inside Long Yan Rou (longan fruit) & take orally • Warts & Corns: topically as paste or ointment (Only herb with this necrosis function) • Cancer: GI tract (Esophagus, stomach, colon, rectum), breast, cervix • Dosage: Malaria (10-15 seeds), Dysentery (10-30 seeds) • Capsules, not decoction • WM: Anti-amoebic (amoebic dysentery), anti-malarial, anti-neoplastic (Cancer), warts Dōng Líng Cǎo (冬凌草) (B) Cool, Sweet [LV, SP, ST] • Sore throat, tonsillitis • Snake bites, insect bites, wasp sting • Musculoskeletal pain (activates blood circulation) • Internal & External (topical) use • Cancer: Prostate, Esophageal, Liver	Qīng Hāo (青蒿) [Green Wormwood] (Cd) Acrid, Bitter [KD, LV, GB] • Malaria (Shao Yang): (#1 Herb!) • Can use fresh juice • Heat in Ying Level • Chronic Low grade fever (Yin Xu) • Sheng Di Huang, Mu Dan Pi, Bie Jie (turtle shell) • Yin Xu Heat: low fever, night sweats, 5 center heat, thirst, irritability • Zhi Mu, Huang Bai, Mu Dan Pi • Clears Excess & Deficient Heat • Summer heat: low-grade fever, headache, dizziness, stifling sensation in chest: • Lou Dou, He Ye • Cancer: Breast • WM: Anti-malaria, antibiotic Bái Wēi (白薇) [White Rose] • Urination: Hot, bloody, painful (especially before/after childbirth) • Sheng Di Huang, Dan Zhu Ye • Clears Excess & Deficient Heat • Zhi Mu, Huang Bai, Mu Dan Pi • Heat in Ying Level (EPI: Wind Heat) • Sheng Di Huang, Mu Dan Pi • Yin Deficient Heat: • Di Gu Pi, Zhi Mu, Huang Bai • Cough (Lung Heat, Yin Xu Heat) • Huang Qin (Major Lung Herb) • Postpartum or Lingering fever (Febrile disease injuring blood/yin) • Dang Gui, Ren Shen, Gan Cao • Sheng Di, Mai Men Dong, Di Gu Pi • Skin: Toxic Sores (Heat Toxin) • Sore Throat • Snake Bite Dì Gǔ Pí (地骨皮) [Earth Bone Peel] [Wolfberry Root Cortex, Lycium Bark] (Cd) Sweet, Bland [LU, LV, KD] • Clears Deficient (more) & Excess Heat • Yin Deficiency Heat: night sweats, steaming bone sensation (hot flash), chronic low-grade fever, irritability, thirst: Zhi Mu, Bie Jia • Cough, Wheezing (Excess Lung Heat) • Bleeding: Nose, vomit, urine (reckless movement of hot blood) • Toothache (deficiency fire) • Xiao Ke (Diabetes) • WM: Antibiotic, antipyretic, anti-hypertensive, anti-diabetic Yín Chái Hú (银柴胡) [Stellaria root] [Silver Barbarian Kindling] Cool, Sweet [LV, ST] • Yin Deficient Heat: low fever, steaming bone disorder (hot flashes) • Childhood Nutritional Impairment • Fever, thirst, irritability Hú Huáng Lián (胡黄连) [Picrorhiza] [Yellow Barbarian Lotus] (B/Cd) [LV, ST, LI] • Yin Deficient Heat w/ heat signs • Childhood Nutritional Impairment • Fever (PM), dysenteric diarrhea, abdominal distention

[8] Downward Draining (Purgative)	[8] Downward Draining (Purgative)	[10] Harsh Expellants (Bitter/Toxic)	[10] Harsh Expellants (Bitter/Toxic)
Dà Huáng (大黃) [Rhubarb Root] [Big Yellow] (Strong Big Brother) Jiang Jun (將軍), Chuan Jun (川軍) (B/Cd) [HT, LV, ST, LI] • Yang Ming Fu & Jing Syndromes [Big 4: Fever, thirst, pulse, sweat], abdominal distention & pain, constipation [Drains Heat] • Cold accumulation (use other herbs to warm interior & Da Huang for purgative properties) • Constipation (warm febrile disease) • Mang Xiao, Hou Po, Zhi Shi • Constipation (moderate) • Huo Ma Ren, Xing Ren • Constipation w/ Qi & Blood Xu • Dang Shen, Dang Gui (Tonify) • Constipation (SP Yang Xu + Cold) • Fu Zi, Gan Jiang, Dang Shen • Nourish Yin, Generate Fluids • Sheng Di, Xuan Shen, Mai Dong • Bleeding: Stool, hemorrhoids, intestines [Reckless hot blood] • Red, swollen, painful eyes (LV Heat) • Skin: fire toxin sores, hot lesions, burns (topical or internal) • Internal & External (topical) use • Abscess: Intestinal • Mu Dan Pi, Tao Ren, Hong Teng • Sore throat, red eyes, swollen & painful gums, oral ulcers (topical) [↑ Heat Attacking Head] • Zhi Zi, Huang Qin, Huang Lian • Blood Stasis: amenorrhea, fixed pain, abdominal masses • Traumatic injury, post childbirth • Jaundice (Damp Heat) • Drains damp heat through stool • Urination: Pain, dysfunction • Yin Chen Hao, Zhi Zi, Mu Tong, Che Qian Zi, Zhi Zi • Preparation Types: • Sheng: more purgative (@ end of decoction → Last 10-15 min) • Shu (steamed): Moderated effect • Jiu (wine baked): Blood Stasis • Tan (charred): Stops Bleeding • Caution: Pregnancy, heavy menstrual bleeding, nursing • WM: purgative, hepatoprotective, antibiotic, cardiovascular, long term use may cause potassium loss	Fān Xiè Yè (番泻叶) [Senna Leaf] (B/Cd) Sweet [LI] • Purges downward • Guides out stagnation • Constipation (clears heat) • Zhi Shi, Hou Po • Dosage: Mild (1-3g), Strong (5-10g) • Caution: Weak, Pregnant, Nursing • WM: Laxative, antibiotic, hemostatic (stops bleeding) Lú Hùi (芦荟) [Dried Aloe Leaf Juice] (B/Cd) Sweet [LI, LV] • Constipation w/ dizziness, red eyes, irritability (LV Yang ↑) • Long Dan Cao, Zhi Zi, Qing Dai, Xia Ku Cao • Kills Parasites (roundworm, ringworm) • Childhood Nutritional Impairment (especially due to roundworms) • Dang Shen, Bai Zhu • Caution: Pregnancy, SP & ST Cold/Xu	Gān Súi (甘遂) [Sweet Satisfaction] (B/Tx) Cold, Sweet [KD, LI, LU] • Purges downward & drives out congested fluids (violent, cathartic, causes water to pass anally) • Chest Water retention • Da Ji, Yua Hua, Da Zao • Ascites (Acute): Qian Niu Zi • Severe intestinal obstruction w/ fluid retention • Da Huang, Hou Po, Tao Ren • Eliminates phlegm: Seizure, epilepsy • Nodules: swollen, painful, lesions (damp heat) → Topical • Internal & External (topical) use • Dosage: 0.5-1.0g (powder/pill) • Vinegar-fried: Less toxic • Low water solubility (effectiveness ↓ when cooked in decoction) • Incompatible: Gan Cao (licorice) • Use with Extreme Caution!!! • WM: Stimulates intestines, promotes peristalsis, abortifacient	Bā Dou (巴豆) [Clinging Bean] (Tx) Acrid, Hot [ST, LI, LU] • Purges cold accumulation • Constipation, abdominal fullness, distention pain (cold) • Edema/Ascites: late stage cirrhosis (from liver flukes) • Bursts clogged phlegm (SEVERE!) • Cancer: Throat, tongue • Wheezing, difficulty breathing due to phlegm clogging throat • Induces vomiting → Expels phlegm • Abscesses, ulcers (topically) • Internal & External (topical) use • Dosage: (0.1-0.3 g) capsule, powder, pill (not decoction) • Toxic: one of most powerful cathartics (Limit: 1-2 doses) • Do Not Serve With Hot Beverage (purgative function ↑) • Contraindication: Pregnancy (abortifacient)
Máng Xiāo (芒硝) [Sodium sulfate] (Da Huang's Little Sister) (B) V-Cold, Acrid, Bitter, Salty [ST, LI] • Po (Pi) Xiao: topical for swellings & nodules (crude w/impurities) • Xuan (Yuan) Ming Fen: Powder for Sore throat, oral ulcers, eyes (pure) • Moistens Dryness • Softens Hardness • Constipation (Excess Heat in LI) • Da Huang • Sore throat, oral ulcers • Red eyes: eyedrops • Nodules: mastitis, swellings • Stops Lactation (Caution: Nursing) • Contraindication: Pregnancy • WM: hemorrhoids, KD stones	[9] Moist Laxatives (Sweet/Neutral) Hǔo Má Rén (火麻仁) [Fire hemp seed] (S/N) [LI, SP, ST] • Moistens Dryness • Lubricates Intestines • Constipation: Yin, Blood Deficiency • Dang Gui, Shu Di Huang, Xing Ren • Constipation: W/wo Hemorrhoids • Da Huang, Hou Po, Bai Shao • Dosage: 10-15g. Crush prior to cooking to release oils. • WM: Laxative, anti-hypertensive, anti-hyperlipidemic Yǔ Lǐ Rén (郁李仁) [Bush Cherry Pit] (S/N) Acrid, Bitter [LI, SI, SP] • Moistens Intestines • Unblocks the bowels • Promotes urination • Reduces edema (Leg Qi or edema w/ difficult urination & constipation) • Sang Bai Pi, Chi Xiao Dou • Dosage: 5-12g. Crush prior to decoction to release oils	Dà Jǐ (大戟) [Big Halberd (Battle Ax)] (B/Tx) Acrid, Cold [KD, LI, LU] • Purges downward & drives out congested fluids • Chest & Flank fluid accumulation • Less strong than Gan Sui (similar actions) • Nodules: Dissipates (red, swollen, painful, toxic sores, scrofula) • Reduces swelling • Dosage: Decoction (1.5-3.0 g) Powder (0.5-1.0 g) • Vinegar fried: Less toxic • Contraindication: Weak, deficient, pregnancy, ulcers, bleeding history • Incompatible: Gan Cao • Use with Caution!!! • WM: Cathartic, antibiotic Yuán Huā (芫花) [Genkwa Flower] (B/Tx) Acrid, Warm [KD, LI, LU] • Purges water accumulation (chest) • Eliminates phlegm: chronic bronchitis (cold phlegm, white mucus), severe heart failure, emphysema (severe, chronic) • Kills parasites: Ringworm of scalp (tinea capitis), head carbuncles, eczema • Dosage: Decoction (1.5-3.0 g) Powder (0.5-1.0 g) • Vinegar fried: Less toxic • Incompatible: Gan Cao • Contraindication: Weak, deficient, pregnancy, bleeding • WM: Stimulates intestines, promotes peristalsis & BM, antitussive, expectorant	Qiān Niú Zǐ (牽牛子) [Morning Glory] [Cowherd seeds] S-Toxic, Bitter, Acrid, Cool [KD, LI, LU] • Purges downward, promotes urination • Edema/Ascites (severe): excess • Constipation (damp heat accumulation) • Cough, wheezing, fullness in chest (phlegm & congested fluid obstructing Lungs) • Kills Parasites: Roundworm, tapeworm • Dosage: [Milder] Decoction (3-10 g) Powder (1.5-3 g) • Contraindication: Pregnancy • Incompatible: Ba Dou Shāng Lù (商陸) [Commerce land] (Tx) Bitter, Cold [LU, KD, LI] • Drives out water accumulation through urethra & anus • Edema (excess) w/ severe constipation & urinary difficulty • Skin: Hot sores, reduces swelling (Mash with salt & apply topically) • Dosage: 5-10 g (Decoction) • Minimize toxicity: prescribe with Gan Cao & Lu Dou

[11] Expel Parasites	[11] Expel Parasites	Dispel Wind Damp	Dispel Wind Damp
Shi Jun Zi (使君子) [Send Emperor Zi] Sweet, Warm [SP, ST] • Kills Parasites (Roundworms) • Dry fry until aromatic & chew • Childhood nutritional impairment • Dosage: 6-10 g ♦ 1 piece per year of age ♦ Max: 20 pieces per day • Don't take w/ warm/hot beverage • WM: Anti-parasitic, antifungal Ku Lian Pi (苦楝皮) [Chinaberry bark] Bitter, Cold, Toxic [LV, SP, ST] • Kills Parasites (Roundworms, hookworms, pinworms) • Vaginal trichomonas • Dosage: 6-15 g. 15-30g (Fresh) • WM: Anti-parasitic, antifungal Bing Lang (檳榔) [Betel Nut] Acrid, Bitter, Warm [LI, ST] • Kills Parasites (Tapeworms, pinworms, roundworms, fasciolopsis [intestinal flukes]) • Promotes Qi Movement (GI tract) • Constipation, tenesmus, stagnation • Malaria (secondary) • Urination: promotes (Damp Leg Qi) • Edema (excess) • Dosage: 6-15 g (decoction) ♦ 60-120 g for fasciolopsis & roundworms • WM: antiparasitic, antifungal, antiviral Da Fu Pi (大腹皮) [Bing Lang Shell] Acrid, Slightly Warm [SP, ST, LI, SI] • Drives Qi ↓ & eases middle • Promotes urination • Reduces edema (especially superficial), Damp Leg Qi • Abdominal distention & fullness Nan Gua Zi (南瓜子) [Pumpkin Seeds & Husks] Sweet, Neutral [LI, ST] • Expels parasites (tapeworm, roundworm) • Dosage: 60-120 g (w/ shells) ♦ Powder, mix w/ cold water, drink ♦ 2 Hrs Later: Give 60-120 g Decoction of Bing Lang ♦ 30 min Later: Dissolve Mang Xiao in warm water & drink ♦ Should induce BM & expel parasites Guan Zhong (貫眾) [Pierce Many] Bitter, Cold [LV, SP] • Kills Parasites (tapeworm, roundworm, hookworm) • Skin: blotches, damp heat sores, carbuncles, mumps, epidemic toxins • Bleeding: Hot blood, uterine • Guan Zhong Tan: best for bleeding • Dosage: 10-15 g (decoction) • WM: Antiviral (flu), anti-microbial, anti-parasitic, uterine bleeding	Lei Wan (雷丸) [Thunder Ball] Bitter, Cold, Slightly Toxic [LI, ST] • Kills Parasites (tapeworm [primary], hookworm, roundworm) Fei Zi (榧子) [Torreya (Yew) Seeds] Sweet, Astringent, Neutral [LI, LU, ST] • Kills Parasites (tapeworm, pinworm, hookworm, roundworm) • Moistens Lung (stops cough) • Cough (Lung dryness) Wu Yi (芫荽) [Stinking Elm Paste] • Kills Parasites (Roundworm, tapeworm) • WM: Anti-parasitic, antifungal Lú Hùi (芦荟) [Dried Aloe Leaf Juice] (B/Cd) Sweet [LI, LV] • Kills Parasites (roundworm, ringworm) • Childhood Nutritional Impairment (especially due to roundworms) Qiān Niú Zǐ (牽牛子) [Morning Glory] [Cowherd seeds] S-Toxic, Bitter, Acrid, Cool [KD, LI, LU] • Kills Parasites: Roundworm, tapeworm Yuán Huā (芫花) [Genkwa Flower] (B/Tx) Acrid, Warm [KD, LI, LU] • Kills parasites: Ringworm of scalp (tinea capitis), head carbuncles, eczema Kǔ Shēn (苦參) [Sophora Root] (B/Cd) [HT, LV, ST, LI, UB] • Kills Parasites, stops itching ♦ Scabies (skin lesions, itching) • Trichomonal vaginitis (sitz bath) Hǎi Tóng Pí (海桐皮) [Sea Tree Bark] Bitter, Acrid, Neutral [LV, SP, KD] • Kills Parasites (scabies) Léi Gōng Téng (雷公藤) [Thunder Vine] Bitter, Acrid, Cool, Toxic [LV] • Kills parasites, eliminates toxins [Maggots, rats, snake venom]	•	•

[12] Dispel Wind Damp	[12] Dispel Wind Damp	[12] Dispel Wind Damp	[12] Dispel Wind Damp
Dú Huó (独活) [Self-Reliant Existence] Bitter, Acrid, Warm [KD, UB, LV] • Bi (Wind Cold Damp) • [YY for Lower body Bi], especially Lower Back, Knees, Legs (Good for osteoarthritis) • Often paired w/ Qiang Huo [YY for upper body Bi] & Fang Feng • Releases Exterior Wēi Líng Xiān (威灵仙) [Powerful Soul Root] Acrid, Salty, Warm [UB] • Bi (Wind Damp) • Powerful dispersing & penetrating • Penetrates & opens peripheral channels to relieve pain • Softens & transforms fish bones [Can add vinegar, take in small sips] • Caution: Pregnancy, Qi & Blood Xu Hàn (Fèn) Fáng Jǐ (汉防己) Guǎng (Mù) Fáng Jǐ (广防己) Bitter, Acrid, Cold [UB, SP, KD] • Bi (Wind Damp Heat) • Bi (Cold Damp Bi w/ edema) • Strong diuretic function • (Shi) Edema, water retention at abdomen: Huang Qi, Gui Zhi, Fu Ling, Gan Cao (Fang Ji Fu Ling Tang) • (Xu) Edema, sweating, aversion to wind, heavy sensation, floating pulse: Huang Qi, Bai Zhu, Gan Cao, Sheng Jiang, Da Zao (Fang Ji Huang Qi Tang) • Han (Fen) Fang Ji (Bitter & Cold): Stronger in promoting urination & reducing edema • Guang (Mu) Fang Ji (Toxic): [Aristolochic Acid → LV, KD, Adrenals] Stronger in expelling Wind Damp and alleviating pain • WM: Analgesic, Anti-inflammatory Qín Jiāo (秦艽) Bitter, Acrid, Slightly Cold [GB, LV, ST] • Bi (Wind Damp) • Clears Deficiency Heat (Fever, Steaming Bone Disorder) • Jaundice (Secondary) • WM: Anti-inflammatory, CNS (Sedative) Xī Xiān Cǎo (豨薟草) [Pig Vine Grass] Bitter, Cold [KD, LV] • Bi (Wind Damp Heat) • Damp Heat Sores/Rash (Skin) [Secondary] • Internal & External (topical) use • WM: Lowers Blood Pressure	Mù Guā (木瓜) [Wood Fruit/Melon] Sour, Slightly Warm [LV, SP] • Bi (Damp) • (YY) Muscle stiffness and spasms (Muscle relaxer → Spleen!) • Harmonizes/Soothes Stomach & Transforms Dampness (Papaya looks like a stomach) • Food stagnation (digestive enzymes) • WM: Hepatoprotective (lowers elevated liver enzymes, prevents death of hepatocytes) Sāng Zhī (桑枝) [Mulberry Twigs] Bitter, Neutral [LV] • Bi (Wind Damp) Upper Extremities • Edema: Diuretic (mild) • WM: Tendonitis (elbow) Luò Shí Téng (络石藤) [Collateral Stone Vine] Bitter, Slightly Cold [LV] • Bi (Wind Damp) • Can soak in wine • Opens Channels & Collaterals • Cools Blood, Reduces Swelling • Skin, abscesses, sores • Sore throat Hǎi Tóng Pí (海桐皮) [Sea Tree Bark] Bitter, Acrid, Neutral [LV, SP, KD] • Bi (Wind Damp) [Lower Body] • Opens Channels & Collaterals • Kills Parasites (scabies) • Skin Itching (lesions) • Internal & External (topical) use Hǎi Fēng Téng (海风藤) [Sea Wind Vine] Acrid, Bitter, Slightly Warm [LV] • Bi (Wind Cold Damp) [Lower Body] • Opens Channels & Collaterals Bái Huā Shé (白花蛇) [White Flower Snake] Sweet, Salty, Warm, Toxic [LV] • Bi (Chronic Wind Damp) with numbness, paralysis, cramping • (YY) Extinguishing Wind Conditions • Strong Dispersing function • Penetrates 3 Levels (Skin, Organs → Bone) [All kinds of Bi Syndromes] • Skin: Itching (Expels Wind) • Stops Convulsions (esp. w/ Heat) • WM: Interaction [Anti-coagulant & Anti-platelet], Strong Analgesic Sāng Jī Shēng (桑寄生) [Mulberry parasite plant] Bitter, Sweet, Neutral [LV, KD] • Tonifies LV & KD, Strengthens Sinews & Bones • Bi (Wind Cold Damp) [Lower Body, especially w/ LV & KD deficiency] • Chronic arthritis • Calms Fetus [Bleeding] • WM: ↓ BP, Anticoagulant, CNS suppressant	Wǔ Jiā Pí (五加皮) [Five Additions Bark] Acrid, Bitter, Warm [KD, LV] • Bi (Chronic Wind Cold Damp) [Especially in lower extremities] • Tonifies LV & KD, Strengthens Sinews & Bones • Essence Deficiency (children) • Diuretic (mild): reduces swelling • WM: Anti-inflammatory, analgesic Hǔ Gǔ (虎骨) [Illegal] [Tiger Bone] Acrid, Sweet, Warm [LV, KD] • Bi (Wind Damp) [Lower Body, bones] • Relieves pain • Tonifies LV & KD, Strengthens Sinews & Bones • Open channels and collaterals • Substitute: Leopard bones (main), dog, pig or monkey (not as effective) Sōng Jié (松节) [Knotty Pine Wood] Bitter, Warm [LV] • Bi (Wind Damp) w/ pain & soreness in joints Chòu Wú Tóng (臭梧桐) [Stinky Chinese Tree] Acrid, Bitter, Sweet, Cool [LV] • Bi (Wind Damp) [Secondary] w/ hemiplegia or numbness in trunk, extremities • Hypertension Qiān Nián Jiān (千年健) [1000 year vitality] Acrid, Bitter, Warm [KD, LV] • Bi (Wind Cold Damp) with numbness, pain, spasms in superficial (sinew) or deep (bone) level [Lower back, limbs] • Tonifies LV & KD, Strengthens Sinews & Bones Xú Cháng Qīng (徐长卿) [Gentle Constant Official (Dear)] Acrid, Warm [LV, ST] • Bi (Wind Damp) Cold accumulation, Qi & Blood stagnation • Relieves pain (Wide Variety: epigastric, abdominal, back pain & soreness, trauma, menstrual, osteoarthritis) • Skin: Itching (Wind) [Eczema, wind rashes] • Snake bite, sores, carbuncles (toxins) • WM: Analgesic (w/in 10 min), sedative Qī Yè Lián (七叶莲) [Seven-Leaf Lotus] Bitter, Warm [LV, ST] • Bi (Wind Damp) [Extremities] • Relieves pain [Major] (even better than Xú Cháng Qīng) • Internal & External (topical) use	Léi Gōng Téng (雷公藤) [Thunder Vine] Bitter, Acrid, Cool, Toxic [LV] • Bi (Wind Damp) [Rheumatoid Arthritis → Leading] • Kills parasites, eliminates toxins [Maggots, rats, snake venom] • Peel and discard the root bark (very toxic) of before decocting • Prolonged decoction (boil 2 hours separately) to decrease toxicity • WM: Anti-arthritis (Rheumatoid Arthritis), Immunosuppressive

[13] Aromatic & Transform Dampness	[13] Aromatic & Transform Dampness	[13] Aromatic & Transform Dampness	[14] Drain Dampness
Cāng Zhú (苍术) [Gray rhizome/essence] Acrid, Bitter, Warm (Dry), Aromatic [LV, ST] • (YY) Dampness obstructing middle jiao, diarrhea • Bi (Wind Cold Damp) [Strong supporter] • Bi (Wind Damp Heat) [Lower jiao] ♦ W/ Huang Bai (Er Miao San) • Releases Exterior (induces sweating) ♦ Qiang Huo, Du Huo, Fang Feng • Improves vision (NCCAOM) ♦ Food therapy: Used alone or cooked w/ pig or goat liver • Unprocessed: Very Dry & strongly dispels dampness • Dry-fried [Chao]: significantly ↓ drying property & effectiveness in dispelling damp → binds intestines & stops diarrhea • Caution: Yin Deficient heat, patients with spontaneous sweating [Wei Qi Deficiency] • WM: Gastrointestinal (spasms & cramps), antidiabetic, hepatoprotective • Cardiovascular: ♦ Low Dose: ↑ BP ♦ High Dose: ↓ BP Hòu Pò (厚朴) [Magnolia Bark] Bitter, Acrid, Warm, Aromatic [LI, LU, SP, ST] • (YY) Qi Stagnation of SP & ST • Dampness obstructing middle jiao • Relieves "Stuck" feeling • Food stagnation with constipation [Yang Ming Fu Syndrome] • Qi stagnation (Middle Jiao) w/ cold • Qi stagnation w/ deficient cold • Warms & transforms phlegm • Directs rebellious Qi DOWNWARD ♦ Wheezing (phlegm obstruction), cough (Lung Qi Rebelling), stifling sensation in chest • Caution: Qi Xu, Pregnancy • WM: Gastrointestinal, respiratory, anticoagulant, CNS, post surgical bloating, antihypertensive	Huò Xiāng (藿香) [Aromatic Bean Leaf → Patchouli] Acrid, Slightly Warm [LU, SP, ST] • Turbid Dampness in Middle Jiao ♦ Cang Zhu, Hou Po, Ban Xia • Releases exterior, transforms turbidity • Summer Damp with Wind Cold ♦ Zi Su Ye, Bai Zhi, Hou Po ▪ (Huo Xiang Zheng Qi San) • Vomiting, Nausea (Harmonizes middle jiao) ♦ Turbid damp: Ban Xia, Sheng Jiang ▪ [Xiao Ban Xia Tang] • Morning Sickness (pregnancy) ♦ Ban Xia, Sha Ren (L), Sheng Jiang, Zi Su Ye (HX: Not a leading herb) • Summer Heat: ♦ Qing Hao, Xiang Ru, Lu Dou • WM: Antibiotic [Broad spectrum] Pèi Lán (佩兰) [Ornamental Orchid] Acrid, Neutral [SP, ST] • Exterior Summer Damp Heat with nausea: He Ye, Qing Hao • Not Dry: Damp Heat in the Spleen • Similar to Huo Xiang → mutually accentuate each other → combine w/ Cang Zhu, Hou Po, Bai Dou Kou. Shā Rén (砂仁) [Sand Seeds] Acrid, Warm, Aromatic [SP, ST] • Qi Mover [Significant] • Regulates Qi in middle & lower jiao [Pregnancy in lower jiao] • Restores Spleen's T&T function ♦ "Xing Pi He Wei" (Wake Up Spleen, Harmonize Stomach) • Dampness obstructing middle jiao ♦ Hou Po, Cang Zhu, Bai Dou Kou • Congeaed Cold [Bloating, spasms & pain in middle jiao] • Cold Damp diarrhea (middle jiao) • Calms fetus, stabilizes pregnancy, especially as pregnancy progresses (food therapy: soups, stews) ♦ Zi Su Geng, Sheng Jiang, Bai Zhu • Morning sickness ▪ Sha Ren, Sheng Jiang, Ban Xia • Restless fetus ▪ Sha Ren, Bai Zhu, Zi Su Geng • Unstable fetus due to KD Xu ▪ Sang Ji Sheng, Du Zhong • Restless fetus due to Heat ▪ Huang Qin • Cooking: Add at end, season food • WM: Gastrointestinal: ♦ Low dose → stimulate intestines ♦ High dose → inhibit intestines • Antiplatelet, Nausea, Peptic ulcer	Bái Dòu Kòu (白豆蔻) [White Cardamom] Acrid, Warm, Aromatic [LU, SP, ST] • Vomiting [SP & ST Xu, ST Cold] • Regulates Qi in upper & middle jiao • Warms middle jiao • Descends rebellious Qi: Vomiting • Bai Dou Kou & Sha Ren: similar functions & often paired • Cooking: Crack open & add at end • WM: Gastrointestinal: ↑ gastric acid secretion, ↑ peristalsis, vomiting ↓ Cǎo Dòu Kòu (草豆蔻) [Grass Cardamom] Acrid, Warm, Aromatic [SP, ST] • Damp Cold of SP & ST • Warms Middle Jiao ♦ Warmer & Drier than Bai Dou Kou & Sha Ren [Secondary to both because it was discovered later] • Cooking: Add at end • Contraindication: Yin/Blood Xu • WM: Antibiotic (S. Aureus, E. coli, dysentery), gastrointestinal Cǎo Gǔo (草果) [Grass Fruit] Acrid, Warm [SP, ST] [Warmest & Dryest of section] • Damp Cold obstructing SP/ST ♦ Cang Zhu, Hou Po, Ban Xia • Malaria: Intermittent fever & chills especially due to Damp Cold or Turbid Damp (greasy tongue coat) ♦ Qing Hao (leading), Ya Dan Zi • Used in Vietnamese Pho	Fú Líng (茯苓) Sweet, Bland, Neutral [HT, SP, KD] • (YY) All kinds of Damp (SP Tonic) ♦ Urinary difficulty, diarrhea, edema [stagnation of fluids] ♦ Dysuria (Difficult urination): ▪ Fu Ling, Zhu Ling • Strengthens Spleen (Phlegm ↑), harmonizes middle jiao ♦ Palpitations, HA, DAMP dizziness (not LV), thick, greasy tongue coat • Neutral: Eliminate Damp w/o damaging Qi (mild diuretic) • WM: Diuretic (mild), anti-neoplastic, sedative (mild), antibiotic Fú Shén (茯神) [Fu Ling Heart (Woody)] • Quiets Heart, Calms Shen [w/ Damp] ♦ Palpitations, insomnia, forgetfulness Layers of Fu Ling • Outer Layer: Fu Ling Pi ♦ Superficial water retention (not pitting edema) ♦ Early stage nephritis, menstrual water retention • Next Layer (reddish color): ♦ Chi Fu Ling: Damp heat, especially in lower jiao, UTI • Next Layer (white color): Fu Ling • Heart (woody): Fu Shen [center of fungus] Zhu Ling (猪苓) [Pig's Fungus] Sweet, Bland, Slightly Cool [KD, UB] • Eliminates Damp Stagnation ♦ Edema, scanty urine, vaginal discharge, cloudy painful urinary dysfunction, jaundice, diarrhea • Promotes urination • Stronger at leaching out damp than Fu Ling (Not a SP tonic) [Not used as much] • Edema (SP Xu) ♦ Fu Ling, Ze Xie (Si Ling San) Zé Xiè (泽泻) [Marsh Drain] Sweet, Bland, Cold [KD, UB] • Lower jiao Damp Heat ♦ Dysuria, edema, diarrhea, Lin Zheng, leucorrhea • Stronger diuretic than Fu Ling • Clears Deficient Heat from KD [Leading] • Damp Heat (lower jiao): settles KD Ministerial Fire (Xiang Huo 相火) ♦ Spermatorrhea, nocturnal emissions, premature ejaculation • Conditions not necessarily related to dampness (special herb) • Cooking: Fry w/ salt to enhance yin nourishing effect, heat purging, water regulation, LBP & WOK (Lower Jiao Damp Bi) • WM: Diuretic (significant), Cholesterol ↓, BP ↓

[14] Drain Dampness Yi Yi Ren (薏苡仁) [Job's Tears] Sweet, Bland, Slightly Cold [SP, LU, KD] - Promotes urination, reduces edema Strengthens Spleen Bi (Wind Damp) tightness, spasms [Similar to Mu Gua & often used together] Expels pus (lung, intestinal abscess) - Lung abscess: Yu Xing Cao (Lead), Dong Gua Ren - Intestinal abscess: Bai Jiang Cao, Hong Teng, Dan Pi - Unprepared: Better to clear heat & regulate water circulation - Dry Fried (Cao): Better to tonify SP & Relieve diarrhea - WM: Antineoplastic, inhibits smooth muscles (uterine & intestines), sedative, analgesic, antipyretic, flat warts (food therapy) Chē Qián Zǐ (车前子) [Seeds Before Cart] Sweet, Cold (Significantly), Slippery [UB, KD, LV, LU] (YY) Lower Jiao Damp Heat - Edema, painful urinary dysfunction (Lin Zheng) Diarrhea: Damp Heat or Damp Summer Heat [Promotes urination (separates water) to solidify stool] <i>Bai Zhu, Fu Ling, Ze Xie</i> - Benefits eyes (clears Liver Heat) <i>Long Dan Cao, Huang Qin, Xia Ku Cao, Ju Hua</i> - Cough (Lung Heat) w/ copious sputum <i>Shi Gao, Zhi Mu, Huang Qin</i> Cooking: Place in cheesecloth (small, slippery seeds drift to bottom & can burn pot) Salt frying: Directs herb's effects to lower part of body Huá Shí (滑石) [Slippery Rock] [Talcum] Sweet, Bland, Cold, Slippery [ST, UB] - Promotes urination, clears Heat (UB): edema, Damp Heat painful urinary dysfunction - UTI: <i>Mu Tong, Che Qian Zi, Da Huang</i> (Ba Zheng San) - Clears Summer Damp Heat - Gan Cao (Liu Yi San [6:1 ratio]) - Skin: Damp Heat disorders [fever, urinary difficulty, irritability, thirst] - Eczema, rash, athlete's foot → (Duan Shi Gao) Internal & External (topical) use Cooking: Place in cheesecloth (mineral, slippery → avoid getting too much in decoction) - WM: Skin (absorbs toxins), gastrointestinal (protects stomach lining, suppresses nausea/vomiting)	[14] Drain Dampness Mù Tōng (木通) [Unblocking Wood] Guan Mu Tong (Toxic) Chuan Mu Tong (Not Toxic) Bitter, Cool [Significant] [UB, HT, SI] - Promotes urination, Drains Heat from Heart via Small Intestine [irritability w/ mouth, tongue sores] - Dao Chi San, Ba Zheng San - Lactation (Promotes) - Make soup w/ <i>Wang Bu Liu Xing, Chuan Shan Jia</i> and pig feet Guan Mu Tong: Don't exceed 60 g! [Associated with nephropathy] - Contraindicated in pregnancy & patients w/ compromised kidney function WM: Diuretic (significant), increases electrolyte secretion, antibiotic (aristolchic acid) Tōng Cǎo (通草) [Unblocking Grass] Sweet, Bland, Slightly Cold [LU, ST] - Promotes urination, Clears Heat (Damp warm-febrile diseases, or Damp Heat painful urinary dysfunction) - Lactation (Promotes) [15-18 g] - Dosage: 2-5 g (smaller dosage, lightweight herb) - Caution: Not recommended during pregnancy Jīn Qián Cǎo (金钱草) [Gold Money Herb] Sweet, Bland, Neutral [UB, GB, KD, LV] (YY) Stone Conditions [KD & GB] [Stone, Re (Heat) Lin] - Alone or with <i>Hai Jin Sha, Ji Nei Jin</i> - Promotes urination, unblocks painful urinary dysfunction Damp Heat [LV/GB]: Jaundice (yin & yang), hepatitis <i>Yin Chen Hao, Zhi Zi</i> - Skin: Snakebite, sores, lesions Internal & External (topical) use - Dosage: 15-30 g. Higher dosage for stones. (Max: 60 g) Double for fresh. - WM: Chologagic (↑ bile secretion, ↓ pain), urinary stones, cardiovascular, antibiotic Hǎi Jīn Shā (海金沙) [Golden Sand Of Sea] (Japanese Fern Spores) Sweet, Cool [UB, SI] - Promotes urination, clears Heat [Stones: [KD & GB]] - Lin Zheng: Stone, Bloody or Cloudy (proteinuria) - Cooking: Wrap in coffee filter (very fine) → maximize saturation	[14] Drain Dampness Shí Wěi (石葦) [Stone Reed] Bitter, Sweet, Slightly Cold [UB, LU] Promotes urination, clears Heat, unblocks Lin [Re (heat), Stone, Bloody] Coughing, wheezing, acute or chronic bronchitis (Lung Heat) - Bleeding (reckless movement of Hot Blood): vomiting, uterine, urinary - WM: Expectorant, antitussive, antiviral (herpes simplex), chronic tracheitis (formula most effective) Bēi Xiè (萆薢) [Fish Poison Yam] Bitter, Neutral [UB, LV, ST] Separates the pure from the turbid, Leaches out dampness [Not Individual] Turbid Damp in Lower Burner (YY) Cloudy Lin (Proteinuria), vaginal discharge - SP/KD Xu, SP Not controlling Blood Bi (Wind Damp, Damp Heat): lower body numbness, muscle aches WM: Nephritis (Bei Xie, Huang Bai, Zhi Mu, Ze Xie, Yi Zhi Ren, Mu Dan Pi), UTI Yīn Chén Hāo (茵陈蒿) [Old Wormwood] Bitter, Acrid, Cool [LV, GB, SP, ST] (YY) Jaundice: Individually in large dosage (make tea) Damp Heat (Yang Type): Da Huang, Zhi Zi (<i>Yin Chen Hao Tang</i>), <i>Huang Qin, Long Dan Cao</i> Damp Cold (Yin Type): Fu Zi, Gan Jiang (<i>Yin Chen Si Ni Tang</i>) - WM: Chologagic, hepatoprotective (lowers liver enzymes), antibiotic, antihypertensive, antihyperlipidemic Dì Fū Zǐ (地肤子) [Earth Skin Seed] Sweet, Bitter, Cold [UB] Promotes urination, clears Damp Heat from UB [dark, burning, scanty urine] - Skin: Itching [eczema, scabies] [First line herb] Internal & External (topical) use - Dosage: Higher for topical use Dōng Guā Pí (冬瓜皮) [Wintermelon Peel] Sweet, Slightly Cold [LU, SI] Promotes urination - Reduces edema from Heat or Summer Heat - Food Therapy: Make soup	[14] Drain Dampness Chì Xiǎo Dòu (赤小豆) [Red Little Bean] Sweet, Sour, Neutral [HT, SI] Promotes urination: edema, urinary difficulty, Leg Qi Edema, menstrual puffiness - Skin: Drains pus, Fire toxicity - Abscesses, swellings [not ulcerated] - Skin lesions: Topical wash (mild) Internal & External (topical) use - Jaundice: secondary, food therapy - Cooking: Add near end Biǎn Xù (扁蓄) [Flat Raise] Bitter, Cold [UB] Promotes urination, clears Damp Heat from lower jiao [Re (Heat), Xue (Bloody) Lin] - Kills parasites - Skin: Itching [eczema, anal, genital], tinea (fungal infections: athlete's foot, ringworm), oozing sores, Damp skin lesions Internal & External (topical) use Qú Mài (瞿麦) [Wary Grain] Bitter, Cold [UB, HT, SI] Promotes urination, clears Damp Heat from lower jiao, unblocks Lin [Any type of painful urinary dysfunction, esp. Xue (Bloody) Lin] - Often paired with Bian Xu for Lower Jiao Damp Heat Invigorates Blood, unblocks channels (secondary for amenorrhea from blood stasis) - WM: Diuretic, uterine stimulant, gastrointestinal Dēng Xīn Cǎo (灯心草) [Lamp Wick Herb] Sweet, Bland, Slightly Cold [HT, LU, SI] Promotes urination - Leaches out damp Unblocks Lin (Urinary dysfunction: hot w/ dark, scanty urine or hot, painful) - Clears Heart Heat [irritability, insomnia] Colicky Baby: apply charred to nipple & let infant ingest - Like Chan Tui Dōng Kuí Zǐ (冬葵子) [Winter Flower Seed] Sweet, Cold [UB, LI, SI] Promotes urination: Edema Unblocks Lin (Urinary dysfunction: painful, hot, bloody or stony) - Promotes Lactation: insufficient, painful, swollen breasts, early stage abscess [Secondary] - Moistens intestines, unblocks bowels (insufficient fluid) [Secondary] - Caution: Pregnant women, patients w/ deficiency, cold in SP & ST
--	--	---	--

[15] Warm Interior, Expel Cold	[15] Warm Interior, Expel Cold	[15] Warm Interior, Expel Cold	[15] Warm Interior, Expel Cold
Fù Zǐ (附子) [Appendage] Acrid, Hot, Toxic [HT, KD, SP] • Restores Devastated Yang • Devastated Yang Disorders where Yang Qi extremely weak and Cold Yin Abundant ♦ <i>Gan Jiang, Gan Cao (Si Ni Tang)</i> ♦ <i>Ren Shen [Ginseng → Powerful Qi tonic] (Shen Fu Tang)</i> • Warms Entire Body yang [Upper, middle & lower jiao]. Treats any type of yang deficiency. Warms all organs and opens all channels and collaterals. • HT, SP, KD Yang Xu or weakness ♦ Leading Herb for heart failure ♦ KD yang Xu, KD fire failure ▪ <i>Rou Gui [cinnamon bark], Shu Di Huang, Shan Zhu Yu</i> ▪ <i>(Gui Fu Ba Wei Wan)</i> ♦ SP yang deficiency ▪ <i>Ren Shen, Bai Zhu, Gan Jiang [Dried Ginger]</i> ▪ <i>(Fu Zi Li Zhong Wan)</i> ♦ SP & KD yang deficiency ▪ <i>Bai Zhu, Fu Ling (Zhen Wu Tang)</i> ♦ HT yang deficiency ▪ <i>Ren Shen, Gui Zhi</i> ♦ Spontaneous sweating due Wei yang deficiency ▪ <i>Huang Qi, Gui Zhi</i> ♦ Exterior wind-cold with internal yang deficiency ▪ <i>Ma Huang [external wind cold leading herb], Xi Xin</i> • Bi (Wind Cold Damp) [Especially when Cold predominant] • Dosage: 3-15 g. Tingling in mouth, tongue & lips indicates max dosage • Cooking: Pre-decoct for 30-60 minutes (break down toxins) • Overdose Treatment: Rou Gui (early stage, within 4-6 hours), induces vomiting w/in 5-15 min, overall relief within 15-30 minutes. • Contraindications: Pregnancy [No exceptions!!!], yang excess and yin deficiency [False cold & true heat], Any patients on heart medication • WM: ↑ HR, Anti-inflammatory, analgesic Gān Jiāng (干姜) [Dried Ginger] Acrid, Hot [SP, ST, HT, LU] [Not Lower Jiao] • Warms Middle Jiao, Expels Cold ♦ Wind Cold Excess ♦ Yang Qi Deficiency (SP & ST) ▪ <i>Ren Shen, Bai Zhu, Gan Cao</i> ♦ Nausea from Cold in ST ▪ <i>Gan Jiang + Ban Xia</i> • Restores devastated Yang • Expels Interior Cold • Warms Lungs, Transforms Phlegm [Lung Cold] ♦ <i>Ma Huang, Xi Xin, Wu Wei Zi</i>	Pào Jiāng (炮姜) [Charred Gan Jiang] Bitter, Astringent, Warm [LV, SP] • Warms Channels • Stops Bleeding [Deficiency Cold with various types of hemorrhage, especially uterine bleeding] • Diarrhea [Deficiency cold] • Contraindication: Interior Heat w/ Yin Deficiency, Heat in Blood • Caution: Pregnancy [Large doses can cause abortion] • WM: Gastrointestinal, anti-nausea, anti-vomiting, CNS Stimulant Ròu Guì (肉桂) Acrid, Sweet, Hot [HT, KD, LV, SP] • (YY) Lower Jiao Deficiency Cold due to Yuan Yang Deficiency • Warms KD Yang • Augments Ming Men Fire [Cold intolerance, Cold extremities, LBP, WOK, impotence, polyuria] ♦ KD Yang & Ming Men Fire Xu ▪ <i>Fu Zi, Shu Di Huang, Shan Zhu Yu</i> ♦ SP & KD Yang Xu ▪ <i>Fu Zi, Gang Jiang, Bai Zhu</i> ♦ Yang ↑: Warm Above, Cold Below ▪ Guides floating Yang back to KD • Bi (Cold Damp), LBP, Blood stagnation from Cold • Abdominal pain with Cold [menstrual cramps, cold uterus] • Yin Sores [deep-rooted, non healing sores (gangrene)]. Promotes flesh regeneration, enhances recovery ♦ Sores with pus, no ulceration: ▪ <i>Huang Qi, Dang Gui</i> • Enhance Qi & Blood tonics, enhances Yang Qi movement • WM: Cardiovascular, hypoglycemic, gastrointestinal, immunostimulant (increases WBC count), antibiotic, antifungal, antiviral Wú Zhū Yú (吴茱萸) [Wu-Zhu's fruit] Acrid, Bitter, Hot, Slightly Toxic [KD, LV, SP, ST] • Warms middle, disperses Cold and alleviates pain (hernia, testicle pain) ♦ LV & ST channel disorders from Congealed cold or phlegm ♦ Cold epigastric & abdominal pain ▪ <i>Gan Jiang, Mu Xiang</i> ♦ Cold hernial pain, menstrual pain ♦ Headache: vertex or migraine • Redirects rebellious Qi ↓ [Significant] ♦ Cold ST: Sheng Jiang, Ban Xia • LV Fire from LV Qi stagnation (congealed cold): Huang Lian • Diarrhea: SP & KD Xu • Warms Spleen, expels & Dries Damp Cold: Damp Cold leg qi • Topical: leads Fire downward ♦ Mouth & tongue sores: Grind into powder, mix w/ vinegar, place on center of soles of feet • WM: anti-ulcer, anti-nausea, anti-diarrhea, analgesic, ↓ BP	Xi Xīn (细辛) [Thin Acrid] Acrid, Warm, Toxic [LU, KD] • Releases exterior, disperses Wind Cold and alleviates pain ♦ Headache [Wind Cold (migraine)]: Chuan Xiong, Bai Zhi, Qiang Huo ♦ Toothache [chew], Headache [Foot Shao Yin (KD)]: Bai Zhi ♦ Toothache [ST Heat] ▪ <i>Shi Gao, Zhi Mu, Huang Qin</i> ♦ Bi (Wind Cold Damp) ▪ <i>Qiang Huo, Du Huo, Fang Feng</i> • Warms the Lung and transforms phlegm [Cold beverage syndrome (Tan Yin), (Wind Cold, congealed fluids obstructing LU)]: Cough, copious watery sputum ♦ <i>Ma Huang, Gan Jiang, Wu Wei Zi</i> • Unblocks nasal orifices (congestion) ♦ <i>Bai Zhi, Xin Yi Hua, Cang Er Zi</i> • Dosage: 1-3 grams. [Know this!!!] ♦ NEVER prescribe in excess of recommended dosage [Max: 5 g] ♦ Extremely dangerous: powder or larger quantities than suggested • Contraindications: Febrile disorders, yin deficiency [w/ cough or wheezing], yang excess, headache [blood deficiency or wind-heat], perspiration from qi deficiency • WM: Reverses morphine induced respiratory depression, ↑ HR, Anti-inflammatory (significant), anesthetic [Local = 1% novacaine], antibiotic Huā Jiāo (花椒) [Flower Pepper] (Szechuan Pepper Fruit) Acrid, Hot, Slightly Toxic [KD, SP, ST] • Warms middle jiao, disperses Cold • Deficiency Cold in SP & ST → vomiting, abdominal pain, diarrhea ♦ <i>Ren Shen, Gan Jiang (Da Jian Zhong Tang)</i> • Cold & pain in epigastric & abdominal regions [Dry fry & apply to affected area to disperse Cold] • Diarrhea more Cold than Damp ♦ <i>Fu Zi, Gan Jiang</i> • Diarrhea more Damp than Cold ♦ <i>Cang Zhu, Hou Po</i> • Kills parasites [roundworms] • Skin: Itching [genital], eczema ♦ <i>Ku Shen, Di Fu Zi</i> • Internal & External (topical) use • Contraindications: excess fire, yin xu • Caution: Pregnancy • WM: Anesthetic, analgesic, Anti-ulcer, Anti-diarrhea Bì Bā (芫荽) Acrid, Hot, spicy [ST, LI] • Cold in SP & ST → nausea, vomiting, abdominal pain, diarrhea • Toothache [topical] • Internal & External (topical) use	Dīng Xiāng (丁香) [T-Shaped Aroma] [Cloves] Acrid, Warm [KD, SP, ST] • [YY] Warms middle jiao, directs rebellious qi downward ♦ Cold in SP & ST [hiccough, vomiting, abdominal pain, diarrhea: Ren Shen, Sheng Jiang, Bai Zhu, Sha Ren • Warms & assists KD yang (secondary) [impotence, clear vaginal discharge] ♦ <i>Fu Zi, Rou Gui, Ba Ji</i> Gāo Liáng Jiāng (高良姜) [Not Ginger → Lesser Galangal] Acrid, Hot [SP, ST] • Cold in middle jiao [hiccough, vomiting, abdominal pain, diarrhea] Xiǎo Huí Xiāng (小茴香) [Fennel] Acrid, Hot [LV, KD, SP, ST] • Spreads LV Qi, warms KD, expels Cold, alleviates pain ♦ Lower jiao Cold [hernia (congealed cold), abdominal pain] ♦ Warms KD: [GYN: Lower jiao Cold, Cold womb infertility] ▪ <i>Wu Zhu Yu, Rou Gui</i> • Regulates Qi (LV & ST), Harmonizes ST [abdominal pain, indigestion, reduced appetite and vomiting] ♦ <i>Gan Jiang, Mu Xiang</i> • Preparation ♦ Unprocessed: More Qi Regulating ♦ Salt-Fried: More acrid, dispersing, warming of KD & LV, lower jiao disorders [hernia pain] • WM: Gastrointestinal [↑ peristalsis] Promotes LV cell regeneration Hú Jiāo (胡椒) [Barbarian Pepper] Acrid, Hot [ST, LI] • Cold in ST & LI [vomiting, diarrhea, and abdominal pain] ♦ <i>Gao Liang Jiang, Bi Ba</i> • Contraindications: Yin Xu or Heat

[16] Food Stagnation	[16] Food Stagnation	[17] Qi Regulating	[17] Qi Regulating
Shān Zhā (山楂) [Mountain Hawthorn] Sour, Sweet, Slightly Warm [LV, SP, ST] • [YY] Food stagnation due to meat and greasy food • Difficulty digesting meat products: ▪ <i>Shan Zha</i> alone • Indigestion & food stagnation: ▪ <i>Shen Qu</i> • Indigestion with abdominal distention and pain: ▪ <i>Mu Xiang, Zhi Ke</i> • Indigestion with diarrhea: ▪ 10 grams of charred <i>Shan Zha</i> as an herbal powder • Invigorates Blood and disperses blood stasis [Blood Mover] • Post-partum abdominal pain & clumps from blood stasis Shén Qū (神曲) [Herbal Enzyme] Sweet, Acrid, Warm [SP, ST] • Too much Alcohol • Harmonizes ST: ST Cold with food stagnation or accumulation, [epigastric & abdominal fullness or distention, lack of appetite, belching, borborygmus & diarrhea] • Multiple herbs put together & fermented Mài Yá (麦芽) [Barley Sprout, Malt] Sweet, Neutral [LV, SP, ST] • Food stagnation from starchy foods, poor digestion • Helps infants that can't digest milk • Inhibits lactation [Mang Xiao (topical)] [Large Dose] • Smooths LV Qi: LV Qi Stagnation or LV overacting on SP [stifling sensation & distention in epigastrium or ribs, belching, loss of appetite, emotional issues] Gǔ Yá (谷芽) [Rice Sprout] Sweet, Neutral [SP, ST] • Food stagnation from starchy foods, poor digestion • SP Deficiency: weak digestion, loss of appetite Lái Fú Zǐ (莱菔子) [Daikon Radish Seed] Acrid, Sweet, Neutral [LU, SP, ST] • Food stagnation in middle burner [fullness & distention, belching w/ rotten smell, acid regurgitation, abdominal pain w/ difficult diarrhea] • <i>Shan Zha, Shen Qu, Chen Pi</i> • Phlegm obstructing Lung • Chronic productive cough, wheezing, asthma, most effective for excess	Jī Nèi Jīn (鸡内金) [Chicken Inner Gold] [Chicken Gizzard Inner Lining] Sweet, Neutral [UB, SI, SP, ST] • Strongly reduces food stagnation • Improves Spleen's transporting function [Chicken stomachs are very strong and they eat anything] • Various types of food stagnation; used alone for mild cases ▪ <i>Shan Zha, Mai Ya</i> • Consolidates Jing (essence), stops leakage • Bedwetting (enuresis), nocturia • <i>Sang Piao Xiao, Fu Pen Zi</i> • Spermatorrhea: <i>Lian Zi, Tu Si Zi</i> • Softens hardness, dissolves stones: • Stones [UB or biliary tract]	Chén Pí (陈皮) [Aged (Citrus) Peel] Acrid, Bitter, Warm, Aromatic [LU, SP] [Upper & Middle Jiao] • Regulates Qi • Improves SP Transporting function • Adjusts middle, Relieves diaphragm • Nausea, vomiting, abdominal fullness and belching [SP or ST qi stagnation] [More cold, pain, similar to Sha Ren & Bai Dou Kou] • Abdominal fullness, pain • <i>Zhi Ke, Mu Xiang</i> • Nausea & vomiting [↑ Stomach qi] • <i>Sheng Jiang, Zhu Ru (Ju Pi Tang)</i> • Diarrhea Abdominal pain [LV overacting on Spleen] • <i>Bai Zhu, Bai Shao, Fang Feng (Tong Xie Yao Fang) [Wu Zhu Yu]</i> • SP & ST deficiency [Poor digestion] • <i>Dang Shen, Bai Zhu, Zhi Gan Cao (Yi Gong San)</i> • Cough [Phlegm-damp cough] w/ stifling sensation in chest, diaphragm & copious, viscous sputum • Chest congestion, abdominal fullness, fatigue, decreased appetite, loose stools and thick greasy tongue coat • <i>Cang Zhu, Hou Po</i> • Phlegm obstructing the Lung, leading to failure of the Lung qi to descend [rebellion] • <i>Ban Xia, Fu Ling (Er Chen Tang)</i> • Cold Beverage Syndrome, Releases Exterior: Xi Xin, Gan Jiang, Ma Huang, Lai Fu Zi Qīng Pí (青皮) [Blue-Green Peel] Bitter, Acrid, Warm [GB, LV, ST] • Spreads Liver Qi and breaks up stagnant qi • Hypochondriac pain [Liver Qi stagnation] • <i>Chai Hu, Yu Jin</i> • Breast distention and pain or breast nodules [lumpy, tenderness] • <i>Chai Hu, Xiang Fu, Xia Ku Cao</i> • Breast abscess • <i>Jin Yin Hua, Pu Gong Ying [Zi Hua Di Ding]</i> • Hernial or abdominal pain [Cold] • <i>Wu Yao, Xiao Hui Xiang</i> • Dissipates clumps [Food Stagnation] • <i>Shan Zha, Mai Ya, Shen Qu</i> • Disperses nodules, breaks up stasis • Mass formation • Malarial disorders [qi & blood stagnation] ▪ <i>Shan Leng, E Zhu, Yu Jin</i>	Zhǐ Shí (枳实) Immature Bitter Orange Fruit Bitter, Acrid, Slightly Cold [LI, SP, ST] Breaks up stagnant Qi • Food stagnation [Belching, distention] • <i>Shan Zha, Mai Ya, Shen Qu</i> • Yang Ming Fu Syndrome [Abdominal pain, distention and constipation] • <i>Da Huang, Hou Po, (Xiao Cheng Qi Tang)</i> • Constipation w/ Heat • Da Huang, Mang Xiao [soften, push out rock], Zhi Shi, Hou Po [Da Cheng Qi Tang] • Dissolves phlegm, expels focal distention • SP Qi Xu [Abdominal distention and bloating] • <i>Bai Zhu (zhi zhu wan) [Qi Tonic]</i> • Dysenteric diarrhea w/ tenesmus [damp heat accumulation & stagnation] • <i>Da Huang, Huang Lian, Huang Qin (Zhi Shi Dao Zhi Wan)</i> • Chest Bi (Xiong Bi) [Heart yang Xu & cold phlegm accumulation] • <i>Xie Bai, Gui Zhi, Gua Lou</i> • Epigastric fullness and distention, lack of appetite and fatigue • <i>Hou Po, Ban Xia, Bai Zhu</i> • Prolapse [Rectal, uterine] • Chai Hu, Sheng Ma • Caution: Pregnancy • WM: Cardiovascular [increase BP], Circulatory [increase circulation], gastrointestinal, stimulates uterus Zhǐ Ké (枳壳) Bitter Orange Fruit Acrid, Bitter, Cool [SP, ST, LI] • Relieves distention: Mild. Good for weak or deficient patients • Breaks up stagnant qi and resolves accumulation. Mild. Breaks up stagnant qi [mild-to-moderate cases of stagnation and accumulation] • Expands chest to relieve congestion Fó Shǒu (佛手) [Buddha's hand] Finger Citron Fruit Acrid, Bitter, Slightly Warm [LV, LU, ST, SP] • Spreads and regulates Liver Qi • Rib or flank pain, distention and belching or hiccups • Activates & regulates qi circulation without drying or consuming yin • Mild pain reliever • Harmonizes the middle jiao [Fruit → Mild Function] • Dries dampness, transforms phlegm • Relieves cough: chronic, persistent cough with profuse sputum and chest and flank pain WM: Cardiovascular [lowers BP], CNS [sedative], Gastrointestinal, Bronchodilator

[17] Qi Regulating	[17] Qi Regulating	[17] Qi Regulating	[17] Qi Regulating
Mù Xiāng (木香) [Fragrant Wood] Costus Root Acrid, Bitter, Warm, Dry [GB, LI, SP, ST] • SP or ST Qi Stagnation [↓ appetite, epigastric/abdominal pain, distention, nausea, vomiting]. [Even Damp Heat]: <i>Sha Ren, Bai Dou Kou, Hou Po, Zhi Shi, Zhi Ke</i> • Epigastric & abdominal fullness, pain ♦ <i>Zhi Ke, Chuan Lian Zi, Yan Hu Suo [Hou Po]</i> • Damp-heat diarrhea [Mild dysenteric → Downward bearing sensation] ♦ Huang Lian, Mu Xiang • Food stagnation, Qi stagnation • Diarrhea, rectal tenesmus [Damp Heat in LI] • Strengthens Spleen, prevents stagnation ♦ ↓ tonifying herb side effects ♦ Spleen Qi Xu • Failure of SP T&T Function [Distention, pain in hypochondriac region, bitter taste in mouth, yellow tongue coating, possibly jaundice], • Damp Heat Accumulation → LV & SP Disharmony ♦ <i>Chai Hu, Yu Jin, Zhi Ke, Da Huang, Yin Chen Hao, Jin Qian Cao, [Huang Qin, Zhi Zi, Long Dan Cao]</i> ♦ Specialty: Sha Ren & Bai Dou Kou cannot combine w/ herbs for dysenteric disorders • Caution: yin deficiency, fluid deficiency or excess fire [Very Dry] • WM: Respiratory, Cardiovascular, antibiotic Xiāng Fù (香附) [Aromatic Appendage] Acrid, Slightly Bitter [↓ (Calming)], Slightly Sweet [Harmonizing, mellow], Neutral [LV] • Smooth & Regulates Liver Qi [YY] ♦ Hypochondriac pain [LV Qi Stag.] ▪ <i>Chai Hu, Qing Pi, Bai Shao</i> ♦ LV & ST disharmony ▪ <i>Mu Xiang, Fo Shou</i> ♦ Epigastric & abdominal pain [cold] ▪ <i>Gao Liang Jiang (Liang Fu Wan)</i> ♦ Hernial pain: <i>Xiao Hui Xiang, Wu Zhu Yu, Wu Yao</i> • Regulates menses, alleviates pain • Yao Yao for gynecological disorders • Irregular menstruation with breast distention and abdominal pain ♦ <i>Dang Gui, Chuan Xiong, Bai Shao, Chai Hu</i> • Breast distention, nodules • Preparation: ♦ Vinegar fried: ↓ accumulations, relieve pain ♦ Grain-based liquor fried: Open channels and collaterals. ♦ Ginger fried: Unblock Liver Qi stagnation • WM: Sedative, uterine relaxant, analgesic, antipyretic, ↓ BP	Wū Yào (乌药) [Black Medicine] Acrid, Warm [UB, KD, LU, SP] • Moves qi, DISPERSES COLD [Significant!] Stifling sensation in chest, hypochondriac pain, epigastric & abdominal pain, distention, cold bladder • Relieves pain ♦ Hypochondriac pain [LV: Warm property, open up flow] with feelings of oppression in chest [Upper Jiao] ♦ Chest Bi: <i>Xie Bai, Gua Lou Pi, Yu Jin [LV], Yan Hu Suo</i> ♦ Epigastric and abdominal cold (fullness & pain) ▪ <i>Mu Xiang, Zhi Ke, Wu Zhu Yu</i> ♦ Hernial pain [LV cold, no heat], lower abdominal pain ♦ Testicular cold pain from [Excess or deficient] <i>Xiao Hui Xiang, Mu Xiang, Qing Pi</i> ♦ Menstrual pain: <i>Xiang Fu</i> [YY for GYN], <i>Dang Gui</i> • Warms cold uterus • Warms KD & disperses cold [KD yang Xu, UB Xu [cold]] [frequent urination, incontinence [bedwetting]] ♦ <i>Yi Zhi Ren, Shan Yao</i> • Specialty: Upper, Middle, Lower Jiao Chén Xiāng (沉香) [Sinking Fragrance] Acrid, Aromatic, Bitter, Warm [KD, SP, ST] • Moves Qi & alleviates pain [Chest, Chest Bi, abdominal] [Qi Stagnation, COLD accumulation] ♦ <i>Wu Yao, Mu Xiang, Bing Lang</i> • Warms & regulates middle jiao, Redirects rebellious qi downward [vomiting, belching, hiccups [COLD]] ♦ <i>Ding Xiang, Bai Dou Kou, Shi Ti</i> • Warms the Kidney and Grasps Qi • Chronic asthma & wheezing [KD Xu]. ♦ <i>Fu Zhi, Rou Gui</i> • How know KD involved → difficulty breathing IN [not all the way breathing in, shallow breathing], also KD Xu symptoms ♦ <i>Lai Fu Zi</i> [wheezing, etc.] • DIRECTION: SINKING, ALL THE WAY DOWN TO THE KIDNEY • Dosage: 1-1.5 grams. Taken in powder with decoction, or made into pills [Can't cook it] • Caution: Prolapse [Qi Xu], Yin Xu Fire Tán Xiāng (檀香) [Sandalwood] Acrid, Warm, Aromatic [LU, SP, ST] • Disperses cold and relieves pain [Relieves Chest Bi, main function] ♦ <i>Bi Ba, Yan Hu Suo, Xi Xin</i> • Regulates Qi, harmonizes middle Jiao ♦ Abdominal pain, stomach cold pain w/ vomiting clear fluids due to cold and qi stagnation. ▪ <i>Sha Ren, Bai Dou Kou, Wu Yao</i>	Chuān Liàn Zǐ (川楝子) Bitter, Cold, Slightly Toxic [UB, LV, SI, ST] • Moves qi & Relieves pain ♦ Hypochondriac, hernial, abdominal pain [LV Qi Stagnation or LV-ST disharmony] • Less aggressive than Qing Pi • Regulates LV Qi [Heat signs: irritability, insomnia, red face & eyes, short temper] ▪ <i>Yan Hu Suo (Jin Ling Zi San)</i> • Hernia with COLD [lower abdominal distention & pain] ♦ Wu Zhu Yu, Xiao Hui Xiang [lead], <i>Mu Xiang</i> • Kills parasites: ♦ Roundworms & hookworms • Dosage: 3-10 g. ♦ Unprocessed: Slightly toxic ♦ Dry Frying: Increases warmth, minimizes toxicity, & reduces irritation to SP & ST • Overdosage: May cause acute LV damage → treat w/ vomiting, then give 4-5 egg whites Xiè Bái (薤白) [Chinese Chive] Acrid, Bitter, Warm [LI, LU, ST] • Opens Yang Qi • Disperses cold phlegm stagnation • Xiong Bi [Chest Bi] with profuse phlegm [Leading herb] ♦ <i>Xie Bai, Gua Lou Shi (Gua Lou Xie Bai Bai Jiu Tang)</i> • Xiong Bi [Chest Bi] with stabbing pain from blood stagnation ♦ <i>Dang Shen, Hong Hua, Chuan Xiong, Chen Xiang, Tan Xiang</i> • Moves qi and eliminates stagnation • Diarrhea or dysentery with rectal tenesmus from liver and stomach qi stagnation ♦ <i>Chai Hu, Bai Shao, Zhi Shi.</i> ♦ Damp-heat: <i>Huang Bai, Qin Pi</i> • WM: Antibiotic, Cardiovascular (↓ blood pressure), Antiplatelet, Antihyperlipidemic (↓ cholesterol) Ju Ye (橘叶) [Orange Tree Leaves] Acrid, Bitter, Neutral [LV] • Regulates Liver Qi • Reduces Swelling • Disperses Stagnation: Hypochondriac pain, breast abscesses and palpable masses and/or tumors Hua Ju Hong (化橘红) [Pummelo] [Hua Ju Pi] Bitter, Warm, Acrid [LU, SP, ST] • Regulates Qi • Opens Middle Jiao • Dries Dampness, Dissolves Phlegm • Relieves Food Stagnation • Cough with profuse sputum with no heat signs	Ju He (橘核) [Orange Seed] Bitter, Neutral [LV] • Disperses Nodules [Fibroids, lumpy breasts] • Activates Qi Circulation • Relieves Pain • Liver qi stagnation with phlegm obstruction • Hernia, pain & swollen testes, • Mastitis, breast nodules • Used internally as decoction or powder, or topically as cream or ointment Da Fu Pi (大腹皮) [Big Stomach Peel] Bing Lang Pi (檳榔皮) Da Fu Mao (大腹毛) [Fuzzy hair] Bing Lang Yi (檳榔衣) [Yi = Clothes] Bing Lang (檳榔) Acrid, Slightly Warm [LI, SI, SP, ST] • Regulates qi, Directs qi downward, & Expands Middle Jiao (Xia Qi Kuan Zhong) ♦ Oppression, distention & fullness in abdomen & epigastrium ♦ Feelings of incomplete evacuation after defecation. • Promotes diuresis and relieves edema [ascites] (Moves water) • Indication: edema or leg qi • Damp accumulation, qi stagnation: ♦ <i>Da Fu Pi, Hou Po, Chen Pi</i> • Reduces accumulation of water to treat edema and leg qi ♦ <i>Fu Ling Pi, Sheng jiang Pi</i> • Caution: pregnancy, because of teratogenic 致畸 & fetotoxic effects in mice • WM: Gastrointestinal

[18] Blood Regulating Chuān Xiōng (川芎) [River Xiong] Acrid, Warm [LV, GB, HT] Invigorates Blood, Promotes Qi movement [Moves Qi within Blood] - One of best herbs for GYN disorders from Qi & Blood stagnation [dysmenorrhea, amenorrhea, difficult labor, postpartum abdominal pain]: <i>Dang Gui</i> (tonify blood), <i>Chuan Xiong</i> (move Qi & Blood) [Si Wu Tang] - Irregular menses: <i>Chuan Xiong</i>, <i>Dang Gui</i>, <i>Chi Shao</i>, [Bai Shao], <i>Xiang Fu</i>, [Shu Di Huang (nourishing, tonify Blood, KD Essence)] - Difficult labor: <i>Dang Gui</i>, <i>Niu Xi</i>, <i>Gui Ban</i> LV Qi constraint [Blood Stagnation] <i>Dang Gui</i>, <i>Chuan Xiong</i>, <i>Chai Hu</i>, <i>Xiang Fu</i> Expels Wind, alleviates pain [Leading] - External wind [headache, dizziness or painful obstruction] - Relieves All kinds of headaches & pain [especially migraines → Shao Yang Headache] [YY] - Headache [Wind Cold] <i>Bai Zhi</i>, <i>Fang Feng</i>, <i>Xi Xin</i> - Headache [Wind Heat] <i>Ju Hua</i>, <i>Shi Gao</i>, <i>Mian Jing Zi</i> - Headache [Blood Stasis] <i>Hong Hua</i>, <i>Dan Shen</i>, <i>Chi Shao</i> - Headache [Blood Deficiency] <i>Dang Gui</i>, <i>Bai Shao</i>, <i>Shu Di Huang</i> Cold Damp Bi zheng (↑ circulation) <i>Qiang Huo</i>, <i>Du Huo</i>, <i>Hai Feng Teng</i> - Treats coronary heart disease & cerebrovascular disorders Contraindicated: Yin Xu Heat, Heavy menstrual bleeding, bleeding disorders - WM: ↓ BP, CNS sedative, antiplatelet, anticoagulant, circulatory, migraine, Alzheimer's, smooth muscle [uterus, intestine], protective against radiation Chuan Xiong Vs. Yan Hu Suo - Shared Functions - Invigorate blood - Promote movement of Qi - Alleviate Pain Chuan Xiong - Moves Qi within Blood Yan Hu Suo - Activates Qi in Qi Level - Invigorates Blood in Blood Level	[18] Blood Regulating Rǔ Xiāng (乳香) [Frankincense] [Fragrant Breast/Milk] Acrid, Bitter, Warm [HT, LV, SP] Invigorates blood, Relieves pain - Relieve aches & pains [Qi & blood stagnation] Treats various pain from stagnation [Epigastric, trauma, sore muscles] - Amenorrhea & dysmenorrhea <i>Dang Gui</i>, <i>Chuan Xiong</i>, <i>Xiang Fu</i> - Stomach & epigastric pain <i>Chuan Lian Zi</i>, <i>Yuan Hu Suo</i> Wind Damp Bi: <i>Qiang Huo</i>, <i>Qin Jiao</i> Traumatic injuries with severe pain & bruises: <i>Mo Yao</i>, <i>Hong Hua</i>, <i>Xue Jie</i>, <i>Bing Pian</i> Reduces swelling & Promotes flesh generation - Applied topically as ointment or powder. Reduces swelling, generates flesh, alleviates pain & promotes healing for skin lesions and ulcerations. [Non-healing] Internal & External (topical) use - Skin: Carbuncles, infection [still hard & painful (heat toxins)] <i>Ru Xiang</i>, <i>Mo Yao</i>, <i>Xiong Huang</i>, <i>She Xiang</i> (<i>Xing Xiao Wan</i>) - Intestine abscess: <i>Hong Teng</i>, <i>Zi Hua Di Ding</i>, <i>Liang Qiao</i>, <i>Jin Yin Hua</i> Ru Xiang: Stronger to activate blood circulation & relax tendons. Commonly used for musculoskeletal pain & Wind Damp Bi. Caution: Can irritate stomach [nausea, vomiting] Contraindication: pregnancy Mò Yào (没药) [Myrrh] [Twin w/ Ru Xiang] Bitter, Neutral [HT, LV, SP] Invigorates blood, dispels blood stasis, ↓ swelling, alleviates pain: <i>Mo Yao</i> & <i>Ru Xiang</i>: Very similar functions. Commonly used together for synergistic strength, especially in treating pain due to blood stagnation. Caution: If used together, use less of each herb. Reduces swelling and promotes generation of flesh [Trauma, inflammatory conditions] [Grouped with Rou Gui] - Applied topically as ointment or powder. Reduces swelling, generates flesh, alleviates pain & promotes healing in skin lesions and ulcerations. Accentuates <i>Ru Xiang</i>. Mo Yao: Stronger to disperse blood stagnation & eliminate blood stasis. Commonly used to treat epigastric pain from Qi & blood stasis. - Often combined w/ <i>Ru Xiang</i> to reduce swelling & promote flesh generation. Internal & External (topical) use - Caution: Can irritate stomach [nausea & vomiting] - WM: Analgesic, external injury	[18] Blood Regulating Yán Hú Suǒ (延胡索) [Xuan, Yuan] [Extend Rope to Barbarians] Acrid, Bitter, Warm [HT, LV, SP] Remember: Blood, Qi & Pain - Invigorates Blood - Promotes movement of Qi - Alleviates Pain Invigorates blood, promotes movement of qi [any kind: excess/deficient] & alleviates pain: - Almost any kind of pain [Qi and/or Blood Stagnation] Specialty: Pain management [Bi Section] Qi Ye Lian, Xu Chang Qing [Arthritis pain] Activates qi in the qi level & invigorates blood in the blood level. - Treats a Wide Variety of pain: - Chest pain <i>Gua Lou</i>, <i>Xie Bai</i>, <i>Yu Jin</i>, <i>Wu Yao</i> - Epigastric pain: <i>Chuan Lian Zi</i> - Gynecological pain <i>Dang Gui</i>, <i>Chuan Xiong</i>, <i>Xiang Fu</i> - Extremity Pain <i>Dang Gui</i>, <i>Gui Zhi</i>, <i>Chi Shao</i> Trauma injury: <i>Dang Gui</i>, <i>Chuan Xiong</i>, <i>Ru Xiang</i>, <i>Mo Yao</i> Yù Jīn (郁金) [Fragrant Metal] Acrid, Bitter, Cold [HT, LV, GB] Invigorates blood, moves qi and alleviates pain [Smooths Liver] - Chest, abdominal, Hypochondriac pain, Irregular menses, Masses - Eliminates blood stasis → relieves pain. [Mental depression, etc.] - Chest, abdominal, hypochondriac pain: <i>Dan Shen</i>, <i>Chai Hu</i>, <i>Xiang Fu</i>, <i>Zhi Ke</i> - Menstrual cramps & abdominal pain [LV Qi constraint with heat]: Chai Hu, <i>Xiang Fu</i>, <i>Dang Gui</i>, <i>Bai Shao</i> - Hypochondrial Masses: <i>Dan Shen</i>, <i>Bie Jia</i>, <i>Ze Lan</i>, Qing Pi [Break down stagnant Qi → tumor] Clears Heart, cools blood, moves qi & resolves constraint: - Damp & phlegm obstructing Heart [disorientation, epilepsy, seizures, mania, other shen disturbances] Shi Cang Pi (Shi Chang Pu?), <i>Yu Jin</i>, <i>Zhi Zi</i> Clears Heat & Cools Blood Heat In Blood: nosebleeds, vomiting blood, blood in urine, heavy menstrual bleeding: Sheng Di Huang, <i>Mi Dan Pi</i>, <i>Zhi Zi</i>, <i>Niu Xi</i> Benefits Gallbladder, ↓ jaundice [focuses on restoring LV function]. <i>Yin Chen Hao</i> [YY: jaundice], <i>Jin Qian Cao</i>, <i>Zhi Zi</i> Dr. Wang's Favorite Herb [LV] Counteracts: Ding Xiang Caution: Pregnancy - WM: Hepatoprotective [LV damage, HEP A/B], Anti-hyperlipidemic, gastrointestinal (↑ gastric acid secretion, ↑ bile production & excretion)	[18] Blood Regulating Jiāng Huáng (姜黄) [Ginger Yellow] [Turmeric] Acrid, Bitter, Warm [LV, SP] Breaks blood stasis, moves Qi, invigorates blood, unblocks menstruation and alleviates pain [chest/abdominal pain, amenorrhea [no menses for 3-6 months (stuck blood)], dysmenorrhea [blood stasis] <i>Hong Hua</i>, <i>Bai Shao</i>, <i>Yan Hu Sui</i> Opens channels & collaterals to alleviate pain (acrid, warm) [Dispels wind cold externally & moves Qi & Blood internally, especially treats Bi Zheng in upper limbs] Bi (Wind Damp) with blood stasis, [especially in upper limbs] Qiang Huo, Shang Zhi, Wei Ling Xiang - Jiang Huang, Yu Jin & E Zhu: Same Curcumin family - WM: Anti-hyperlipidemic, anti-inflammatory, antiplatelet, cholagogic É Zhú (莪术) ["Goose" Flower] Breaks Up Blood Stasis & Invigorates blood Used for severe Qi &/or Blood Stagnation (not a daily use herb) [More Qi Stagnation than San Leng] Very severe conditions: LV cirrhosis, tumor, cancer Can cause massive bleeding with anti-coagulants Promotes movement of qi and alleviates pain [Much stronger than Jiang Huang] [Abdominal pain, amenorrhea, dysmenorrhea, abdominal & epigastric masses (blood stasis)] STRONGLY breaks up chronic or severe blood stasis. Used when all other blood-invigorating herbs have failed to show satisfactory results. - Amenorrhea with abdominal pain <i>San Leng</i>, <i>Chuan Xiong</i>, <i>Niu Xi</i> - Masses [Solid, abdominal] → [LV Cirrhosis, cancer, lymphoma] <i>San Leng</i>, <i>Dan Shen</i>, <i>Bie Jia</i> Dissolves accumulations and alleviates pain: [pain, distention, fullness & constriction in chest & abdomen (severe food stagnation)]. <i>San Leng</i>, <i>Mu Xiang</i>, <i>Shan Zha</i> Contraindicated [Very Powerful Herb]: Deficiency patients, hypermenorrhea, pregnancy - WM: Coronary artery disease, COPD, malignant cancer [ST, LU, LV, esophagus], neurodermatitis
--	---	---	--

[18] Blood Regulating Sān Léng (三棱) [Three Edges] Bitter, Neutral [LV, SP] • Forcefully breaks up blood stasis • Promotes movement of Qi • Alleviates pain [blood stasis] • Amenorrhea, dysmenorrhea • Post-partum abdominal pain (Expels Placenta) • Abdominal masses [Enlarged liver] • E Zhu, San Leng, Qing Pi, [Gan Pi, Chi Shao] • Dissolves accumulations and alleviates pain [severe abdominal pain & distention (food stagnation & stagnant qi)] • Often paired with E Zhu • San Leng: More blood stasis • E Zhu: More Qi Stagnation • Combined provides powerful dispersing action used in all cases of Qi & Blood stagnation w/ clumping & accumulation [pain in chest, epigastrium, abdomen (amenorrhea, dysmenorrhea, cysts, etc.)] • Frying with vinegar: enhances pain-relieving effects • E Zhu & San Leng: strong dispersing action → can injure normal qi • Caution: weak, deficient patients • Contraindicated: pregnancy Dān Shēn (丹参) [Red Ginseng] [#1 Blood mover → Very Important!] Bitter, Slightly Cold [HT, LV, PC] • Invigorates Blood, Dispels Blood Stasis [lower abdomen: dysmenorrhea, amenorrhea, palpable masses, blood stasis pain] • Regulates Blood, Blood Stagnation [gynecological, cardiovascular [heart attack, coronary heart disease], blood stagnation nodules, enlarged LV/SP] • Gynecological • <i>Hong Hua, Tao Ren, Yi Mu Cao</i> • Chest, epigastric & abdominal pain • <i>Gua Lou, Tan Xiang, Mu Xiang, Sha Ren</i> • Palpable masses [cancer] • <i>San Leng, E Zhu, Bie Jia, Ze Lan</i> • Traumatic injury [combine with trauma herbs] • <i>Dang Gui, Hong Hua, Chuan Xiong</i> • Cools blood, eliminates blood stasis • Sores, abscesses, Swelling [skin sores, breast abscess (initial stage) ↑ circulation → repair tissue] • <i>Jin Yin Hua, Lian Qiao, Ru Xiang</i> • Internal & External (topical) use • Clears Heat From Heart, nourishes blood, Calms Shen (Spirit) [Heart Herb] [Restlessness, irritability, palpitations, insomnia, Heat entering ying level] • Incompatible: Li Lu. • Caution/Contraindication: Any bleeding disorders, anticoagulation	[18] Blood Regulating Hǔ Zhàng (虎杖) [Tiger's Cane] Bitter, Cold [LV, GB, LU] • Invigorates blood, dispels stasis, unblocks channels, alleviates pain • Amenorrhea • Bi (Wind Damp) • Traumatic injury • Clears heat, resolves Damp • Damp Heat jaundice [Secondary] • Turbid vaginal discharge. • <i>Yin Chen Hao, Jin Qian Cao</i> • Clears Heat, eliminates toxins • Burns, carbuncles, skin infections • Snakebite • Internal & External (topical) use • Drains heat ↓, transforms phlegm, stops cough [Secondary] • Lung heat cough • <i>Huang Qin, Shi Gao, Jin Yin Hua</i> • Experiment Herb: if other herbs don't work, try this one Yi Mǔ Cǎo (益母草) [Benefit Mother Herb] Acrid, Bitter, Slightly Cold [HT, LV, UB] • Regulating Menses [YY], Invigorates blood, expels blood stasis [GYN disorders (blood stagnation): irregular menstruation, premenstrual abdominal pain, immobile abdominal masses, infertility, post partum abdominal pain with lochioschisis (greenish, malodorous discharge)] • Regulates blood circulation in Chong channel. • Postpartum spotting: helps contract the uterus & expel residual stagnation [Expel Placenta (Lead)] • <i>Shan Zha</i> • Abdominal pain [irregular menstruation or amenorrhea] • <i>Yi Mu Cao, Dan Gui, Bai Shao, Chuan Xiong</i> • Severe postpartum abdominal pain & uterine bleeding • Single herb remedy or in formula • <i>Pao Jian, Yu Mu Cao, Shan Zha</i> • Traumatic injury with pain: <i>Hong Hua, Tao Ren, Ru Xiang, Zhi Zi</i> • Promotes urination & ↓ edema, swelling [Diuretic] • Acute systemic edema. • Used individually (Make like tea) [helps w/puffiness before menses] • Clears heat & eliminates toxins [Skin] • eczema, sores, ulcers, itchy skin • Internal & External (topical) use [Herbal wash] • Caution/Contraindication: Yin, blood, yang deficiency with prolapse or during pregnancy [unless ready to give birth] • WM: antiplatelet, cardiovascular effects, hypertension, coronary artery disease [Secondary to Dan Shen], uterine stimulant, respiratory, renal	[18] Blood Regulating Jī Xuè Téng (鸡血藤) [Chicken Blood Vine] Bitter, Slightly Sweet, Warm [LV] • Invigorates & tonifies blood [Secondary to Dan Shen & similar] • Blood deficiency symptoms [dysmenorrhea, irregular menses, amenorrhea with abdominal pain] • <i>Dang Gui, Chuan Xiong, Shu Di</i> • Invigorates blood, Opens channels & collaterals (↑ circulation) & relaxes sinews [extremity numbness, low back pain, knee pain, general joint soreness/weakness] • Bi (Wind Damp) w/ blood deficiency or stasis • ID: Compare with Hong Teng • WM: Sedative, hypnotic, cardiovascular, uterine stimulant Táo Rén (桃仁) [Peach Pit] Bitter, Sweet, Neutral [HT, LI, LV, LU] • Invigorates blood & removes blood stasis [menstrual disorders, amenorrhea or irregular menses, abdominal pain, traumatic injury, Lung and Intestinal abscesses or abdominal masses. [Important for gynecological disorders but not Yao Yao] Hong Hua, Dang Gui, Chuan Xiong, Chi Shao • Post-partum abdominal pain with profuse uterine bleeding • <i>Tao Ren, Pao Jiang, Dang Gui, Chuan Xiong</i> • Traumatic injuries: • <i>Hong Hua, Jiu Da Huang, Chuan Shan Jia</i> • Abscesses [Early Stage]: combined with heat-clearing and toxicity-releasing herbs to eliminate stasis. • Lung abscess: <i>Yu Xing Cao, Lu Gen, Dong Gua Zi, Yi Yi Ren</i> • Intestine abscess: <i>Da Huang, Mu Dan Pi, Dong Gua Zi, Hong Teng, Bai Jiang Cao</i> • Moistens Intestines and unblocks bowels [Seed → Fatty oil → LI]: constipation (dry intestines) • <i>Huo Ma Ren, Gua Lou Ren</i> • Preparation: Crush seeds prior to decoction [get oil out] • Contraindication: pregnancy [stimulates uterus] • WM: Hematological, Anti-inflammatory, Schistosomal cirrhosis	[18] Blood Regulating Hóng Huā (红花) [Red Flower] Acrid, Warm [HT, LV] • Invigorates blood, unblocks menstruation, opens channels & regulates menses [Blood stasis]: • Amenorrhea, abdominal pain, • Post-partum dizziness and • Abdominal masses • One of the most commonly-used herbs for OB/GYN conditions. Often combined with <i>Tao Ren</i>. • <i>Tao Ren, Dang Gui, Chuan Xiong, Chi Shao</i> • Invigorates blood, dispels blood stasis & alleviates pain: • Blood stasis wounds, pain • Non-suppurative sores, carbuncles and dark purplish erythema • Often paired with Tao Ren for blood stagnation conditions as a daily herb. Not significantly strong enough for serious stagnation. • Contraindication: pregnancy • Caution: Don't exceed recommended dose (3-10g). May cause incessant bleeding • WM: Cardiovascular, Antiplatelet, CNS suppressant, Adaptogenic, Uterine stimulant Wǔ Líng Zhī (五灵脂) [5 Quick Fat] [Flying Squirrel Feces] Bitter, Sweet, Warm [LV] • Invigorates blood, dispels blood stasis, alleviates pain • Amenorrhea, dysmenorrhea, • Post partum abdominal pain • Chest & epigastric pain. • Sudden Smile Powder [Shi Xiao San] • <i>Pu Huang, Wu Ling Zhi</i> • Transforms stasis and stops bleeding [Specialty]: uterine bleeding and lochioschisis due to or with blood stasis. [Endometriosis: Pain + Heavy Bleeding] Use toasted <i>Wu Ling Zhi</i> [Cao] • <i>San Qi, Sheng Di, Mu Dan Pi</i> [Cool Blood], <i>Wu Ling Zhi</i> • Preparation: Wrap in cheesecloth prior to cooking in decoction [dried feces floats on top → don't want the poops floating on top] • Contraindication: pregnancy, blood deficiency • Antagonizes: Ren Shen
---	---	--	--

[18] Blood Regulating Niú Xī (怀牛膝) [Ox (Cow's) Knee] Bitter, Sour, Neutral [LV, KD] Both DOWNWARD moving, move towards Lower part of body • Open channels & collaterals • Both important & effective for chronic pain in lower body [lumbago, weak knees] • Gynecological disorders ♦ Hong Hua, Tao Ren, Dang Gui • Difficult labor (↓ moving herbs) ♦ Dang Gui, Chuan Xiong, Gui Ban [turtle shell] • Musculoskeletal pain due to external and sports injuries ♦ Dang Gui, Chuan Xiong, Xu Duan • One of most important & effective herbs for chronic pain in the lower body [lumbago, weak knees] Promotes urination, invigorates blood, unblocks Lin syndrome [Guiding Herbs] • Blood in urine, difficult urination, painful urinary dysfunction: <i>Tong Cao, Hua Shi, Che Qian Zi, Qu Mai</i> Directs fire & blood ↓ • Reckless movement of hot blood in upper burner or yin deficiency with ascending fire: <i>Bai Mao Gen, Xiao Ji, Zhi Zi, Bai Shao, Sheng Di Huang, Mu Li, Zhi Mu</i> Huái Niú Xī (怀牛膝) H= Two crutches → Bones [Cherished Ox (Cow's) Knee] • Tonifies LV & KD, strengthens sinews & bones, benefits joints ♦ Sore & achy low back & knees ▪ Du Zhong, Xu Duan, Shan Ji Sheng, Mu Gua ♦ Severe weakness below waist [LV & KD deficiency] ▪ Shu Di, Gui Ban, Suo Yang ♦ Redness, swelling and pain in lower body joints [Damp Heat] ▪ Cang Zhu, Huang Bai, Yi Yi Ren ♦ Bi (Wind Damp) ▪ Mu Gua, Du Huo, Bi Xie, Fang Ji • Directs fire and blood DOWNWARD • Better for bleeding conditions • Higher dosage: Tonification [15-20g] Chuān Niú Xī (川牛膝) [River Ox (cow's) Knee] • Invigorates blood, dispels blood stasis [Dysmenorrhea, amenorrhea, lochioschesis] ♦ Traumatic injury below waist • Open channels • Promotes urination [Lin syndrome] → Guiding herbs • Directs fire and blood downward • Caution: During pregnancy or profuse menstrual bleeding → Can use when ready to give birth [If baby is ready & still not coming out]	[18] Blood Regulating Chuān Shān Jiǎ (穿山甲) [Penetrate Mountain Scale] Salty, Cool [LV & ST] • Disperses/breaks down blood stasis [Very powerful] • Opens channels, unblocks menstruation [Only severe (very expensive herb)]: Amenorrhea, dysmenorrhea, abdominal masses • Penetrating & dispersing function [like Bai Hua She]. [Reaches every organ & opens every channel and collateral] • Amenorrhea due to blood stasis ♦ Dang Gui, Chuan Xiong, Hong Hua • Abdominal masses [cancer] ♦ San Leng, E Zhu • Bi (Wind Cold) [arthritis] ♦ Du Huo, Qiang Huo, Chuan Xiong • Promotes lactation [boil in soup with pork bones or pig feet] • Reduces swelling, promotes pus discharge • Abscesses, boils, scrofula, goiter. • Sores w/ pus: combine w/ herbs that drain pus & eliminate toxins. ♦ Jin Yin Hua, Tian Hua Fen, Zao Jiao Ci • Sore w/o pus, combine w/ herbs that clear heat & eliminate toxins [very deep, hard] ♦ Pu Gong Ying, Zi Hua Di Ding, • Scrofula or goiter [phlegm & qi stagnation]: <i>Xia Ku Cao, Mu Li, Xuan Shen, Bei Mu</i> • Preparation ♦ Decoction: 3-10 grams ♦ Powder: 1.0-1.5 grams ♦ Unprocessed not suitable for decoction (has a distinct odor) → Make powder, then whole herb gets digested] ♦ Dry-frying or vinegar-frying: eliminates odor & facilitates dispersing stasis & relieving pain • Contraindicated: pregnancy • WM: Immunostimulant, Hematological [prolonged bleeding time], Anti-inflammatory	[18] Blood Regulating Tǔ Biē Chóng (土鳖虫) [Zhe Chong, Tu Yuan, Tu Bie, Di Bie Chong] [Ground Turtle Beetle] Salty, Cold, Slightly Toxic • Breaks up & drives out blood stasis [Severe cases: Tumor, cancer, amenorrhea] San Leng, E Zhu, Chuan Shan Jia: wide variety of blood stasis disorders [abdominal masses, amenorrhea] • Connects sinews, fuses bones (specialty) [Leading herb [YY] for trauma injury]: external injuries, torn tendons, ligaments, bone fractures: <i>Ru Xiang, Mo Yao, Gu Sui Bu, Tao Ren</i> • Placenta remnants: Amenorrhea, menstrual pain following abortion, miscarriage, delivery [eliminates remnants within 3-4 days (30-45 g)] ♦ Tao Ren, Hong Hua, Yi Mu Cao, Pao Jiang, Chuan Niu Xi • Preparation ♦ Decoction: 3-10 grams ♦ Powder: 1.0 – 1.5 grams • Contraindicated: pregnancy • WM: Coronary artery disease [Dan Shen: leading herb for heart disease], Hepatitis, liver cancer, Anticoagulant, antiplatelet [Possible interaction, especially warfarin] Shuǐ Zhī (水蛭) [Water Leech] Salty, Bitter, Neutral, S. Toxic [LV] • Breaks up & drives out blood stasis • Amenorrhea, immobile abdominal masses [blood stasis, traumatic injury, Hardened tumors, liver cirrhosis] Similar to Tu Bie Chong • One of strongest medicinal substances for severe blood stasis. [Not suitable for amenorrhea due to deficiency] • Amenorrhea or abdominal masses ♦ San Leng, E Zhu, Tao Ren • Hirudin: One of most effective anticoagulant substances [Interferes with effects of thrombin to prevent fibrinogen formation & prevent blood coagulation] • Preparation ♦ Decoction: 3-6 grams ♦ Powder: 0.3-0.5 grams [like Chuan Shan Jia] • WM: Hematologic [Hirudin], Anti-coagulant, antiplatelet, Antihyperlipidemic, Pregnancy → Terminates • Contraindicated: pregnancy, no blood stagnation	[18] Blood Regulating Zé Lán (泽兰) [Marsh Orchid] [Minor herb] Bitter, Acrid, Aromatic, Slightly Warm [LV, SP] • Invigorates blood, dispels blood stasis, regulates menstruation (mild): gynecologic disorders (Qi & Blood Stagnation) [menstrual pain, irregular menses, post partum disorders (Like Tao Ren, Hong Hua)] [In Middle: not leading, but is effective & common] • Warm without dryness, dispersing without harshness. • Menstrual disorders ♦ Dang Gui, Chuan Xiong, Xiang Fu • Invigorates blood, dispels blood stasis: topically or internally for pain and swelling from traumatic injury or abscess [Secondary] ♦ Chuan Xiong, Hong Hua, Tao Ren • Promotes urination, reduces swelling: post-partum edema, post-partum painful urinary dysfunction and systemic or facial edema [Secondary & similar to Yi Mu Cao] Wáng Bù Liú Xíng (王不留行) [King Who Doesn't Stay But Departs] Compare with Chuan Shan Jia Bitter, Neutral [LV, ST] • Invigorates blood & opens channels ♦ Upper body: promotes lactation ♦ Lower body: unblocks menstruation • Moving & dispersing action that invigorates blood & opens channels. [Rolling, dispersing properties] • Treats menstrual disorders with pain [severe cases only] and swelling from blood stasis & obstruction of the channels. ♦ Dang Gui, Xiang Fu, Hong Hua, Chuan Xiong • Promotes lactation • Contraindicated: pregnancy (stimulates uterine contractions)
---	---	---	--

[19] Stop Bleeding	[19] Stop Bleeding	[19] Stop Bleeding	[19] Stop Bleeding
Dà Jì (大薊) Big Thistle Sweet, Cool [SP, LV] • Cools blood & stops bleeding ♦ Reckless movement of hot blood [nosebleed, vomiting blood, blood in urine, stool or uterine bleeding] ▪ <i>Xiao Ji, Che Bai Ye</i> • Disperses blood stasis, reduces swelling [carbuncles, sores, swelling (toxicity & blood stagnation)] ♦ Fresh herb best for topical use. Can be used internally. • Internal & External (topical) use • ↓ blood pressure • Jaundice • Preparation ♦ Decoction: 10-15 grams ♦ Dried: maximum 30 grams ♦ Fresh: Up to 60 grams [Larger dose safe] ♦ Unprocessed: stronger to cool blood, stop bleeding & reduce swelling • Caution: pregnancy Xiǎo Jì (小薊) Small Thistle Sweet, Cool [LV, HT] • Cools blood & stops bleeding • Promotes urination [blood in urine] (not as strong as Da Ji) ♦ <i>Mu Tong, Hua Shi, Pu Huang (Xiao Ji Yin Zi)</i> ♦ <i>Che Qian Zi</i> [Leach out damp section] • Eliminates toxicity, reduces swelling [internally or applied topically for carbuncles, sores & swellings] Fresh herb is best. • Internal & External (topical) use • Da Ji + Xiao Ji → Lower Jiao damp heat [UTI]	Dì Yú (地榆) [Earth Elm] Bitter, Sour (Astringent), Slightly Cold [LV, LI, ST] • Cools blood, astringent, stops bleeding [especially for lower burner bleeding from heat in blood (specialty)] ♦ Bleeding hemorrhoids, blood in stool: <i>Huai Hua</i> ♦ Profuse menstrual bleeding with bright red blood, dry mouth & lips [heat in blood]: <i>Sheng Di Huang, Huang Qin Tan, Pu Huang</i> ♦ Bloody dysentery, rectal tenesmus, mucus, lower abdominal pain: <i>Huang Lian, Mu Xiang, Wu Mei</i> • Clears heat, eliminates toxicity, astringent, promotes healing • Generates flesh • [Yao Yao for Burns] [Burn herbs: Zi Cao (powder), Duan Shi Gao, Han Shui Shi] [Can be used for 3rd degree burns] Review burn herbs ♦ Skin burns: mix powder with sesame oil & apply topically. ♦ Carbuncles & sores without pus: Apply <i>Di Yu</i> juice topically. ♦ Eczema/ulcerations with itching, redness, swelling, discharge: ▪ Herbal wash (topical): cook <i>Di Yu</i> & <i>Ku Shen</i>. ▪ Powder (topical): mix <i>Di Yu, Shi Gao, Ku Fan</i> • Internal & External (topical) use • Preparation ♦ Decoction: 10-15 grams, with a maximum of 30 grams ♦ Herbal powder/pills: 1.5 to 3 grams per dose (1-3 times daily) • Caution: bleeding caused by deficiency, cold, or blood stasis. • Not recommended for burns that have affected a large area of skin surface. Excessive absorption (water-soluble hydrolytic tannins) may lead to overdose & liver toxicity, such as toxic hepatitis • WM: Upper GI bleeding, Hemostasis, Pulmonary tuberculosis, Profuse menstrual bleeding, Burns, Bacterial dysentery, Cervical erosion, Dermatologic disorders	Bái Máo Gēn (白茅根) [White Reed Root] Sweet, Cold [LU, ST, UB] Cools blood & stops bleeding • Reckless movement of hot blood [blood in urine, vomit, nose, cough] [Review: Heat & deficient types of bleeding] • Especially for bleeding in upper body, [nose bleeds, coughing blood]: <i>Xian He Cao</i> • Urinary bleeding ♦ <i>Che Bai Ye, Xiao Ji, Pu Huang</i> Clears heat & promotes urination: • Hot, painful urinary dribbling [Only used for bloody Lin] • Damp-Heat jaundice with edema & urinary difficulty: <i>Che Qian Zi, Hua Shi Zhi Zhi, Yin Chen Hao</i> Clears heat from Stomach & Lungs • Nausea & thirst [ST Heat] • Wheezing: [LU heat] • Often combined with <i>Lu Gen</i> ♦ Shi Gao & Zhi Mu • Dried: 15-30 g • Fresh: 30-60 g [stronger to clear heat, cool blood, promote urination] Huái Huā (槐花) [Pagoda Flower] Bitter, Cool [LV, LI] Cools blood & stops bleeding • Bleeding from heat in blood. • Most effective & most commonly used for bleeding in lower Jiao. • Bright red blood in stool, caused by Damp Heat in LI [Near & Far Blood] ♦ <i>Huai Hua, Di Yu Tan, Che Bai Ye, Fang Feng</i> • Bleeding hemorrhoids: <i>Xian He Cao, Bai Mao Gen, Gan Cao</i> • Also for coughing up blood, nosebleed, uterine bleeding. • Treats hypertension. • Dosage: 10-15 grams. • Fresh: stronger function to cool blood & ↓ blood pressure Cè Bǎi Yè (侧柏叶) [Flat Fir Leaves] Bitter, Astringent, Slightly Cold [LU, LV, LI] Cools blood, astringent & stops bleeding [Variety of Bleeding] • Bleeding [vomiting, gums, coughing, stool or urine, bloody dysentery, uterine bleeding. • Bleeding: Cough, nose, urine, or heavy menstrual bleeding. ♦ <i>Da Ji, Xiao Ji, Bai Mao Gen</i> • Bleeding due to deficient cold ♦ <i>Ai Ye, Pao Jiang</i> • Traumatic injury: Topical powder • Stops cough & dispels phlegm [Not as important] [cough with profuse sputum due (accumulation of phlegm-heat. (New indication)] • Treats hair loss [Specialty], stops itching (topical) for seborrheid alopecia. [Soak fresh herb in 60% alcohol for 7 days and apply tincture to scalp as herbal wash] • Internal & External (topical) use	Xiān Hè Cǎo (仙鶴草) [Agrimony] [Red-Crowned Crane Plant] Bitter, Acrid, Neutral [LU, LV, SP] Restrains leakage of blood & stops bleeding • Indications: various bleeding [vomiting, coughing, nose, gums, urine, uterine] • Bleeding due to heat: <i>Sheng Di, Mu Dan Pi, Zhi Zi, Ce Bai Ye</i> • Heavy menstrual bleeding due to deficient cold ♦ <i>Dang Shen, Huang Qi, Pao Jiang</i> Alleviates diarrhea & dysenteric disorders, stops diarrhea • Indications: Chronic problems [Herb has restraining nature] Kills parasites [Secondary] • Indications: trichomonas vaginitis & tapeworm. [Topical application: Decoct 120g] • Decoction: 10-15 grams • Maximum dosage: 30-60 grams. • Internal & External (topical) use Bái Jí (白芨) [White Orchid] Bitter, Sweet, Astringent, Cool [LU, ST, LV] Restrains leakage of blood & stops bleeding • Bleeding from Lungs & Stomach [Specialty] [vomiting, coughing blood, nosebleed] • Can use individually: Take powder w/ rice congee or cold water. • Dry cough with blood streaks ♦ <i>Pi Pa Ye, Ou Jie, Sheng Di Huang, E Jiao</i> to make juice or pills. • Coughing blood due to pulmonary tuberculosis [Taken internally] ♦ <i>Bai Bu, Chuan Xin Lian</i> • Vomiting blood [ST heat damaging yin]: <i>Duan Shi Gao [Also Astringent], Hai Piao Xiao, Mai Dong</i> • External bleeding [cuts or injury]: apply powder topically. Also combine with <i>Duan Shi Gao</i> Reduces swelling & generates flesh • Indications: apply topically for burns, sores, ulcers and dry, cracked, chapped skin [especially in winter, on heel area] [Specialty] [Mix powder with sesame oil] • Use topically to treat sores & swellings with or without ulceration. Close sores, wounds & promotes generation of flesh. [Clears infection] • Early stage of carbuncles & sores ♦ <i>Jin Yin Hua, Tian Hua Fen, Bei Mu</i> • Chronic non-healing wounds (ulcers) with pus: Use powder alone to promote healing. • 3-10 grams in decoction, with a maximum dose of 30 grams. 1.5-3 grams of powder per dose. [Safe to use in higher dosages] • Caution: Coughing blood due to exterior infection • Incompatible with <i>Fu Zi</i> and <i>Wu Tou</i>

[19] Stop Bleeding	[19] Stop Bleeding	[19] Stop Bleeding	[19] Stop Bleeding
Xuè Yú Tàn (血余炭) [Small Herb] [Charred Human Hair] Bitter, Neutral [LV, ST] Restraints leakage of blood, disperses blood stasis, [Moves & Invigorates Blood] → Stops bleeding without creating Blood stagnation - Indications: various bleeding, [nose, coughing, vomiting blood, bloody lin (urine), stool and heavy menstrual bleeding] - Astringent to stop bleeding. Invigorates blood, stops bleeding without creating blood stagnation. Internal & External (topical) use Upper body Bleeding: take <i>Xue Yu Tan</i> powder with fresh <i>Ou Jie</i> juice Lower body bleeding: <i>Zhong Lu Tan, Lian Peng Tan</i> Tonifies yin and promotes urination - Difficult urination, especially with blood in urine. <i>Hua Shi</i> 6-10 grams in decoction - Powder: 1.5-3 grams pre dose. - Ineffective to stop bleeding if not properly processed. Must be charred to ashes to stop bleeding and disperse blood stasis Sān Qī (三七) [Three-Seven] [Really Big Herb!] Sweet, Slightly Bitter, Warm [LV, ST] YAO YAO FOR TRAUMA Stops bleeding & disperses blood stasis - Internal & external bleeding [vomiting, nose, urine or stool, bleeding due traumatic injury, etc. - Main ingredient in Yunnan Bai Yao stop bleeding without causing blood stasis [similar to Xue Yu Tan, but much stronger]. Internal & External (topical) use - Can be taken individually. <i>San Qi, Hua Rei Shi, Xue Yu Tang (Hua Xue Dan)</i> invigorates blood stasis and stop bleeding. - Invigorates blood, disperses blood stasis, reduces swelling and alleviates pain Herb of choice for traumatic injuries [swelling and pain (falls, fractures, contusions & sprains), also coronary heart disease] 10 grams in decoction 1.0-1.5 grams per dose as powder. - Severe cases of bleeding: Dosage increased to 3-6 grams of powder orally, 2-3 times daily - Side effects: nausea, vomiting, loss of appetite, dizziness, headache, fatigue and restlessness - WM: Hemostatic, antiplatelet, cardiovascular (↓ BP), immunostimulant, bleeding [GI Tract, stomach, coughing, coronary artery disease, chronic hepatitis]	Qiān Cǎo (茜草) [Madder Root] Bitter, Cold [LV] Cools the blood and stops bleeding - Indications: vomiting blood, nosebleed, coughing blood, blood in the stool, uterine bleeding or any bleeding due to the reckless movement of hot blood. - Invigorates the blood and dispels stasis - Indications: pain associated with blood stasis, amenorrhea, trauma injury and Bi Syndrome 10-15 grams, with a maximum of 30 grams for herbal decoction. [Safe to use higher dosage, especially with excessive bleeding] - Toasted Qian Cao [less cool] cools blood and stops bleeding - Sheng Qian Cao invigorates blood, disperses stasis and stops bleeding Pú Huáng (蒲黄) [Cattail Pollen] Sweet, Neutral [LV, HT] Retains blood and stops bleeding - Various internal & external bleeding. Internal & External (topical) use - After patient gets released from hospital, start using acupuncture & herbal medicine Invigorates blood & eliminates stasis - Chest pain [Chest Bi, coronary heart disease], - Post partum abdominal pain and menstrual pain due to blood stasis. - Gynecological issues, fibroids, etc. - Wu Ling Zhi, - Treats bleeding without causing blood stagnation - Similar to San Qi & Xue Yu Tan 3-10 grams in decoction. Wrap <i>Pu Huang</i> in cheesecloth during decoction. Contraindications - Pregnancy [stimulates uterine contractions] - No blood stagnation - Sheng Pu Huang - Cao Pu Huang - WM: hemostatic, cardiovascular	Ai Yè (艾叶) [Mugwort Leaf] Bitter, Acrid, Warm [SP, LV, KD] Warms the channels, stops bleeding - Indications: prolonged menstrual bleeding and uterine bleeding due to cold and deficiency. Ai Ye Tan is commonly used. - Crohn's disease? - Profuse menstrual bleeding from deficiency and cold <i>E Jiao, Gan Jiang</i>, (jiao ai tang) - Cold uterus: Gui Zhi, Rou Gui, Xiao Hui Xiang - Irregular menses, cold sensation in lower abdomen with severe cramps or possibly leucorrhea due to lower jiao deficient cold <i>Dang Gui, Xiang Fu [Move Qi]</i> - Dispels dampness, relieves itching due to eczema or other skin disorders. Make an herbal wash. [Can use moxa for skin conditions or topical wash] 3-10 grams as herbal decoction. It is commonly used topically as an herbal wash or as moxa - Warm and dry → use with caution for patients with yin deficiency or heat in blood Zào Xīn Tǔ (灶心土) [Oven HT Earth] Fú Lóng Gān (伏龍肝) [Humble Dragon LV] [Nature of herb's origin] Warms channels & stops bleeding - Various bleeding associated with cold from deficiency patterns, especially of the Stomach and Intestines. <i>Fu Zi, Shu Di Huang, E Jiao (huang tu tang)</i> Warms Stomach & stops vomiting - Vomiting associated with Stomach deficient cold, morning sickness <i>Ban Xia, Gan Jiang, Zi Su Geng, Shan Ren</i> Warms Spleen, retains (water from) intestines & stops diarrhea [Astringent property like Xue Yu Tan] - Chronic Spleen deficiency diarrhea. <i>Fu Zi, Gan Jiang, Bai Zhu, Rou Dou Kou</i> 15-30 grams; It should be wrapped in cheesecloth and pre-decocted for herbal decoction. Powder form is used both internally and topically	Ōu Jié (藕节) [Lotus Root Joint] Sweet, Astringent, Neutral [LU, ST, LV] Astringent, stops bleeding and also invigorates blood [Similar to Bai Ji, but less important] - Indications: used for various types of bleeding, especially vomiting or coughing blood, because it is both astringent and breaks up blood stasis. <i>Bai Ji, Ce Bai Ye</i> - Can use as food therapy, like instant coffee → Very thick and good for treating stomach, especially mixed with Bai Ji 10-15 grams, with a maximum of 30 grams in herbal decoction. The dosage for fresh Ou Jie is 30-60 grams. - Unprocessed herb stops bleeding and invigorates blood. Charred Ou Jie is astringent and stops bleeding

[20] Calm the Spirit	[20] Calm the Spirit	[20] Calm the Spirit	[20] Calm the Spirit
Zhu Sha (朱砂) [Red Sand] [Cinnabar: Toxic Mercury Sulfide] Sweet, Cool, Toxic [HT] Sedates Heart & calms spirit: - Indications: disturbed spirit symptoms [restlessness, palpitations with anxiety, insomnia, convulsions] [Food therapy: cook with pig heart & patient eats pig heart] - Restlessness, irritability, insomnia <i>Huang Lian, Gan Cao</i> - Heart blood deficiency with irritability, palpitations, fright, dizziness and vertigo <i>Dang Gui, Sheng Di Huang</i> - Patients (weak & easily frightened) - Stuff Zhu Sha in pig heart & steam - Epilepsy in children <i>Xiong Huang, Shen Qu (ci zhu wan)</i> Clears heat, relieves toxicity & prevents putrefaction: Internal & External (topical) use - Indications: applied topically & internally for carbuncles, mouth sores, sore throat and snakebite. <i>Bing Pian, Peng Sha</i> Overdose Treatment: Gastric lavage with warm water or sodium bicarbonate, ingestion of milk, egg whites or <i>Lu Dou</i> soup. <i>Huang Lian, Jie Du Tang</i> and <i>Tu Fu Ling</i> may also be used for detoxification. Chronic overdose due to long-term consumption can be treated by: - Ingestion of 10-15 grams of tea (green or oolong) 1-2 times daily. - Ingestion of one dose of an herbal decoction at room temperature containing 250 grams of <i>Tu Fu Ling</i> for 10 days. - Dosage: 0.3-1 gram. Taken in pill or powder form only. - Mercury Toxicity increases significantly when heat processed [Cooking w/pig heart is folk remedy] Cautions: - Prevent cumulative toxicity: do not use large dosage or for long time. - Extreme caution for compromised liver and kidney function. - Do not process with heat [↑ risk of mercury poisoning] - Acute overdose: disturbance of CNS, with nervousness, metallic taste in the mouth, swollen gums, poor appetite, abdominal pain, diarrhea, tremor, sexual dysfunction, liver & kidney damage	Ci Shi (磁石) [Magnet Stone] [Magnetite] Acrid, Salty, Cold [HT, LV, KD] anchors yang, calms spirit [Specialty] - Indications: restlessness, palpitations, insomnia or tremors, especially: yin deficiency & ↑ yang Nourishes KD, augments LV, improves hearing & vision [Tonifies LV & KD] - Indications: impaired hearing, deafness, tinnitus, visual disturbances [LV & KD deficiency] - Insomnia, palpitations, anxiety or epilepsy <i>Zhu Sha (Ci Zhu Wan)</i> <i>Shi Jue Ming, Bai Shao, Sheng Di</i> Tinnitus, hearing loss, cataracts, blurred vision due to LV & KD yin deficiency [Menopause] [Anchors, tonifies KD Yin] <i>Shu Di, Shan Zhu Yu, Wu Wei Zi (er ming zuo ci wan)</i> Aids Kidneys in grasping Qi - Indications: chronic asthma [KD fails to grasp Qi]: <i>Dai Zhe Shi, Wu Wei Zi, Hu Tao Rou</i> - Chen Xiang [anchors, draws ↓] Dosage - Decoction: 10-30 grams - Powder or pills: 1-3 grams - Crush & pre-decoct to maximize active component extraction Contraindication: excessive or prolonged intake of powder/pills [difficult to digest]	Lóng Gǔ (龙骨) [Dragon Bone] Sweet, Astringent, Neutral [Equally LV & HT] Calms LV, anchors floating yang - Indications: irritability, short temper, dizziness, vertigo, muscular rigidity [yin deficiency (LV, KD) w/ yang ↑] [Combine w/ yin tonics] <i>Mu Li, Bai Shao, Dai Zhe Shi (zhen gan xi feng tang)</i> Sedates & calms shen (spirit) - Indications: restless shen, shen disturbance [insomnia, restlessness, forgetfulness, anxiety, palpitations] (Unprocessed Long Gu) Astringent: consolidates & prevents leakage of fluids: - Indications: loss of fluids (deficiency) [spermatorrhea, night sweats, spontaneous sweating, nocturnal emissions, vaginal discharge and uterine bleeding] - Shen disturbance <i>Zhu Sha, Yuan Zhi, Suan Zao Ren</i> - Spermatorrhea, LBP, tinnitus <i>Mu Li, Sha Yuan Zhi Qian Shi (jing suo gu ing wan)</i> - Enuresis: <i>Sang Piao Xiao, Fu Pen Zi, Yi Zhi Ren</i> [Astringent, stop leakage] - Spontaneous or night sweating: <i>Huang Qi, Mu Li, Wu Wei Zi</i> - White vaginal discharge: <i>Cang Zhu, Yi Yi Ren, Fu Ling</i> - Damp Heat <i>Cang Zhu, Huang Bai</i> Promotes healing of sores or eczema - Indication: non-healing ulcerations or sores, eczema or rashes [not a leading herb for this] - Apply powdered calcinated (Duan Long Gu topically) Internal & External (topical) use Dosage: - Unprocessed: 15-30 g [Higher] - Calcinated: 9-15 g [Enhances binding effect to prevent loss of body fluids (spermatorrhea, diarrhea, excessive vaginal discharge)] Crush & pre-decoct [30 minutes] to enhance active components extraction. Contraindications: Nocturnal emissions caused by fire, patients with damp-heat or externally-contracted disorders	Hǔ Pò (琥珀) [Amber] Sweet, Neutral [HT, LV, UB] Arrests tremors & palpitations, calms spirit: - Indications: palpitations with anxiety, insomnia, forgetfulness, anxiety, tremors, seizures, infantile convulsions [shen disturbance] - Wear bracelet [HT 7] Invigorates blood & dissipates stasis: - Indications: amenorrhea or pain associated with palpable immobile masses due to blood stasis. <i>Dang Gui, E Zhu, Wu Yao</i> Promotes urination, invigorates blood - Indications: urinary retention or painful urinary dysfunction, especially with bloody urine Dosage: - Powder or pills: 1.5-3 grams - Do not process with fire & heat [High temp ↓ effectiveness] Internal or external [jewelry] Suān Zǎo Rén (酸枣仁) [Sour Jujube Seed] Sweet, Sour, Neutral [HT, more LV] Nourishes HT yin, augments Liver blood and quiets the spirit: - Indications: irritability, insomnia, palpitations with anxiety [blood or yin deficiency] - Shen disturbance [LV yin deficiency with deficient heat]: <i>Zhi Mu, Fu Ling (Suan Zao Ren Tang)</i> - Shen disturbance [HT & KD deficiency]: <i>Sheng Di, Xuan Shen, Dang Gui, Bai Zi Ren</i> Prevents abnormal sweating: - Mild astringent, Stops sweating - Indications: [spontaneous sweating & night sweats] <i>Dang Shen, Wu Wei Zi, Shan Zhu Yu</i> Dosage: - Decoction: 10-30 grams - Crush before decocting to increase the extraction of active constituents. More Effective: Toasted (Cao) Suan Zao Ren: Roast in oven [325F] until you smell the fragrance, grind in coffee grinder, then take powder [Keep in refrigerator after grinding] - Powder: 1.5-3 grams before bedtime. - Unprocessed: cooler and better for insomnia with heat signs. - Dry-fried: warmer & better to calm shen & relieve insomnia Contraindicated: patients with insomnia caused by excess heat or hot phlegm accumulation. Cautions: diarrhea, exterior conditions, pregnancy (stimulates uterine contractions), May cause drowsiness and sedation. - WM: Hypnotic, sedative, cardiovascular, uterine stimulant, analgesic, antipyretic

[20] Calm the Spirit	[20] Calm the Spirit	[21] Aromatic, Open Orifices	[21] Aromatic, Open Orifices
Bǎi Zǐ Rén (柏子仁) [Arbor Vitae Seed] Sweet, Neutral [Fatty Oil → LI] [HT (most), LI, KD] Nourishes Heart & calms spirit: - Indications: irritability, insomnia, forgetfulness & palpitations with anxiety [Heart blood deficiency] - Similar to <i>Suan Zao Ren</i>. Both [nourish heart and calm the shen. [Often used together] - Insomnia due to heart blood deficiency with palpitations, dizziness and forgetfulness <i>Suan Zao Ren, Wu Wei Zi, Fu Shen</i> - Insomnia with night sweats <i>Ren Shen, Wu Wei Zi, Mu Li</i> Moistens intestines, unblocks bowels - Indications: Constipation in elderly, anemic or postpartum women [blood or yin deficiency]. Often combined with other seed-type herbs. Dosage 10-18 grams. Crush seeds before decocting [not really necessary because they're so small] to facilitate the extraction of active constituents [Oils] - Caution: patients with loose stools or excess phlegm Yuǎn Zhì (远志) [Far Aspiration] Bitter, Acrid, Slightly Warm [HT, LU] Pacifies heart & calms shen (spirit): - Indications: insomnia, palpitations with anxiety, restlessness and disorientation. Shi: <i>Zhu Sha, Long Gu (Yuan Zhi Wan)</i> [Heavy, mineral type herbs] Xu: <i>Ren Shen, Shi Chang Pu</i> (bu wan san) Expels phlegm & clears orifices - Indications: phlegm obstructing heart & orifices [emotional and mental disorientation or seizures → Mostly mental disorders, phlegm misting the mind, treat anywhere from mild disorientation → seizures (severe)] Expels phlegm from Lungs [Secondary] - Indications: cough with copious sputum, especially when difficult to expectorate <i>Xing Ren, Jie Geng, Gan Cao</i> Reduces abscesses & dissipates swellings [Secondary] - Indications: boils, abscesses, sores and swollen, painful breasts. Internal & External (topical) use	Hé Huān Pí (合欢皮) [Celebration Gathering Bark] [Mimosa Tree Bark] Sweet, Neutral [HT, LV] Calms Shen, Relieves constraint - Indications: short temper, depression, insomnia, irritability, premenstrual syndrome & forgetfulness [LV qi stagnation] Invigorates blood, alleviates pain & dissipates swellings - Indications: pain and swelling due to traumatic injury [bone fractures] - Internal abscesses or carbuncles [blood stasis] - Emotional disturbance <i>Suan Zao Ren, Bai Zi Ren, Long Gu</i> - Traumatic injury <i>Dang Gui, Da Huang, Zhi Zi</i> - Lung abscess <i>Yu Xing Cao, Lu Gen, Dong Gua Zi</i> - Dosage: 10-15 grams He Huan Hua Calms shen, relieves constraint - Indications: Depression, irritability, insomnia, forgetfulness - Lightening spirit, use He Huan Hua - More LV: use He Huan Pi Yè Jiāo Téng (夜交藤) [Vine Of The Night] Nourishes the heart and calms the shen (spirit) - Indications: heart blood deficiency leading to sleep disorders such as insomnia, difficulty falling asleep or staying asleep and excessive dreams. Opens the channels and collaterals and dispels wind. [Secondary] - Indications: Bi syndromes. - Decoction can be used as topical wash in treating eczema, rash and itchy skin. - Decoction: 15-30 grams	Shè Xiāng (麝香) Musk Deer Navel Gland Secretions Acrid, Warm [HT, LV, SP] Yao Yao: Vigorously opens orifices, revives the spirit, & unblocks Bi Zheng (Closed Disorder) Yao Yao: Reviving Shen [One of strongest substances] - Indications: impaired consciousness [heat and phlegm], stroke, convulsion [Includes heat entering PC due to warm-febrile disease] - Acrid & fragrantly aromatic in nature, travels through & pierces. - Key, indispensable ingredient when treating diseases accompanied by impaired consciousness. Warm nature but treats both hot & cold type of Bi Zheng (closed disorder), when combined with other appropriate herbs. - Impaired consciousness [heat and phlegm, stroke, convulsions, and /or heat stroke] <i>Bing Pian, Niu Huang, Zhu Sha (An Gong Niu Huang Wang)</i> - Infantile convulsions: <i>Niu Huang, Ling Yang Jiao, Tian Nan Xing, Zhu Sha</i> - Impaired consciousness [cold & phlegm] <i>Su He Xiang, Tan Xiang (Su He Xiang Wan)</i> - Coronary heart disease: Very effective [chest pain or even cancer] Invigorates blood, dissipates clumps, reduces swelling & alleviates pain - Indications: carbuncles, sores, hot swellings, amenorrhea, immobile palpable masses. - Applied topically when there is not yet an open lesion on the skin. - Aromatic & penetrating in nature: disperses stagnation in blood level - Carbuncles, sores and hot swellings <i>She Xiang, Ru Xiang, Mo Yao</i> - Immobile palpable masses <i>Xhi Shao, San Leng, E Zhu</i> - Amenorrhea: <i>Dan Shen, Chi Shao, Hong Hua</i> Relieves Pain - Indications: Chest pain (<i>Dan Shen, Tao Ren, Xie Bai</i>), traumatic injuries with blood stagnation (<i>She Xiang, Ru Xiang, Yan Hu Suo (Qi Li San)</i>) Induces labor in stillbirth - Strong penetrating properties → expels a dead fetus or retained placenta [Combine with Niu Xi] Dosage - Powder or pills: 60 to 100 mg - Maximum dosage: 1.0 g - Do Not Decoct [strong aromatic property] - Sublingual for treatment of angina [Effects comparable to nitroglycerin] Contraindication: Pregnancy [Topical use may cause miscarriage] - WM: CNS [Small dose: stimulating, large dose: inhibiting], cardiovascular, antibiotic, uterine stimulant, antineoplastic	Bīng Piàn (冰片) [Ice Slice] Acrid, Bitter, Cool [HT, SP, LU] Opens orifices, revives Shen (spirit), Indications: convulsions due to Heat or Cold. (Emergency cases) Heat: <i>Bing Pian, Niu Huang, She Xiang (An Gong Niu Huang Wan)</i> Cold: <i>Su He Xiang, Bing Pian, She Xiang</i> Opens orifices, vaporizes turbid phlegm & quiets shen (spirit) - Indications: forgetfulness, dulled senses, deafness, dizziness, seizures, epilepsy, manic behavior. Clears heat, relieves pain, ↓ itching Indications: Toxic heat affecting eyes, throat & skin. [Canker sores] → Topical use [KNOW!!!] Internal & External (topical) use - One of best topical herbs to reduce swelling, relieves itching, clear heat, eliminates toxins, relieves pain, prevents decay, regenerates flesh. - Individually for eye diseases. - Sore throat, canker sore, toothache <i>Peng Sha, Zhu Sha, Xuan Ming Feng (Bing Peng San)</i> - Ulcerations: <i>Ru Xiang, Qing Fen, Peng sha, Long Gu</i> Dosage: - Pill or powder: 0.03 – 0.1 grams - Not used in decoctions Contraindicated: pregnancy Shí Chāng Pú (石菖蒲) Acrid, Warm [HT, ST] Opens orifices, vaporizes turbid phlegm & quiets the shen (spirit) [Foggy mind] - Indications: forgetfulness, dull senses, deafness, dizziness, seizures, epilepsy, manic behavior. - One of best & essential herbs for opening sensory orifices: treats coma, impaired mental function (turbid-phlegm veiling consciousness), preventing clear yang from ascending. [Also concussion, trauma injury] - Mild warming action [actions due to fragrant aroma] - Forgetfulness, insomnia, palpitation <i>Ren Shen, Fu Shen, Long Yan Rou</i> Tinnitus or deafness [Know this for final!!!] <i>Ci Shi, Nu Zhen Zi</i> - High fever with coma or unconsciousness [hot phlegm] <i>Yu Jin, Yuan Zhi, Huang Lian, Dan Nan Xing</i> - Manic behavior with constipation <i>Mang Xiao, Hou Po, Zhi Shi</i> Transforms turbid dampness and harmonizes the Middle Jiao Indications: damp accumulation in middle Jiao leading to chest & abdominal fullness, distention & pain, poor appetite. <i>Huo Xiang, Cang Zhu, Chen Pi</i> - Can be used individually, regularly - Dosage: Standard or higher

[21] Aromatic, Open Orifices	[22] Tonify Qi	[22] Tonify Qi	[22] Tonify Qi
Sū Hé Xiāng (苏合香) [Styrac] [Revive And Join Fragrance] Acrid, Warm, Aromatic [HT, SP] Opens orifices & disperses turbidity. • Indications: closed disorder, phlegm collapse & epidemic toxin diseases. Relieves Pain [abdominal pain, chest pain] Indirectly alleviates pain because it opens orifices, dispels turbidity. • Used for coronary heart disease. ♦ <i>Ding Xiang, She Xiang, An Xi Xiang</i> • Warms channels, opens orifices & disperses turbidity. • Best for wind-stroke or phlegm collapse [cold-closure patterns [Heart Attack Condition]] • Similar actions to She Xiang [opens orifices & disperses turbidity] but less strong • Not used individually • Pills: 0.3-1.0 g • Not suitable for decoction • Contraindication: Bi Zheng (closed disorder) caused by heat or deficiency	Rén Shēn (人參) [Person Root] [Ginseng] [White (Bai), Red (Hong)] Sweet, Slightly Bitter, Slightly Warm [LU, SP] • [YY] Yuan Qi Collapse Tonifies Yuan (Source) Qi, Rescues Qi Collapse: [Best to strengthen body, tonify deficiency & restore vitality] • Shallow respiration, shortness of breath, cold extremities, feeble or barely palpable pulse. • Yuan Qi Collapse [after profuse perspiration, excessive loss of fluids from severe vomiting or diarrhea, excessive loss of blood, or other chronic illness] ▪ <i>Ren Shen (du shen tang) Ren Shen, Fu Zi (ren shen fu zi tang)</i> ▪ <i>Yang Collapse: When combining Ren Shen & Fu Zi, don't need to add Gan Jiang [Fu Zi & Gan Jiang]</i> • Used alone to tonify & revitalize body, or combined with interior-warming or yang tonic herbs. • Tonifies & Strengthens Spleen [lethargy, lack of appetite, chest & abdominal distention, chronic diarrhea, severe cases: prolapse (stomach, uterus, rectum)] ♦ Hong Ren Shen: stronger & warmer than Bai Ren Shen [adds heat to the body] ♦ Bai Zhu, Fu Ling, Gan Cao (si jun zi tang) [Base Qi Tonic formula] • Tonifies Lung & augments Qi [wheezing, shortness of breath, labored breathing with exertion] ♦ <i>Hu Tao, Ge Jie (ren shen ge jie san) [KD Yang tonic section]</i> • Tonifies qi, generates fluids and relieves thirst [Xiao Ke (diabetes) & thirst due to qi & yin fluids injury caused by high fever and profuse sweating (Xiao Ke: Upper: Thirst, Middle: hunger, Lower: urination)] ♦ <i>Sheng Di Huang, Xuan Shen [Clear heat, cool Blood, nourish Yin], Mai Dong</i> • Calms shen, improves mental function ♦ Uplifting in nature. ♦ Impotence: w/ KD yang tonics ♦ Blood deficiency: w/ blood tonics ♦ Deficiency patients with EPI. Boosts Wei qi to fight against external pathogenic factors ♦ Insomnia: With Suan Zao Ren & Bai Zi Ren [Shen calming herbs]. Also Shi Chan Pu [Open orifices]	Rén Shēn Rén Shēn (人參) [Ginseng] Differentiation • Ye Shan Shen (Wild 野山参): Often takes long time to grow, very limited resources [Very expensive, best quality, most potent]. Used in severe clinical conditions. • Hong Ren Shen [Steamed 9 times (for tonification)] and <i>Bie Zhi Shen/Gao Li Shen (别直参, 高力参)</i> 2nd best quality. Warmer & used to treat Qi & Yang deficiency • Bai Ren Shen [Soak in sugar water then dry] (白人参), Shen Shai Shen (生晒参): treat qi & yin deficiencies • Sheng Shai Shen [Clean & dry herb] • Dan Shen: blood stagnation, blood xu, calms shen Dosage • Decoction: 5-10 grams • Powder: 1-2 grams • Yuan Qi Collapse: ↑ to 15-30 grams • Decoct separately at relatively low temperatures Caution/Contraindication • Contraindication: Excess or heat conditions • Incompatible: <i>Li Lu</i> • Antagonized by: <i>Zao Jiao</i> • Counteracted by: <i>Wu Ling Zhi</i> and <i>Lai Fu Zi</i> • Effectiveness ↓ by concurrent consumption of turnips, daikon radishes [Lai Fu Zi] and green tea (Starbucks combines green tea & ginseng → not very effective!) Western Medicine • CNS: Lower dose → Stimulating, Higher doses: inhibiting • Cognitive: improves memory & learning ability. Dosage: up to 20mg/kg/day • Endocrinological effects: stimulates pituitary gland, stimulates ACTH, stimulates adrenal gland & activities [Did not ↑ adrenal activity in subjects with surgically removed pituitary] • Cardiovascular: treatment of shock, arrhythmia & burns • Immunostimulant • Hypoglycemic • Antihyperlipidemic [saponins lowers cholesterol] • Hepatoprotective [treats various LV disorders] • Reproductive [↑ sexual hormones, stimulates pituitary gland] • Clinical studies: shock, cardiac ischemia, leukopenia, sexual dysfunction, diabetes, Addison's disease, spleen deficiency, hypertension, atherosclerosis, hypercholesterolemia, coronary artery disease, hepatitis • Interactions: antidepressants, ethanol [↓ impairment on cognitive function due to ethanol], antidiabetic [reduces fasting blood glucose levels]	Xī Yáng Shēn 西洋参 [West Ocean Root, Western Ginseng] Sweet, Slightly Bitter, Cold [HT, LU, KD] Nourishes LU yin & clears LU fire • Indications: Lung yin deficiency with blazing fire [Lung loses clearing & dispersing function]. Primary manifestations: wheezing & cough with blood-streaked sputum. ♦ <i>Mai Men Dong, Zhi Mu, Chuan Bei Mu</i> Tonifies qi & nourishes yin [Similar to Ren Shen → compare] • Indications: warm-febrile disease damaging qi & yin [high fever burns body fluids]. Manifests as irritability, thirst and low grade fever ♦ <i>Sheng Di Huang, Mai Men Dong, Shi Hu</i> Generates fluids and nourishes yin: • Indications: general dryness and thirst due to lack of body fluids. This includes Xiao Ke syndrome. Xi Yang Shen can be used individually • Good quality needs to be 5 years at least. [At least \$100-\$200 per pound]. More expensive than Hong Ren Shen • Can bring back heart function in cases of heart failure [long term, chronic conditions] Dosage: • Standard: 3 - 6 grams. • Higher dosage: 10 grams • Decoct separately from other herbs. • Double boil → complete extraction • Slice, soak, put in steamer or slow cooker Caution/Contraindication • Contraindication: Cold-damp. [cold property] • Incompatible: <i>Li Lu</i>.

[22] Tonify Qi Dǎng Shēn 党参 [Party Root] [Often comes in long piece] Sweet, Neutral [LU, SP] Tonifies middle burner, augments qi: - Indications: lack of appetite, fatigue, tired limbs, diarrhea, vomiting or any chronic illness with Spleen qi deficiency <i>Bai Zhu, Fu Ling, Zhi Gan Cao (Si Jun Zi Tang)</i> Tonifies Lung: - Indications: LU deficiency with chronic cough & shortness of breath or copious sputum due to SP qi deficiency. <i>Huang Qi, Wu Wei Zi</i> Tonifies qi & generates body fluids - Indications: warm-febrile disease damaging qi and yin or Xiao Ke (wasting and thirsting) manifesting as irritability, thirst and low grade fever <i>Mai Men Dong, Wu Wei Zi</i> Tonifies qi and nourishes blood [secondary for blood tonic function] - Indications: dizziness, pale complexion and heart palpitations due to blood deficiency. <i>Shu Di Huang, Dang Gui, Bai Shao</i> Substitute for Ren Shen [Not substitute for Xi Yang Shen because of temperature difference] - Dosage: 10-30g Tài Zǐ Shēn (太子参) [Prince Root/ Ginseng] [Baby Ren Shen → milder] Sweet, Slightly Bitter, Neutral [LU, SP] Strengthens SP & LU, Augments Qi - Indications: Spleen and Stomach deficiency with fatigue and lack of appetite - Similar functions of <i>Tai Zi Shen</i> are to <i>Ren Shen</i>. - Mild tonic: especially useful when patients are so deficient that they cannot fully benefit from strong tonics or patients recuperating from chronic illnesses. - Often combined with other qi tonic herbs. <i>Shan Yao, Bai Bian Dou, Gu Ya</i> Generates fluids: - Indications: thirst and injured fluids after a febrile disease. Differentiation - Less potent than other Qi Tonic herbs (weaker than <i>Dang Shen</i>) - Use for cancer patients in higher dosage because <i>Ren Shen</i> can boost the cancer cells & <i>Tai Zi Shen</i> is weaker, milder so doesn't tonify cancer - Dosage: 10-30g - WM: Adaptogenic, immunostimulant, gastrointestinal, hematological, cardiovascular	[22] Tonify Qi Huáng Qí (黄芪) [Old Yellow] Sweet, Slightly Warm [LU, SP] Yao Yao for All Qi Deficiency conditions: Big Qi Tonic herb. Direction UPWARD. Raises Yang, tonifies SP & LU Augments qi (SP & LU), raises yang: - Indications: SP & LU Qi deficiency [lack of appetite, fatigue & diarrhea or loose stools] <i>Ren Shen, Dang Shen, Bai Zhu</i> Augments qi & raises yang [Uplifting] - Indications: prolapse [Qi deficiency] [uterus, stomach or rectum], also for uterine bleeding <i>Ren Shen, Bai Zhu, Sheng Ma, Chai Hu [Bu Zhong Yi Qi Tang]</i> Low dose for prolapse conditions [5g], combined with Qi Tonics Augments Protective Qi & stabilizes exterior: - Indications: Wei qi deficiency with spontaneous sweating. <i>Bai Zhu, Fang Feng (Yu Ping Feng San)</i> Promotes discharge of pus & generates flesh [lifts toxins] [Use regular, not honey fried] - Indications: chronic ulcerations and sores due to qi and blood deficiency that have formed pus but have not drained or healed well. <i>Ren Shen, Dang Gui, Chuan San Jia</i> <i>Ru Xiang, Mo Yao, Rou Gui</i> For topical use, put in ointment Promotes urination and reduces edema [Regular, not honey fried] - Indications: edema due to deficiency [Higher dosage: 25 - 50 g] Dosage: 10 – 15 grams Maximum dosage: 60 – 120 grams. KNOW THIS FOR NCCAOM! Honey-fried [Zhi]: better for interior imbalances, SP & LU Qi Xu, Yang Xu. Sweeter, more tonifying. - Commonly used to treat chronic cases of fatigue, diarrhea, organ prolapse and all cases of deficiency Contraindications - Exterior Pathogens [Acute phase of fighting a cold] - Excess conditions [LV qi stagnation, damp obstruction, food stagnation] - Sores and lesions caused by heat toxin [acute infections, mastitis] Western Medicine - Immunostimulant [better than <i>Ren Shen</i>] - Hematopoietic (↑ production & maturity of blood cells in bone marrow → anemia conditions) - Metabolic (↑ metabolic rate) - Renal: ↓ proteinuria & chronic KD disease - Hepatoprotective: chronic hepatitis - Antihypertensive, antibiotic	[22] Tonify Qi Bái Zhú (白术) [White Atractylodes] Bitter, Sweet, Warm [Drying] [SP, ST] Tonifies Spleen & augments Qi: [Middle Jiao herb] [YY] SP Qi Deficiency [Dampness, bloating] - Indications: SP or ST deficiency with symptoms [fatigue, lack of appetite, diarrhea, bloating] <i>Ren Shen, Fu Ling, Gan Cao (Si Jun Zi Tang)</i> Strengthens SP, dries dampness, eliminates water accumulation [Similar to Cang Zhu (less tonifying than Bai Zhu) → often used together] Spleen Qi Xu with a LOT of damp [Lower Jiao Damp Heat] <i>[Cang Zhu, Huang Bai]</i> - Indications: SP deficiency; failing to rise, with loss of its ability to transform → accumulation of dampness. <i>Gui Zhi, Fu Ling, Zhi Gan Cao (Ling Gui Zhu Gan Tang)</i> Stabilizes exterior & stops sweating: - Indications: spontaneous sweating due to qi deficiency [Tonify Wei Qi, stabilize exterior] <i>Huang Qi, Bai Zhu, Fang Feng (yu ping feng san)</i> Strengthens Spleen and calms fetus [From Qi Deficiency → miscarriage]: - Indications: restless fetus disorder due to Spleen deficiency <i>Dang Shen, Fu Ling, Sha Ren</i> Dosage: Decoction: 5 – 15 grams. Unprocessed: more strongly dries dampness and eliminates water accumulation. Dry-fried (Chao Bai Zhu): stronger to tonify qi, strengthen Spleen, stop perspiration & stabilize pregnancy. Charred (Jiao Bai Zhu): stronger to strengthen Spleen & stop diarrhea. Contraindications Caution: Yin Or Fluid Xu, Xu Heat. Contraindicated: Qi stagnation with feelings of distention & oppression Western Medicine - Adaptogenic - Gastrointestinal - Diuretic & Constipation [High Dose] - Diarrhea [in infants: <i>Bai Zhu, Shan Yao, Zao Shu Pi, Che Qian Zi</i> (slippery → promotes urination)] - Hepatic disorders - Antiplatelet - Antineoplastic [esophageal cancer]	[22] Tonify Qi Shān Yào (山药) (Chinese Yam) [Mountain Medicine] Sweet, Neutral [KD, LU, SP] Tonifies qi, nourishes Spleen & Stomach yin: - Indications: Spleen or Stomach deficiency with such symptoms as diarrhea, fatigue, spontaneous sweating and lack of appetite <i>Ren Shen, Bai Zhu, Fu Ling (Shen Ling Bai Zhu San)</i> Tonifies LU qi & nourishes LU yin: - Indications: chronic cough or wheezing [LU qi and yin deficiency] <i>Dang Shen, Mai Dong, Wu Wei Zi</i> Tonifies KD, stabilizes & binds: - Indications: benefits KD & binds the essence; treats spermatorrhea, frequent urination & vaginal discharge. <i>Shu Di, Shan Yao, Shan Zhu Yu, (Liu Wei Di Huang Wan)</i> - Treats wasting & thirsting disorder. <i>Shan Yao</i> tonifies qi & nourishes yin. - Used alone at a large dose [max 250g in decoction] as daily tea or in combination with other herbs. [Use as food] <i>Tian Hua Fen, Ge Gen, Zhi Mu, Huang Qi</i> Caution/Contraindications Contraindicated: Excess heat. - Do not used as sole herb for accumulated dampness. - May cause abdominal fullness, distention or poor appetite Biǎn Dòu 扁豆 [Flat Bean] Sweet, Slightly Warm [SP, ST] Strengthens Spleen: - Indications: chronic diarrhea with loud stomach-growling sounds and reduced appetite due to Spleen deficiency; also for vaginal discharge due to Spleen deficiency Tonifies Spleen, transforms dampness and harmonizes middle jiao: - Indications: summer damp-heat patterns, especially with pronounced diarrhea or vomiting Dosage - Decoction: 10 – 20 grams - Powder: 6 – 10 grams - Maximum dosage: 50 grams. - Unprocessed: Nourish ST & dispel summer-dampness - Dry-fried: strengthens SP, relieves diarrhea
---	---	---	---

[22] Tonify Qi	[22] Tonify Qi	[22] Tonify Qi	[22] Tonify Qi
Ci Wú Jiā 刺 (五加) / Wu Jia Shen [Thorn 5 Add] Siberian Ginseng [Northern China or Russia] Acrid, Slightly Bitter, Warm [HT, SP, KD] Tonifies Qi, strengthens SP & KD - Indications: fatigue, lack of energy, poor appetite, and soreness and pain of the lower back and knee. <i>Ren Shen, Bai Zhu, Du Zhong, Sang Ji Sheng</i> Calms Shen (spirit) - Indications: disturbed sleep, insomnia, difficulty falling or staying asleep. <i>Long Yan Rou, Suan Zao Ren</i> Dosage - Decoction: 9 – 20 grams Western Medicine - Metabolic - Endocrinological - Coronary artery disease with hypercholesterol - Neuasthenia - Bone marrow suppression Jiao Gu Lan (绞股蓝) [Tangled Blue Strands] Slightly Bitter, Cold [HT, ST (GI Tract)] Moistens Lung, promotes generation of body fluids and dispels phlegm. Indication: chronic disorders [asthma], impaired respiratory and gastrointestinal tract function, [coughing, wheezing, SOB, chest congestion, or nausea, vomiting with drooling of saliva] Clears heat & eliminates toxins to ↓ swelling, inflammation & pain [toxin heat accumulation, such as gastric ulcers, duodenal ulcers, hyperlipidemia, nodules, cystitis, herpes zoster and other conditions characterized by dampness, heat and toxins] Gastric & duodenal ulcer: <i>Hai Piao Xiao, Bei Mu, Bai Hua She She Cao</i> Nodules: <i>Bie Jia, Zhe Bei Mu, Xia Ku Cao, or Zh Ren Ho Ming Yin</i> Tumors: <i>Bai Hua She She Cao, Bai Zhen Lian, Ling Zhi, Dong Chong Xia Cao</i> Cystitis: <i>Shui Ding Xiang & Di Dan Cao</i> Herpes zoster: <i>Ban Lan Gen, Long Dan Xao</i> Lowers blood pressure & cholesterol Indications: coronary sclerosis, hypertension, and hyperlipidemia Dosage - Decoction: 5 to 12 grams - Powder 0.75 to 1.0 gram - Can be taken individually as tea	Gān Cǎo 甘草 [Sweet Herb] [Licorice Root] Raw: Sweet, Neutral Dry Fried: Sweet, Warm Enters All 12 Channels [Very Unique & Special → Harmonizes, gets herbs to work together, not a major Qi tonic, but important because of harmonizing function] Tonifies SP & augments Qi [Spleen Xu with shortness of breath, fatigue, sallow face, decreased food intake, loose stools, diarrhea] <i>Ren Shen, Bai Zhu, Fu Ling, Gan Cao (Si Jun Zi Tang)</i> Moistens Lung & stops cough [Coughing, wheezing, LU heat/cold] <i>Ma Huang, Xing Ren (San Ao Tang)</i> Clears heat & relieves fire toxicity [Fire toxins: carbuncles, sores, sore throat] Food/Herb Poisoning <i>Jin Yin Hua, Pu Gong Ying</i> <i>Lu Dou, Sheng Jiang, Zi Su Ye</i> Moderates spasms & alleviates pain [inflammation] [painful spasms of abdomen or legs] Spasms: <i>Bai Shao & Gan Cao</i> <i>Gui Zhi, Bai Shao, Yi Tang (Xiao Jian Zhong Tang)</i> <i>Jie Geng, Gan Cao</i> Moderates & harmonizes characteristics of other herbs [Moderates hot & cold herbs & mitigates the violent properties of other herbs. Enters all 12 primary channels → lead & conduct other herbs into the channels] - Has effects like steroids → weight gain, hump on back of shoulders, holds more water. Good herb for patients tapering off steroids Dosage: - Normal: 3 - 5g, 10 grams - Higher Dosage: Zhi Gan Cao Tang [heart heat, etc.] - Maximum: 15 - 30g [decoction] Unprocessed: strongly clears fire, eliminates toxins, moistens Lung & stops cough. Honey-fried [Zhi]: sweeter taste & warmer nature → tonifies SP, benefits Qi, moistens LU, stops cough. Caution/Contraindications Contraindications: Nausea, vomiting, chest & abdominal fullness & distention [damp accumulation]. [Sweet nature → create dampness] Caution (Large doses, chronic use) [significant steroid-like effects → causes water retention]: Edema, kidney disorder, hypokalemia (low potassium), hypertension, congestive heart failure. - Incompatible: <i>Gan Sui, Da Ji, Yuan Hua</i> and <i>Hai Zao</i>.	Gān Cǎo 甘草 [Sweet Herb] - WM: Adrenocorticotrophic hormone, mineralocorticoid [increased re-absorption of Na & H2O, excretion of potassium], glucocorticoid [enhance duration of cortisone effect], immunologic [stimulate (during stress) or inhibit immune system], gastrointestinal [prevent & treat peptic ulcers], antitoxin [drugs (Fu Zi, barbituates, etc.), food (puffer fish, mushrooms), antispasmodic, antihyperlipidemic, hepatoprotective (anti-inflammatory), anti-tussive, pain] - Studies: endocrine, Addison's, peptic ulcer, tuberculosis Herb/Drug Interactions: (significant steroid-like effects) → corticosteroids, Digoxin (cardiac glycosides), Treats drug overdose (speeds metabolism of chloral hydrate, urethane, cocaine, picrotoxin, caffeine, pilocarpine, nicotine, barbituates) Dà Zǎo 大枣 [Chinese Date, Jujube] Sweet, Neutral [SP, ST] Tonifies Spleen & augments Qi [Similar to Gan Cao] [weakness, shortness of breath, pale complexion, reduced appetite, loose stools (SP & ST deficiency)] <i>Dang Shen, Bai Zhu, Fu Ling</i> Nourishes Blood & Calms Spirit [Red color → Blood] [wan appearance, irritability, disturbed sleep, severe emotional instability (crying) from Zang Zao (Dry Organ Disorder)] (Zao = Irritation) <i>Gan Cao, Xiao Mai (Gan Mai Da Zao Tang)</i> [HT, LV, KD, SP] Moderates & harmonizes harsh properties of other herbs <i>Gan Cao</i> (moderates intensity of inflammation) <i>Da Zao</i> (moderates harsh properties of herbs, protect middle jiao, tonic function, protect digestion) Severe diuretics: <i>Da Ji, Yuan Hua, Gan Sui, Da Zao (Shi Zao Tang)</i> <i>Ting Li Zi, Da Zao (Ting Li Da Zao Xie Fei Tang)</i> EPI, Digestion: <i>Sheng Jiang, Da Zao</i> <i>Sheng Jiang</i> induces perspiration to release exterior <i>Da Zao</i> nourishes Ying & blood. - Internal conditions: combine with tonic herbs to harmonize middle jiao (Spleen and Stomach) Dosage: 3 – 12 pieces, or 10 – 30 g - Make oxtail soup Contraindications - Excess dampness, heat & phlegm-heat. [Sweet property, cloying] - Don't use with intestinal parasites [Parasites like rich, sweet food] - WM: Sedative	Yí Táng 饴糖 [Barley Malt Sugar, Maltose] Sweet, Slightly Warm [LU, SP, ST] Tonifies Spleen & augments Qi [Overexertion that injures Spleen with shortness of breath and reduced appetite] Tonifies middle jiao Qi, alleviates pain [Chronic SP Xu leading to pain] [abdominal pain (deficiency cold in middle burner with excessive salivation, pale tongue with a white coat and a deep, slow pulse)] <i>Gui Zhi, Bai Shao, Zhi Gan Cao (xiao jian zhong tang)</i> Moistens Lung & stops cough [Dry, nonproductive cough with labored, slow breathing and a weak voice due to Lung deficiency] Can substitute honey Dosage: 30 – 60 grams Cautions/Contraindications Caution: Middle Jiao Dampness. Contraindications: Heat, phlegm or children with infantile malnutrition, parasitic infection, hot phlegm cough Fēng Mì 蜂蜜 [Bee Honey] Sweet, Slightly Warm [SP, LU, LI] Tonifies Middle Jiao & relieves pain [abdominal pain, fatigue, poor appetite (middle jiao deficiency)] Tonifies & moistens LU [stops cough] [chronic or dry cough] <i>Zi Wan, Kuan Dong Hua, Bai Bu</i> Lubricates Intestine & unblocks bowels [Constipation due to dryness or lack of fluids] - Used alone in doses of 20 – 30 grams. Used in herb preparation Dosage: - Oral: 15 – 30 grams Constipation: Honey & sesame seed oil at 1:1 ratio - Food therapy Cautions/Contraindications Caution: dampness, phlegm or patients with abdominal fullness & bloating, loose stool, diarrhea

[23] Tonify Blood	[23] Tonify Blood	[23] Tonify Blood	[23] Tonify Blood
Dāng Guī (当归) [State Of Return] [Chinese Angelica Root] Sweet, Acid, Warm [HT, LV, SP] • Tonifies Blood [All Kinds of Blood Deficiency Conditions] [pale complexion, dizziness, dry hair, blurred vision, tinnitus, palpitations] ♦ <i>Huang Qi</i> [High dose, main herb], <i>Dang Gui</i> (<i>Dang Gui Bu Xue Tang</i>) • YY for All Gynecological Issues & Tonifying Blood, including menopause ♦ Warm property warms uterus • Tonifies & invigorates blood, relieves pain & regulates menses (estrogen-like effects) [menstrual disorders such as dysmenorrhea, amenorrhea, irregular menses, PMS, menopause.] ♦ Differentiation: ▪ <i>Xiang Fu</i>: Qi regulation ▪ <i>Yi Mu Cao</i>: Blood mover ▪ <i>Dang Gui</i>: Both ♦ <i>Bai Shao</i>, <i>Chuan Xiong</i>, <i>Shu Di</i> (<i>Si Wu Tang</i>) • Invigorates & harmonizes the blood and disperses cold [Dang Gui Wei (tail of root)] [important for stopping pain due to blood stasis & cold from deficiency; commonly used for abdominal pain, traumatic injury, Bi syndrome [Cold Damp]]. ♦ <i>Dan Shen</i>, <i>Ru Xiang</i>, <i>Mo Yao</i>, <i>Qiang Huo</i>, <i>Gui Zhi</i>, <i>Qin Jiao</i> • Reduces swelling, expels pus, generates flesh, alleviates pain [sores and abscesses → tonifies & invigorates blood → improved healing] • Tonifies blood, moistens Intestines & unblocks bowels [dry Intestines from blood deficiency] Dosage: • Decoction: 5 – 15 grams • <i>Dang Gui Shen</i>: Tonify blood • <i>Dang Gui Wei</i>: Invigorates blood [Wei = tail] • <i>Quan Dang Gui</i>: Harmonize blood [Whole Dang Gui] Cautions/Contraindications • Caution: Patients with abdominal distention, Spleen deficiency, loose stools or diarrhea. • Contraindication: Excess conditions or for patients with yin-deficient heat signs. Don't use with breast & ovarian cancer because of similarity to estrogen. • WM: Uterine effects [stimulating or inhibiting, can induce contraction if relaxed or in contracted state, promotes relaxation], can be used during pregnancy, especially if woman had multiple miscarriage, antiplatelet (similar to aspirin), [Antiplatelet: <i>Dan Shen</i> + Vitamin C] immunostimulant, respiratory, hepatoprotective, antibiotic, analgesic, anti-inflammatory • Studies: Many	Shú Dì Huáng (熟地黄) [Cooked Earth's Yellowness] [Cooked Rehmannia] [Sweeter & more rubbery than Sheng Di Huang, Big, black KD tonic Herb] Sweet, Slightly Warm [LV, KD] • Yao Yao for Tonifying Blood [Wide range of blood deficiency conditions (pallid complexion, dizziness, palpitations, menstrual disorders, insomnia)] ♦ <i>Dang Gui</i>, <i>Chuan Xiong</i>, <i>Bai Shao</i> ♦ <i>Shu Di Huang</i> is chief herb • Nourishes Liver & Kidney yin: [Kidney yin deficiency with night sweats, hot flashes, nocturnal emissions, steaming bone disorder, wasting & thirsting disorder] ♦ <i>Shan Yao</i>, <i>Shan Zhu Yu</i> (<i>Liu Wei Di Huang Wan</i>) ♦ Base formula for LV & KD Xu: <i>Shu Di Huang</i> (24), [<i>Shan Yao</i>, <i>San Zhu Yu</i> (4)] (<i>Tonics: Mu Dan Pi</i>, <i>Fu Ling</i>, <i>Ze Xie</i> (3)) • Nourishes blood, replenishes Jing (essence) & fills the marrow [low back pain, weakness of lower extremities, lightheadedness and dizziness, tinnitus, diminished aural acuity and premature graying of hair due to exhausted blood and essence] • Stops bleeding [mild] Dosage • Decoction: 10 – 30 grams • Cloying in nature. Add small amount of <i>Chen Pi</i> or <i>Sha Ren</i> to tonify the middle jiao and regulate qi. • Charred <i>Shu Di</i>: stops bleeding. Cautions/Contraindications • Caution: patients with Spleen and Stomach deficiency [stagnating and cloying nature may impair digestion] • Contraindication: excess conditions with dampness, phlegm or qi stagnation • WM: Endocrine [increase plasma levels of adrenocortisone (KD support)], inhibits negative feedback from dexamethasone to pituitary gland]	Hé Shǒu Wū (何首乌) [Mr. He's Black Hair] [Fleeceflower Root, Polygonum] Bitter, Sweet, Astringent, Slightly Warm [LV, KD] • Tonifies Liver & Kidneys, nourishes Blood & replenishes Jing (Essence) [yin or blood deficiency with dizziness, blurry vision, prematurely gray hair, weakness in lower back and knees, soreness in extremities & insomnia] ♦ <i>Zhi Shou Wu</i>, <i>Dang Gui</i>, <i>Gou Qi Zi</i>, <i>Tu Si Zi</i> • Prematurely gray hair from blood & Jing deficiency [One of best tonics] ♦ <i>Dang Gui</i>, <i>Han Lian Cao</i>, <i>Hei Zhi Ma</i> • Eliminates fire toxins [Sheng Shou Wu (Raw): fire toxin carbuncles, sores, scrofula, goiter & neck lumps] ♦ <i>Sheng Shou Wu</i>, <i>Ku Shen</i>, <i>Fang Feng</i>, <i>Xia Ku Cao</i>, <i>Tu Bei Mu</i> • Moistens Intestines & unblocks bowels [constipation, especially with blood deficiency] ♦ <i>Dang Gui</i>, <i>Sheng Shou Wu</i>, <i>Huo Ma Ren</i>, <i>Hei Zhi Ma</i> • Treats malarial disorders [Sheng Shou Wu (Raw): chronic malarial disorders with qi & blood deficiency] ♦ <i>Malaria: Qing Hao</i>, <i>Ya Dan Zi</i> ♦ <i>Ren Shen</i>, <i>Sheng Shou Wu</i>, <i>Dang Gui</i>, <i>Chen Pi</i>, <i>Wei Jiang</i> Dosage: • Decoction: 10 – 30 grams • Unprocessed: bitter and has strong action to eliminate heat, disperse nodules & induce bowel movement. • Processed: strengthens Liver and Kidney, tonify blood and Jing (essence), and enhance its action to benefit hair. Cautions/Contraindications • Caution: patients with Spleen deficiency, loose stools, or diarrhea. • Contraindication: patients with dampness or phlegm. • Many cases of problems when taking this herb → could be because of toxins & pesticides when growing	Bái Sháo 白芍 [White Peony] [Very Important Herb!] Bitter, Sour, Slightly Cold [LV, SP] [Differentiate: Shan Yao & Bai Shao for midterm] • Nourishes blood & regulates menses [blood deficiency with such symptoms as menstrual dysfunction, vaginal discharge & uterine bleeding; common herb in GYN disorders] ♦ <i>Si Wu Tang</i> [4 Gentlemen] ▪ Tonify Blood: <i>Dang Gui</i>, <i>Shu Di</i>, <i>Bai Shao</i> ▪ Move Blood: <i>Chuan Xiong</i> Important Combinations: • Muscle Spasms: ♦ <i>Gan Cao</i> & <i>Bai Shao</i> • Wind Cold Invasion w/ deficiency: ♦ <i>Gui Zhi</i> & <i>Bai Shao</i> • LV Qi Stagnation: ♦ <i>Chai Hu</i> & <i>Bai Shao</i> • Nourishes Liver blood, softens Liver & relieves pain [flank, chest or abdominal pain from constrained Liver qi or disharmony between Liver and Spleen or spasms and pain in limbs from blood deficiency] • Pain in muscles, tendons & sinews from lack of nourishment • Softens Liver & relieves pain [epigastric, hypochondriac, intercostal, flank pain] or spasms & cramps of smooth muscles, tendons • Severe epigastric or abdominal pain or cramps [LV overacting on SP] ♦ <i>Bai Shao</i>, <i>Gan Cao</i> (<i>Shao Yao Gan Cao Tang</i>) • Hypochondriac or flank pain from liver qi constraint with blood deficiency ♦ <i>Chai Hu</i>, <i>Bai Shao</i>, <i>Dang Gui</i>, <i>Bai Zhu</i> (<i>Xiao Yao San</i>) • Tonifies Liver & Calms Liver yang [headache, dizziness, vertigo, irritability from Liver yang rising] ♦ <i>Sheng Di Huang</i>, <i>Niu Xi</i>, <i>Shi Jue Ming</i> • Preserves yin & stops sweating [weak constitution with spontaneous or night sweating, as well as exterior wind-cold from deficiency patterns with continuous sweating → Astringent property] ♦ <i>Gui Zhi</i>, <i>Bai Shao</i>, <i>Sheng Jiang</i>, <i>Da Zao</i> (<i>gui zi tang</i>) ♦ <i>Long Gu</i>, <i>Mu Li</i>, <i>Wu Wei Zi</i>, <i>Fu Xiao Mai</i> Dosage: • Decoction: 5 – 10 grams • Maximum: up to 30 grams. Cautions/Contraindications • Contraindication: Yang deficiency with deficient cold conditions • Incompatible with <i>Li Lu</i> • WM: CNS suppressant (pain), gastrointestinal (inhibits gastric acid & smooth muscles), antibiotic, antipyretic, anti-inflammatory, anti-platelet, cardiovascular

[23] Tonify Blood	[23] Tonify Blood	[24] Tonify Yin	[24] Tonify Yin
Ē Jiāo (阿胶) [Gelatin] [Ass-Hide Glue, Donkey-Hide Gelatin] Sweet, Neutral [LU, LV, KD] • Tonifies Blood: [various blood deficiency conditions such as dizziness, sallow complexion palpitations] <i>Dang Gui, Shu Di, Dang Shen, Huang Qi</i> • Yao Yao Nourishes Blood & stops bleeding [At same time → Very Important] [any type of bleeding, but best for consumptive disorders with coughing of blood, blood in stool, Lung TB, excessive menstrual bleeding or uterine bleeding (especially for miscarriage: after miscarriage, then treat mother with lots of good herbs for at least 2 cycles, include E Jiao)] ♦ <i>Sheng Di Huang, Pu Huang, Ai Ye</i> ♦ <i>Spotting during pregnancy: Yi Gong San Si Jun Zi Tang & Chen Pi</i> • Tonifies blood & Nourishes yin [yin deficiency with irritability & insomnia after febrile disease] ♦ <i>Huang Lian, Bai Shao, Ji Zi Huang</i> ♦ <i>Food Therpy: With Da Zao</i> • Nourishes yin & moistens Lung [Chronic cough, wheezing, difficulty breathing due to consumptive disease (Lung TB) or dry cough due to yin deficiency] ♦ <i>Xing Ren, Chuan Bei Mu, Mai Dong</i> • Calms Fetus (stop bleeding) Dosage: 3 – 10 grams. • Preparation: [Yang Hua] Dissolve in warm decoction, hot water or heated grain-based liquor & take orally. Also break up like popcorn. • Also used in powder form. • Nature: Cloying, rich [tonify yin & stop bleeding] Cautions/Contraindications • Contraindication: Sticky & cloying → SP & ST deficiencies [loose stools, diarrhea, or poor appetite], patients with phlegm or damp accumulation • WM: Hematological (increase RBC & hemoglobin), cardiovascular, Calcium metabolism (increases absorption & utilization of Calcium), pulmonary tuberculosis, leukopenia, anemia [E Jiao, Ren Shen, Shu Di Huang, etc.], unstable pregnancy [12 g E Jiao, 2 eggs, 30g sugar]	Lóng Yǎn Ròu (龙眼肉) [Dragon Eye Flesh] Sweet, Warm [HT, SP] • Tonifies Heart & Spleen [insomnia, heart palpitations, dizziness or forgetfulness due to Heart and Spleen deficiency] ♦ <i>Ren Shen, Huang Qi, Dang Gui</i> • Tonifies Qi & Nourishes Blood [Chronic conditions. General Qi & blood deficiency. Commonly seen in the chronically ill & elderly] Dosage: • Decoction: 10 – 15 grams • Maximum dose: 30 grams • Also used as paste, grain-based liquor or pill forms. Cautions/Contraindications • Contraindication: Phlegm-fire or middle jiao dampness or stagnation. • Contraindication: Excess or deficiency heat, exterior conditions [warm nature]	Yin Deficiency Organs: KD, ST, LU Organize according to Organs Shā Shēn (沙参) Běi Shā Shēn (北沙参) [North Sand] Coastal Glehnia Root Sweet, Cool [LU, ST] Nán Shā Shēn (南沙参) [South Sand] Adenophora, Four-Leaf Lady-Bell Root Sweet, Slightly Bitter, Cool [LU, ST] • Nourishes LU yin & clears LU heat [dry, nonproductive cough due to Lung dryness or Lung heat with yin deficiency. [Secondary herb] ♦ Clear LU Heat: <i>Huang Qi, Shi Gao, Zhi Mu, Zhi Zi, Lu Gen, Tian Hua Fen</i> • Lung yin deficiency with dry cough ♦ <i>Mai Dong, Tian Hua Fen, Chuan Bei Mu</i> • Dry cough with scanty, yellow, difficult to expectorate sputum ♦ <i>Mai Dong, Chuan Bei Mu, Zhi Mu</i> • Dry cough with blood or blood-streaked sputum [bleeding] ♦ <i>E Jiao, Bai Ji, Bai Mao Gen</i> • Nourishes Stomach, generates fluids & clears heat [ST Yin Xu] [aftermath of a febrile disease which has damaged Stomach yin or for chronic Stomach yin deficiency with dry mouth, poor appetite. ♦ <i>Mai Dong, Sheng Di, Yu Zhu (Yi Wei Tang)</i> Dosage • Decoction: 10 – 15 grams • Fresh: 15 – 30 grams Cautions/Contraindications • Contraindicated: cough caused by wind-cold, cold-damp or deficient cold of SP & ST. • Incompatible with Li Lu [All shen] • Bei Sha Shen: Stronger for nourishing yin & clearing heat. Often used for post-febrile disorders with injury to the yin. [Fluids are almost always damaged after fever] ♦ <i>Xi Yang Shen, Zhi Mu, Lu Gen, Tian Hua Fen</i> • Nan Sha Shen: Nourishes yin & dispels phlegm. Fresh Nan Sha Shen more strongly clears heat and generates body fluids	Mài (Mén) Dōng (麦门冬) [Lush Winter Wheat] Sweet, Slightly Bitter, Slightly Cold [HT, LU, ST] (Compare Tai Zi Shen & Mai Dong) • Nourishes Lung yin and Moistens the Lungs [used Lung yin has been injured with such signs as dry cough, thick sputum that is difficult to expectorate and coughing up blood] ♦ Used more than Sha Shen • Pathogenic dryness attacking the Lung resulting in dry cough with no sputum, dry mouth and throat. [EPI] ♦ <i>Sang Ye, Xing Ren, Shi Gao (Qing Zao Jiu Fei Tang)</i> • Chronic dry cough from Lung yin deficiency ♦ <i>Tian Dong, Mai Dong (Er Dong Gao)</i> • Nourishes Stomach yin & generates fluids [dry tongue and mouth or thirst from Stomach yin deficiency] ST Yin Xu often not as chronic as LU Yin Xu (often after a high fever or Xiao Ke Syndrome) ♦ <i>Sheng Di Huang, Sha Shen, Yu Zhu</i> • Clears Heart & Eliminates Irritability [irritability due to yin deficiency or a warm-febrile disease at the nutritive level; in both cases, feverishness and irritability are worse at night] ♦ <i>Suan Zao Ren, Sheng Di Huang, Mai Dong Xin</i> [core, heart]: more emphasis on heart ♦ Clear HT Heat: <i>Huang Lian, Dan Shen, Deng Xin Cao, Zhi Zi, Dan Zhu Ye</i>, [Severe: <i>Niu Huang, Xiong Dan, Xi Jiao</i> (coma, unconscious)] • Moistens Intestines [constipation, dry mouth and irritability due to any pattern of yin deficiency] ♦ <i>Sheng Di, Xuan Shen (Zheng Ye Tang)</i> • Dosage: 10 – 15 grams in decoction. Cautions/Contraindications • Contraindications: Patients with wind-cold cough, damp-phlegm accumulation, diarrhea from cold and deficiency of SP & ST • WM: Anti-arrhythmic, cardiovascular, antibiotic, •

[24] Tonify Yin	[24] Tonify Yin	[24] Tonify Yin	[24] Tonify Yin
Tiān (Mén) Dōng (天门冬) [Lush Winter Aerial Plant] Asparagus Tuber Sweet, Bitter, Very Cold [LU, KD] • Clears Lung heat, drains fire and nourishes Kidney yin • Mai Men Dong (acute), Tian Men Dong (chronic w/deficient pattern), (Er Dong Tang) [Kidney yin deficiency with heat in Lung, dry cough, cough with scanty, sticky sputum or cough with blood-streaked sputum] ♦ Emphysema: both LU & KD Xu ♦ Unique about Tian Men Dong • Clears heat, nourishes yin, generates fluids relieves thirst (heat symptoms) [dry tongue & thirst from warm-febrile disease or Xiao Ke Syndrome] ♦ <i>Tian Dong, Sheng Di, Ren Shen</i> • Moistens Intestines [constipation due to dry intestines caused by yin deficiency] ♦ <i>Sheng Di, Dang Gui, Mai Dong</i> • Dosage: 6 – 15 grams in decoction. Cautions/Contraindications • Contraindicated: Diarrhea due to deficiency & cold of middle jiao, wind-cold cough. • Much stronger than Mai Dong, heavier, more cloying, higher dosage than Mai Dong • WM: anti-neoplastic [breast tumor, malignant lymphoma] Shí Hú (石斛) [Stone Measure] [Dendrobium] Sweet, Slightly Cold [ST, KD] • Nourishes Stomach yin, clears heat and generates fluids [parched mouth, severe thirst or intractable fever associated with yin deficiency; also treats Stomach yin deficiency] • Nourishes Kidney yin & clears deficient heat [yin deficiency with interior heat & low-grade fever] ♦ <i>Sheng Di, Bai Wei, Mai Men Dong</i> • Brightens vision & strengthens lower back [Anti-aging] ♦ <i>Eyes: Ju Hua, Gou Qi Zi, Tu Si Zi, Shu Di Huang</i> ♦ <i>Back: Shu Di Huang, Niu Xi, Du Zhong, Xu Duan</i> • Dosage: • Decoction: 6 – 10 grams • Fresh: 15 – 30 grams [strongly clears heat & promotes generation of body fluids] Cautions/Contraindications • Contraindicated: excess febrile disorders, damp phlegm accumulation, exterior disease stage, early stages of warm-febrile disorders. • WM: Gastrointestinal (increase gastric acid secretion)	Yù Zhú (玉竹) [Jade Bamboo] Solomon's Seal Rhizome, Polygonatum Sweet, Neutral [LU, ST] • Nourishes Lung & Stomach yin, moistens dryness [Lung & Stomach dry-heat or yin deficiency patterns with cough, dry throat, thirst and irritability] • Nourishes yin & releases exterior [yin deficiency with exterior wind-heat invasion causing fever & cough] ♦ Jia Jian Wei Rei Tang: Yu Zhu, Jie Gao, Bai Wei, Bo He, Zhi Gan Cao, Dan Dou Chi, Cong Bai Dosage: • Decoction: 10 – 15 grams • Fresh: more effectively treats yin deficient heat. • Cooking: Congee Cautions/Contraindications • Caution: SP deficiency, damp accumulation, phlegm or qi stagnation. QUIZ END: 1/23/2016 Huáng Jīng 黄精 [Yellow Essence] Siberian Solomon Seal Rhizome, Polygonati [Type of yam] Sweet, Neutral [LU, SP, KD] • Nourishes yin & moistens Lungs [dry cough with little sputum production, shortness of breath due to Lung qi & yin deficiency] ♦ <i>Sha Shen, Zhi Mu, Chuan Bei Mu</i> • Tonifies Kidney, augments essence [Kidney deficiency and waning essence with low back pain, lightheadedness and weakness of the lower extremities] • Tonifies Spleen qi & augments Spleen yin [Spleen & Stomach Qi deficiency with lassitude, fatigue and loss of appetite; also for SP and ST yin deficiency with dry mouth, loss of appetite, loss of taste, dry stools and a dry, red tongue] • Dosage: Decoction: 10 – 20 grams in ♦ Fresh: Use up to 30 – 60 grams • WM: Antibiotic, antidiabetic, cardiovascular [increase HR, reduce BP], antihyperlipidemic, adaptogenic, [supports many types: Ren Shen, Xi Yang Shen, Huang Qi]	Bǎi Hé (百合) [Hundred Meetings] Lily Bulb [LU, HT] [Looks like garlic] Sweet, Slightly Bitter, Slightly Cold • Moistens Lungs, clears heat, stops cough [Deficiency] [Lung-dryness or Lung-heat cough and sore throat, or for cough with blood-streaked sputum] ♦ <i>Zhi Mu, Xuan Shen, Bei Mu</i> • Clears Heart, Calms Spirit [Xu/Shi] [intractable low-grade fever, insomnia, restlessness and irritability in the aftermath of a febrile disease] ♦ <i>Zhi Mu, Sheng Di Huang</i> ♦ <i>Huang Lian, Zhi Zi</i> • Dosage: Decoction: 10 – 30 grams Cautions/Contraindications • Contraindications: Middle jiao deficiency, diarrhea, loose stools, cough due to wind-cold or phlegm Gǒu Qǐ Zǐ (枸杞子) [Spiny Shrub Seed] Chinese Wolfberry Fruit Sweet, Neutral [LU, LV, KD] • Nourishes & tonifies LV & KD, Brightens Eyes [LV & KD deficiency patterns where the essence and blood are unable to nourish the eyes. Manifestations: dizziness, blurred vision, diminished visual acuity] ♦ <i>Shu Di Huang, Ju Hua, Tian Men Dong</i> ♦ <i>Gou Qi Zi, Ju Hua, Shi Hu</i> • Enriches yin & moistens Lung [chronic or consumptive Lung disorders due to Lung yin deficiency, such as dry cough with scanty sputum that is difficult to expectorate or afternoon fever. ♦ <i>Mai Dong, Zhi Mu, Chuan Bei Mu</i> • Blood tonic [food therapy] • Dosage: Decoction: 5 – 10 grams Cautions/Contraindications • Caution: SP & ST deficiency diarrhea • Contraindicated: Excess or exterior conditions. • WM: Immunostimulant, hematological (increase red & white blood cells), antineoplastic • Soup: Huang Qi, Ren Shen Sha, Da Zao, rice, Gou Qi Zi	Sāng Shēn (桑椹) Mulberry Fruit Spike Sweet, Cold [HT, LV, KD] • Tonifies blood & enriches yin [dizziness, tinnitus, insomnia and prematurely gray hair. • Premature greying of the hair due to Liver and Kidney deficiency ♦ <i>Zhi He Shou Wu, Han Lian Cao, Nu Zhen Zi</i> ▪ Also for constipation in elderly • Blurred vision and insomnia due to yin and blood deficiency. ♦ <i>Sheng Di Huang, Shi Hu, Gou Qi Zi, Bai He</i> • For concurrent qi deficiency ♦ <i>Xi Yang Shen, Huang Qi</i> • Dryness if the mouth and throat and irritability [HEAT] resulting from deficiency of blood and fluids ♦ <i>Mai Men Dong, Tian Hua Fen, Lu Gen</i> • Moistens Intestines [constipation due to blood deficiency or insufficient fluids] ♦ <i>Huo Ma Ren, Hei Zhi Ma, Dang Gui, Zhi Ke</i> • Nature: harmonious & gentle, tonifying blood and yin without being cloying or upsetting digestion. • Tonifies Blood & Yin at same time • Dosage: ♦ Decoction: 10 – 15 grams ♦ Also used in paste, grain-based liquor, pill or powder forms.

[24] Tonify Yin	[24] Tonify Yin	[24] Tonify Yin	[24] Tonify Yin
Hàn Lián Cǎo (旱莲草) [Eclipta] Sweet, Sour, Cool [LV, KD] • Nourishes & tonifies LV & KD yin [LV & KD yin deficiency with dizziness, blurred vision, vertigo and premature graying of the hair] ♦ <i>Han Lian Cao, Nu Zhen Zi (Er Zhi Wan)</i> • Cools blood & stops bleeding (Secondary) [Yin deficiency patterns with bleeding due to heat in the blood, with such symptoms as vomiting or coughing blood, nosebleed, blood in the stool, uterine bleeding and, especially, blood in the urine] • Essential herb with a cold property that nourishes yin, cools the blood and stops bleeding. ♦ Fresh herb: stronger for cooling the blood than the dried form. ▪ Can be used alone. ♦ <i>Sheng Di, E Jiao, Pu Huang, Bai Mao Gen</i> Dosage: • Decoction: 10 – 15 grams • Fresh: 20 – 30 grams [clears heat and cools the blood more strongly than the dried herb] Cautions/Contraindications • Cautions: SP & KD deficiency, patients with cold & diarrhea. • WM: Nǚ Zhēn Zǐ (女贞子) Privet Fruit, Ligustrum Bitter, Sweet, Cool [KD, LV] • Nourishes tonifies LV & KD (Mini Kidney bean → KD shape) [LV & KD yin deficiency with dizziness, spots before the eyes, soreness of the lower back, premature graying of the hair, and tinnitus] (Er Zhi Wan) • Augments LV & KD (↑ function), Clears Yin Deficient Heat ♦ <i>Di Gu Pi, Mu Dan Pi, Sheng Di Huang</i> • Augments LV & KD, Brightens Eyes [diminished visual acuity in patients with Liver and Kidney deficiency] ♦ <i>Shu Di, Tu Si Zi, Nu Zhen Zi</i> ♦ In formula, not food therapy • Dosage: decoction: 10 – 15 grams Cautions/Contraindications • Contraindicated: Yang deficiency, SP & ST deficiency cold diarrhea. • WM: Immunostimulant, antidiabetic, antihyperlipidemic, hematological, antibiotic	Guī Bǎn (龟板) [Fresh-Water Turtle Shell] Salty, Sweet, Cold [HT, LV, KD] • Nourishes Yin & Anchors Yang [yin deficiency with ascendant yang, yin deficiency with Liver wind or warm febrile disease damaging the yin with night sweats, dizziness, vertigo, headache, tinnitus] ♦ <i>Sheng Di Huang, Shi Jue Ming, Ju Hua</i> ♦ Anchoring Function: Ci Shi • Nourishes yin & clears heat [yin deficiency with heat that manifests as steaming bones, tidal fevers, night sweats, nocturnal emissions and irritability. ♦ Er Zhi Wan: Nu Zhen Zi, Han Lian Cao + [Zhi Mu, Huang Bai] ♦ <i>Zhi Mu, Huang Bai, Gui Ban (da bu yin wan)</i> • Tonifies KD, Nourishes Yin & Strengthens The Bones (Anti-aging): [Kidney yin deficiency with soreness of lower back, weakness in legs, retarded skeletal development in children or fontanel closure failure] • Nourishes blood & tonifies Heart [Anchoring nature] [Heart blood deficiency with anxiety, insomnia, heart palpitations and forgetfulness] ♦ <i>Long Gu, Shi Chang Pu, Yuan Zhi</i> ♦ <i>Wu Jia Shen, Ren Shen [soup]</i> • Nourishes yin & blood, clears heat, cools blood & stops uterine bleeding [excessive menstruation or uterine bleeding caused by reckless movement of hot blood] ♦ E Jiao + Gui Ban: Heavy duty Dosage: • Decoction: 10 – 30 grams • Regular: More anchoring, heat clearing • Gui Ban Jiao (Gelatin from boiling shell, Looks similar to E Jiao): More nourishing, more tonic • Crush to increase surface area and pre-decoct (at least 30-40 minutes) to facilitate extraction. Cautions/Contraindications • Contraindicated: Pregnancy, diarrhea, deficiency cold, damp-cold •	Biē Jiǎ (鳖甲) [Not salt water] [Chinese Soft-Shell Turtle Shell] Salty, Slightly Cold [LV] • Nourishes Yin & Anchors Yang [post-febrile deficiency heat with low grade fever, steaming bone sensation, night sweats and thirst] ♦ Liver wind [tremors, dizziness, tinnitus, headache, muscle spasms, convulsions] • Nourishes yin & clears heat [yin deficiency with heat that manifests as steaming bones, tidal fevers, night sweats, nocturnal emissions and irritability] Comparison • Gui Ban & Bie Jia: Both nourish yin and clear deficiency heat. • Bie Jia: stronger for clearing heat. • Yin deficiency with heat ♦ Qing Hao, Sheng Di, Mu Dan Pi, Zhi Mu (Qing Hao Bie Jia Tang) • Softens hardness & dissipates nodules [Zhi Bie Jia] [chest & flank accumulations causing pain and amenorrhea; malarial disorders with palpable masses, amenorrhea, enlarged spleen, mastitis] Dosage: • Decoction: 10 – 30 grams • Crush to increase surface area and pre-decocted to facilitate extraction. • Unprocessed: Nourish yin & dispels deficiency heat. • Vinegar-processed [Zhi Bie Jia]: Dissipates nodules and softens masses. Cautions/Contraindications • Contraindicated: ♦ Pregnancy [dissipating & dispersing functions] (Don't want to soften the fetus) ♦ SP deficiency diarrhea, Incomplete recovery from exterior disorder. •	Hēi Zhī Má (黑芝麻) Black Sesame Seeds Sweet, Neutral [KD, LV, LI] • Nourishes & fortifies LV & KD ♦ Blurred vision, tinnitus, dizziness ♦ Help patients recover after a severe illness] • Nourishes blood [headaches, dizziness and numbness due to blood or yin deficiency] ♦ Use coffee grinder to break down • Moistens & lubricates Intestines [constipation due to dry Intestines or blood deficiency (fatty oils)] • Food therapy: Black sesame w/ Gou Qi Zi Dosage • Decoction: 10-30 g • Toasted: • Use individually or powder • Mix with Da Zao • Make honey pills Yin Er (银耳) [Tremella] Tremella Fruiting Body, Wood Ear [Looks like a white flower] Sweet, Bland, Neutral [LU, ST] • Nourishes LU & ST Yin, • Generates fluids [LU & ST Yin Xu] [Yin deficiency with ascendant yang, especially with emaciation & five center heat. Lung consumption] • More commonly used as a food than in decoctions.

[25] Tonify Yang	[25] Tonify Yang	[25] Tonify Yang	[25] Tonify Yang
KD Yang Xu: Cold, low sex drive, back pain, knee pain Lù Róng (鹿茸) [Deer Antler] Deer Antler, Hairy Deer Horn Sweet, Salty, Warm [KD, LV] • Tonifies Kidney Yang & Replenishes Kidney Jing (Essence) [fatigue, impotence, low sex drive, cold extremities, lightheadedness, tinnitus, soreness and lack of strength in the lower back and knees, infertility and frequent, copious, clear urination] ♦ <i>Ren Shen, Shu Di, Gou Qi Zi</i> • Tonifies LV & KD, Nourishes Essence (KD) & Blood (LV), Strengthens Sinews & Bones [Blood tonic: Bone marrow] [Especially in children with deficient essence and blood, resulting in delayed physical and mental growth, delayed closing of the fontanel, mental retardation or learning disabilities] ♦ <i>Shu Di, Shan Yao, Shan Zhu Yu</i> ♦ Blood tonic: Fresh antlers soaked in hard liquor, anti-aging • Tonifies LV & KD, Regulates Chong & Ren Mai, stabilizes Dai Mai [Chong & Ren deficient cold leading to vaginal discharge or heavy uterine bleeding; also for infertility caused by a cold womb] ♦ <i>Dang Gui, Pu Huang, Wu Zei Gu</i> ♦ Don't need to use the top of the line for gynecological issues • Heals chronic yin sores and boils [Especially for chronic ulcerations and yin-type boils (those that are concave, ooze clear fluid and do not heal). Similar to Huang Qi] Dosage: • Decoction/Powder: 1 – 3 grams • Start with low dose [good quality] & gradually increase dose. • Weak ligament (food therapy): Beef tendon & boil with deer antler, Gui Zhi, Sheng Jiang • Usually not decocted with other herbs. Often double steamed or made into soup with lean meat. (Simmer for long time) [Similar to Ren Shen] Cautions/Contraindications • Caution: High dosage can raise yang & cause internal wind → dizziness or red eyes, or damage yin & blood. • Contraindicated: Yang rising, internal/exterior heat conditions or phlegm heat. • WM: Cardiovascular [low dose: no change, moderate dose: positive chronotropic & inotropic effects, large dose: dilates blood vessels & decreased blood pressure], endocrine [increase testosterone], gastrointestinal [peptic ulcer], improves wound healing, general strengthening, impotence, diarrhea, hyperplasia of mammary glands	Lù Jiǎo (鹿角) Salty, Warm [LV, KD] [No Marrow, Bone only] • Tonifies Kidney yang (Substitute for Lu Rong, but less strong) • Invigorates blood, disperses blood stasis and reduces swelling • Indications: carbuncle, breast abscess, pain due to blood stagnation, or back, bones and tendon pain. • Dosage: 5 – 10 grams. [Higher dosage: 10-20 grams] • Used internally and topically. Lù Jiǎo Jiāo (鹿角胶) Sweet, Salty [LV, KD] [Deer Antler Gelatin] • Tonifies Liver and Kidney, replenishes essence and blood. • Stops bleeding [Combine with E Jiao, especially for GYN bleeding] • Indications: Kidney yang, essence and blood deficiency, bleeding due to deficient cold, and general deficiency. • Dosage: 5 – 10 gram in pill or powder form. • Needs to be dissolved separately [slowly] with water or Huang Jiu if used in a decoction. [Stir constantly to make sure it doesn't burn on bottom] Lù Jiǎo Shuān (鹿角霜) [Sediment after making Lu Jiao Jiao] • Tonifies the Kidney yang • Astringent to stop bleeding or leakage of body fluids [GYN: Heavy menstrual bleeding, leukorrhea] ♦ Kidney yang deficiency with Spleen and Stomach deficient cold leading to lack of appetite, nausea and loose stool ♦ Cold uterus leading to bleeding, vaginal discharge ♦ Topical for trauma bleeding, or chronically weeping non-healing ulcers. • Dosage: 10- 15 grams internal and topical use. • Cheaper, affordable •	Bǎ Jī Tiān 巴戟天 [Morinda Root] Acrid, Sweet, Slightly Warm [KD] • Tonifies Kidney & Assists Yang [Kidney yang deficiency with fatigue, impotence, cold extremities, irregular menses, infertility, abdominal pain due to cold or frequent, copious, clear urination.] ♦ <i>Yi Zhi Ren, Sang Piao Xiao, Tu Si Zi.</i> • Disperses wind and expels damp-cold, tonifies the Kidney yang • Bi (Wind Cold Damp) [Bi syndromes caused by wind-cold-damp with Kidney deficiency, knee or back pain or weakness and muscle atrophy] • Dosage: 10 – 15 grams in decoction. • Unprocessed: Warms yang. • Salt frying: ↑ warmth, more strongly tonifies KD, strengthens muscles & tendons. Cautions/Contraindications • Caution: yin deficiency with heat or in damp-heat, excess heat • WM: Increase body weight, improve physical performance, endocrine Ròu Cóng Róng (肉苁蓉) [Cistanche, Desert-Living Cistanche] Sweet, Salty, Warm [KD, LI] [Expensive] • Tonifies Kidney Yang, Jing (Essence) & Blood (Anti-aging) [Similar to Lu Rong] [deficient Kidney yang with impotence, spermatorrhea, infertility & cold pain, weakness in lower back & knees] • Moistens Intestines & facilitates the passage of stool [constipation due to dry Intestines from inadequate fluids [KD Yang Xu]; especially in elderly, but also in debilitated people or those with blood or qi deficiency. Large dose required] ♦ <i>Huo Ma Ren, Yu Li Ren</i> • Dosage: 10 – 20 grams in decoction. Recommended dose for this herb is relatively high. Small amounts usually don't show immediate effect [Mild Herb] • Salt-frying: directs to KD & enhances ability to treat impotence, low back pain and infertility. Cautions/Contraindications • Contraindicated in patients with diarrhea or constipation due to excess heat. • WM: Immunostimulant, endocrine [increase secretions by hypothalamus, pituitary], gastrointestinal [increases peristalsis]	Xiān Máo 仙茅 [Immortal Grass] [Common Curculigo Rhizome] Acrid, Hot, Toxic [KD] • Tonifies Kidneys & Fortifies Yang ♦ Kidney Yang deficiency: Impotence, urinary incontinence and nocturnal emissions ♦ Infertility: cold womb (women) or cold essence (men) [Safe to use even though it's toxic] ♦ Chest or abdominal cold pain • Expels cold & eliminates dampness • Bi (Cold Damp) [damp-cold painful obstruction with generalized pain, weakness in the bone and sinews, lower back & knee pain] Dosage: • 3 – 10 grams in decoction. • Xian Mao is hot and toxic. • Long-term use not recommended [Similarity to Fu Zi, Rou Gui] Cautions/Contraindications • Contraindications: yin-deficient heat or excess heat syndromes. • WM: Immunostimulant, CNS suppressant, reproductive [stimulates reproductive system, increases weight of ovaries or testicles], low toxicity [no fatalities in mice] Yín Yáng Huò (淫羊藿) [AKA: Yang Huo Ye] [Honey Goat Herb] [Aerial Parts Of Epimedium] Acrid, Sweet, Warm [LV, KD] • Tonifies Kidney & fortifies yang [Similar to Ba Ji Tian] (1st line Kidney herb, good for daily use) ♦ [KD Yang Xu: impotence, spermatorrhea, frequent urination, painful cold or weak lower back and knees] • Expels cold & eliminates dampness • Bi (Cold Damp) [damp-cold painful obstruction with generalized pain, a sense of weakness in the bones and sinews, and lower back and knee pain] Dosage: • Decoction, Tincture, Pills: 10 – 15 g • Unprocessed: More strongly dispels wind damp & relieves Bi Zheng. • Fried: Enhances effect to tonify Kidney yang and treat impotence. Cautions/Contraindications • Caution: Yin deficient fire. • WM: Sexual, reproductive [increases sperm production, increases sexual desire & activity, leaves & root have strongest therapeutic effect, followed by fruit], respiratory [antitussive], antibiotic, cardiovascular [anti-hypertensive], antihyperlipidemic, antidiabetic, anti-inflammatory • Studies: Coronary artery disease, neutropenia [during chemo], chronic bronchitis, poliomyelitis, neurasthenia, viral myocarditis

[25] Tonify Yang	[25] Tonify Yang	[25] Tonify Yang	[25] Tonify Yang
Hú Lú Bā (胡芦巴) [Small Herb] Fenugreek Seed, Trigonella Bitter, Warm [KD, LV] • Warms Kidney, disperses dampness and cold, alleviates pain • KD yang deficiency with accumulation of cold or stagnant qi with abdominal or flank distention & pain or hernial disorders • Blood tonic, lactation END QUIZ: 1/31/2016 Dù Zhòng (杜仲) [Eucommia Bark] Sweet, Slightly Acrid, Warm [KD, LV] • Tonifies LV & KD, strengthens sinews and bones [LV & KD deficiency with weak or painful low back and knees [YY], fatigue, and frequent urination] • Niu Xi (ox knee), Du Huo • Calms Fetus [Bleeding during pregnancy. LV or KD deficiency] • <i>Shan Yao, Du Zhong, Xu Duan, Tu Si Zi</i> • Recently used for treating dizziness and lightheadedness (hypertension) due to Liver Yang rising • <i>Bai Shao, Shi Jue Ming, Xia Ku Cao, Huang Qin</i> Dosage: • Decoction: 10 – 15 grams [Higher] • Daily herb • Dry-fried: more effective to tonify Liver and Kidney • Toasted best to tonify [no longer stretches → loses elastic quality] • WM: CNS sedative, immunostimulant, anti-inflammatory, anti-hypertensive, uterine relaxant (salt-fried), adaptogenic • Huang Bai (salt-fried): More specific to KD Xù Duàn (续断) [Connect the Broken] Japanese Teasel Root, Dipsacus Bitter, Acrid, Slightly Warm [KD, LV] • Tonifies LV & KD, strengthens sinews and bones (often paired with Du Zhong → more than LBP & WOK) [Sore & painful lower back and knees, stiffness in the joints, and weakness in the legs from liver and kidney deficiency] • Stops uterine bleeding, calms fetus [Restless fetus, bleeding during pregnancy, and threatened miscarriage. Also used for deficiency-related uterine bleeding and vaginal discharge] • Promotes movement of blood, alleviates pain and strengthens tendons and bones. [Trauma, external disorders (sores), especially for pain & swelling in lower back & limbs from trauma] • Chi Shao, Mu Dan Pi	Gǒu Jǐ (狗脊) [Dog's Spine] Chain Fern Rhizome, Cibota, Cibotum Bitter, Sweet, Warm [KD, LV] • Tonifies Liver & Kidneys & Strengthens The Sinews And Bones [LV & KD deficiency with stiffness, soreness, or weakness in lower back, spine, and lower extremities] • Expels wind & dampness • Bi (Wind Cold Damp) [Pain, soreness or numbness. Especially useful in patients with Wind Cold Damp with underlying LV & KD deficiency. • Stabilizes Kidney [Urine incontinence & vaginal discharge due to kidney yang deficiency] • Lu Rong, Shan Yao, Bai Guo Gǔ Suì Bǔ (骨碎补) [Bone Fracture Tonify/Repair] Drynaria Rhizome Bitter, Warm [KD, LV] • Tonifies Kidney [KD Xu: weak low back & knees, diarrhea, tinnitus, diminished hearing, and loose, painful teeth and bleeding gums] • [2nd line] General tonic • Invigorates Blood, Stops Bleeding, Promotes Mending Of Sinews & Bones [traumatic injuries (falls, fractures, contusions, and sprains), Especially useful for ligamentous injuries and simple fractures] • Similar to Tu Bie Chong but more tonifying [Ru Xiang, Mo Yao] • WM: ↑ absorption of calcium, osteoarthritis, ↓ cholesterol	Bǔ Gǔ Zhī (补骨脂) [BIG Herb!!!!] [Tonify Bone Resin] Psoralea Fruit Acrid, Bitter, Very Warm [KD, SP] • Tonifies Kidney, fortifies yang [Kidney yang deficiency (impotence, premature ejaculations, enuresis, urinary frequency, cold & painful lower back, or weakness of lower back & extremities). Also • Helps kidneys grasp Qi (wheezing) • Combine with Lu Rong, • Stabilizes Essence, Retains Urine [Kidney jing deficiency: enuresis, urine incontinence, spermatorrhea, frequent urination] • Yi Zhi Ren, Jin Ying Zi, Qian Shi • Coughing, Wheezing (KD Yang Xu): Bai Guo, He Tao Ren, Feng Mi • Tonifies & warms KD & SP yang [Diarrhea (SP deficiency cold), borborygmus, abdominal pain. • Best for both SP & KD deficiency. • Bu Gu Zhi, Rou Dou Kou, Wu Wei Zi, Wu Zhu Yu (Si Shen Wan) • Dosage: 5 – 10 grams in decoction. Cautions/Contraindications • Acrid, warm and drying: Long-term use may lead to depletion of Yin. • Contraindications: Yin-deficient heat and constipation. • WM: Cardiovascular, respiratory, antibiotic, immunostimulant, smooth muscle (stimulates intestines, relaxes uterus), antineoplastic • Clinical studies: psoriasis, neutropenia, alopecia, white vulvar lesions, uterine bleeding, enuresis Yì Zhì Rén (益智仁) [Know well!!!!] [Benefit Intelligence Seed] Alpinia Fruit, Sharp-Leaf Galangal Acrid, Warm, Astringent [KD, SP] • Warms SP & KD Yang, dispels Cold • Warms Spleen, ↑ appetite, stops excessive salivation (specialty) & diarrhea. • SP or ST deficiency Cold diarrhea, cold abdominal pain, excessive salivation, thick, unpleasant taste in mouth. • Abdominal pain, vomiting, and diarrhea (cold entering SP & KD) • Saliva controlled by Spleen • Warms Kidney, retains essence & holds in urine [• KD Yang Xu: frequent & copious urination, urine incontinence, spermatorrhea, urine dribbling • Also: irregular uterine bleeding • Shan Yao, Wu Yao (Suo Quan Wan) • Dosage: 3 – 6 grams in decoction. Cautions/Contraindications • Contraindications: yin deficient heat or heat leading to frequent urination or spermatorrhea.	Dōng Chóng Xià Cǎo (冬虫夏草) [BIG HERB!!!!] [Winter Bug Summer Herb] Cordyceps, Chinese Caterpillar Fungus Sweet, Warm [LU, KD] • Tonifies KD yang & augments KD jing (Essence) → Anti-aging [Longevity remedy] • KD Yang Xu: Impotence, sore & weak lower back and lower extremities • <i>Du zhong, yin yang huo, ba ji tian</i> • Tonifies KD yang, augments LU yin, transforms phlegm, stops bleeding • Chronic cough, wheezing from deficiency, or consumptive cough with blood-streaked sputum. [Lung cancer, TB] • Tonifies both yin & yang • Very safe substance, it can be taken over a long period of time. • <i>Sha Shen, E Jiao, Chuan Bei Mu</i> • Dosage: 5 – 10 grams in decoction or soup. • Always cook separately or combine with meat • Can also powder Cautions/Contraindications • Caution: exterior conditions • WM: Adrenocortical (hormone stimulants), immunostimulant, male reproductive (increases sperm count & motility), sedative, hypnotic, cardiovascular (decrease BP, oxygen requirement of cardiac muscles), anti-arrhythmic, lowers cholesterol, antineoplastic, respiratory (dilate & relax bronchi muscles → asthma) • Studies: sexual dysfunction, hyperlipidemia, low platelet, kidney impairment Gě Jiè (蛤蚧) [Gecko] Salty, Neutral [LU, KD] • Tonifies KD & LU, relieves cough and wheezing [KD & LU deficiency, when the kidneys are unable to grasp the qi (wheezing). Also used for consumptive cough or cough with blood-streaked sputum (chronic lung conditions: emphysema, chronic bronchitis)] • <i>Ren shen, xing ren, chuan bei mu</i> • Assists Kidney yang, augments essence and blood [Impotence, daybreak diarrhea, and urinary frequency from kidney yang deficiency] • <i>Ren shen, lu rong, yin yang huo</i> Dosage: • Decoction or soup: 3 – 7 grams • Powder: 1 – 2 grams • Often soaked in alcohol or herbal wine Cautions/Contraindications • Contraindications: cough or wheezing caused by exterior conditions, or in cases of excess heat • WM: Reproductive, respiratory (soaked in hard liquor), immunostimulant, adrenocortical

[25] Tonify Yang	[25] Tonify Yang	[25] Tonify Yang
Hú Táo Rén (胡桃仁) [Walnut] Sweet, Warm [KD, LU, LI] • Tonifies KD, strengthens back & knees [patterns of kidney deficiency with such symptoms as cold and painful back and knees and urinary frequency] • Warms LU & helps KD grasp Qi [Lung deficiency chronic cough and wheezing that worsens with any exertion due to LU & KD deficiency] ♦ KD grasp Qi: Ci Shi, Chen Xiong • Moistens Intestines & unblocks bowels [constipation in elderly or associated with injured fluids following a febrile disease] • Dosage: 10 – 30 grams (Higher) • Cautions: Yin-deficient fire (warm property), cough or wheezing with yellow phlegm or with loose stools. Zi Hé Chē (紫河车) [Human Placenta] Sweet, Salty, Warm [LV, LU, KD] • Tonifies LV & KD, Replenishes Jing (essence) [infertility, impotence, spermatorrhea, decreased libido, low back pain, lightheadedness, and tinnitus from insufficiency of kidney qi and debility of the essence and blood] • Tonifies Qi & nourishes blood [emaciation, pallor, and/or insufficient lactation due to exhaustion of qi and blood, especially in the aftermath of a major illness. Also used for unremitting seizure disorders] ♦ Dang Shen, Huang Qi, Shu Di Huang, Dang Gui • Tonifies LU Qi, augments KD essence [wheezing due to LU & KD deficiency. Especially useful between acute attacks or for consumption with night sweats, emaciation, and debility, as well as chronic cases of cough and wheezing] • Dosage: 1.5 – 3 grams in powder, two to three times daily. • Double dosage for severe cases. • Cautions: Zi He Che should not be used alone for yin-deficient patients with heat signs • WM: Immunostimulant, lung cancer	Tù Sī Zǐ (菟丝子) [Rabbit String Seed] Chinese Dodder Seeds, Cuscuta Acrid, Sweet, Neutral [LV, KD] • Tonifies KD yang & yin, Consolidates Kidney jing (essence), Reserves the urine [kidney yang deficiency with such symptoms as impotence, nocturnal emissions, premature ejaculation, tinnitus, urinary frequency, sore painful back, or vaginal discharge] ♦ Shan Yao, Du Zhong, Fu Pen Zi, Wu Wei Zi • Tonifies KD & LV, Improves Vision [LV & KD yin & yang deficiency with dizziness, tinnitus, blurred vision, or spots before the eyes] ♦ Shu Di Huang, Che Qian Zi, Ju Hua, Gou Qi Zi • Tonifies SP & KD, stops diarrhea [diarrhea or loose stools with a lack of appetite from deficiency of both spleen and kidney. Tonifies the spleen by supporting the kidney. • Calms fetus: Important herb for habitual or threatened miscarriage. ♦ Xu duan, sang ji sheng, e jiao (Shou Tai Wan) • Dosage: decoction: 10 – 15 grams • Cautions: Although Tu Si Zi is neutral in thermal property, it tonifies Kidney yang more than it does Kidney yin. Therefore, it should be used with caution in cases of yin-deficient heat or dryness, constipation or scanty dark urine. • WM: Hepatoprotective, general tonic Suǒ Yáng (锁阳) [Lock Yang] Fleshy Stem Of Cynomorium Sweet, Warm [LV, KD, LI] (Secondary) • Tonifies KD & fortifies yang [KD yang deficiency leading to impotence, infertility, urinary frequency, and spermatorrhea. • Nourishes Blood, augments the essence & strengthens sinews [atrophy disorder from liver and kidney deficiency] ♦ Shu Di Huang, Gui Ban, Hu Gu • Moistens Intestines, unblocks bowels [Constipation from qi or blood deficiency] ♦ Dang Gui, Huo Ma Ren, Xing Ren ♦ Similar to Rou Cong Rong • Dosage: 10 – 15 grams in decoction. • Cautions: contraindicated in patients with diarrhea caused by Spleen deficiency or constipation from excess heat or yin-deficiency with deficient heat.	Jiǔ Zǐ (韭子) [Chinese chive seeds] (Small black seeds) Tuber Onion Seed, Allium Seed Acrid, Sweet, Warm [LV, KD] • Tonifies LV & KD, warms the back and knees, fortifies Kidney yang. [Impotence, spermatorrhea, urinary incontinence or frequency, vaginal discharge, and weak cold sensation, and sore lower back and knees] • Tonifies LV & KD, consolidates Jing (essence) [Leakage conditions: spermatorrhea, frequent and copious urine, urinary incontinence, vaginal discharge due to kidney yang deficiency] • Contraindication: Yin deficiency with deficient heat • Dosage: Standard

[26] Transform Phlegm	[26] Transform Phlegm	[26] Transform Phlegm	[26] Transform Phlegm
- Resolve phlegm, arrest cough and relieve wheezing [SP, LU] - Phlegm forms as a result of poor water metabolism. - Coughing, often with phlegm, herbs stop cough, transform phlegm Warm herbs that dispel cold phlegm Cold herbs that clear hot phlegm - Herbs that stop coughing and relieve wheezing - Phlegm is a component or cause of many other diseases. [Phlegm misting mind] - Cautions: Don't use for treatment of cough or phlegm during initial stages of rashes or measles. [Early stage EPI] - Some stimulating herbs such as Bai Fu Zi, Jie Geng, Bai Jie Zi should not be used for treatment of patients who are coughing blood, as they may aggravate bleeding. - Pharma: Expectorant, anti-tussive, Anti-asthmatic, anti-epileptics Bàn Xià [半夏] [Mid Summer] Pinellia Tuber, Panellia Acrid, Warm, Toxic, Dry [SP, ST, LU] [Daily Herb] Yao Yao for All Phlegm Conditions - Dries dampness, transforms phlegm and causes rebellious qi to descend: [Know direction!!!] - Cough with copious sputum, as in conditions of phlegm cold in LU - Acrid, warm and drying: Enters SP & LU to eliminate phlegm both from the source and from wherever it has accumulated. - Treats various phlegm accumulations & complications. - Profuse sputum, LU phlegm cough Chen Pi, Fu Ling, Gan Cao (Er Chen Tang) [Base formula for phlegm] → Review all herbs - Watery sputum with nausea and vomiting from cold phlegm: <i>Xi Xin, Gan Jiang</i> - Copious yellow sputum indicating hot phlegm [Ban Xia hot, but can use for heat in proper combination] <i>Huang Qin, Shi Gao, Zhi Mu</i> Descends and harmonizes ST & stops vomiting: - Phlegm-dampness in ST that rebels upward, causing nausea & vomiting. - Excellent effect for treating nausea & vomiting: dries dampness, dissolves phlegm, harmonizes ST and redirects abnormal qi flow. - Nausea & vomiting [Cold & Phlegm] Sheng Jiang, Ban Xia (Xiao Ban Xia Tang) [Dang Shen, Ban Zhu] - Nausea & vomiting [ST heat] Huang Lian [leading herb for ST Heat], Zhu Ru - Nausea & vomiting [pregnancy] Leading herb for morning sickness <i>Sha Ren, Zi Su Geng</i>	Bàn Xià (半夏) [Continued] - Dissipates nodules and reduces distention [including cancer] - Nodules, pressure, distention or pain due to phlegm lingering in the chest; phlegm nodules in neck or obstructions caused by phlegm anywhere in the body. Dosage: 5-10 grams in decoction. - Often used in decoction to maximize therapeutic effects and minimize potential side effects. - Processed with ginger & alumen [Ming Fan] to deactivate toxic constituents. Fa Ban Xia: prepared w/ Gan Cao - Soak for 10 days, then put in liquid of Gan Cao & limestone - Dries damp, transforms Phlegm, treats coughing & wheezing with Phlegm Wind Phlegm [dizziness, heart palpitation, headache] Jiang Ban Xia: boiled with fresh ginger & alum → less toxic - Relieves nausea & vomiting - Warms middle jiao, transforms phlegm, redirects rebellious Qi downward Qing Ban Xia: dries damp, transforms phlegm, middle jiao bloating, difficulty bring out phlegm Contraindicated: [Warm & Dry] Dry cough from yin deficiency, sore throat caused by heat & fire, bleeding, hot Phlegm. - Incompatible: Wu Tou - Fresh or unprocessed: Toxic → Used for topical applications only. Overdosage: numbness, swelling and pain of the tongue and throat, dry mouth, upper abdominal discomfort, involuntary salivation, slowed respiration, hoarse voice, slurred speech, difficulty swallowing, nausea, vomiting, abdominal pain, diarrhea, dizziness, headache, palpitations, perspiration, pale face, weak and forceless pulse, irregular breathing and in severe cases, respiratory depression - WM: Antitussive, antiemetic, antineoplastic - Studies: Cervical carcinoma [oral & vaginal application], nausea & vomiting during pregnancy,	Tiān Nán Xīng (天南星) [Heaven Southern Star] Jack-In-The-Pulpit Tuber, Arisaema Bitter, Acrid, Warm, Toxic [LV, LU, SP] - Dries dampness & dissolves phlegm [Stronger than Ban Xia: Only use when not responding to Ban Xia → Extremely Dry nature] Stubborn Phlegm (cough & stifling sensation in chest) - Extremely drying in nature. - Bitter, warm and acrid. Extremely potent in function to dry dampness and dissolve phlegm. - Commonly used to treat various types of phlegm accumulation & complications. When combined with the proper heat-clearing herbs, it can also be used to treat coughing caused by hot phlegm. Damp Phlegm Obstructing LU (cough, profuse white sputum, chest oppression & greasy tongue coating) Chen Pi, Ban Xia, Fu Ling, Zhi Shi [Er Chen Tang base] LU Heat (Cough with copious yellow sputum) <i>Huang Qin, Shi Gao, Zhi Mu, Gua Lou</i> - Disperses Wind-Phlegm in channels - Relieves spasms & convulsions - Wind & phlegm obstructing channels [dizziness, numbness in limbs, facial paralysis, spasms in hands or feet, stroke, seizures or lockjaw] - Dizziness and vertigo <i>Ban Xia, Tian Ma</i> - Numbness of hands & feet, hemiplegia or deviation of eyes and mouth caused by wind-phlegm obstruction in the channels <i>Ban Xia, Bai Fu Zi, Chuan Wu</i> - Seizures & convulsions <i>Shi Chang Pu, Ban Xia</i> Reduces swelling & alleviates pain: - Topical use reduces swelling, dissipates nodules & alleviates pain. - Treats various traumatic & sports injuries, muscle or joint pain and nodules caused by phlegm accumulation. - Used as an anti-cancer remedy.	Dǎn Nán Xīng (胆南星) [Gallbladder Southern Star] [Bile Prepared Tian Nan Xing] Arisaema Pulvis Acrid, Bitter, Cool, Slightly Toxic [LV, LU, SP] Clears Heat, Dissolves Phlegm [Dissolve: Stronger than transform phlegm], Calms wind & relieves convulsions - Phlegm-heat causing cough, convulsions, seizures in infants. Nan Xing (南星) - Dries dampness & dissolves phlegm - Dispels wind-phlegm & relieves convulsions <i>Dan Nan Xing</i> clears heat, dissolves phlegm Dosage: 5-10 grams in decoction. - Unprocessed: Toxic and not suitable for internal use. - Must always be pre-processed, usually with ginger, to make it safe for internal use. <i>Dan Nan Xing</i> dosage is 2-5 grams. Cautions: - Bitter, acrid, warm and toxic; Use with caution for patients with dry cough from yin deficiency or liver wind caused by excess fire or blood deficiency. Cautions/Contraindications Contraindication: Pregnancy Overdosage - Entire <i>Tian Nan Xing</i> plant, from leaves to root, is toxic. - Overdose and adverse reactions associated with ingestion of this plant include numbness of the tongue and mouth, itching, burning sensations, swelling, involuntary salivation, loss of the sense of taste, difficulty opening the mouth, swelling and pain in the tongue and oral cavity, headache, dizziness, palpitations, nausea, vomiting, slurred speech, and hoarse voice. - WM: anti-Seizure & anti-convulsant, sedative, anti-neoplastic [commonly used for solid tumors]

[26] Transform Phlegm	[26] Transform Phlegm	[26] Transform Phlegm	[26] Transform Phlegm
Bái Fù Zǐ (白附子) [White Appendage] Giant Typhonium Rhizome Acrid, Sweet, Warm, Toxic [SP, ST] • Dries dampness, transforms phlegm, expels wind, stops spasms: • Wind & phlegm obstructing channels & collaterals, or affecting head [muscle spasms & cramps, convulsions, tremors, paralysis & deviation of mouth & eyes, Infantile convulsions, seizures, facial paralysis, Bell's palsy, tetanus, wind stroke, hemiplegia, migraines] • Post-stroke eye & mouth deviation ♦ <i>Jiang Can, Quan Xie (qian zheng san)</i> [Pull to correct] • Tetanus, muscle spasms and stiffness of the neck, clenched jaws ♦ <i>Tian Ma, Fang Feng</i> • Headache and migraine ♦ <i>Bai Zhi, Chuan Xiong, Ju Hua</i> • Relieves toxicity, dissipates nodules • Snakebite, scrofula, or other nodules due to phlegm and toxicity. • Used internally & externally. • Dosage: 3-5 grams in decoction. It is commonly used internally and topically. Dosage can be up to 9 grams for severe cases. Cautions/Contraindications • Contraindication: Pregnancy • Fresh or unprocessed herb is toxic and should only be used topically. • Wind Phlegm: First three Bái Jiè Zǐ (白芥子) [White Mustard Seed] Acrid, Warm, Dispersing [LU] • Warms Lungs, regulates LU Qi & expels Phlegm [Cough with thin, copious sputum; chest distention & pain (Cold Phlegm accumulation)] • Moving nature: Open up channels • Topical: Unique • Cold Phlegm in LU [cough, wheezing and dyspnea. • Cough, wheezing with copious, clear thin mucus [Chronic bronchitis] ♦ <i>Su Zi, Lai Fu Zi, Bai Jie Zi (san zi yang qin tang)</i> ▪ [3 sons take care of LU] ♦ <i>Xi Xin, Gan Jiang, Ma Huang</i> • Regulates qi, dissipates nodules, opens channels and alleviates pain: • Cold Phlegm accumulating in channels [joint pain, body aches, yin-type boils, bedsores or watery, oozing sores] • Dosage: 3-10 grams in decoction. • Topical: Mix powder with vinegar • Summer LU Treatment: DU 14, UB 13 & UB 43 [Bai Jie Zi, Xi Xing, Yan Hu Suo] Moxa on ginger Cautions/Contraindications • Contraindications: chronic cough [Lung deficiency], yin deficient fire or excess stomach fire • Cautions: acrid and dispersing	Jié Gēng 桔梗 [Solid And Straight Root] Balloon Flower Root Bitter, Acrid, Neutral, Dispersing [LU] • Opens up & Disseminates LU qi & expels phlegm [One of most essential herbs for LU disorders] ♦ Cough: Wind Heat or Wind Cold [Easygoing herb] ♦ Sore throat • Disperses phlegm & Benefits Throat [Important] • Wind Cold Cough [stuffy nose, sputum, aversion to cold] ♦ <i>Sang Ye, Ju Hua, Xing Ren</i> • Wind Heat Cough [fever, sore throat, thirst, headache] ♦ <i>Bo He, Niu Bang Zi, Jin Yin Hua, Lian Qiao</i> • Promotes discharge of pus [Abscess: Lung or throat] ♦ <i>Jie Geng, Gan Cao (Jie Geng Tang)</i> <i>Gan Cao: moderates intensity (steroid function)</i> ♦ <i>Yu Xing Cao</i> [Leading herb for LU abscess], <i>Yi Yi Ren, Dong Gua Zi, Lu Gen</i> • Benefits throat [Many types of sore throat or loss of voice, [external heat, phlegm-heat or yin xu w/ heat signs (tonsillitis, cancer)] • Directs effects of other herbs ↑ to upper regions of body. ♦ Niu Xi [Goes down & guides] ♦ Jie Geng [Guides herbs upward] • Dosage: 3 -10 grams in decoction. • Doesn't have strong flavor Cautions/Contraindications • Cautions: bitter, dispersing and draining → chronic cough from yin deficiency or cough with blood-streaked sputum [chemical compound breaks down red blood cells] • WM: Expectorant, antitussive, anti-inflammatory, gastrointestinal, antidiabetic, analgesic, antihyperlipidemic, sedative, antipyretic • Drain damp vs. transform phlegm ♦ Different stage of water ♦ Water retention: leach out damp [edema, diarrhea] ♦ Physical phlegm, congealed, phlegm conditions, wind phlegm ▪ Er Chen Tang • Fu Ling can combine with Ban Xia to work together	Xuán Fù Huā (旋复花) [Revolved, Uprturned Flower] Inula Flower Bitter, Acrid, Slightly Warm, Salty [LU, ST, LI, SP] • Expels phlegm, regulates water circulation, & redirects qi downward [especially useful when phlegm accumulates and Qi rebels upward (congested fluid disorder w/ wheezing & copious sputum)] • Dissolves phlegm, regulates qi (downward) and activates water circulation. • Salty: softens hardness & treats stubborn phlegm. • Slightly warm: unblocks stagnation caused by cold & facilitates water circulation. Treats accumulation of phlegm & fluids in Lung. [Not leading herb for treating pleurisy] • Cold: Cough, wheezing and white or clear sputum ♦ <i>Ban Xia, Xing Ren, Tian Nan Xing</i> • Heat: Cough, wheezing and yellow sticky sputum ♦ <i>Huang Qin, Sang Bai Pi, Jie Geng</i> • Descends rebellious Qi and stops vomiting [Used more for this than for Lung] • ST qi reversal. Excellent for redirecting abnormally-rising qi downward and relieving nausea, vomiting and hiccups. • Dosage: 3 -10 grams in decoction. • Wrap in cheesecloth or coffee filter prior to decoction to avoid irritation to the throat or digestive tract by the fuzz on the flowers. • Honey-fried: more effectively moistens LU, dispels phlegm, relieves cough & wheezing. • More commonly used than Tian Nan Xing [not as toxic] • WM: Anti-asthmatic, antitussive, diuretic, antibiotic Bái Qián 白前 [white before] <i>Radix et Rhizoma Cynanchi Stauntonii</i> Root And Rhizome Of Cynanchum Acrid, Sweet, Slightly Warm [LU] • Redirects Qi downward [Mostly just for LU], expels phlegm & stops coughing [excess conditions of the Lung, cough with copious sputum, wind-cold invasion] • Treats cough & wheezing [accumulation of phlegm in LU] • Key herb for treating any respiratory disorder. • Cold Phlegm: Cough and dyspnea ♦ <i>Ban Xia, Kuan Dong Hua</i> • Hot Phlegm: Cough and dyspnea ♦ <i>Huang Qin, Sang Bai Pi</i> • Dosage: 3 -10 grams in decoction. • Honey-fried: enhances moistening effect & makes it more suitable for patients with dry cough and dyspnea due to Lung yin deficiency.	Qián Hú (前胡) [before barbarians] <i>Radix Peucedani</i> Hogfennel Root, Peucedanum Bitter, Acrid, Slightly Cold [LU] • Redirects the qi downward and expels phlegm [cough or wheezing with thick sputum (LU Heat)] ♦ <i>Sang Bai Pi, Zhe Bei Mu, Xing Ren</i> • Disperses & dispels Wind Heat [coughing and copious sputum, fever, headache and sore throat] ♦ <i>Bo He, Jin Yin Hua, Niu Bang Zi, Jie Geng</i> • Dosage: 6 -10 grams in decoction. • WM: Antiplatelet, cardiovascular

[26] Transform Phlegm	[26] Transform Phlegm	[26] Transform Phlegm	[26] Transform Phlegm
Guā Lóu Shí (瓜蒌实) [Whole fruit] Guā Lóu Pí (瓜蒌皮) [Skin] Guā Lóu Rén (瓜蒌仁) [Seeds] <i>Fructus Trichosanthis</i> Trichosanthes Fruit, Snake Gourd Fruit Sweet, Cold [LI, LU, ST] [Important!] • Clears LU & transforms Phlegm Heat [Productive cough with yellow sticky Phlegm, chest congestion and difficult to expectorate Tan, hard stools because of LU & LI heat] • Sweet, cold: Clears LU Heat, moistens LU & thins phlegm [helps clear difficult to expectorate sputum]. Guā Lóu Pí: • Clears LU & ST Heat, transforms Phlegm [Excess] • Dissipates nodules or congestion [Lumpy Breasts, cancer] • Xia Ku Cao, Tian Hua Fen • LU Heat Cough: yellow sticky Phlegm [<i>Gua Lou Pi, Huang Qin, Shi Gao, Zhi Mu</i>] • Chest Bi (painful obstruction of chest), stifling or distended sensation, constriction, pain or diaphragmatic pressure in chest. [Expand/open up chest] • Xiong Bi [Heat] (cough & yellow sputum) ▪ <i>Gua Lou Pi, Huang Lian, Ban Xia</i> (Xiao Xian Xiong Tang) • Xiong Bi [Cold] [cold accumulation in upper jiao] ▪ <i>Gua Lou Pi, Xie Bai, Ban Xia</i> Guā Lóu Rén: • Moistens LU, transforms Phlegm [Deficiency or Excess] • Lubricates intestines to ↑ bowel movement [Dry stool, constipation] • <i>Gua Lou Ren, Huo Ma Ren, Zhi Ke</i> • Dry cough with scanty sputum that is difficult to expectorate • <i>Gua Lou Ren, Xing Ren</i> Guā Lóu Shí: Combine Pi & Ren • Productive cough with yellow, sticky phlegm, chest congestion and hard stools [heat in LU & LI] • <i>Gua Lou Shi, Zhi Shi</i> [Move Qi, especially for constipation], <i>Zhi Mu, Bei Mu</i> • Breast abscess [<i>Gua Lou Shi, Pu Gong Ying, Zi Hua Di Ding, Ru Xiang, Mo Yao, Xia Ku Cao</i>] Dosage: • Gua Lou Shi: 10-20g (decoction) • Gua Lou Pi: 6-12 grams (decoction) • Gua Lou Ren: 10-15g (decoction) • Caution: Incompatible with Wu Tou • WM: expectorant, antibiotic, coronary artery disease [Gua Lou Shi injection]: dilate coronary arteries	Zhé Bèi Mǔ (浙贝母) [Shell Mother From Zhejiang] <i>Bulbus Fritillariae Thunbergii</i> Fritillaria Thunbergii, Thunbergry Bitter, Cold [LU, HT] • Strongly clears Heat, transforms Phlegm • Stops cough [Wind Heat or Phlegm Heat obstructing LU] [Excess, Acute, beginning stage] [Exterior pathogenic factors or interior phlegm-heat] • <i>Sang Ye, Xing Ren, Huang Qin, Gua Lou</i> • Cold & bitter: Strong heat draining function. • WM: Antitussive Chuān Bèi Mǔ (川贝母) [Shell Mother From Sichuan] <i>Bulbus Fritillariae Thunbergii</i> Fritillaria Thunbergii, Thunbergry Bitter, Sweet, Slightly Cold [LU, HT] • Clears Heat, moistens LU, transforms Phlegm and stops cough [chronic dry cough (LU deficiency)] • <i>Sha Shen, Mai Dong, Tian Dong</i> • Chronic dry cough with scanty, difficult to expectorate sputum, either with or without blood. Bei Mu (贝母) [Both Chuan & Bei] • Clears heat and disperses nodules • Scrofula, sores, carbuncles, goiter, breast and lung abscess. • Chuan Bei Mu and Zhe Bei Mu both clear heat and disperse nodules. • Zhe Bei Mu > Chuan Bei Mu • Goiter [Don't use Gua Lou for this] • <i>Mu Li, Xuan Shen</i> • Sores, breast abscess • <i>Pu Gong Ying, Tian Hua Fen</i> • <i>Gua Lou is better</i> • Lung abscess • <i>Yu Xing Cao, Lu Gen, Yi Yi Ren</i> Actions: • Clears heat, transforms phlegm and stops cough. • (<i>Zhe Bei Mu > Chuan Bei Mu</i>) • Clears heat and disperses nodules. • (<i>Zhe Bei Mu > Chuan Bei Mu</i>) • Dosage: 3 to 10 grams in decoction, 1.0 to 1.5 grams in powder. • Cautions: • Zhe Bei Mu: not suitable for cold damp phlegm • Bei Mu: Incompatible with Wu Tou. • WM: Antitussive, expectorant [30 min → 2 hrs]	Zhú Rú 竹茹 [Bamboo Shavings] <i>Caulis Bambusae in Taenia</i> Sweet, Slightly Cold [GB, LU, ST] Less cold than Bei Mu • Clears Heat & transforms Phlegm: • Phlegm Heat obstructing LU or gallbladder fire with Phlegm disturbing the heart shen [Uncertain, unable to make decisions, anxiety, insomnia] • Cough with yellow, copious sticky sputum • <i>Huang Qin, Gua Lou, Dan Nan Xing</i> • Gallbladder Heat with Phlegm causing irritability, insomnia, nausea and chest congestion [Heart, Shen] • <i>Chen Pi, Fu Ling, Zhi Shi</i> (wen dan tang) • Clears heat and stops vomiting [Clear heat: different mechanism for stopping nausea & vomiting than other herbs in section] • Vomiting of bitter or sour material due to heat in the Stomach, with bad breath, aversion to heat and a yellow, greasy tongue • Excellent herb to treat nausea and vomiting. • Clears excess heat, deficiency heat or hot phlegm from the Stomach to relieve nausea, vomiting and acid regurgitation. [Special] • Nausea, vomiting, thirst and epigastric discomfort with yellow greasy tongue coating • <i>Huang Lian, Ban Xia</i> (<i>Huang Lian Ju Pi Zhu Ru Tang</i>) • Nausea and vomiting due to deficiency heat in the stomach [With Qi Tonics] • <i>Ren Shen, Chen Pi, Sheng Jiang</i> • Nausea and vomiting during pregnancy [Not a leading herb for morning sickness] • <i>Sheng Jiang, Su Geng, Ban Xia</i> [<i>Leading herbs</i>] • Dosage: 6 – 10 grams in decoction. • Fresh or unprocessed: Colder in nature and functions more effectively to clear heat. Commonly used to treat Lung heat with cough and thick sputum or accumulation of hot phlegm causing irritability. • Ginger-processed: warmer & more effective to relieve nausea & vomiting. • Nausea & Vomiting Herbs: Ban Xia, Xuan Fu Hua	Fú Hǎi Shí (浮海石) [Floating Ocean Rock] Pumice Salty, Cold [LU] • Clears LU Heat • Expels Phlegm Heat • Heat accumulation in LU with thick, difficult to expectorate sputum, or with coughing up blood. • Accumulation of Phlegm Heat in LU • <i>Huang Qin, Gua Lou, Zhe Bei Mu</i> • LU Phlegm fire [Chronic cough with blood streaks] • <i>Zhi Zi, Qing Dai, Gua Lou Ren</i> • Softens hardness [Salty], dissipates nodules, clears Heat & transforms Phlegm [scrofula and similar disorders caused by Phlegm Fire] • <i>Mu Li, Kun Bu, Zhe Bei Mu</i> • Dosage: 6 – 10 grams in decoction. • Crush into a powder and use in decoction, pills or powder. • Cautions: deficiency cold Cough Hǎi Gé Ké 海蛤壳 [Clam Shell] <i>Concha Meretricis seu Cyclinae Sinensis</i> Bitter, Salty, Cold [KD, LU, ST] • Clears LU Heat, transforms Phlegm [LU Heat cough with thick, difficult to expectorate sputum, with chest & rib pain] • LU Phlegm Heat accumulation (cough with yellow sticky sputum, wheezing, difficult breathing, oppression in chest) • <i>Fu Hai Shi, Bai Qian, Sang Bai Pi</i> • LU Phlegm Fire (cough or wheezing with chest pain) • <i>Qing Dai, Zhi Zi, Gua Lou</i> • Softens hardness & dissipates nodules [Phlegm Fire goiter, scrofula] • <i>Hai Zao, Kun Bu, Wa Leng Zi</i> • Promotes urination [turbid painful urinary dysfunction & vaginal discharge] • Neutralizes gastric acid to relieve pain [ST pain, acid reflux, gastric & duodenal ulcers] • <i>Hai Piao Xiao, Gan Cao, Yan Hu Suo</i> • Calcined: stronger astringent function to heal wounds. • Dosage: 10 - 15 grams in decoction. • Wrap in cheesecloth • Used primarily in powder form.

[26] Transform Phlegm	[26] Transform Phlegm	[26] Transform Phlegm	[26] Transform Phlegm
Hǎi Zǎo 海藻 [Seaweed] <i>Herba Sargassii</i> Salty, Cold [KD, LV, ST] • Dissolves Phlegm, softens hardness ♦ Neck Nodules [scrofula and goiter] ♦ Scrofula: Kun Bu, Xia Ku Cao, Lian Qiao, Xuan Shen ♦ Goiter: Kun Bu, Bei Mu, Qing Pi • Promotes urination, ↓ edema ♦ Adjunctive herb for edema due to leg qi or floating edema. ♦ Combined with other herbs that leach out damp. • Dosage: 10 – 15 grams in decoction Cautions • Incompatible: Gan Cao • Cautions: SP & ST Qi deficiency. • WM: High iodine → thyroid disorders, Immunostimulant Kūn Bù 昆布 [Kelp Thallus] <i>Thallus Laminariae seu Eckloniae</i> Salty, Cold [KD, LV, ST] • Dissolves Phlegm, softens hardness [neck nodules, sensation of fullness, phlegm obstruction in chest] • Promotes urination, ↓ swelling • Action is weak, it is used as an adjunctive herb for edema and leg qi • Dosage: 10 – 15 grams in decoction • Paired herbs: Hai Zao & Kun Bu • WM: Cardiovascular, hypoglycemic	Huáng Yào Zǐ (黄药子) [Yellow Medicine Seed] <i>Tuber Dioscoreae Bulbiferae</i> Dioscorea Bulbifera Tuber Bitter, Cold, Toxic [LV, LU] • Dissipates stagnation • Reduces nodules and masses • Leading herb [YY] for treating thyroid cancer [Soak in hard liquor & drink liquor] Watch LV enzymes ♦ Masses, nodules and goiter. Strongly dissolves phlegm & disperses palpable nodules. ♦ Can be soaked in wine & used individually. [Hai Zao, Mu Li] • Clears heat toxicity, ↓ swellings: ♦ Topically sores or snakebite. ♦ Can be used alone. ♦ Cancer: Many kinds, especially thyroid, esophageal, stomach, liver or colon cancer. • Cools blood & stops bleeding [Nose bleeds, vomiting, coughing up blood] • Mild function to stop cough and arrest wheezing but more effective for treating coughing up blood. • Dosage: 10 – 15 grams Cautions/Contraindications • Long-term use: May cause vomiting, diarrhea, abdominal pain or other gastrointestinal discomfort. • Rare, but associated with potential liver damage → Monitor liver functions when prescribing • Contraindicated: Pre-existing liver disorders [hepatitis, cirrhosis] • WM: Reduce hypertrophy of thyroid gland (does not have effect on normal thyroid), cardiovascular, smooth muscle, antibiotic, thyroid tumors, thyroid adenoma [Huang Yao Zi, Mu Li, Hai Zao...]	Pàng Dà Hǎi 胖大海 [Fat Big Ocean] <i>Semen Sterculiae Scaphigeriae</i> Boat Sterculia Seed Sweet, Cold [LU, LI] • Clears & disseminates LU Qi [sore throat, hoarseness, phlegm-heat cough and constrained LU Qi] • LU Phlegm Heat accumulation or constrained LU Qi. [Cough with yellow, profuse sticky sputum] ♦ <i>Huang Qin, Gua Lou</i> • Heat Damaging LU Qi [Hoarseness and loss of voice] ♦ Mild herb. Can use daily as tea. ♦ <i>Jie Geng, Shan Dou Gen, She Gan</i> ♦ <i>Gan Cao, Jie Geng, Jin Yin Hua, Gou Qi Zi, Mai Dong</i> • Clears Intestines & unblocks bowels [Secondary to LU conditions] • [Mild to moderate constipation due to Heat with concurrent headache or red eyes] • Can be used individually. • Dosage: 3 – 5 pieces in decoction. It is also taken as tea as needed. • WM: Gastrointestinal, antihypertensive	•

[27] Stop Cough	[27] Stop Cough	[27] Stop Cough	[27] Stop Cough
Xing Rén (杏仁) [Apricot Seed] <i>Semen Armeniacae Amarum</i> Apricot Seed, Bitter Apricot Kernel Bitter, Slightly Warm, Slightly Toxic [LU, LI] Compare with Tao Ren [Peach seed] Unique flavor vs. Tao Ren Mai Men Dong vs. Tai Zi Shen • Stops cough & arrests wheezing • [YY] for All Coughing conditions [Many kinds of cough disorders: Heat or Cold; especially externally-contracted dry cough] • Bitter (draining) & lubricating • Enters LU, Direct rebellious Qi ↓ [coughing, dyspnea, wheezing] • Treats initial, acute & chronic stages of cough, depending on herbal prescription. • Wind Cold cough • <i>Ma Huang [LU Herb], Gui Zhi, Gan Cao (Ma Huang Tang)</i> • Wind Heat Cough • <i>Sang Ye, Ju Hua, Bo He (Sang Ju Yin)</i> • Lung Heat Cough & wheezing • <i>Ma Huang, Shi Gao (ma xing shi gan tang)</i> • Dryness consuming LU yin Cough • <i>Sang Ye, Chuan Bei Mu, Sha Shen</i> • Moistens intestines, promotes BM (constipation (high oil content)) • Dosage: 3 – 10 grams in decoction. • Cautions: Infants [toxicity, dosage] or patients with loose stools • Slightly toxic, ↓ by cooking. • WM: anti-hypertensive, antitussive, antiasthmatic, antineoplastic, •	Bǎi Bù (百部) [Hundred Parts] <i>Radix Stemonae</i> Stemona Root, Tuber Stemona Root Sweet, Bitter, Neutral [LU] • Moistens Lung & Stops Cough [acute & chronic cough; especially deficiency cough (yin deficiency, etc) → Wide range of cough disorders [acute or chronic, Cold or Heat, Excess or deficient] • Most essential herb for tuberculosis • Alone: Best for feeble cough [chronic respiratory disorders (Yin deficiency)] • Wind Cough • <i>Jing Jie, Jie Geng, Zi Wan</i> • Whooping cough, spasmodic cough in children • <i>Sha Shen, Chuan Bei Mu, Bai Qian</i> • Cough in tuberculosis, possibly with blood-streaked sputum • <i>Mai Dong, Sheng Di Huang, San Qi, Bai Ji [also E Jiao]</i> • Expels parasites & kills lice (topical) [Function: Very Special] NCCAOM [Topical: Tincture or decoction (head, body lice, fleas, pinworms), itching dermatological disorders] • Pinworms: 30 g cooked to obtain 30 mL of herbal solution, then used as rectal enema each night for 5 nights. • Head & body lice: apply 50% Bai Bu solution topically. • Dosage: 5 – 10 grams in decoction. • Honey Fried [Zhi Bai Bu]: enhances moistening influence → better for cough from deficiency, dryness or weakness. • WM: Respiratory, antibiotic, kills lice & bedbugs [alcohol extract stronger than water] Zi Wǎn (紫菀) [Purple-Soft Roots] <i>Radix Asteris Tatarici</i> Purple Aster Root, Aster Bitter, Slightly Warm [LU] • Relieves cough, transforms Phlegm Cough caused by numerous factors [exterior invasion, interior imbalance, Excess or deficient conditions] • Warm but not hot • Moistening, not drying • Mild nature. • Combine with various herbs to treat different patterns of cough. • Wind Cold Cough • <i>Jing Jie, Zi Su Ye, Bai Qian</i> • Chronic cough with blood-streaked sputum [Lung deficiency] • <i>Zhi Mu, Chuan Bei Mu, Bai Ji, E Jiao</i> • Dosage: 5-10 grams in decoction. • Honey Fried: enhances moistening influence, more suitable for treatment of chronic dry or feeble cough due to Lung deficiency. • WM: respiratory (expectorant), antibiotic, antineoplastic	Kuān Dōng Huā (款冬花) [Welcome Winter Flower] <i>Flos Tussilaginis Farfarae</i> Coltsfoot Flower, Tussilago Acrid, Warm [LU] • Moistens Lung • ↓ rebellious LU Qi • Transforms Phlegm & Stops Cough • [YY] Stop Cough [various causes] • Paired with Zi Wan • Important herb to stop cough due to various etiologies. • Dispersing yet not draining • Warm yet not drying • Most Effective: Cough from: • Cold attacking LU • Chronic cough with blood-streaked sputum. • With proper combinations, can treat upper respiratory infections & wide range of coughing disorders, [Cold or Heat, exterior/internal and Excess or deficient conditions] • Dosage: 5-10 grams in decoction. • Honey fried: Enhances moistening action & more suitable for treating chronic cough due to LU deficiency. • WM: Respiratory, antitussive, expectorant, wheezing, suppress cough, antiasthmatic, cardiovascular, CNS stimulant (Zi) Sū Zi (苏子) [Perilla Seed] <i>Fructus Perillae Frutescentis</i> Purple Perilla Fruit, Perilla Seed Acrid, Warm [LU, LI] • Stop coughing & wheezing • Redirects LU Qi ↓ • Dissolves Phlegm • Benefits diaphragm to relieve many kinds of cough or wheezing caused by either Cold or Heat. • Acrid & warm but not drying. • Cough & wheezing due to phlegm obstruction & food stagnation [profuse sputum, feelings of fullness & oppression in chest & diaphragm regions] • Bai Fu Zi, Bai Jie Zi, Su Zi (san zi yang qin tang) • Moistens Intestine, promote BM [constipation due to dry intestines] • <i>Xing Ren, Gua Lou Ren, Huo Ma Ren</i> • Dosage: 5-10 grams in decoction. • Food therapy: Combine with Bai Jie Zi (mustard seeds)	Sāng Bái Pí (桑白皮) [First Line Herb] [Mulberry White Bark] <i>Cortex Mori Albae Radicis</i> Bark Of Mulberry Root Sweet, Cold [LU], ↓ Direction • Drains LU Heat • Dissolves phlegm, ↓ Qi to stop coughing & wheezing • LU Heat or Phlegm obstructing LU [coughing & wheezing] • Combine: Gua Lou, Zhe Bei Mu, Dan Nan Xing • Best to sedate & drain LU Heat, accompanying Rebellious Lung Qi • Excess LU Heat: coughing & wheezing with yellow copious sputum, pleurisy in chest cavity • ↓ blood pressure. • Promotes urination & reduces edema [Pleurisy] [LU Heat obstructing ↓ movement of LU Qi, preventing water from moving & cutting off perspiration. • Dosage: 10-15 grams in decoction. • Honey fried: Warmer. More effectively moistens LU, relieves dry cough & wheezing. • Huang Qin, Shi Gao, Zhi Mu • WM: Diuretic, cardiovascular, gastrointestinal, analgesic, antibiotic, antitussive, sedative Tíng Lǐ Zǐ (葶苈子) <i>Semen Descurainiae seu Lepidii</i> Descurainia Seeds, Lepidium Seeds Acrid, Bitter, Very Cold [LU, UB] Compare to Su Zi • Sedates & Drains LU • ↓ & Dissolves Phlegm • Calms/relieves wheezing • Excess-type wheezing or cough with copious sputum and a gurgling sound in throat [Phlegm accumulation (chest fullness, congestion & discomfort when lying down) or Lung Heat. (hydrothorax)] • Pleurisy, water retention in the thoracic cavity: Combine with Sang Bai Pi] • Ting Li Zi: first line herb for pleurisy • Promotes urination, reduces edema [Facial edema or fluid accumulation in the chest or abdomen with urinary difficulty due to excess-type obstruction of the LU and UB Qi] • Dosage: 3 – 10 grams in decoction. • Cautions: • Strong sedating & draining function. • Reserved for use in cases of accumulation of phlegm or water characterized by excess conditions [Excess: Sang Bai Pi & Ting Li Zi] • Caution: patients with constitutional deficiency or weakness. If it must be used, take in combination with tonic herbs to neutralize cold & draining properties. • WM: Cardiotonic, diuretic

[27] Stop Cough	[27] Stop Cough	[28] Stabilize & Bind	[28] Stabilize & Bind
Pí Pá Yè (枇杷叶) <i>Folium Eriobotryae Japonicae</i> Loquat Leaf, Eriobotrya Bitter, Cool [LU, LI] - Transforms Phlegm, clears LU Heat, - Redirects LU Qi 🔻 & stops cough [LU heat patterns with cough] <i>Sang Bai Pi, Gua Lou Ren, Sha Shen</i> - Harmonizes ST, clears ST Heat & redirects ST qi 🔻 [ST Heat: nausea, vomiting, hiccoughs & belching] <i>Mai Dong, Zhu Ru, Lu Gen</i> Dosage: [Tea, syrup] - Dried: 10 – 15 grams - Fresh: 15 – 30 grams [decoction] - Honey Fried: Enhances moistening effect & better for treating coughing or wheezing caused by heat & dryness. - WM: Antitussive [poor expectorant], antibiotic Mǎ Dōu Líng (马兜铃) [Bell Of Horse's Hat] <i>Fructus Aristolochiae</i> Aristolochia Fruit, Dutchman's Pipe Fruit [Secondary Herb] Bitter, Slightly Acid, Cold [LU, LI] - Clears LU, transforms Phlegm, stops cough & calms wheezing: - Coughing & wheezing [LU Heat or LU deficiency accompanied by heat signs, with phlegm in LU] - Clears LU & LI Heat for treating hemorrhoids - Recently used for hypertension [early-stage primary hypertension, (Liver yang rising with dizziness & red face)] Dosage: 3-10 grams in decoction. - Slightly toxic. Unprocessed may cause numerous side effects. - Honey fried: Neutralizes bitter taste, cold property & toxic component. Caution: Large dosage may cause nausea & vomiting. - Overdose: - Gross overdose of 30 grams decoction may cause nausea, vomiting, irritability, dizziness, shortness of breath & hematemesis. - Toxicology: contains a trace amount of aristolochic acid. There are reports that it can cause aristolochic acid nephropathy (AAN). [Kidney damage, failure]	Bái Guǒ (白果) [white fruit seed] <i>Semen Ginkgo Bilobae</i> Ginkgo Nut Sweet, Bitter, Astringent, Neutral, Slightly Toxic [LU, KD] - Arrests wheezing & expels phlegm Astringent: Reserves LU Qi [Wheezing with cough & copious sputum] - Astringent & restraining nature: Preserves LU Qi, arrests wheezing & dispels phlegm [dyspnea, wheezing, asthma and chronic cough] - Don't use Astringent herbs with EPI because it will interfere with release of exterior - Better for chronic respiratory disorders that no longer involve any external pathogenic factor or internal excess accumulation. - Combined with herbs to treat excess - Eliminates dampness, restrains leakage of fluids from lower jiao and stops discharge [Astringent] - Vaginal discharge [abnormal] & turbid urine (deficiency, damp heat) - Asthma, difficult breathing or cough <i>Bai Guo, Ma Huang, Su Zi, Xing Ren</i> [Wheezing combination] Chronic wheezing & cough <i>Ge Jie, Bai Bu, Su Zi, Hu Tao Ren</i> - Clear & watery vaginal discharge due to Spleen deficiency <i>Shan Yao, Qian Shi, [Bai Zhu]</i> - Yellow vaginal discharge with foul odor due to damp-heat <i>Huang Bai, Che Qian Zi</i> <i>Er Miao San: Cang Zhu, Huang Bai</i> <i>Si Miao San: Niu Xi</i> [🔻], <i>Yi Yi Ren</i> Dosage: 6 – 10 grams in decoction. - Unprocessed: slightly toxic & generally not used, even though it is stronger for eliminating phlegm than processed herb. [Toxicity not a concern with standard dosage] Cautions/Contraindications Contraindications: Excess conditions or exterior patterns, initial stages of a cough, cough with thick, yellow sticky phlegm. - Slightly toxic: not for use in large doses or on a long-term basis. - Overdose or side effects generally occur within 2 to 3 hours after ingestion of excessive amounts [Headache, vomiting, dyspnea, spasm, tremor, fever, irrational fear, muscle stiffness and pupil dilation. Severe cases: altered consciousness, foaming at the mouth, dyspnea, accelerated respiration, purple lips and respiratory depression] Overdose Treatment: Initially by gastric lavage or purgative methods. Ingest activated charcoal or egg whites to ↓ absorption of toxin. Decoction of 30 grams of <i>Gan Cao</i>. - WM: Antibiotic, respiratory, cardiovascular, uterine stimulant	- Astringent herbs bind, retain, restrain and prevent the loss of body fluids. - Sour in taste, astringent herbs enter the Heart, Lung, Liver, Kidney and Large Intestine to bind, retain and prevent the loss of valuable body fluids and other substances. - Astringent herbs help prevent further loss of body fluids, but do not restore normal balance. - The use of astringent herbs will keep any pathogenic factors within the body. Therefore, astringent herbs should not be used in conditions such as perspiration due to febrile disorders, food stagnation with diarrhea, profuse menstrual bleeding due to heat in the blood, or frequent urination due to damp-heat in the lower jiao. - Herbs in this section are more for treating symptoms, not underlying condition	Wǔ Wèi Zǐ (五味子) [Five-Flavored Seed] <i>Fructus Schisandrae Chinensis</i> Schisandra Fruit Sour [Astringent], Warm [HT, KD, LU] - Contains leakage of LU qi, stops cough, nourishes KD [chronic cough & wheezing due to LU deficiency or LU & KD deficiency] [NOT acute!!] <i>Liu Wei Di Huang Wan + Wu Wei Zi (Du Qi Wan)</i> - Inhibits sweating & generates fluids [excessive sweating, especially when accompanied by thirst or dry throat. Includes night sweats and spontaneous sweating (Huang Qi & Bai Zhu)] - Deficient leakage: [Bai Hu, Shan Yao] <i>Ren Shen, Mai Dong, Wu Wei Zi, Ma Huang Gen</i> Tonifies KD, binds KD essence, stops diarrhea & spermatorrhea [nocturnal emission, spermatorrhea, vaginal discharge & urinary frequency due to KD deficiency; also used for daybreak diarrhea due to Spleen and Kidney deficiency] Quiets Spirit & Calms Heart [irritability, palpitations, dream-disturbed sleep and insomnia due to injury to blood & yin of HT & KD. <i>Sheng Di: nourish yin</i> <i>Mai Dong: Clear HT heat, nourish yin</i> <i>Dan Shen: provides all things HT needs → Nourish, cool blood, calm shen</i> <i>Suan Zao Ren</i> [LV & HT: anxiety] - Recently used for allergic skin disorders and to improve LV function in patients with hepatitis: Dosage [Standard dosage]: - Decoction: 2 – 6 grams - Powder: 1 – 3 grams - Higher dosage to ↓ LV enzymes Lowers LV Enzymes Cautions/Contraindications Contraindicated: Excess conditions [heat, damp-phlegm, liver fire, wind-heat, rashes that have not cleared, initial stages of common colds, cough, rashes or any exterior condition [may trap pathogenic factors inside the body]] - WM: Hepatoprotective, CNS Stimulant, gastrointestinal [inhibits secretion of gastric acid], cardiovascular, reproductive [increase ovulation, testicular weight], antibiotic, immunostimulant [adaptogen]

[28] Stabilize & Bind	[28] Stabilize & Bind	[28] Stabilize & Bind	[28] Stabilize & Bind
Wū Méi (乌梅) [Dark Plum] <i>Fructus Pruni Mume</i> Mume Fruit, Dark Plum Sour, Neutral [LU, SP, LV, LI] • Inhibits LU Qi leakage, stops cough • Chronic cough due to LU deficiency ♦ <i>E Jiao, Xing Ren, Chuan Bei Mu, Bai He</i> • Binds Intestines & stops diarrhea [unremitting chronic diarrhea or dysenteric disorders, blood in stool] ♦ <i>Rou Dou Kou, He Zi, Ying Su Ke</i> • Generates fluids & alleviates thirst [thirst due to deficiency heat or qi and yin deficiency] ♦ <i>Tian Hua Fen, Mai Dong, Ge Gen (Yu Quan Wan)</i> • Expels roundworms & alleviates pain [Specialty: Leading herb for roundworm] [roundworm-induced vomiting & abdominal pain] (Sour property soothes roundworm → Combine with herbs to expel parasites) ♦ <i>Xi Xin, Gan Jiang, Huang Lian (xi wu mei wan)</i> [Also chronic diarrhea without roundworm] Dosage: • Decoction: 3 – 10 g [Max: 30 g] • Charred: stops bleeding & diarrhea. • Unprepared: Toxic Cautions/Contraindications • Cautions: Restraining effect. Caution with acute diarrhea or diarrhea caused by food poisoning or infections. • Contraindicated: patients with excess heat or stagnation. • WM: antibiotic, skeletal muscle relaxant, antiparasitic, anti-aging Fú Xiǎo Mài (浮小麦) [Floating Little Wheat] <i>Semen Triticum Aestivum Levis</i> Wheat Levis, Light Wheat Grain Sweet, Cool [HT] • Augments qi & stops excessive sweating due to deficiency [many kinds of sweating due to deficiency, including spontaneous sweating due to qi deficiency & night sweats due to yin deficiency (depending on herb combinations)] ♦ <i>Mu Li, Ma Huang Gen, Huang Qi</i> • Augments Qi, clears heat & stops sweating [steaming bones sensation due to (Qi & yin deficiency)] [Not a major Qi Tonic] ♦ <i>Sheng Di, Mai Dong, Di Gu Pi</i> • Nourishes HT & calms spirit [palpitations & insomnia, irritability, emotional instability & disorientation associated with dry organ disorder (zang zao)] ♦ <i>Gao Cao, Da Zao, Xiao Mai (gan mai da zao tang)</i> Dosage: Fu Xiao Mai: 15 – 30 g Xiao Mai: 30 – 60 g	Má Huáng Gēn (麻黄根) [Hemp Yellow Root] <i>Radix Ephedrae</i> Ephedra Root Sweet, Neutral [LU] • Stops sweating caused by deficiency [various deficiency-related sweating, spontaneous sweating (qi deficiency), night sweats (yin deficiency) & post partum sweating] ♦ Topical for sweating: ▪ <i>Duan Mu Li, Ma Huang Gen</i> ▪ <i>Hua Shi (Talcum)</i> • Food therapy for Lung TB ♦ With spinach • Dosage: 3 – 10 grams in decoction • Cautions: contraindicated in exterior conditions. Lián Zǐ (莲子) [Lotus Seed] <i>Semen Nelumbinis Nuciferae</i> Sweet, Astringent, Neutral [HT, KD, SP] • Tonifies Spleen & astringent to stop diarrhea [Spleen deficiency with chronic diarrhea & loss of appetite] ♦ <i>Ren Shen, Bai Zhu, Fu Ling, Shan Yao (shen ling bai zhu san)</i> • Tonifies KD & stabilizes essence [premature ejaculation and spermatorrhea due to unstable, deficient Kidneys, excessive uterine bleeding and vaginal discharge.] ♦ <i>Long Gu, Mu Li, Lian Xu</i> • Nourishes HT & KD, calms spirit [palpitations with anxiety, deficiency irritability and insomnia; especially useful for disorders from lack of communication between HT & KD] ♦ <i>Ye Jiao Teng</i> Qiàn Shí (芡实) [Gorgon Fruit] <i>Semen Euryales Ferocis</i> Euryale Seed Sweet, Astringent, Neutral [KD, SP] • Paired with Lian Zi [Food therapy] • Strengthens SP, dispels dampness, astringent to stop diarrhea [chronic diarrhea due to weakness in the Spleen's transporting function (internal accumulation of damp); especially useful in children] ♦ <i>Dang Shen, Bai Zhu, Shan Yao, Lian Zi</i> • Tonifies KD & stabilizes essence [KD qi deficiency with symptoms such as nocturnal emissions, premature ejaculation, spermatorrhea and urinary frequency] ♦ <i>Long Gu, Mu Li, Lian Zi</i> • Dosage: 10 – 15 grams in decoction	Shān Zhū Yú (山茱萸) [Sour Mountain Herb, Wild Date] <i>Fructus Corni Officinalis</i> Asiatic Cornelian Cherry Fruit, Cornus Sour, Slightly Warm [KD, LV] • Compare taste to Wu Wei Zi • Tonifies LV, KD & Essence • [LV & KD deficiency (lightheaded, dizziness, impotence, sore & weak lower back & knees)] ♦ <i>Shu Di Huang, Shan Yao, Zhe Xie</i> • Liu Wei Di Huang Wan [#s = Ratios] (Anti-aging formula) ♦ Tonify LV & KD: Shu di Huang [8], Shan Yao [4], Shan Zhu Yu [4] ♦ Draining: Fu Ling [3], Zhe Xie [3], Mu Dan Pi [3] • Astringent to stabilize KD, retain essence & body fluids [leakage of fluids from weak essence (excessive urination, incontinence, spermatorrhea, excessive sweating)] ♦ <i>Sang Piao Xiao, Yi Zhi Ren, Fu Pen Zi; Ren Shen, Long Gu, Mu Li</i> • Dosage: 5 – 10 grams in decoction. In severe cases, use up to 30 grams of Shan Zhu Yu. • Contraindicated: deficient Kidney fire or difficult urination (heat in lower jiao) Hē Zǐ (诃子) [Scold Son] <i>Fructus Terminaliae Chebulae</i> Medicine Myrobalan Fruit, Terminalia Bitter, Sour, Astringent, Neutral [LU, LI] • Binds Intestines & stops diarrhea, moves Qi ↓ & relieves fullness [chronic diarrhea & dysenteric disorders; either hot or cold patterns, depending on other herbs in the prescription. • Contains the leakage of Lung qi, stops cough and benefits throat [chronic cough, wheezing, loss of voice] <i>Gan Cao, Jie Geng</i> • Dosage: 3 – 10 grams in decoction. • Unprocessed: Clears LU, ↑ voice • Roasted: Stops diarrhea. Fù Pén Zǐ (覆盆子) [Overturned Bowl Fruit] <i>Fructus Rubi Chingii</i> Chinese Raspberry Fruit, Rubus Sweet, Astringent, Slightly Warm [KD, LV] [Similar to Gou Ji Zi] • Augments & stabilizes KD, binds essence & retains urine [urinary frequency, enuresis, spermatorrhea, premature ejaculation, wet dreams (KD yang deficiency)] ♦ <i>Shan Yao, Qian Shi, Shan Zhu Yu, Yi Zhi Ren [Astringent properties]</i> • Assists yang & improves vision [poor vision, sore lower back, impotence (LV & KD deficiency)] ♦ <i>Gou Qi Zi, Tu Si Zi, Wu Wei Zi, Nu Zhen Zi</i> ♦ <i>Male infertility: Wu Zi Yan Zhong Wan</i> • Dosage: 3 – 10 grams in decoction	Hai Piao Xiao (海螵蛸) <i>Os Sepiae seu Sepiellae</i> Cuttlefish Bone, Cuttlebone Salty, Astringent, Slightly Warm [KD, LV, ST] [Secondary herb] • Astringent: Stops bleeding & vaginal discharge [uterine bleeding & vaginal discharge; especially for bleeding in deficiency patterns] ♦ <i>Qian Cao, Zhong Lu Tan, Wu Bei Zi</i> ♦ <i>Treats symptoms only (E Jiao for bleeding)</i> • Retains essence & stops vaginal discharge [nocturnal emissions, premature ejaculation or vaginal discharge (KD deficiency)] ♦ <i>Shan Zhu Yu, Tu Si Zi, Sha Yuan Zi</i> ♦ <i>Bai Guo</i> • Controls acidity & alleviates pain [Harmonizes ST acidity with ST or epigastric pain, distasteful belching or acid regurgitation] • Resolves dampness, promotes healing [topically in powdered form for chronic, non-healing skin ulcers or damp rashes of long duration] • Astringent → Stops diarrhea [chronic diarrhea or dysenteric disorders due to deficiency, with pain in the region of the navel] • Dosage: 6-12 grams in decoction. Take 1.5-3 grams powder per dose. • Can use topically. Chì Shí Zhī (赤石脂) [Red Stone Resin] <i>Halloysitum Rubrum</i> Halloysite, Kaolin Sweet, Sour, Astringent, Warm [SP, ST, LI] • Binds Intestines & stops diarrhea [chronic diarrhea due to cold from deficiency or chronic dysenteric disorders with mucus and blood in the stool] (Mediocre herb) ♦ <i>Lian Zi, Qian Shi, Yi Yi Ren, Che Qian Zi</i> [promotes urination to consolidate stool], <i>Yi Zhi Ren, Bai Zhu</i> [tonify SP] ♦ <i>Bu Gu Zhi</i> [SP & KD Yang Xu] • Contains blood & stops bleeding (secondary) [uterine bleeding, excessive menstruation, blood in the stool, and bleeding prolapsed rectum due to cold from deficiency of the lower burner] • Promotes healing of wounds [Used in ground form applied topically for chronic none-healing ulcers] ♦ <i>Ru Xiang, Mo Yao, Huang Qi, Rou Gui, Xue Jie</i> Dosage: • Decoction or pill/powder: 10-20 g • Powder can be used topically. • Cautions: contraindication during a pregnancy, aluminum allergies

[29] Extinguish Wind	[29] Extinguish Wind	[29] Extinguish Wind	[29] Extinguish Wind
• Calm LV wind & sedate LV yang • LV wind: dizziness, vertigo, seizures, tremors, convulsions, sudden unconsciousness, deviation of eyes & mouth, hemiplegia • LV yang ↑: dizziness, vertigo, restlessness, irritability, anger, insomnia and excessive dreaming • LV fire ↑: pain, redness & swelling of eyes. • Differential diagnosis to determine the cause of the Liver wind condition (excess or deficiency). • Most herbs in this chapter are animal products. Majority are cold, but some are warm and drying. • Cautions/contraindications: Use with caution for deficiency cold in SP & ST, yin and blood deficiency. • WM: Anti-seizure, antiepileptic, inhibits CNS (sedating), antihypertensive, antipyretic, analgesic Líng Yáng Jiǎo (羚羊角) Antelope Horn <i>Cornu Antelopis</i> Salty, Cold [HT, LV] • [YY] Extinguishes wind, calms LV & clears heat [spasms and convulsions associated with childhood convulsions and seizure disorders, pediatric high fever (bleed DU 14)] • Qing Dai, Chan Tui • Most effective herb to simultaneously clear heat and extinguish wind. • LV wind disorders that have arisen with or following high fever caused by extreme heat. • High fever with convulsions & spasms: <i>Gou Teng, Ju Hua (Ling Jiao Gou Teng Tang)</i> • Calms LV & anchors yang [Important and effective substance for ascendant Liver yang leading to dizziness and headache] • <i>Ju Hua, Shi Jue Ming</i> • Clears LV & brightens eyes [secondary] [headache & red eyes due to blazing Liver fire] • Clear LV Heat: <i>Huang Qin, Long Dan Cao, Jue Ming Zi [Xia Ku Cao, Ju Hua]</i> • LU: <i>Huang Qin, Shi Gao, Zhi Mu</i> • Clears heat & relieves fire toxicity [infectious diseases with fever] [warm-febrile disease with high fever, delirium, manic behavior and, in extreme cases, loss of consciousness] • <i>Shi Gao, Niu Huang, Shui Niu Jiao [Cooling → High fever]</i> • Dosage: 1 – 3 grams in decoction or powder or pill 0.3 – 0.5 grams • cooked separately from the rest of the ingredients & combined with the decoction before ingestion. WM: Sedative, antiseizure (morphine, caffeine), antipyretic, cardiovascular	Shān Yáng Jiǎo 山羊角 [Mountain Goats Horn] <i>Cornu Naemorhedis</i> Mountain Goat Horn Salty, Cold [LV] • Similar functions to <i>Ling Yang Jiao</i>. • Effect of Shan Yang Jiao is milder and the dosage needs to be 2-3 times larger to achieve same result. • Calms Liver and sedates, treats Liver yang or Liver fire rising with dizziness, vertigo, convulsions, spasms or redness, pain and swelling of the eyes. Shí Jué Míng (石决明) [Stone Sense Brightness] <i>Concha Haliotidis</i> Abalone Shell Salty, Cold [LV] • 1st Line Herb for Hypertension • Calms LV & anchors yang [LV fire & ascendant Liver yang patterns with such symptoms as headache, dizziness and red eyes] • LV yang rising with KD & LV yin deficiency • <i>Sheng Di Huang, Gou Qi Zi, Nu Zhen Zi</i> • LV yang rising with heat symptoms • <i>Xia Ku Cao, Ju Hua, Huang Qin, Gou Teng</i> • Clears LV & brightens eyes [eye disorders due to heat in LV channel. Red, swollen, painful eyes and blurred vision (Excess patterns)] • One of most essential substances in treating eye disorders caused by Liver yang rising, Liver fire or Liver yin deficiency with heat. • Allergies: <i>Ju Hua, Sang Ye, Bo He, Chan Tui, Jin Yin Hua</i> • Wake up with dry, gunky eyes: Heat component [<i>Xia Ku Cao, Sang Ye, Ju Hua</i>] • Red eyes due to Liver yang rising and wind - heat invasion • <i>Ju Hua, Jue Ming Zi, Sang Ye, Chan Tui</i> • Dry eyes, blurred vision & diminished vision • <i>Shu Di Huang, Gou Qi Zi, Nu Zhen Zi</i> • Dosage: • Decoction: 15 – 30 grams [Higher] • Crush and pre-decoct to maximize extraction of active components. • Unprocessed: stronger to anchor the yang and clear heat. The • Calcinated: not as cold. •	Mǔ Lì 牡蛎 #261 <i>Concha Ostreae</i> Oyster Shell [1st line herb] Salty, Astringent, Cool [LV, KD] • Calms Liver & anchors rising yang, Calms Shen [All kinds of LV Yang rising] [irritability, anxiety, insomnia, dizziness, headache, tinnitus, blurred vision, bad temper or a red, flushed face due to yin deficiency with ascendant yang] • Liver yang rising [Pair: Long Gu & Mu Li (anchoring, calm shen)] • <i>Long Gu, Gui Ban, Bai Shao</i> • Bai Shao: Make LV less angry • Bai Shao Combinations ▪ + <i>Shu Di Huang</i>: Tonify blood ▪ + <i>Chai Hu</i>: Smooth LV ▪ + <i>Gan Cao</i>: Convulsions • Liver wind due to warm-febrile disease damaging yin • <i>Gui Ban, Bie Jia (san jia fu mai tang)</i> • Insomnia • <i>Ye Jiao Teng, Suan Zao Ren, Long Gu</i> • Softens hardness & dissipates nodules (Benign or cancerous) → 1st Line herb [various kinds of lumps in neck, such as scrofula, goiter or internal cancer] • <i>Zhe Bei Mu, Xuan Shen, Xia Ku Cao</i> • Prevents leakage of fluids [Duan Mu Li] [leakage of body fluids due to deficiency, such as sweating, spermatorrhea, uterine bleeding, vaginal discharge or enuresis] • Spontaneous or night sweating [combine with Qi tonics] • <i>Huang Qi, Ma Huang Gen, Fu Xiao Mai</i> • Spermatorrhea, sore lower back and extremities [KD Tonics] • <i>Sha Yuan Ji Li, Qian Shi, Lian Zi Xu</i> • Heavy menstrual bleeding or vaginal discharge: • <i>Duan Mu Li, Duan Long Gu, Shan Yao</i> • Neutralizes acid & relieves stomach pain [stomach fire with acid regurgitation, heartburn and stomach pain. Calcined (Duan) usually used for this purpose] • Dosage: 15 – 30 grams in decoction. Crush and pre-decoct <i>Mu Li</i> to maximize extraction of active constituents. The • Calcinated [Duan]: Astringent → more effectively neutralizes stomach acid, relieves pain and prevents leakage of fluids. WM: Perspiration from pulmonary tuberculosis, [menopause symptoms: yin deficient night sweats, anxiety, emotions], gastric & duodenal ulcer	Zhēn Zhū (珍珠) [Precious Ball] <i>Margarita [Pearl]</i> Sweet, Salty, Cold [HT, LV] • Sedates HT & settles tremors & palpitations [palpitations, restlessness, childhood convulsions and seizures] • <i>Zhu Sha, Hu Po, Tian Nan Xing</i> • Clears LV & eliminates superficial visual obstruction [blurred vision or painful eyes due to Liver heat or Liver deficiency. It is usually used topically with other herbs, as eye drops] • Promotes healing & generates flesh [2nd line herb] [Topically as powder for chronic, non-healing ulcers or macerated areas (usually for throat or gums)] • Dosage: 0.3 – 1 grams. Generally used in powder or pill form. Zhēn Zhū Mu (珍珠母) [Mother of Pearl] Sweet, Salty, Cold [HT, LV] • Calms LV & Anchors yang [LV Yang rising, dizziness, tinnitus, insomnia, seizures] • Clears LV, improves vision [2nd line] • Similar to abalone shell • Pacifies HT Fire [LV yang rising with phlegm misting pericardium with HT fire (delirious speech, tremors, seizures, mania)] • Promotes healing & reduces itching [Eczema, itching → topical powder] • Neutralizes ST acid, relives [similar to Mu Li] [Peptic ulcers, acid regurgitation, ST pain] • Cheaper • Dosage: Higher [15-30g]. Pre-decoct • WM: ST, muscle relaxer Dài Zhě Shí (代赭石) <i>Haematitum [Hematite]</i> [Differentiate from Chi Shi Zi] Bitter, Cold [Heavy mineral] [HT, LV] • Calms Liver, anchors floating yang & clears LV fire [Ascendant Liver yang with (dizziness, vertigo, headache, sensation of pressure around eyes, tinnitus)] • Strongly directs rebellious qi ↓ [ST or LU] [belching, vomiting, hiccup and acute wheezing] • <i>Ban Xia, Sheng Jiang, Xuan Fu Hua</i> • Cools blood & stops bleeding [2nd or 3rd line herb] [Vomiting blood, nosebleed, heavy menstrual bleeding. • Dosage: 10 – 30 grams in decoction. • Severe cases: up to 60 – 90, 100 g • Crush & pre-decoct: maximize extraction of active constituents. • Cautions: • Cold, heavy & descending: Caution during pregnancy, cold conditions. • Do not use large dose or for prolonged period of time, contains trace amount of arsenic.

[29] Extinguish Wind	[29] Extinguish Wind	[29] Extinguish Wind	[29] Extinguish Wind
Gōu Téng (钩藤) [Big Herb] ^[1st] <i>Ramulus cum Uncis Uncariae</i> Stems & Thorns of Gambir Vine Sweet, Cool [HT, LV] - Extinguishes wind & alleviates spasms (non-animal, non-mineral) → main plant based herb for treating wind [LV wind {childhood convulsions, spasms, tremors, seizures and high fever (LV yang ↑)}] • <i>Tian Ma, Shi Jue Ming, Ling Yang Jiao, Long Dan Cao</i> - Drains LV heat & pacifies LV yang [LV fire & LV yang ↑ patterns (headache, irritability, red eyes & dizziness)] - Essential herb for extinguishing wind (main focus) and sedating fire (secondary). Treats various presentations of LV wind. - Hypertension with headache, feelings of distention in head • <i>Huang Qin, Xia Ku Cao, Shi Jue Ming</i> - LV wind with phlegm (sudden stroke, fainting, hemiplegia or loss of ability to speak) • Wind Phlegm: • <i>Tian Nan Xing, Bai Fu Zi</i> • <i>Gou Teng, Tian Ma, Ban Xia</i> - Lowers blood pressure [Ge Gen] [hypertension due to LV yang rising] - Dosage: 10 – 15 grams in decoction - Maximum dosage: 30 grams. - Add near end of a decoction. - Recommend Cooking < 10 minutes - WM: anti-hypertensive, reduces peripheral vascular resistance, CNS suppressant, anti-seizure [Gou Teng & Tian Ma], hypertension, infantile night crying [Chan Tui] Bái Jí Lí (白蒺藜) [Ci Ji Li] [Ci = spike] <i>Fructus Tribuli Terrestris</i> Caltrop Fruit, Puncture-Vine Fruit Acrid, Bitter, Neutral [LV] - Calms Liver & anchors yang ^(2nd) [headache, vertigo or dizziness due to ascendant Liver yang] • <i>Ju Hua, Guo Teng, Niu Xi, Mu Li</i> - Facilitates smooth flow of LV Qi and disperses stagnation ^(2nd) [pain & distention in chest or flanks, insufficient lactation due to constrained LV Qi] <i>Chai Hu, Qing Pi, Xiang Fu, Bai Shao</i> - Dispels wind & stops itching [very commonly used for skin] [any kind of skin lesion with significant itching, such as hives (Internal or Topical)] - Dispels wind-heat & brightens eyes [red, swollen, painful eyes or increased tearing] - Dosage: 6 – 10 grams in decoction. - Dry-fried with salt: facilitates entry to KD & LV channels and treatment of related disorders.	Tiān Má (天麻) [Heavenly Hemp] ^[1st] <i>Rhizoma Gastrodiae Elatae</i> Gastrodia Rhizome, Tuber Sweet, Neutral [LV] • [YY: Wind Conditions, LV Yang ↑, Hypertension (1st Choice)] - Tian Ma & Gou Teng: Pair for Hypertension - Calms LV, extinguishes wind, controls spasms and tremors - Very important to treat internal movement of LV Wind [Heat/Cold] - Acute infantile or childhood convulsions • <i>Ling Yang Jiao, Gou Teng, Quan Xie</i> - Chronic infantile convulsions [Combine with Qi Tonics] • <i>Ren Shen, Bai Zhu, Jiang Can</i> - Tetany with spasms, twitching [Tetanus from dog bites, etc.] • <i>Tian Nan Xing, Bai Fu Zi, Fang Feng</i> - Stroke with hemiplegia [Need blood mover, open up channels] numbness and slurred speech • <i>Tian Ma, Gou Teng, Ji Xue Teng, Chi Shao</i> - Calms Liver & anchors yang [headaches, dizziness and migraine headaches due to LV yang ↑ or wind-phlegm moving ↑] • <i>Gou Teng, Huang Qin, Niu Xi</i> - Dispels wind-dampness and alleviate painful obstruction [wind-damp painful obstruction with pain and numbness in the lower back and extremities] <i>Qian Huo, Du Huo, Niu Xi, Sang Ji Sheng</i> - Dosage: 3 – 10 grams in decoction, - Powder: 1 – 1.5 grams [very hard] - WM: Sedative, seizure, convulsions, Tian Ma & Gou Teng: scavenges free-radicals, cardiovascular Jué Míng Zǐ (决明子) <i>Semen Cassiae</i> Foetid Cassia Seeds, Cassia Bitter, Sweet, Cool [LV, LI] - Clears vision & expels wind-heat [itchy, red, painful eyes and sensitivity to light due to externally contracted wind-heat] - Moistens Intestines & unblocks bowels [dry or infrequent stools or chronic constipation, especially when due to Liver yin deficiency] - Dosage: 6 – 10 grams in decoction. - Dry-fried: Increases warmth & facilitates extraction of active components.	Quán Xiē (全蝎) [Whole Scorpion] Scorpio Acrid, Neutral, Toxic [LV] - Extinguishes Wind, stops tremors and convulsions: [LV Wind Phlegm patterns (spasms, acute or chronic childhood convulsions, tetany, opisthotonos, tics, tetanus and seizures)] - Attacks [Very Strong] & relieves fire toxin and dissipates nodules [Use toxins to attack toxins] [topically for toxic sores, swellings and scrofula in accordance with the theory, “use toxin to attack toxin”] - Unblocks collaterals & stops pain [stubborn headaches (including migraines) and painful obstruction] • <i>Chuang Xing</i> [Leading herb for migraine → Use with caution] - Used alone, combined w/ <i>Wu Gong</i>. - Dosage: - Decoction: 2 – 5 grams - Powder: 0.6-1 gram - Chronic childhood convulsions: Powder: 0.06-0.09 grams for children under two years-old. - Tail segment strongest, approximately 2.5-3 times more potent than body. [Tail no longer sold separately] - Contraindicated: pregnancy, blood deficiency with internal wind. - Toxic: Never prescribe high dose. No apparent side effects or toxicity occurs when it is used at normal dosages. - WM: Anti-seizure [major], anti-epileptic, cardiovascular, anti-neoplastic (sarcoma), dermatological (topical), submandibular lymphadenitis, bone tuberculosis Wú Gōng (蜈蚣) [Centipede] <i>Scolopendra</i> Acrid, Warm, Toxic [LV] - Often paired with <i>Quan Xie</i> - Extinguishes wind, stops spasms and convulsions [acute & chronic childhood convulsions, opisthotonos, lockjaw and seizures] - Attacks [Very Strong] toxin & dissipates nodules [topically for toxic nodules, including sores, carbuncles, neck lumps; snake bite] - Unblocks collaterals & stops pain [stubborn headaches (including migraines) and painful obstruction] - Dosage: 1 – 3 grams in decoction, - Powder: 0.6-1 gram - Contraindications: pregnancy, blood deficiency, chronic childhood convulsions. - Toxic → use with extreme caution. Do Not administer at higher than recommended dosages.	Bái Jiāng Cán (白僵蚕) [White Stiff Silkworm] <i>Bombyx Batryticatus</i> Sick Silkworm, Silkworm With Batrytis Acrid, Salty, Neutral [LV, LU] - Extinguishes Wind, stops spasms, convulsions, transforms Phlegm [childhood convulsions or facial paralysis, seizures (internal LV wind or Wind Phlegm Heat)] - Convulsions with phlegm and fire: • <i>Dan Nan Xing, Quan Xie, Tian Ma</i> - Chronic childhood convulsions after chronic diarrhea & SP deficiency • <i>Dang Shen, Bai Zhu, Tian Ma (xing pi san)</i> - Paralysis, involuntary facial twitching or facial paralysis: • <i>Jiang Can, Quan Xie, Bai Fu Zi (Qian Zheng San)</i> - Expels wind, stops pain [headache, red eyes, sore, swollen throat (wind-heat or LV heat, toothache)] <i>Sang Ye, Jing Jie, Fang Feng, Gan Cao</i> - Eliminates toxins, transforms Phlegm and dissipates nodules [Phlegm Heat scrofula, nodules] • <i>Zhe Bei Mu, Xia Ku Cao, Lian Qiao</i> - Expels wind and stops itching [very commonly used] [itching skin lesions (wind rash)] • <i>Chan Tui, Fang Feng, Bo He</i> • <i>Bai Xian Pi, Ku Shen, Huang Bai</i> • <i>Zi Cao, Duan Shi Gao, Han Shui Shi</i> Dosage [Standard prep: dry fried] - Decoction: 3 – 10g, Powder: 1 – 5g - Unprocessed: treat rashes. Dì Lóng (地龙) [Earth Dragon] <i>Pheretima</i> [Earthworm] Salty, Cold [UB, LV, LU, SP] - Clears heat, extinguishes wind, stops spasms and convulsions [High, strong fevers with convulsions and seizures] <i>Gou Teng, Jiang Can, Qi Ye Yi Zhi Hua</i>. - Arrests wheezing [asthma, bronchial wheezing or whooping cough in children (LU Heat)] • <i>Ma Huang, Xing Ren, Shi Gao</i> - Clears heat, unblocks & promotes movement in channels & collaterals [guiding herb: both ↑↓] [swollen and painful joints with reduced range of motion] <i>Sang Zhi, Chi Shao, Du Huo, Luo Shi Teng</i> - Clears heat & promotes urination [Heat in UB (hot painful urinary dysfunction or difficult urination)] • <i>Che Qian Zi, Mu Tong, Hua Shi</i> - Hypertension [↑ LV yang] - Topical: Acute mumps, lower limb ulcers, burns, boils or carbuncles. [Crush into powder, mix with sugar & apply topically] - Dosage: 5-10 grams in decoction, - Powder: 1-2g, Fresh: 10-20g - WM: Cardiovascular, anti-asthmatic, uterine stimulant, anti-seizure, anti-pyretic, hematological

Topical Application Herbs	Topical Application Herbs	Topical Application Herbs	Topical Application Herbs
Function of Topical Application Herbs • Eliminate toxins • Kill parasites • Reduce swelling • Relieve pain • Treat ulcerations • Drain pus and abscesses • Promote generation of flesh • Relieve itching • Stop bleeding • For external disorders, herbs are absorbed by skin, membranes, and local tissue in the affected area. External application is most effective for rashes, itching, eczema, carbuncles, furuncles, scabies, arthritis, burns, insect and animal bites, traumatic injuries, and other skin and soft tissue disorders. • For internal disorders, topically-applied herbs are absorbed through the skin into the blood and distributed throughout the bod. Diseases that may be treated with topical application of herbs include asthma, malaria, jaundice etc. • Topical application: creams, ointments, pastes, plasters and powder • Oral ingestion: pills, pellets, capsules, and tablets • Local instillation: ear drops, eye drops • Others: solution as mouth gargle, decoction as herbal wash, steam for inhalation • Cautions: • Many herbs for external application are toxic, and thus should not be used internally, nor for prolonged periods of time, or at large dosages. • Toxic substances should not be applied over a large surface area or near sensory orifices. • Herbs should be used with caution if applied over a large surface area with damaged or broken skin due to potential risk of overdose via topical absorption.	Liu Huang (硫黄) [Sulphur] <i>Sulphur</i> Sour, Hot, Toxic [KD, LU] • Relieves toxicity, kills parasites and stops itching: • Topically for scabies, ringworm & yin furuncles, damp festering sores, tinea, ulcers and carbuncles • Scabies: mix powder with sesame seed oil, apply topically • Tonifies fire in gate of vitality & strengthens yang: • Internally to strengthen yang fire & reduce yin cold, including asthma due to Kidney not grasping qi, ♦ <i>(Fu Zi, Rou Gui)</i> • Important, frequent urination, back and knee pain with cold sensation ♦ <i>(Lu Rong, Bu Gu Zhi)</i> • Tonifies yang, unblocks bowels [constipation due to KD yang deficiency leading to Xu cold] ♦ <i>Liu Huang, Ban Xia (Ban Liu Wan)</i> Dosage: • Internally: Powder: 1-3 grams • Topically & internally. Spread powder on top of skin lesion or mix with oil then apply topically • Cautions: contraindicated during pregnancy, yin deficiency with heat. Xiong Huang (雄黄) [Realgar] <i>Realgar</i> Acrid, Bitter, Warm, Toxic [LV, ST] • Relieves toxicity & kills parasites: • Topically for scabies, tinea, carbuncles, boils and damp rashes. It is very commonly used substance in soaks for any type of skin itch. It can be internal taking too. ♦ <i>Ru Xiang, Mo Yao, She Xiang (xing xiao wan)</i> • Kills parasites [intestinal parasites, especially when there are signs of accumulation; particularly effective against roundworms] ♦ <i>Bing Lang, Qian Niu Zi (qian niu wang)</i> • Dries dampness, expels phlegm and checks malarial conditions [wheezing, seizures or malaria] • Dosage: • Internal: 0.3 – 0.9 g [powder or pill] • Topical: use powder accordingly. • Contraindications: pregnancy, yin or blood deficiency. • Can be absorbed through skin → Not for large area or long term use. • Toxicity: If Xiong Huang contact with heat, it leads to highly toxic product As₂O₃ [Arsenic trioxide]	Bai Fan (白矾) [alum] <i>Alumen</i> Acrid, Sour, Cold [LU, LV, SP, ST, LI] • Relieves toxicity, kills parasites, dries dampness, alleviates itching • Indications: external wash for scabies, tinea, and rashes due to dampness or damp-heat. ♦ <i>Xing Huang, Bai Fan</i> • Astringent stops bleeding and diarrhea [vomit blood, nose bleeding, or diarrhea.] ♦ <i>Bai Fan, Er Cha, Bai Fan and He Zi</i> • Clears heat and dissolves phlegm [wind-phlegm disorders manifested in irritability, delirium, and convulsions. ♦ <i>Bai Fan, Yu Jing (bai jin wan)</i> Dosage: • Internal: 1-3 grams [pill, powder] • Topical: 10-15 g [herbal wash] • Cautions: yin deficiency or not phlegm-heat conditions Da Suan (大蒜) [Garlic bulb] <i>Bulbus Allii Sativi</i> Acrid, Warm [LI, LU, SP, ST] • Clears heat toxin, disperses abscesses and reduces swelling • Indications: used primarily for early stage sores and abscesses. Used both internally and topically. Use fresh slice or mashed Da Suan for topical use. • Relieves toxicity [diarrhea, dysentery, consumption and sudden cough (including Lu TB)] • Lung TB: make rice congee with garlic, add Bai Ji • Sudden cough: soak mashed garlic in cold water for 12 hours, then strain the liquid and add sugar. • Diarrhea: take raw or decoct garlic, or 10% enema. • Kills parasites [hookworms and pinworms; in combination with other herbs treats other types of intestinal parasites. Topical: use garlic for prevention of hookworms or pinworms infection] Dosage: • Topical: fresh slices, mashed garlic. • Internal: take 3-5 cloves fresh garlic or make liquid for enema. • Cautions: oral diseases or yin deficiency with heat sign. Irritates skin, should not apply topically for long.	She Chuang Zi (蛇床子) <i>Fructus Cnidii Monnieri</i> Cnidium Seeds Acrid, Bitter, Warm [KD] • Warms Kidney & fortifies yang [KNOW!!!!] [Internally for impotence or infertility (male or female) due to Kidney yang deficiency or cold womb] ♦ <i>Wu Wei Zi, Tu Si Zi, She Chuang Zi (san zi wan)</i> • Disperses cold, dispels wind, and dries dampness [vaginal discharge (Cold Damp) or lower back pain (Wind Cold Damp)] • Dries dampness, kills parasites and stops itching: • Topical: wash, powder or ointment for any kind of weeping, itchy skin lesion, especially in the genital area. ♦ Vaginal Itching: Bai Fan, She Chuang Zi [make wash] Dosage: • Internal: 3-10 g [decoction] • External: 15-30 g for topical wash. • Contraindications: yin deficiency with heat or lower jiao damp-heat conditions. Feng Fang 蜂房 <i>Nidus Vespa</i> Hornet Nest, Wasp Nest Sweet, Neutral, Toxic [LU, ST] • Relieves toxicity, expels wind and alleviates pain: • For early stage of breast abscess [even cancer]: Take baked Feng Fang powder 3 grams, three time a day for 3-6 days. • Carbuncles and ulceration: use Feng Fang decoction to wash the sites. • Scrofula: Xuan Shen, Huang Qi, She Tui (feng fang gao) • Toothache: use Feng Fang decoction as gargle • Expels wind and dries dampness: • Recently used in the treatment of a variety of tumors [Anti- Cancer]

• Xue Jie 血竭 • <i>Sanguis Draconis</i> • English: dragon's blood (resinous secretion) • Properties: sweet, salty, neutral • Channels: Heart and Liver • Dispels blood stasis and alleviates pain: • Indications – for symptoms related to injury from falls, fractures, contusions and sprains, as well as pain due to blood stasis patterns from other causes. It can be used alone or combine with Pu Huang to apply topically. • Protects the surface of ulcer, prevents decay and generates flesh: • Indications – for chronic nonhealing ulcers. Ru Xiang, Mo Yao, Er Cha, Xue Jie • • Lu Gan Shi 炉甘石 • <i>Smithsonitum</i> • English: smithsonite, calamine • Properties: sweet, neutral • Channels: Liver and Stomach • Brightens the eyes and removes superficial visual obstructions: • Indications – for such symptoms as red and swollen eyes; also for pterygium and other superficial visual obstructions; can be used alone as a powder for red eyes • Dries dampness and generates flesh: • Indications – for long-term drainage of pus from open sores; also for poorly healing wounds. Lu Gan Shi is only used topically. • • Hai Er Cha 孩儿茶 • <i>Pasta Acaciae seu Uncariae</i> • English: paste made from dried concentrated decoction of black cutch (<i>Acacia</i>) or brown cutch (also known as white cutch) (<i>Uncaria</i>) • Properties: acrid, bitter, warm, toxic • Channels: Lung • • Drains dampness and absorbs seepage: • Stops bleeding: • Eczema with weeping; Long Gu, Bing Pian, Er Cha topical use • Non-healing ulceration; Ru Xiang, Mo Yao, Xue Jie • Bleeding due to trauma injury: Duan Long Gu, Xue Jie, Bai Ji, Er Cha • Clears the Lungs, transforms phlegm, generates fluid and stops diarrhea:			
--	--	--	--