

STOMACH CHANNEL OF FOOT YANG MING				
Name	Association/Precautions	Location	Functions & Actions	Indications/Notes
FACE & HEAD				
ST-1 Cheng Qi 承泣 Tear Container	Entry Point Intersection Point: - Conception Vessel - Yang Qiao (Motility) No Moxa Slow Insertion No Manipulation	- When eyes looking straight forward - Point directly below pupil - Between eyeball and infraorbital ridge Needling Method: - Push eyeball upward w/ left thumb - Puncture perpendicularly and slowly 0.5-1.0 inch along the infraorbital ridge - Not advisable to manipulate the needle with large amplitude	- Benefits eyes - Stops lacrimation (tearing) - Eliminates wind - Clears Heat	- Redness, swelling & pain of eye - Lacrimation (tearing) - Night blindness, Eyelid twitching - Facial paralysis - ST 2 is a good alternative and safer to needle
ST-2* Si Bai 四白 Four Whites	No Moxa No deep needling	- Directly below pupil - In depression at infraorbital foramen Needling Method: - Perpendicular 0.2-0.3 inch	- Eliminates wind - Clears heat - Benefits eyes	- Redness, pain & itching of eye - Facial paralysis - Eyelid twitching - Facial pain
ST-3 Ju Liao 巨髎 Great Bone Hole	Intersection Point - Large Intestine - Yang Qiao (Motility) Moxibustion applicable	- Directly below pupil - Level w/ ala nasi lower border - Lateral side of nasolabial groove Needling Method: - Perpendicular 0.3-0.5 inch	- Eliminates wind - Dissipates swelling - Alleviates pain	- Facial paralysis - Eyelid twitching - Epistaxis (nose bleed) - Toothache - Swelling of lips & cheek
ST-4* Di Cang 地倉 Earth Granary	Intersection Point - Large Intestine - Yang Qiao (Motility) Moxibustion applicable	- Lateral to corner of mouth - Directly below pupil Needling Method: - Subcutaneously 1.0-1.5 inch - Needle tip toward ST 6	- Eliminates wind from face - Activates channel - Alleviates pain	- Deviation of mouth, Salivation - Eyelid twitching - Facial pain, Trigeminal neuralgia (facial pain) - Bell's palsy, facial paralysis
ST-5 Da Ying 大迎 Great Reception	Local Point Avoid Artery Moxibustion applicable	- Anterior to angle of mandible - On anterior border of masseter - Where pulsation of facial artery is palpable - In groove-like depression appearing when cheek is bulged Needling Method: - Obliquely 0.3-0.5 inch	- Eliminates wind - Reduces swelling	- Facial paralysis, Facial pain - Trismus (jaw muscle spasm → tetanus symptom, causes mouth to remain tightly closed) - Cheek swelling, Toothache
ST-6* Jia Che 頰車 Jawbone	Ghost Point Moxibustion applicable	- One finger-breadth (middle finger) anterior & superior to lower angle of mandible - Where masseter prominent when teeth clenched - And masseter depressive when pressed (high point of masseter) Needling Method: - Perpendicularly 0.3-0.5 inch	- Eliminates wind - Benefits jaw & teeth - Activates channel - Alleviates pain	- Facial pain & paralysis, Bell's palsy - Toothache (esp. back molars/wisdom teeth) - Swelling of cheek & face, Twitching - Mumps - Trismus (jaw muscle spasm → tetanus symptom) - Eliminate wind from face (TMJ)
ST-7 Xia Guan 下關 Below the Joint	Moxibustion applicable	- On face, anterior to ear - In depression between zygomatic arch & mandibular notch - Located with mouth closed Needling Method: - Perpendicularly 0.3-0.5 inch	- Benefits ears, jaw & teeth - Activates channel - Alleviates pain	- Deafness, tinnitus - Otorrhea (middle ear infection) - Toothache (esp. upper jaw toothache) - Facial pain & paralysis - Motor impairment of jaw, TMJ
ST-8* Tou Wei 頭維 Head Corner	Intersection point Gallbladder No Moxa	- On lateral side of head 0.5 cun above anterior hairline at corner of forehead 4.5 cun lateral to midline of head Needling Method: - Subcutaneously 0.5-1.0 inch	- Eliminates wind - Alleviates pain - Benefits eyes	- Headache ["Splitting" headache, headache associated w/cold & flu, headache w/nausea & vomiting, headache w/eye pain, migraine], Blurred vision, Dizziness - Ophthalmalgia (Eyeball pain), Lacrimation (tearing), Hair loss


STOMACH CHANNEL OF FOOT YANG MING				
Name	Association/Precautions	Location	Functions & Actions	Indications/Notes
NECK				
ST-9* Ren Ying 人迎 Man's Prognosis	Window of Sky Point Sea of Qi Point Intersection Point • GB channels Avoid Common Carotid Artery No Moxa No deep needling	- Level with tip of Adam's apple (laryngeal prominence) - Where pulsation of common carotid artery is palpable - On anterior border of sternocleidomastoid Needling Method: - Perpendicularly 0.3-0.5 inch	- Regulates Qi & Blood - Lowers rebellion (hypertension) - Benefits throat & neck (sore throat) - Alleviates pain (esp. throat pain)	- Sore throat, Goiter, Flushed face, Dizziness - Asthma - Window of Sky point restores Qi flow btwn body & head → useful with headache, chest tightness - Can affect common carotid artery, use LI-18 because it is safer.
ST-10 Shui Tu 水突 Water Prominence	Local Point Moxibustion applicable	- At midpoint of line joining ST-9 and ST-11 - On anterior border of sternocleidomastoid Needling Method: - Perpendicularly 0.3-0.5 inch	- Benefits throat & neck - Descends Lung Qi	- Sore throat, Cough, Asthma - Can affect circulation w/in common carotid artery and vagus nerve - Also useful for high cholesterol, constipation, larynx cancer.
ST-11 Qi She 氣舍 Qi Abode	Local Point Moxibustion applicable	- At superior border of the sternal extremity of clavicle - Between sternal and clavicular heads of sternocleidomastoid Needling Method: - Perpendicularly 0.3-0.5 inch	- Benefits throat & neck - Descends Qi	- Sore throat, goiter, Hiccup - Pain & rigidity of neck - Asthma
CLAVICLE, 4 CUN FROM ANTERIOR MIDLINE				
ST-12* Que Pen 缺盆 Empty Basin	No deep needling → Could puncture lung Avoid Artery Moxibustion applicable	- In midpoint of supraclavicular fossa 4 cun lateral to anterior midline Needling Method: - Perpendicularly 0.3-0.5 inch	- Descends Lung Qi - Clears heat from chest - Activates channel - Alleviates pain	- Asthma, Sore throat, cough - Throat/neck tightness/pain - Pain in supraclavicular fossa - Shoulder pain (esp. that radiates to neck) - Tonifies middle warmer - Affects circulation w/in subclavian artery (bursitis, tennis elbow, carpal tunnel syndrome)
ST-13 Qi Hu 氣戶 Qi Door	LAB Local point No deep needling → could puncture lung Moxibustion applicable	- At lower border of middle of clavicle 4 cun lateral to anterior midline Needling Method: - Obliquely 0.3-0.5 inch	- Descends rebellious Qi (hiccup, cough) - Unbinds chest	- Fullness in chest (difficult breath) - Asthma - Cough, hiccup - Pain in chest & hypochondrium
INTERCOSTAL SPACES, 4 CUN FROM ANTERIOR MIDLINE				
ST-14 Ku Fang 库房 Storeroom	Local point No deep needling - could puncture lung Moxibustion applicable	- In 1st intercostal space 4 cun lateral to anterior midline Needling Method: - Obliquely 0.3-0.5 inch	- Descends rebellious Qi - Unbinds chest	- Fullness & pain in chest - Cough
ST-15 Wu Yi 屋翳 Roof	Local point No deep needling - could puncture lung Moxibustion applicable	- In 2nd intercostal space 4 cun lateral to anterior midline Needling Method: - Obliquely 0.3-0.5 inch	- Descends rebellious Qi - Unbinds chest - Benefits breasts (mastitis, insufficient lactation) - Alleviates skin pain & itching	- Fullness/pain in chest & costal region (ribs) - Cough - Asthma - Mastitis
ST-16 Ying Chuang 膺窗 Breast Window	Local point No deep needling - could puncture lung Moxibustion applicable	- In 3rd intercostal space 4 cun lateral to anterior midline Needling Method: - Obliquely 0.3-0.5 inch	- Alleviates cough & wheezing - Benefits breasts	- Fullness & pain in chest & hypochondrium - Cough - Asthma - Mastitis
ST-17 Ru Zhong 乳中 Breast Center	Contraindicated. NEVER needled or treated. [It's NC-17!!!]	- In 4th intercostal space 4 cun lateral to anterior midline - Center of nipple Needling Method: - None!!!	Contraindicated. NEVER needled or treated.	Contraindicated. NEVER needled or treated.
ST-18* Ru Gen 乳根 Breast Root	No deep needling - could puncture lung	- On chest, directly below nipple - On lower border of breast - In 5th intercostal space 4 cun lateral to anterior midline Needling Method: - Obliquely 0.3-0.5 inch	- Benefits breasts - Reduces swelling - Unbinds chest - Alleviates cough & wheezing	- Pain in chest - Cough, Asthma - Mastitis, insufficient lactation - Breast disorders


STOMACH CHANNEL OF FOOT YANG MING				
Name	Association/Precautions	Location	Functions & Actions	Indications/Notes
ABOVE UMBILICUS, 2 CUN LATERAL TO ANTERIOR MIDLINE				
ST-19 Bu Rong 不容 Not Contained	Local point Deep needling could injure heart (left), Or liver (right), if enlarged Moxibustion applicable	• 6 cun above umbilicus • 2 cun lateral to REN-14 (Ju Que) → [Midline of abdomen, 2 cun below sternocostal angle] Needling Method: • Perpendicularly 0.5-0.8 inch	• Harmonizes middle jiao • Lowers rebellion • Descends Qi • Alleviates cough & wheezing	• Abdominal distension • Vomiting • Gastric pain • Anorexia
ST-20 Cheng Man 承滿 Assuming Fullness	Local point Deep needling could injure liver (right), if enlarged Moxibustion applicable	• 5 cun above umbilicus • 2 cun lateral to REN-13 (Shang Wan) → [Midline of abdomen, 3 cun below sternocostal angle] Needling Method: • Perpendicularly 0.5-1.0 inch	• Harmonizes middle jiao • Descends rebellion of Lung & Stomach	• Gastric pain (heartburn, acid reflux) • Abdominal distention (bloating) • Vomiting • Anorexia (no appetite, feeling full)
ST-21* Liang Men 梁門 Beam Gate	Moxibustion applicable	• 4 cun above umbilicus • 2 cun lateral to REN-12 (Zhong Wan) → [Midline of abdomen, midway between umbilicus & sternocostal angle] Needling Method: • Perpendicularly 0.8-1.0 inch	• Regulates Qi • Alleviates pain • Harmonizes Middle Jiao • Transforms (food) stagnation • Raises Qi & stops diarrhea	• Gastric pain, palpable masses • Vomiting • Anorexia • Abdominal distention, accumulation of food • Tonifies middle warmer, assists REN 12
ST-22 Guan Men 關門 Pass Gate	Local Point Moxibustion applicable	• 3 cun above umbilicus • 2 cun lateral to REN-11 (Jian Li) → [Midline of abdomen, 5 cun below sternocostal angle] Needling Method: • Perpendicularly 0.8-1.0 inch	• Regulates Qi • Alleviates pain • Regulates intestines • Benefits urination	• Abdominal pain & distention • Anorexia • Borborygmus (belly rumbling), Diarrhea • Edema
ST-23 Tai Yi 太乙 Supreme Unity	Local Point Moxibustion applicable	• 2 cun above umbilicus • 2 cun lateral to REN-10 (Xia Wan) → [Midline of abdomen, 2 cun above umbilicus] Needling Method: • Perpendicularly 0.7-1.0 inch	• Transforms phlegm • Calms spirit • Harmonizes middle jiao	• Gastric pain • Irritability • Mania • Indigestion
ST-24 Hua Rou Men 滑肉門 Slippery Flesh Gate	Local Point Moxibustion applicable	• 1 cun above umbilicus • 2 cun lateral to REN-9 (Shui Fen) → [Midline of abdomen, 1 cun above umbilicus] Needling Method: • Perpendicularly 0.7-1.0 inch	• Transforms phlegm • Calms spirit • Harmonizes stomach • Alleviates vomiting	• Gastric pain • Vomiting • Mania
AT UMBILICUS				
ST-25** Tian Shu 天樞 Celestial Pivot	Front Mu Point of Large Intestine Moxibustion applicable	• 2 cun lateral to center of umbilicus (REN 8) Needling Method: • Perpendicularly 0.7-1.2 inch	• Regulates intestines • Regulates spleen & stomach • Resolves dampness & damp-heat • Regulates Qi & Blood • Eliminates stagnation	• Abdominal pain & distention • Pain around umbilicus • All intestinal issues: Constipation, diarrhea, dysentery, borborygmus • Irregular menstruation • Edema
BELOW UMBILICUS, 2 CUN FROM ANTERIOR MIDLINE				
ST-26 Wai Ling 外陵 Outer Mound	Local Point Moxibustion applicable	• 1 cun below umbilicus • 2 cun lateral to REN-7 (Yin Jiao) → [Midline of abdomen, 1 cun below umbilicus] Needling Method: • Perpendicularly 0.7-1.2 inch	• Regulates Qi • Alleviates pain	• Abdominal pain • Hernia • Dysmenorrhea (painful menstruation, esp. w/cramps)
ST-27 Da Ju 大巨 Great Gigantic	Moxibustion applicable	• 2 cun below umbilicus, 2 cun lateral to REN-5 (Shi Men) Needling Method: • Perpendicularly 0.7-1.2 inch	• Benefits kidneys • Firms essence (impotence) • Regulates Qi • Promotes urination	• Lower abdominal distention • Dysuria (painful/difficult urination) • Male Genitourinary disorders (hernia, seminal emission, impotence, premature ejaculation)
ST-28* Shui Dao 水道 Waterway	Moxibustion applicable	• 3 cun below umbilicus • 2 cun lateral to REN-4 (Guan Yuan) Needling Method: • Perpendicularly 0.7-1.2 inch	• Regulates Lower Jiao • Disperses stagnation (expel placenta or stillborn child) • Benefits bladder & uterus	• Lower abdominal distension • Edema, urine retention, inflammation (Lower Warmer Excess Cold/Damp) • Hernia, Sterility • Gynecological issues w/excess (dysmenorrhea, fibroids, cysts)

STOMACH CHANNEL OF FOOT YANG MING				
Name	Association/Precautions	Location	Functions & Actions	Indications/Notes
BELOW UMBILICUS, 2 CUN FROM ANTERIOR MIDLINE				
ST-29 Gui Lai 归来 Return	Moxibustion applicable	4 cun below umbilicus 2 cun lateral to REN-3 (Zhong Ji) Needling Method: - Perpendicularly 0.7-1.2 inch	- Warms Lower Jiao - Regulates menstruation - Benefits genital region	- Abdominal pain, Hernia - Gynecological issues (dysmenorrhea, irregular menstruation, amenorrhea, leucorrhea (white/yellow vaginal discharge), uterine prolapse) – Warms Uterus & drives out pathogens - Running Piglet Disorder (Panic Attacks)
ST-30* Qi Chong 氣沖 Surging Qi	Sea of Water & Grain Point Intersection Point • Chong (Penetrating Vessel) Moxibustion applicable	5 cun below umbilicus 2 cun lateral to REN-2 (Qu Gu) Needling Method: - Perpendicularly 0.5-1.0 inch	- Regulates Qi in Lower Jiao - Regulates Penetrating Vessel (Chong) - Subdues Running Piglet Disorder	- Abdominal pain, borborygmus - Hernia, Swelling/pain in external genitalia - Impotence - Dysmenorrhea, irregular menstruation - Running Piglet Disorder (More important than ST-29)
ABOVE KNEE, ON LINE CONNECTING ASIS (ANTEROSUPERIOR ILIAC SPINE) & SUPEROLATERAL CORNER OF PATELLA				
ST-31 Bi Guan 髀關 Thigh Joint	Local Point Bi or Wei Syndromes of Lower leg Moxibustion applicable	- Anterior side of thigh - On line connecting ASIS (anterosuperior iliac spine) & superolateral corner of patella - Level w/perineum (lower border of pubic symphysis) when thigh flexed - In depression lateral to Sartorius Needling Method: - Perpendicularly 1.0-1.5 inch	- Activates channel - Alleviates pain - Dispels wind-damp	- Thigh pain - Muscular atrophy (Wei Syndrome) - Numbness/pain of lower extremities - Bi Syndromes (painful obstruction) - Bi or Wei Syndromes (flaccidity or weakness) of Lower leg
ST-32 Fu Tu 伏兔 Crouching Rabbit	Local Point Moxibustion applicable	- Anterior side of thigh - On line connecting ASIS (anterosuperior iliac spine) & superolateral corner of patella 6 cun superior to laterosuperior border of patella Needling Method: - Perpendicularly 1.0-1.5 inch	- Activates channel - Alleviates pain - Dispels wind-damp	- Pain in lumbar & iliac region - Coldness of knee - Paralysis/motor impairment & pain - Bi or Wei Syndromes of Lower leg
ST-33 Yin Shi 阴市 Yin Market	Local Point Moxibustion applicable	- With knee flexed 3 cun superior to superolateral border of patella - On line connecting ASIS (anterosuperior iliac spine) & superolateral border of patella Needling Method: - Perpendicularly 0.7-1.0 inch	- Activates channel - Alleviates pain - Dispels wind-damp	- Numbness, soreness or motor impairment of leg & knee - Motor impairment of lower extremities - Bi or Wei Syndromes of Lower leg
ST-34* Liang Qu 梁丘 Beam Hill	Xi Cleft Point • Only command point located above knee or elbow!!! Moxibustion applicable	- With knee flexed 2 cun superior to the laterosuperior border of patella Needling Method: - Perpendicularly 0.5-1.0 inch	- Activates channel - Alleviates pain - Harmonizes stomach - Moderates acute conditions (Xi Cleft Point)	- Pain & numbness of knee - Acute gastric pain, vomiting - Mastitis - Motor impairment of lower extremities
BELOW KNEE				
ST-35 Du Bi 犛鼻 Calf's Nose	Local Point - Knee problems, needle w/knee flexed Moxibustion applicable	- With knee flexed - Lower border of patella - In depression lateral to patellar ligament Needling Method: - Perpendicularly 0.7-1.0 inch	- Dispels wind-damp - Reduces swelling - Activates channel - Alleviates pain	- Knee pain, numbness & motor impairment - Beriberi [Vitamin B-1 (Thiamine) deficiency] - Brings qi & blood to damaged cartilage & ligaments of knee


STOMACH CHANNEL OF FOOT YANG MING				
Name	Association/Precautions	Location	Functions & Actions	Indications/Notes
ST-36** Zu San Li 足三里 Leg Three Li	He Sea Point Earth Point (Horary) Command Point of Abdomen Sea of Water & Grain Point MAIN TONIFICATION POINT ON BODY!!! Moxibustion applicable	• 3 cun below ST-35 • 1 finger-breadth (middle finger) from anterior border of tibia Needling Method: • Perpendicularly 0.5-1.2 inch	• Harmonizes stomach • Fortifies spleen • Resolves dampness (edema) • Supports correct Qi • Fosters original (Yuan) Qi • Tonifies Qi • Nourishes blood & yin • Clears fire & calms spirit • Activates channel • Alleviates pain • Revives yang • Restores Consciousness	• All issues involving stomach/spleen → gastric pain, vomiting, hiccup, abdominal distention, borborygmus, diarrhea, dysentery, constipation, enteritis, indigestion, beriberi, emaciation due to general deficiency • Mastitis (stomach fire), Edema • Cough (Lung Qi or yin deficiency) [Earth is mother of Metal] → supports Lung function in cases of asthma, wheezing, dyspnea. • Apoplexy (cerebral hemorrhage or stroke), hemiplegia (paralysis of one side of body) • Insomnia, mania (Calm Shen) • Tonify deficient Qi a/or Blood • Tonify Wei Qi. • Clear disorders along the course of the channel - breast problems, lower leg pain. • Psychological/Emotional disorders: PMS, depression, nervousness
ST-37* Shang Ju Xu 上巨虛 Upper Great Hollow	Lower He Sea Point of Large Intestine Sea of Blood Point Moxibustion applicable	• 6 cun below ST-35 • 1 finger-breadth (middle finger) from anterior border of tibia Needling Method: • Perpendicularly 0.5-1.2 inch	• Regulates intestines • Transforms stagnation • Clears damp heat • Alleviates diarrhea/dysentery • Regulates Spleen & Stomach • Activates channel • Alleviates pain	• All disorders of the intestines: Abdominal pain, distention, borborygmus, diarrhea, dysentery, constipation, enteritis, beriberi • Paralysis due to stroke • Sea of Blood Point [Excess: Feel Largeness, Deficiency: Feel Smallness]
ST-38 Tiao Kou 條口 Ribbon Opening	Local Point Moxibustion applicable	• 8 cun below ST-35 • 1 finger breadth (middle finger) from anterior border of tibia Needling Method: • Perpendicularly 0.5-1.0 inch	• Expels wind-damp • Alleviates pain • Benefits shoulder	• Numbness, soreness & pain of knee & leg • Weakness & motor impairment of foot • Pain & motor impairment of shoulder (esp. adhesive capsulitis or “frozen shoulder”) • Abdominal pain
ST-39* Xia Ju Xu 下巨虛 Lower Great Hollow	Lower He Sea Point of Small Intestine Sea of Blood Point Moxibustion applicable	• 9 cun below ST-35 • 1 finger breadth (middle finger) from anterior border of tibia Needling Method: • Perpendicularly 0.5-1.0 inch	• Moves Small Intestine Qi • Transforms stagnation • Regulates & harmonizes intestines • Clears damp-heat • Activates channel • Alleviates pain	• Lower abdominal pain • Backache referring to testes • Mastitis • Numbness & paralysis of lower extremities
ST-40* Feng Long 豐隆 Beautiful Bulge ☺	Luo Connecting Point → Spleen, Head MAJOR PHLEGM POINT ON BODY!!! Moxibustion applicable	• 8 cun superior to lateral malleolus • Lateral to ST-38 (Tiao Kou) • 2 finger-breadths lateral to anterior border of tibia Needling Method: • Perpendicularly 0.5-1.0 inch	• Transforms phlegm & damp • Benefits chest • Clears phlegm from Lung → alleviates cough & wheezing • Clears phlegm from Heart → calms spirit • Activates channel • Alleviates pain	• Headache, dizziness & vertigo • Resolves phlegm - Cough, asthma, excessive sputum, pain in chest, Plum Pit Qi (feeling of something caught in throat) • Constipation • Mania, epilepsy • Muscular atrophy, motor impairment • Pain, swelling, paralysis in lower extremities
ST-41* Jie Xi 解谿 Ravine Divide	Jing (River) Point Fire Point (Use fire to treat fire) Very Important for treating ankle sprains Moxibustion applicable	• On dorsum of foot • At midpoint of transverse crease of ankle joint • In depression btwn tendons of extensor digitorum longus & hallucis longus • Approximately at level of tip of lateral malleolus Needling Method: • Perpendicularly 0.5-0.7 inch	• Clears heat from Stomach channel and Fu (organ) • Calms spirit • Activates channel • Alleviates pain	• Very important in treating ankle sprain & ankle joint pain & inflammation • Muscular atrophy, motor impairment, pain & paralysis of lower extremities • Epilepsy, headache, dizziness & vertigo • Abdominal distention, constipation
ST-42 Chong Yang 冲陽 Surging Yang	Yuan Source Point (Not as important on Yang Channels) Avoid Artery Moxibustion applicable	• On dome of instep of foot • Btwn tendons of long extensor muscle of great toe and long extensor muscle of toes 2→5 • Where pulsation of dorsal artery of foot is palpable Needling Method: • Perpendicularly 0.3-0.5 inch	• Clears heat from Stomach channel • Harmonizes Stomach Fu • Calms spirit • Activates channel • Alleviates pain	• Pain of upper teeth • Redness & swelling of dorsum of foot • Facial paralysis • Muscular atrophy & motor impairment of foot

STOMACH CHANNEL OF FOOT YANG MING				
Name	Association/Precautions	Location	Functions & Actions	Indications/Notes
ST-43 Xian Gu 陷谷 Sunken Valley	Shu (Stream) Point Wood Point Moxibustion applicable	- In depression distal to junction of 2nd and 3rd metatarsals Needling Method: - Perpendicularly 0.3-0.5 inch	- Regulates Spleen - Dispels edema - Regulates & harmonizes stomach & intestines	- Facial or general edema - Abdominal pain, borborygmus - Swelling & pain of dorsum of foot
ST-44* Nei Ting 内庭 Inner Court	Ying (Spring) Point Water Point Moxibustion applicable	- Proximal to web margin btwn 2nd and 3rd toes (in web) - In depression distal & lateral to 2nd metatarsodigital joint Needling Method: - Perpendicularly 0.3-0.5 inch	- Clears heat from stomach channel - Alleviates pain - Harmonizes intestines - Clears damp-heat - Calms spirit	- Toothache, facial pain, mouth deviation, sore throat, epistaxis, febrile diseases - Gastric pain, acid reflux, diarrhea, dysentery, abdominal distention, constipation - Swelling & pain on dorsum of foot
ST-45 Li Dui 厲兌 Severe Mouth	Jing (Well) Point Metal Point Moxibustion applicable	- Lateral side of 2nd toe 0.1 cun posterior to corner of nail Needling Method: - Subcutaneously 0.1 inch	- Clears heat from Stomach channel - Clears heat, calms spirit - Restores consciousness	- Facial swelling, mouth deviation, epistaxis, toothache, sore throat, hoarse voice - Abdominal distention, coldness in leg & foot, dream-disturbed sleep, mania





MAJOR POINTS OF THE LOWER ABDOMEN



MAJOR POINTS OF THE ANTERIOR LOWER LEG

