



SMALL INTESTINE (FIRE) CHANNEL OF HAND TAI YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
SI-1 Shao Ze 少澤 Lesser Marsh	Jing Well Point Metal Point Entry Point Moxibustion Applicable	- On ulnar side of little finger - About 0.1 cun from corner of nail Needling Method: - Subcutaneously 0.1 inch, or - Prick to cause bleeding	- Clears heat - Benefits sensory orifices - Revives consciousness - Promotes lactation - Benefits breasts	- Headache, febrile diseases - Loss of consciousness - Any breast disorders (mastitis, abscess, cysts, Insufficient lactation) - Sore throat, stiff tongue - Earache, tinnitus - Eye redness, corneal cloudiness - Opens sinew channel
SI-2 Qian Gu 前谷 Front Valley	Ying Spring Point Water Point Local Point Moxibustion Applicable	- When loose fist made, on ulnar end of crease in front of metacarpophalangeal joint of little finger - At junction of red & white skin Needling Method: - Perpendicular 0.3-0.5 inch	- Clears wind-heat - Reduces swelling - Benefits eyes, ears throat - Activates channel - Alleviates pain	- Numbness of fingers - Febrile diseases - Tinnitus - Headache - Reddish urine
SI-3* Hou Xi 後谿 Back Ravine	Shu Stream Point Wood Point Tonification Point GV Master Point (with UB 62 Yang Qiao Master Point) Moxibustion Applicable	- When loose fist made, on ulnar end of distal palmar crease, proximal to 5th metacarpophalangeal joint - At end of transverse crease - At junction of red & white skin Needling Method: - Perpendicular 0.5-0.7 inch	- Benefits occiput, neck & back - Activates channel - Alleviates pain - Clears wind, heat & treats malaria (herb: wormwood) - Calms spirit & treats epilepsy - Clears heat & excess from ears & eyes, benefits sensory orifices - Regulates Governing Vessel	- Pain & rigidity of neck, cervical strain/sprain - Occipital headache (w/local points) - Tinnitus, deafness - Eye redness, inflammation, visual dizziness - Sore throat, mania - Malaria - Acute lumbar sprain - Night sweating (w/ HT 6) - Febrile diseases - Contracture & numbness in fingers - Shoulder, scapula & elbow pain
SI-4 Wan Gu 腕骨 Wrist Bone	Yuan Source Point Moxibustion Applicable	- On ulnar side of palm - In depression between base of 5th metacarpal bone & hamate Needling Method: - Perpendicular 0.3-0.5 inch	- Activates channel - Alleviates pain - Clears Heat - Reduces swelling	- Febrile diseases w/ anhidrosis - Headache - Rigidity of neck - Contracture of fingers - Wrist pain - Jaundice
SI-5 Yang Gu 陽谷 Yang Valley	Jing River Point Fire Point Moxibustion Applicable	- At ulnar end of transverse crease on dorsal aspect of wrist - In depression btwn styloid process of ulna & triquetral bone Needling Method: - Perpendicular 0.3-0.5 inch	- Clears Heat - Reduces swelling - Calms spirit	- Swelling of neck & submandibular region - Hand & wrist pain - Febrile diseases
SI-6* Yang Lao 養老 Nursing the Aged	Xi Cleft Point Moxibustion Applicable	- Dorsal to head of ulna - When palm faces chest, point in bony cleft on radial side of styloid process of ulna Needling Method: - Perpendicular 0.3-0.5 inch	- Activates channel - Alleviates pain - Benefits shoulder, arm & eyes - Moderates acute conditions	- Blurry vision - Shoulder, elbow & arm pain - Acute & Severe pain in neck, shoulder & arms - Good for treating elderly patients - Deafness, tinnitus - Failing vision - Upper body, limb stiffness - Extremity fatigue - Overwork, overstrain
SI-7 Zhi Zheng 支正 Branch to the Correct	Luo Connecting Point (Heart Channel) Moxibustion Applicable	- On line joining SI-5 and SI-8 5 cun proximal to dorsal wrist crease Needling Method: - Perpendicular 0.5-0.8 inch	- Clears heat & releases exterior - Calms spirit - Activates channel - Alleviates pain - Benefits finger joints	- Neck rigidity, Headache - Dizziness - Spasmodic pain in elbow & fingers - Febrile diseases - Mania
SI-8 Xiao Hai 小海 Small Sea	He Sea Point Earth Point Moxibustion Applicable	- When elbow flexed - Located in depression between olecranon process of ulna & medial epicondyle of humerus Needling Method: - Perpendicular 0.3-0.5 inch	- Clears heat & dissipates swelling - Calms spirit - Activates channel - Alleviates pain	- Headache - Swelling of neck & submandibular region - Pain in gums, cheek, neck, scapula, axilla - Pain in nape, shoulder, arm - Elbow problems (pain, swelling, trembling, numbness, weakness) - Epilepsy - Channel issues with excess wind and/or heat

SMALL INTESTINE (FIRE) CHANNEL OF HAND TAI YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
SI-9 Jian Zhen 肩貞 True Shoulder	Local Point Moxibustion Applicable	- Posterior & inferior to shoulder joint - When arm adducted, located 1 cun above posterior end of axillary fold Needling Method: - Perpendicular 0.5-1.0 inch	- Expels wind - Benefits shoulder - Activates channel - Alleviates pain	- Pain in scapular region - Motor impairment of hand & arm
SI-10 Nao Shu 臑俞 Upper Arm Shu	Local Point Moxibustion Applicable	- When arm adducted - Directly above posterior end of axillary fold - In depression inferior to scapular spine Needling Method: - Perpendicular 0.5-1.0 inch	- Benefits shoulder - Activates channel - Alleviates pain	- Swelling of shoulder - Aching & weakness of shoulder & arm
SI-11* Tian Zong 天宗 Celestial Gathering	Local Point Moxibustion Applicable	- On scapula, in depression center of subscapular fossa - At junction of upper & middle 1/3 between lower border of scapular spine & inferior angle of scapula - At level of 4th thoracic vertebra Needling Method: - Perpendicular 0.5-1.0 inch	- Activates channel - Alleviates pain - Moves Qi - Unbinds chest & lateral costal region - Benefits breasts - Relaxes & expands chest	- Pain in scapular region - Pain in lateroposterior aspect of elbow & arm - Asthma (bound chest) - Breast problems (mastitis, insufficient lactation, breast pain) - Emotional issues, anxiety that presents w/ asthma
SI-12 Bing Feng 秉風 Grasping the Wind	Intersection Point • LI, GB, San Jiao Moxibustion Applicable	- In center of suprascapular fossa - Directly above SI-11 - When arm is lifted, located in site of depression Needling Method: - Perpendicular 0.5-0.7 inch	- Expels wind - Benefits shoulder & scapula	- Pain in scapular region - Numbness & aching of upper extremities - Motor impairment of shoulder & arm
SI-13 Qu Yuan 曲垣 Crooked Wall	Local Point Moxibustion Applicable	- On medial extremity of suprascapular fossa - About midway between SI-10 and spinous process of T-2 Needling Method: - Perpendicular 0.3-0.5 inch	Benefits shoulder & scapula	Pain & stiffness of scapular region
SI-14 Jian Wai Shu 肩外俞 Outer Shoulder Shu	Local Point Moxibustion Applicable	3 cun lateral to lower border of spinous process of T-1 where DU-13 located Needling Method: - Perpendicular 0.3-0.7 inch	- Activates channel - Alleviates pain - Expels wind & cold - Benefits shoulder & scapula	- Aching of shoulder & back - Pain & rigidity of neck
SI-15 Jian Zhong Shu 肩中俞 Central Shoulder Shu	Local Point Moxibustion Applicable	2 cun lateral to lower border of spinous process of C-7 (or lateral to DU-14) Needling Method: - Perpendicular 0.3-0.6 inch	- Descends Lung Qi - Activates channel - Alleviates pain	- Cough, hemoptysis (coughing up blood) - Asthma - Pain in shoulder & back
SI-16* Tian Chuang 天窗 Celestial Windows	Window of Sky Point Moxibustion Applicable	- In lateral aspect of neck - Posterior to sternocleidomastoid and LI-18 - At level of laryngeal protuberance Needling Method: - Perpendicular 0.3-0.7 inch	- Benefits ears, throat & voice - Regulates Qi - Calms spirit - Activates channel - Alleviates pain - Clears heat	- Sore throat - Sudden loss of voice - Deafness, tinnitus - Stiffness & pain of neck - Throat distention, swelling, goiter, lumps in neck/throat
SI-17* Tian Rong 天容 Celestial Countenance	Window of Sky Point Moxibustion Applicable	- Posterior to angle of mandible - In depression on anterior border of sternocleidomastoid Needling Method: - Perpendicular 0.5-0.7 inch	- Benefits neck & throat - Disperses swelling - Descends rebellious Qi - Benefits ears	- Deafness, tinnitus - Sore throat, swelling & distention in throat, goiter - Swelling of cheek - Foreign body sensation in throat
SI-18 Quan Liao 顴髎 Check Bone Hole	Intersection Point • SI Meridian • San Jiao Meridian No Moxibustion	- Directly below outer canthus - In depression on lower border of zygoma Needling Method: - Perpendicular 0.5-0.8 inch	- Eliminates wind - Alleviates pain - Clears heat - Reduces swelling	- Local point for facial disorders (facial paralysis, Bell's palsy, trigeminal neuralgia, spasm, twitching) - Eyelid twitching - Facial pain, Toothache - Cheek swelling - Yellowish sclera

SMALL INTESTINE (FIRE) CHANNEL OF HAND TAI YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
SI-19* Ting Gong 聽宮 Auditory Palace	Intersection Point • SI Meridian • San Jiao Meridian • Gallbladder Meridian	• Anterior to tragus • Posterior to condyloid process of mandible • In depression formed when mouth open Needling Method: • Perpendicular 0.5-1.0 inch • When mouth open	• Benefits ears • Calms spirit	• Ear problems (deafness, tinnitus, otorrhea (ear drainage), inflammation) • Motor impairment of mandibular joint • Toothache





MAJOR POINTS OF THE NECK REGION

Wangu GB-12

posterior and inferior to the mastoid process

Tianyou SJ-16

on the posterior border of the sternocleidomastoid muscle, approximately 1 cun inferior to Wangu GB-12, on a line drawn between Tianzhu BL-10 and Tianrong SI-17

Tianrong SI-17

in the depression between the angle of the mandible and the anterior border of the sternocleidomastoid muscle.

Yianchuang SI-16

on the posterior border of the sternocleidomastoid muscle, level with the tip of the laryngeal prominence.

Tianding L.I-17

1 cm inferior to Futu L.L.-18, on the posterior border of the sternocleidomastoid muscle

Quepen ST-12

in the supraclavicular area,
posterior to the superior border of the clavicle and at its midpoint,
4 cm lateral to the midline, on the mamillary line.

Renying ST-9

level with the tip of and 1.5 cm lateral to the laryngeal prominence, in the depression between the anterior border of the sterno-cleidomastoid muscle and the lateral border of the thyroid cartilage.

Futu L.I-18

on the lateral side of the neck, level with the tip of the laryngeal prominence, between the sternal and clavicular heads of the sternocleidomastoid muscle.

