

URINARY BLADDER CHANNEL OF FOOT TAI YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
UB-1 Jing¹ Ming² 睛明 Bright Eyes	Entry Point Intersection Point • Urinary Bladder • Small Intestine • Stomach • Yin Qiao • Yang Qiao • Gallbladder • San Jiao • Du No Moxibustion	• In depression slightly above inner canthus Needling Method: • Ask patient to close eyes while pushing eyeball gently to lateral side. Puncture slowly, perpendicularly 0.3 – 0.7 inch along orbital wall. Do not vigorously twist, or lift & thrust needle. To avoid bleeding, press site for a few seconds after needle removal.	• Benefits eyes • Expels Wind • Clears Heat	• Redness, swelling & pain of eye • Itching of canthus • Lacrimation, Night blindness, Color blindness, Blurry vision, Myopia • Main point for all eye disorders (especially from wind (internal or external), excess or heat) • Eye pain, strain, redness, swelling, itching, twitching, blurry vision)
UB-2* Cuan² Zhu² 攢竹 Bamboo Gathering	Local Point No Moxibustion	• On medial extremity of eyebrow or • On supraorbital notch Needling Method: • Subcutaneously 0.3-0.5 inch, or • Prick with 3 edged needle to cause bleeding	• Eliminates wind • Clears Heat • Benefits eyes • Clears head • Alleviates pain	• Headache, Blurring & failing of vision • Pain in supraorbital region • Lacrimation, Redness, swelling & pain of eye • Twitching eyelids, Glaucoma • Sinus congestion/headache • Red, itchy, watery eyes • Use in facial massage for headaches w/ GB20, ST8, LI4, UB60 • Needle toward UB 1 for eye diseases or Yu Yao for supraorbital pain
UB-3 Mei² Chong¹ 眉衝 Eyebrow Ascension	Local Point No Moxibustion	• Directly above BL-2 • 0.5 cun within the anterior hairline • Between DU-24 and UB-4 Needling Method: • Subcutaneously 0.3-0.5 inch	• Expels wind • Clears head • Alleviates pain • Benefits eyes & nose	• Headache, giddiness • Epilepsy • Nasal obstruction
UB-4 Qu¹ Cha¹ 曲差 Deviating Turn	Local Point Moxibustion Applicable	• 0.5 cun directly above midpoint of anterior hairline • 1.5 cun lateral to midline • At junction of medial 1/3 & lateral 2/3 of distance from DU-24 to ST-8 Needling Method: • Subcutaneously 0.3-0.5 inch	• Expels wind • Clears the head • Alleviates pain • Benefits eyes & nose	• Headache • Nasal obstruction & epistaxis • Blurring & failing of vision
UB-5 Wu³ Chu⁴ 五處 Fifth Place	Local Point Moxibustion Applicable	• 1 cun directly above midpoint of anterior hairline • 1.5 cun lateral to midline Needling Method: • Subcutaneously 0.3-0.5 inch	• Eliminates wind • Descends yang • Clears heat • Clears head & nose	• Headache • Blurring of vision • Epilepsy • Convulsion
UB-6 Cheng⁴Guang³ 承光 Light Guard	Local Point No Moxibustion	• 2.5 cun directly above midpoint of anterior hairline • 1.5 cun lateral to midline Needling Method: • Subcutaneously 0.3-0.5 inch	• Eliminates wind • Clears heat • Clears the head • Benefits eyes & nose	• Headache • Blurring of vision • Nasal obstruction
UB-7* Tong¹ Tian¹ 通天 Celestial Connection	Local Point Moxibustion Applicable	• 4 cun directly above midpoint of anterior hairline • 1.5 cun lateral to midline Needling Method: • Subcutaneously 0.3-0.5 inch	• Benefits & regulates nose • Clears the head	• Headache – Good for removing obstructions causing Qi flow issues to head/brain (heavy head, vertex pain, distention, depression) • Giddiness • Nasal obstruction – open the nose • Main point for nasal issues (congestion, sinusitis, chronic nosebleeds, limited sense of smell) • Epistaxis, Rhinorrhea • Useful in combination with LU-7, LI-4, LI-20, Yin Tang and/or DU-23
UB-8* Luo⁴ Que⁴ 絡卻 Declining Connection	Local Point No Moxibustion	• 5.5 cun directly above midpoint of anterior hairline • 1.5 cun lateral to midline Needling Method: • Subcutaneously 0.3-0.5 inch	• Benefits sense organs • Pacifies wind • Transforms phlegm • Calms spirit	• Dizziness • Blurring of vision • Tinnitus • Mania

URINARY BLADDER CHANNEL OF FOOT TAI YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
UB-9 Yu⁴ Zhen³ 玉枕 Jade Pillow	Local Point Moxibustion Applicable	2.5 cun directly above midpoint of posterior hairline 1.3 cun lateral to midline, in depression on level of upper border of external occipital protuberance Needling Method: - Subcutaneously 0.3-0.5 inch	- Expels wind & cold - Alleviates pain - Benefits nose & eyes	- Headache & neck pain - Dizziness - Ophthalmalgia - Nasal obstruction
UB-10* Tian¹ Zhu⁴ 天柱 Celestial Pillar	Sea of Qi Window of Sky Point No Moxibustion	1.3 cun lateral to midpoint of posterior hairline - In depression on lateral aspect of trapezius Needling Method: - Perpendicular 0.5-0.8 inch	- Regulates Qi & pacifies wind - Benefits head & sensory orifices - Calms spirit - Activates channel - Alleviates pain	- Headache (occipital) - Nasal obstruction - Neck issues: sore throat, neck rigidity, stiffness, ROM - Stiffness on one side of neck: Combine with SI-3 on same side & GB-39 on opposite side - Pain in shoulder & back - Secondary point to release exterior in wind-cold conditions (Primary is GB-20)
UB-11* Da⁴ Zhu⁴ 大杼 Great Shuttle	Hui Meeting Points of Bones Sea of Blood Point (upper body) Intersecting Point - Urinary Bladder - Small Intestine - Du Meridian Moxibustion Applicable	1.5 cun lateral to DU-13 - Level with T-1 spinous process lower border Needling Method: - Obliquely 0.5-0.7 inch	- Benefits bones & joints - Expels pathogenic factors - Firms exterior - Regulates Lung Qi - Alleviates cough	- Headache - Pain in neck & back, neck rigidity - Pain & soreness in scapular region - Cough, Fever, Wind disorders - Useful for any bone disorders (osteoporosis, arthritis, inflammation, sensation of heat in bones) - Adjunctive point to affect lungs (infections, colds, flu, asthma) - May be useful for leukemia, anemia, or tonify bone marrow - Sea of Blood Point w/ ST-37 & ST-39 - Sea of Blood full: Patient has sensation that body is bigger than it is, feels uneasy - Sea of Blood insufficient: Patient feels body smaller than it is
UB-12* Feng¹ Men² 風門 Wind Gate	Intersecting Point - Urinary Bladder - Du Meridian Moxibustion Applicable	1.5 cun lateral to Du meridian - Level with T-2 spinous process lower border Needling Method: - Obliquely 0.5-0.7 inch	- Expels wind & releases exterior - Strengthens Defensive (Wei) Qi - Firms exterior - Disseminates & Descends Lung Qi - Benefits nose	- Common cold - Cough, fever - Headache, neck rigidity - Backache - Main point to expel wind from Wei Qi level of body - Strengthen Wei Qi: Apply moxa here & on ST-36 - Good for early stages of wind-cold
UB-13* Fei⁴ Shu¹ 肺俞 Lung Shu	Lung Shu Moxibustion Applicable	1.5 cun lateral to DU-12 - Level with T-3 spinous process lower border Needling Method: - Obliquely 0.5-0.7 inch	- Tonifies Lung Qi - Nourishes Lung Yin - Descends & disseminates Lung Qi - Clears heat from Lung - Releases exterior	- Main point for all Lung problems: Cough, asthma, bronchitis, sore throat, nasal congestion, shortness of breath, voice weakness - Chest pain, Spitting up blood - Afternoon fever, night sweating - Useful for skin disorders: itching, acne, hives - Lung related emotional imbalances: Grief & sadness
UB-14* Jue¹ Yin¹ Shu¹ 厥阴俞 Pericardium Shu	Pericardium Shu Moxibustion Applicable	1.5 cun lateral to Du Meridian - Level with T-4 spinous process lower border Needling Method: - Obliquely 0.5-0.7 inch	- Spreads Liver Qi - Unbinds chest - Regulates Heart - Regulates & Descends Qi	- Cough, stuffy chest - All Heart conditions: Cardiac pain, palpitations, anxiety, stress - Combine with PC-6 to open chest - Vomiting - Can treat Liver related conditions (Liver Qi Stagnation, etc.)
UB-15* Xin¹ Shu¹ 心俞 Heart Shu	Heart Shu Moxibustion Applicable	1.5 cun lateral to DU-11 - Level with T-5 spinous process lower border Needling Method: - Obliquely 0.5-0.7 inch	- Tonifies & nourishes Heart - Regulates Heart Qi - Calms spirit - Unbinds chest - Resolves blood stasis - Clears Heart fire	- Main point for all heart, blood & circulatory conditions of excess or deficient nature - Cardiac pain, palpitation - Main point for HT related emotional issues: palpitations, Memory loss, panic, anxiety, stress. Useful w/PC-6, HT-7, CV-14, UB-14 - Cough, spitting up blood - Nocturnal emission, night sweating (Heart Qi or Yin Deficiency) - Mania (Heart fire), Epilepsy - Main point for insomnia

URINARY BLADDER CHANNEL OF FOOT TAI YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
UB-16 Du¹ Shu¹ 督俞 Governing Shu	Governing (Du) Shu Moxibustion Applicable	1.5 cun lateral to DU-10 - Level with T-6 spinous process lower border Needling Method: - Obliquely 0.5-0.7 inch	Regulates Qi in chest & abdomen	- Heart pain - Epigastric pain, abdominal distention, borborygmus - Chills & fever - Breast abscesses - Itching, psoriasis, alopecia - Hot or toxic skin conditions, especially on back (acne, boils)
UB-17* Ge² Shu¹ 膈俞 Diaphragm Shu	Diaphragm Shu Hui Meeting Point of Blood Moxibustion Applicable	1.5 cun lateral to DU-9 - Level with T-7 spinous process lower border Needling Method: - Obliquely 0.5-0.7 inch	- Invigorates blood & dispels stasis - Cools blood heat - Stops bleeding - Nourishes & harmonizes blood - Harmonizes diaphragm - Descends rebellious Qi	- Diaphragm problems: Asthma, cough, spitting of blood, shortness of breath - Vomiting, hiccups, belching - Difficulty swallowing, hiatal hernia - Afternoon fever, night sweats - Measles (promote rash, then no longer contagious) - Hui Meeting Point of Blood: Good for all Blood related conditions & menstrual problems (deficiency [scanty, light or amenorrhea] → stasis [dark clots, dysmenorrhea]) “Four Flowers” to nourish Blood: UB-17 & UB-19 (or UB-18 & UB-19) - Important for red, itchy skin disorders (heat in blood: eczema, carbuncles)
UB-18* Gan¹ Shu¹ 肝俞 Liver Shu	Liver Shu Moxibustion Applicable	1.5 cun lateral to DU-8 - Level with T-9 spinous process lower border Needling Method: - Obliquely 0.5-0.7 inch	- Spreads Liver Qi - Regulates & nourishes Liver Blood - Pacifies Wind - Cools fire & clears Damp Heat - Benefits eyes & sinews	- Main point for liver conditions: Jaundice, hepatitis, cirrhosis, hypochondriac pain, subcostal pain, blood & Qi stagnation, etc - Main point for eye problems: Redness of eye, blurry vision, pain, itching, dryness, visual dizziness, twitching, night blindness - Main point for liver related emotional issues & mental disorders (anger, depression, irritability, frustration, stress, PMS) - Epilepsy, backache, spitting of blood, epistaxis (nosebleeds)
UB-19* Dan³ Shu¹ 胆俞 Gallbladder Shu	Gallbladder Shu Moxibustion Applicable	1.5 cun lateral to DU-7 - Level with T-10 spinous process lower border Needling Method: - Obliquely 0.5-0.7 inch	- Clears Damp Heat from Liver & Gallbladder - Clears pathogenic factors from Shao Yang - Tonifies & Regulates Gallbladder Qi - Tonifies deficiency	- Jaundice, bitter taste in mouth - Pain in chest & hypochondriac region - Pulmonary tuberculosis - Afternoon fever - Shao Yang level diseases: Alternating fever & chills - Main point for Damp Heat in Liver & Gallbladder: hepatitis, cholecystitis, jaundice, vomiting, flank pain & distention - Often combined with Liver Shu (UB-18) “Four Flowers” to nourish/tonify Blood: UB-17 & UB-19 (or UB-18 & UB-19) - Pain along GB meridian (sides of body) from any etiology (intercostal neuralgia, rib pain, trauma, herpes zoster) - GB related emotional issues (indecision, timidity)
UB-20* Pi² Shu¹ 脾俞 Spleen Shu	Spleen Shu Moxibustion Applicable	1.5 cun lateral to DU-6 - Level with T-11 spinous process lower border Needling Method: - Obliquely 0.5-0.7 inch	- Tonifies Spleen Qi & Yang - Resolves dampness - Raises Spleen Qi - Holds the Blood - Regulates & harmonizes Middle Jiao Qi	- Epigastric pain, abdominal distention - Jaundice, vomiting, diarrhea, dysentery, bloody stool - Profuse menstruation, edema, anorexia, backache - Main point for all Spleen problems: Low energy, fatigue, prolapses, damp related conditions, bleeding disorders - Spleen Qi Deficiency: Fatigue, lack of appetite, abdominal bloating/distention, undigested food in stool, chronic diarrhea, belching (weak pulse) - Excess pulse → External pathogen

URINARY BLADDER CHANNEL OF FOOT TAI YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
UB-21 Wei⁴ Shu¹ 胃俞 Stomach Shu	Stomach Shu Moxibustion Applicable	1.5 cun lateral to DU Meridian - Level with T-12 spinous process lower border Needling Method: - Obliquely 0.5-0.8 inch	- Regulates Stomach - Descends Rebellion - Harmonizes Middle Jiao	- Pain in chest, hypochondriac & epigastric regions, anorexia - Main point for Stomach issues: food stagnation, abdominal distention, borborygmus, diarrhea, nausea, vomiting, mouth ulcers, belching, nausea - To dissolve accumulations/lumps: Combine with Pi Gen (Extra Point for tumors, 3.5 cun lateral to lower border of L-1) - Harmonizes stomach from deficiency, excess, cold or heat
UB-22 San¹ Jiao¹ Shu¹ 俞 Triple Burner Shu	Triple Burner (San Jiao) Shu Moxibustion Applicable	1.5 cun lateral to DU-5 - Level with L-1 spinous process lower border Needling Method: - Perpendicular 0.5-1.0 inch	- Moves & regulates San Jiao - Regulates Spleen & Stomach - Resolves dampness - Regulates water passages - Promotes urination - Resolves masses	- Borborygmus, abdominal distention, indigestion, vomiting, diarrhea, dysentery, edema - Pain & stiffness in lower back - Good for imbalances between upper & lower parts of body (esp. regarding water): edema, bloating, ascites (accumulation of fluid in abdominal cavity), borborygmus, difficult/painful urination, urinary retention
UB-23* Shen⁴ Shu¹ 腎俞 Kidney Shu	Kidney Shu Moxibustion Applicable	1.5 cun lateral to DU-4 - Level with L-2 spinous process lower border Needling Method: - Perpendicular 1.0-1.2 inch	- Tonifies Kidneys - Fortifies Yang - Benefits essence - Nourishes Kidney yin - Firms Kidney Qi - Regulates water passages - Benefits urination - Benefits & warms uterus (use moxa) - Benefits ears & eyes - Strengthens lumbar region	- All Kidney related issues affecting brain, bone, hair, teeth or hearing - Male deficiency related sexual problems: nocturnal emission, impotence, premature ejaculation, spermatorrhea (excessive, involuntary ejaculation), sterility, exhaustion following ejaculation - Female sexual & reproductive disorders: dysmenorrhea, amenorrhea, irregular menstruation, cold uterus, frigidity, infertility, leucorrhea - Tonification point for deficiency conditions: exhaustion, weakness, chronic fatigue - Good for elderly because Kidney Jing is naturally depleted with age - Main point for acute or chronic low back pain, sprains, strains - Good for KD related ear issues: tinnitus, deafness, chronic ear infections - Eneuresis (involuntary urination, especially by children at night), knee weakness, blurry vision, dizziness, edema, asthma, diarrhea
UB-24 Qi⁴ Hai³ Shu¹ 氣海俞 Sea of Qi Shu	Sea of Qi Shu Moxibustion Applicable	1.5 cun lateral to DU Meridian - Level with L-3 spinous process lower border Needling Method: - Perpendicular 0.8-1.2 inch	- Strengthens lumbar region & legs - Regulates Lower Jiao	- Low back pain - Irregular menstruation, dysmenorrhea - Asthma
UB-25* Da⁴ Chang² Shu¹ 大腸俞 Large Intestine Shu	Large Intestine Shu Moxibustion Applicable	1.5 cun lateral to DU-3 - Level with L-4 spinous process lower border Needling Method: - Perpendicular 0.8-1.2 inch	- Regulates Intestines - Transforms stagnation - Alleviates pain - Strengthens lumbar region & legs	- Main point for low back pain, especially when related to constipation or menstruation. Combine with tender points (DU-3, UB-26, Shi Qi Zhui [btwn L-5 & S-1], UB-31, UB-32, GB-30) & distal points (GB-34, GB-39, GB-41, UB-40, UB-57, UB-58, UB-60, UB-62) - Main point for intestine related issues: constipation, diarrhea, dysentery, colitis, IBS, borborygmus, abdominal distention - Pain, numbness & motor impairment of lower extremities, sciatica
UB-26 Guan¹ Yuan² Shu¹ 关元俞 Origin Pass Shu	Storage of Yuan Qi Shu Moxibustion Applicable	1.5 cun lateral to DU Meridian - Level with L-5 spinous process lower border Needling Method: - Perpendicular 0.8-1.2 inch	- Strengthens lumbar region - Regulates Lower Jiao	- Low back pain, abdominal distention - Diarrhea - Sciatica - Eneuresis (involuntary urination, especially by children at night), frequent urination


URINARY BLADDER CHANNEL OF FOOT TAI YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
UB-27* Xiao³ Chang² Shu¹ 小肠俞 Small Intestine Shu	Small Intestine Shu Moxibustion Applicable	1.5 cun lateral to DU Meridian - Level with 1st posterior sacral foramen Needling Method: - Perpendicular 0.8-1.2 inch	- Separates pure from turbid - Regulates intestines & Bladder - Drains turbid Dampness - Clears Damp-Heat - Regulates Small Intestine Qi	- Main point for all Small Intestine related issues: damp heat affecting Bladder (difficult or painful urination, hematuria (blood in urine), dark urine), damp heat affecting intestines (diarrhea, dysentery) - Lower abdominal pain & distention - Nocturnal emission, Eneuresis - Morbid leucorrhea - Low back pain, sciatica
UB-28* Pang² Guang¹ Shu¹ 膀胱俞 Bladder Shu	Bladder Shu Moxibustion Applicable	1.5 cun lateral to DU Meridian - Level with 2nd posterior sacral foramen Needling Method: - Perpendicular 0.8-1.2 inch	- Regulates Bladder - Clears Damp-Heat from Lower Jiao - Dispels stagnation - Resolves masses - Benefits lumbar region & legs	- Main point for Bladder issues: Damp-Heat (painful a/or dark urination), cold (frequent urination, incontinence) - For dampness anywhere in body, combine w/ SP-9 to expel dampness via urination - Very important for treating SI joint issues - Urine retention, eneuresis - Diarrhea, constipation - Stiffness & pain of lower back
UB-29 Zhong¹ Lu³ Shu¹ 中膂俞 Central Backbone Shu	Center of Back Muscles Shu Moxibustion Applicable	1.5 cun lateral to DU Meridian - Level with 3rd posterior sacral foramen Needling Method: - Perpendicular 0.8-1.2 inch	- Benefits lumbar region - Dispels cold - Stops diarrhea	- Dysentery - Hernia - Stiffness & pain of lower back
UB-30 Bai² Huan² Shu¹ 白环俞 White Ring Shu	White Ring Shu Moxibustion Applicable	1.5 cun lateral to DU Meridian - Level with 4th posterior sacral foramen Needling Method: - Perpendicular 0.8-1.2 inch	- Benefits lumbar region & legs - Regulates menstruation - Stops leucorrhoea & seminal emission	- Secondary point for KD related gynecological disorders (menstrual problems, leukorrhea, pelvic inflammatory disease, endometriosis) - Irregular menstruation, morbid leukorrhea - Eneuresis, dysuria - Hernia pain, cold sensation & pain of lower back, tenesmus (continual or recurrent inclination to evacuate the bowels, caused by disorder of the rectum or other illness) - Prolapsed rectum
UB-31 Shang⁴ Liao² 上髎 Upper Bone Hole	Local Point Moxibustion Applicable Contraindicated during pregnancy	- On sacrum - At midpoint btwn posterosuperior iliac spine (PSIS) & posterior midline - At 1st posterior sacral foramen Needling Method: - Perpendicular 0.8-1.2 inch	- Regulates Lower Jiao - Facilitates urination & defecation - Regulates menstruation - Stops leucorrhoea - Benefits lumbar region & legs	- Low back pain, dysuria, constipation - Irregular menstruation, morbid leucorrhea, uterine prolapse Eight Liao Points: UB-31, UB-32, UB-33, & UB-34 → Good for local low back and/or sacrum problems & most genito-urinary problems. (UB-32 used most frequently)
UB-32* Ci⁴ Liao² 次髎 Second Bone Hole	Local Point Moxibustion Applicable Contraindicated during pregnancy	- On sacrum - Medial & inferior to posterosuperior iliac spine (PSIS) & posterior midline - At 2nd posterior sacral foramen Needling Method: - Perpendicular 0.8-1.2 inch	- Regulates Lower Jiao - Facilitates urination & defecation - Regulates menstruation - Stops leucorrhoea - Benefits lumbar region & legs	- Low back pain, hernia - OB/GYN issues: Irregular menstruation, leucorrhea, dysmenorrhea, blood stagnation - Important point for easing labor pain a/or inducing labor - Nocturnal emission, impotence - Eneuresis, dysuria - Muscular atrophy, pain, numbness & motor impairment of lower extremities Eight Liao Points: UB-31, UB-32, UB-33, & UB-34 → Good for local low back and/or sacrum problems & most genito-urinary problems. (UB-32 used most frequently)
UB-33 Zhong¹ Liao² 中髎 Central Bone Hole	Local Point Moxibustion Applicable Contraindicated during pregnancy	- On sacrum - Medial & inferior to UB-32 - At 3rd posterior sacral foramen Needling Method: - Perpendicular 0.8-1.2 inch	- Regulates Lower Jiao - Facilitates urination & defecation - Regulates menstruation - Stops leucorrhoea - Benefits lumbar region & legs	- Low back pain - Constipation, diarrhea, dysuria - Irregular menstruation, morbid leucorrhea Eight Liao Points: UB-31, UB-32, UB-33, & UB-34 → Good for local low back and/or sacrum problems & most genito-urinary problems. (UB-32 used most frequently)

URINARY BLADDER CHANNEL OF FOOT TAI YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
UB-34 Xia⁴ Liao² 下髎 Lower Bone Hole	Local Point Moxibustion Applicable Contraindicated during pregnancy	- On sacrum - Medial & inferior to UB-33 - At 4th posterior sacral foramen Needling Method: - Perpendicular 0.8-1.2 inch	- Regulates Lower Jiao - Facilitates urination & defecation - Regulates menstruation - Stops leucorrhoea - Benefits lumbar region & legs	- Low back pain - Lower abdominal pain - Dysuria, constipation - Morbid leukorrhea Eight Liao Points: UB-31, UB-32, UB-33, & UB-34 → Good for local low back and/or sacrum problems & most genito-urinary problems. (UB-32 used most frequently)
UB-35 Hui⁴ Yang² 会阳 Meeting of Yang	Local Point Moxibustion Applicable	- On sacrum, 0.5 cun lateral to tip of coccyx Needling Method: - Perpendicular 0.5-1.0 inch	- Clears damp-heat - Regulates Lower Jiao - Benefits coccyx - Treats hemorrhoids	- Main point for hemorrhoids - Dysentery, bloody stools, diarrhea - Hemorrhoids, impotence - Morbid leukorrhea - Trauma or pain of coccyx, deviation
UB-36* Cheng² Fu² 承扶 Support	Local Point Moxibustion Applicable	- On posterior side of thigh - At midpoint of inferior gluteal crease Needling Method: - Perpendicular 1.0-1.5 inch	- Activates channel - Relaxes sinews - Alleviates pain - Regulates Lower Jiao - Treats hemorrhoids	- Pain in lower back & gluteal region - Constipation - Muscular atrophy, pain, numbness & motor impairment or weakness of lower extremities - Low back pain or sciatica where pain runs down posterior aspect of leg
UB-37 Yin¹ Men² 殷门 Gate of Abundance	Local Point Moxibustion Applicable	6 cun below UB-36 on line joining UB-36 and UB-40 Needling Method: - Perpendicular 1.0-2.0 inch	- Activates channel - Alleviates pain - Benefits lumbar spine	- Pain in lower back & thigh - Muscular atrophy - Pain, numbness & motor impairment of lower extremities - Hemiplegia
UB-38 Fu² Xi⁴ 浮郄 Superficial Cleft	Local Point Moxibustion Applicable	1 cun above UB-39 - On medial side of biceps femoris tendon - Located with knee slightly flexed Needling Method: - Perpendicular 0.5-1.0 inch	- Relaxes sinews - Alleviates pain - Clears heat - Soothes contraction	- Numbness of gluteal & femoral regions - Contracture of tendons in popliteal fossa
UB-39* Wei³ Yang² 委阳 Bend Yang	Lower He Sea Point of San Jiao Moxibustion Applicable	- Lateral to UB-40 - On medial border of biceps femoris tendon Needling Method: - Perpendicular 0.5-1.0 inch	- Harmonizes San Jiao - Regulates urination - Activates channel - Alleviates pain	- Stiffness & pain of lower back - Distention & fullness of lower abdomen - Edema, dysuria - Cramps of leg & foot - Damp heat conditions affecting lower warmer → Disperse for difficult urination - Tonify for urinary incontinence
UB-40* Wei³ Zhong¹ 委中 Bend Middle	He Sea Point Earth Point Lumbar Command Point Moxibustion Applicable	- Midpoint of transverse crease of popliteal fossa - Between tendons of biceps femoris & semitendinosus Needling Method: - Perpendicular 0.5-1.0 inch - Or prick popliteal vein with 3-edged needle to cause bleeding	- Benefits lumbar region & knees - Activates channel - Alleviates pain	- Lumbar Command Point: All lumbar related issues (Low back pain, sprain, muscle spasms) - Motor impairment of hip joint & lower extremities - Contracture of tendons in popliteal fossa - Muscular atrophy, hemiplegia - Pain, numbness & motor impairment of lower extremities - Abdominal pain, vomiting, diarrhea, erysipelas (large, raised red patches on skin from bacterial infection) - Main point for heat conditions: summer heat, heat stroke, heat exhaustion - Main point for all skin related issues: itching, oozing, inflammation - Good point for leg a/or knee pain
UB-41 Fu⁴ Fen¹ 附分 Attached Branch	Local Point Moxibustion Applicable	3 cun lateral to Du Meridian - Level with T-2 spinous process lower border - On spinal border of scapula Needling Method: - Perpendicular 0.3-0.5 inch	- Activates channel - Alleviates pain - Expels wind & cold	- Stiffness & pain of shoulder, back & neck - Numbness of elbow & arm
UB-42* Po⁴ Hu⁴ 魄户 Po Door	Local Point Moxibustion Applicable	3 cun lateral to Du Meridian - Level with T-3 spinous process lower border - On spinal border of scapula Needling Method: - Oblique 0.3-0.5 inch	- Tonifies & nourishes Lung - Soothes dyspnea - Alleviates cough - Activates channel - Alleviates pain	- Pulmonary tuberculosis - Hemoptysis, Neck rigidity - Reinforces UB-13 for Lung disorders: Cough, Asthma, etc. - Affects psycho-emotional aspects of Lung - Drains Heat from Lung


URINARY BLADDER CHANNEL OF FOOT TAI YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
UB-43* Gao Huang Shu 膏肓俞 Gao Huang Shu	Local Point Moxibustion Applicable	• 3 cun lateral to Du Meridian • Level with T-4 spinous process lower border • On spinal border of scapula Needling Method: • Perpendicular 0.3-0.5 inch	• Tonifies & nourishes Lung, Heart, Kidneys, Spleen & Stomach • Nourishes Lung yin & clears heat • Strengthens deficiency conditions: Qi & Xue(Blood) • Calms spirit • Fosters original Qi • Resolves phlegm	• Pulmonary tuberculosis • Main point for all disorders of Lung & Upper Warmer: Cough, asthma, spitting of blood, dyspnea, tuberculosis • Night sweating, poor memory • Nocturnal emission • Tonification point for cases of weakness & deficiency especially from chronic illness (lingering pathogen)
UB-44 Shen² Tang² 神堂 Spirit Hall	Local Point Moxibustion Applicable	• 3 cun lateral to DU-11 • Level with T-5 spinous process lower border • On spinal border of scapula Needling Method: • Oblique 0.3-0.5 inch	• Unbinds chest • Regulates Qi • Activates channel • Alleviates pain (back)	• Cardiac pain, palpitation • Asthma, stuffy chest, cough • Stiffness & pain of back • Reinforces Heart Shu (UB-15) & treats Heart related psycho-emotional issues: anxiety, insomnia, etc.
UB-45 Yi⁴ Xi¹ 意嘻 Yi Xi	Local Point Moxibustion Applicable	• 3 cun lateral to DU-10 • Level with T-6 spinous process lower border • On spinal border of scapula Needling Method: • Oblique down 0.3-0.5 inch	• Expels wind • Clears Heat • Descends Lung Qi • Invigorates Qi & Blood • Alleviates pain	• Cough, asthma • Pain of shoulder & back
UB-46 Ge² Guan¹ 膈关 Diaphragm Pass	Local Point Moxibustion Applicable	• 3 cun lateral to DU-9 • Level with T-7 spinous process lower border • Approximately at level of inferior angle of scapula Needling Method: • Oblique 0.3-0.5 inch	• Regulates diaphragm • Benefits Middle Jiao (SP & ST) • Descends rebellion • Activates channel • Alleviates pain (locally)	• Dysphagia (difficulty or discomfort in swallowing) • Hiccup, vomiting, belching • Pain & stiffness of back
UB-47 Hun² Men² 魂门 Hun Gate	Local Point Moxibustion Applicable	• 3 cun lateral to DU-8 • Level with T-9 spinous process lower border Needling Method: • Oblique 0.3-0.5 inch	• Spreads Liver Qi (especially with emotional aspects) • Relaxes sinews • Harmonizes Middle Jiao (SP & ST, LV/SP)	• Pain in chest & hypochondriac region • Back pain • Vomiting, Diarrhea • Reinforce the LV Back Shu (UB-18) • Helps treat psycho-emotional aspects of LV (depression, frustration)
UB-48 Yang² Gang¹ 阳纲 Yang Headrope	Local Point Moxibustion Applicable	• 3 cun lateral to DU-7 • Level with T-10 spinous process lower border Needling Method: • Oblique 0.3-0.5 inch	• Regulates Gallbladder • Clears Damp-Heat (from GB) • Harmonizes Middle Jiao	• Borborygmus, abdominal pain, diarrhea • Pain in hypochondriac region • Jaundice
UB-49 Yi⁴ She⁴ 意舍 Reflection Abode	Local Point Moxibustion Applicable	• 3 cun lateral to DU-6 • Level with T-11 spinous process lower border Needling Method: • Oblique 0.3-0.5 inch	• Clears Middle Jiao Damp Heat (jaundice) • Regulates Spleen & Stomach	• Abdominal distention, borborygmus • Vomiting, diarrhea • Difficulty swallowing • Reinforces SP Shu (UB-20), especially with Damp Heat (hepatitis, cholecystitis, wasting & thirsting (diabetes)) • Sometimes used for memorization & concentration w/SP-3
UB-50 Wei⁴ Cang¹ 胃仓 Stomach Granary	Local Point Moxibustion Applicable	• 3 cun lateral to DU Meridian • Level with T-12 spinous process lower border Needling Method: • Oblique 0.3-0.5 inch	• Harmonizes Middle Jiao	• Abdominal distention • Pain in epigastric region & back • Infantile indigestion
UB-51 Huang¹ Men² 育门 Huang Gate	Local Point Moxibustion Applicable	• 3 cun lateral to DU-5 • Level with L-1 spinous process lower border Needling Method: • Oblique 0.3-0.5 inch	• Dispels stagnation (masses) • Benefits breasts	• Abdominal pain • Constipation • Abdominal masses
UB-52* Zhi⁴ Shi⁴ 志室 Will Chamber	Local Point Moxibustion Applicable	• 3 cun lateral to DU-4 • Level with L-2 spinous process lower border Needling Method: • Perpendicular 0.5-1.0 inch	• Tonifies Kidneys • Benefits essence • Reinforces will power • Regulates urination • Dispels damp • Strengthens lumbar region	• Nocturnal emission, impotence, edema • Eneuresis, frequent urination, dysuria • Irregular menstruation • Knee & back pain • Reinforce KD Back Shu (UB 23) for fertility issues (impotence, infertility), a/or urinary issues, especially from damp heat or KD Qi or Yang deficiency (incontinence, dribbling urine)

URINARY BLADDER CHANNEL OF FOOT TAI YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
UB-53 Bao¹ Huang¹ 胞育 Bladder Huang	Local Point Moxibustion Applicable	3 cun lateral to median sacral crest - Level with 2nd posterior sacral foramen Needling Method: - Perpendicular 0.8-1.2 inch	- Benefits lumbar region - Activates channel - Alleviates pain - Regulates Lower Jiao - Benefits urination	- Borborygmus, abdominal distention - Pain in lower back - Anuria (failure of kidneys to produce urine)
UB-54* Zhi⁴ Bian¹ 秩边 Sequential Limit	Local Point Moxibustion Applicable	3 cun lateral to median sacral crest - Level with 4th posterior sacral foramen Needling Method: - Perpendicular 1.5-2.0 inch	- Benefits lumbar region - Activates channel - Alleviates pain - Regulates urination - Treats hemorrhoids	- Pain in lumbosacral region, muscular atrophy, motor impairment of lower extremities - Dysuria, constipation, hemorrhoids - Swelling around external genitalia - Sciatica, especially if pain radiates along posterior aspect of leg - Five Lin (Painful Urination) disorders
UB-55 He² Yang² 合阳 Yang Union	Local Point Moxibustion Applicable	2 cun directly below UB-40 - Between medial & lateral heads of gastrocnemius - On line joining UB-40 & UB-57 Needling Method: - Perpendicular 0.7-1.0 inch	- Activates channel - Alleviates pain - Stops uterine bleeding - Treats genital pain	- Low back pain - Pain & paralysis of lower extremities
UB-56 Cheng² Jin¹ 承筋 Sinew Support	Local Point Moxibustion Applicable	- On line joining UB-40 & UB-57 - Center of belly of gastrocnemius 5 cun below UB-40 Needling Method: - Perpendicular 0.8-1.2 inch	- Relaxes sinews - Activates channel - Alleviates pain - Benefits foot & heel	- Spasm of gastrocnemius - Hemorrhoids - Acute lower back pain
UB-57* Cheng² Shan¹ 承山 Mountain Support	Local Point Moxibustion Applicable	- On posterior midline of leg - Between UB-40 & UB-60 - In pointed depression formed below gastrocnemius muscle belly - When leg stretched or heel lifted Needling Method: - Perpendicular 0.8-1.2 inch	- Relaxes sinews - Activates channel - Alleviates pain - Benefits calf & heel - Treats hemorrhoids	- Low back pain - Gastrocnemius spasm - Main point for Hemorrhoids, any etiology - Constipation, beriberi - Main point for pain, swelling a/or cramping of calf muscle - Heel a/or foot pain from trauma or paralysis a/or neurological disorders
UB-58* Fei¹ Yang² 飞扬 Taking Flight	Luo Connecting Point Moxibustion Applicable	7 cun directly above UB-60 - On posterior border of fibula 1 cun lateral & inferior to UB-57 Needling Method: - Perpendicular 0.7-1.0 inch	- Harmonizes upper & lower - Expels wind from tai yang channel - Treats hemorrhoids - Activates channel - Alleviates pain	- Headache, blurry vision, nasal obstruction - Epistaxis, back pain, hemorrhoids - Weakness of leg - Releases exterior for wind or wind-cold conditions, especially useful when accompanied w/ neck stiffness a/or occipital headache - Luo Connecting Point (to KD): useful for chronic low back pain, especially w/ weak lower limbs & KD deficiency “Excess above w/ deficiency below”: Weak low back w/tight, stiff neck a/or low back pain w/weak lower limbs
UB-59 Fu¹ Yang² 跗阳 Instep Yang	Xi Cleft of Yang Qiao Moxibustion Applicable	3 cun directly above UB-60 Needling Method: - Perpendicular 0.5-1.0 inch	- Benefits lumbar region & legs - Activates channel - Alleviates pain	- Heavy sensation of head, headache - Low back pain, lateral ankle sprain - Redness & swelling of external malleolus - Paralysis of lower extremities - Acute pain a/or spasm of Bladder a/or Yang Qiao meridians
UB-60* Kun¹ Lun² 昆仑 Kunlun Mountains	Jing River Point Fire Point Moxibustion Applicable Contraindicated during pregnancy	- In depression between tip of external malleolus & Achilles tendon Needling Method: - Perpendicular 0.5-1.0 inch	- Clears heat & lowers yang - Pacifies wind & leads down excess - Activates entire Bladder channel - Alleviates pain - Relaxes sinews - Strengthens lumbar spine - Promotes labor	- Headache, blurry vision, neck rigidity - Epistaxis (nose bleed) - Pain in shoulder, back & arm - Swelling & pain of heel - Difficult labor - Epilepsy - Main point for pain anywhere along spine (UB-40 may be used more for pain in middle of spine) - Main point for chronic low back pain, pain a/or numbness in lower limbs - Main point for headache and other excesses affecting head - Induces labor or promotes discharge of retained placenta


URINARY BLADDER CHANNEL OF FOOT TAI YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
UB-61 Pu² Can¹ 仆参 Subservient Visitor	Intersection Point - Urinary Bladder - Yang Qiao Moxibustion Applicable	- Posterior & inferior to external malleolus, directly below UB-60 - Lateral to calcaneum - At junction of red & white skin Needling Method: - Perpendicular 0.3-0.5 inch	- Relaxes sinews - Activates channel - Alleviates pain	- Muscular atrophy & weakness in lower extremities - Pain in heel
UB-62* Shen Mai 申脉 Extending Vessel	Yang Qiao (Motility) Master Point (w/ SI-3 Du Mai Master Point) Moxibustion Applicable	- In depression directly below external malleolus Needling Method: - Perpendicular 0.3-0.5 inch	- Pacifies interior wind - Expels exterior wind - Calms spirit - Treats epilepsy - Benefits head & eyes - Opens & regulates Yang Motility vessel - Activates channel - Alleviates pain	- Epilepsy, mania, headache, dizziness - Insomnia, backache, aching legs - Combine with SI-3 for low back pain, difficulty walking & spinal problems. Also for wind-cold affecting Tai Yang channels: Stiff neck a/or shoulders, occipital headache - Combine with KD-6 for insomnia, nervousness (especially late at night)
UB-63 Jin² Men² 金门 Metal Gate	Xi Cleft Point Intersection Point - Urinary Bladder - Yang Wei Moxibustion Applicable	- On lateral side of foot - Directly below anterior border of external malleolus - On lower border of cuboid bone Needling Method: - Perpendicular 0.3-0.5 inch	- Pacifies wind - Moderates acute conditions - Relaxes sinews - Activates channel - Alleviates pain	- Mania, epilepsy, infantile convulsion - Backache, pain in external malleolus - Motor impairment & pain in lower extremities
UB-64 Jing¹ Gu³ 京骨 Capital Bone	Yuan Source Point Moxibustion Applicable	- Below tuberosity of 5th metatarsal bone - At junction of red & white skin Needling Method: - Perpendicular 0.3-0.5 inch	- Clears head & eyes - Eliminates wind - Calms spirit - Relaxes sinews - Activates channel - Alleviates pain	- Headache, neck rigidity, epilepsy - Pain in lower back & thigh - Relationship to Heart & Spirit - Good distal point for palpitations, chest pain, irritability, mental confusion
UB-65 Shu⁴ Gu³ 束骨 Bundle Bone	Shu Stream Point Wood Point Sedation Point Moxibustion Applicable	- Posterior to 5th metatarsophalangeal joint - At junction of red & white skin Needling Method: - Perpendicular 0.3-0.5 inch	- Clears head & eyes - Clears heat - Dissipates swelling - Activates channel - Alleviates pain	- Mania, headache, neck rigidity, blurry vision - Backache, pain in lower extremities
UB-66 Zu² Tong¹ Gu³ 足通谷 Valley Passage	Ying Spring Point Water Point Moxibustion Applicable	- Anterior to 5th metatarsophalangeal joint - At junction of red & white skin Needling Method: - Perpendicular 0.2-0.3 inch	- Clears head - Descends Lung & Stomach Qi	- Headache, neck rigidity, blurry vision - Epistaxis, mania
UB-67* Zhi⁴ Yin¹ 至阴 Reaching Yin	Jing Well Point Metal Point Tonification Point Exit Point Moxibustion Applicable Contraindicated during pregnancy, except to turn breach	- On lateral side of small toe - About 0.1 cun from corner of nail Needling Method: - Superficial 0.1 inch	- Expels wind - Clears head & eyes - Turns fetus - Facilitates labor	- Headache, nasal obstruction - Epistaxis, ophthalmalgia (eyeball pain) - Malposition of fetus, difficult labor - Retention of placenta after birth - Feverish sensation in sole




Major Points of the top of the Head



Major Points of the back of the Head



POINTS OF THE BACK (GOVERNING VESSEL AND BLADDER CHANNEL)



MAJOR POINTS OF THE LOWER BACK

Dachangshu BL-25
1.5 cun lateral to the lower border of the spinous process of the fourth lumbar vertebra

Yaoyangguan DU-3
on the midline, in the depression below the spinous process of the fourth lumbar vertebra

Shiqizhuixia (M-BW-25)
on the midline, in the depression below the spinous process of the fifth lumbar vertebra

Yaoyan (M-BW-24)
in the visible depression lateral to the interspace between L4 and L5

Guanyuanshu BL-26
1.5 cun lateral to the lower border of the spinous process of L5

Pangguangshu BL-28
1.5 cun lateral to the midline, at the level of the second posterior sacral foramen

Baihuanshu BL-30
1.5 cun lateral to the midline, at the level of the fourth posterior sacral foramen

Xiaochangshu BL-27
1.5 cun lateral to the midline, at the level of the first posterior sacral foramen

Baohuang BL-53
3 cun lateral to the midline, at the level of the sp of the second sacral vertebra

Ciliao BL-32
over the second posterior sacral foramen




Zhibian BL-54
3 cun lateral to the hiatus of the sacrum

Zhonglushu BL-29
1.5 cun lateral to the midline, at the level of the third posterior sacral foramen


Yaoshu DU-2
in the hiatus of the sacrum

Huiyang BL-35
0.5 cun lateral to the Governing vessel, level with the tip of the coccyx

Huantiao GB-30
one third of the distance between the highest point of the trochanter and the hiatus of the sacrum




Tibialis posterior – Plantar flexes ankle, inverts foot



Flexor hallucis longus – Flexes

big toe, plantar flexes ankle, inverts foot



MAJOR POINTS OF THE LATERAL FOOT

