

CHEST POINTS				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
- A: REN 22, LU 1, KD 25, REN 17, REN 14, GB 24, LV 13, LV 14, SP 21, GB 25 - B: ST 18, REN 15, KD 27, KD 24, KD 23				
LU-1* Zhong Fu 中府 Central Treasury	Front Mu Point Moxibustion Applicable Never puncture deeply towards medial aspect. (Pneumothorax danger)	- Latero-superior to the sternum, 1 cun below Yunmen (LU-2), at the level of the first intercostal space, 6 cun lateral to the anterior midline Needling Method: - Obliquely 0.5-0.8 cun toward lateral aspect of chest - Follow groove	- Disseminates & Descends Lung Qi - Alleviates cough and wheezing - Transforms phlegm - Clears heat - Regulates the water passages - Descends Stomach Qi	- Cough, asthma, pain in the chest, shoulder and back, fullness in the chest - As the entry point of the Lung Channel and the meeting point with the Spleen channel, LU-01 (Zhong Fu) is where the Ying Qi begins its cycle throughout the channels. - Lung Front MU Point - useful for all LU Issues, especially of Excess Type - cough, wheezing, asthma. - LU disharmonies involving Phlegm/Heat excess arising from the middle warmer - vomiting, difficult ingestion
ST-18* Ru Gen 乳根 Breast Root	No deep needling - could puncture lung	- On chest, directly below nipple - On lower border of breast - In 5th intercostal space 4 cun lateral to anterior midline Needling Method: - Oblique or subcutaneous 0.5-0.8 cun	- Benefits breasts - Reduces swelling - Unbinds chest - Alleviates cough & wheezing	- Pain in chest - Cough, Asthma - Mastitis, insufficient lactation - Breast disorders
SP-21 Da Bao* Great Embrace	Grand Luo Connecting Point → Connects all Luo channels Moxibustion Applicable	- On lateral side of chest & on middle axillary line - In 6th intercostal space [MOA: In 7th intercostal space] Needling Method: - Oblique or subcutaneous toward back 0.5-1.0 cun	- Regulates Qi & blood - Firms sinews & joints - Unbinds chest - Benefits lateral costal region	- Pain in chest, hypochondriac or thoracic region - Asthma - General aching & weakness [good for fibromyalgia] - Deficiency → All joints flaccid [Pressure feels good] - Excess → Pain all over body [Pressure hurts]
KD 23 Shen Feng Spirit Seal	Local Point Moxibustion Applicable	- In 4th intercostal space 2 cun lateral to anterior midline Needling Method: - Oblique or subcutaneous 0.5-0.8 cun	- Unbinds the chest - Lowers rebellious Lung and Stomach Qi - Benefits the breasts	- Cough, asthma, fullness in the chest and hypochondriac region, mastitis - Generally useful for cough, chest tension, constricted breathing
KD 24 Ling Xu Spirit Ruins	Local Point Moxibustion Applicable	- In 3rd intercostal space 2 cun lateral to anterior midline Needling Method: - Oblique or subcutaneous 0.5-0.8 cun	- Unbinds the chest - Lowers rebellious Lung and Stomach Qi - Benefits the breasts	- Cough, asthma, fullness in the chest and hypochondriac region, mastitis - Generally useful for cough, chest tension, constricted breathing
KD 25 Shen Cang Spirit Storehouse	Local Point Moxibustion Applicable	- In 2nd intercostal space 2 cun lateral to anterior midline Needling Method: - Oblique or subcutaneously follow intercostals 0.3-0.5 cun	- Unbinds the chest - Lowers rebellious Lung and Stomach Qi	- Cough, asthma, chest pain - Generally useful for cough, chest tension, constricted breathing
KD 27 Shu Fu Shu Mansion	Local Point Moxibustion Applicable	- In depression of lower border of clavicle 2 cun lateral to anterior midline Needling Method: - Oblique or subcutaneous 0.5-0.8 cun	- Unbinds the chest - Transforms phlegm and alleviates cough and wheezing - Harmonizes the Stomach and lowers rebellious Qi	- Cough, asthma, chest pain - Opens & relaxes the chest (asthma, constricted breathing, cough, chest tightness) - Tonify KD Deficiency leading to adrenal exhaustion (fatigue, lowered immunity) - Local point for neck a/or jaw issues (pain, tension)
GB-24* Ri Yue 日月 Sun & Moon	GB Front Mu Moxibustion Applicable	- Directly below nipple in 7th ICS 4 cun lateral to the AML Needling Method: - Oblique or subcutaneously follow intercostals 0.5-0.8 cun	- Benefits the Gall Bladder - Spreads Liver Qi - Lowers rebellious Qi and harmonizes the middle jiao - Resolves damp-heat (LV & GB have the closest Yin/Yang relationship because LV completely surrounds GB)	- Pain in the hypochondriac region - Vomiting, acid regurgitation - Hiccup, jaundice, mastitis. - LV & GB issues, especially involving heat and stagnation: gallstones, hepatitis, jaundice. - LV/GB attacking (overcontrolling) the SP: nausea, vomiting, sour belching, bitter taste, acid reflux. - GB related emotional imbalances: fearfulness, shyness - Indecisiveness, timidity, sighing - The <i>Ling Shu</i> indicates GB 24 & UB 19 (GB Back Shu) for frequent indecisiveness.

CHEST POINTS				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
GB 25* Jing Men 京門 Capital Gate	KD Front Mu Moxibustion Applicable	- Lateral side of the abdomen - On lower border of free end - Of the 12th rib Needling Method: - Perpendicular or oblique 0.5-1.0 cun Needle: 1.0-1.5 cun	- Tonifies the Kidneys* - Regulates the water passages* - Fortifies the Spleen - Regulates the intestines - Strengthens the lumbar region	- Abdominal distention, borborygmus, diarrhea - Pain in lumbar and hypochondriac region - Local point for pain in the lumbar a/or lateral costal region especially when presenting with a KD deficiency. - KD/SP Issues involving dampness - diarrhea (esp. watery/cold), bloating, abdominal distention. - Diuretic point - urinary retention, difficult urination, EDEMA* - Urinary tract stones - assists passage (herbs can dissolve KD stones)
LV-13* Zhang Men 章門 Camphor-wood Gate	Spleen Front Mu Point Hui Meeting of Zang Intersection Point • GB Moxibustion Applicable	- On the lateral side of abdomen - Below the free end of the 11th rib Needling Method: - Perpendicular or obliquely toward center (follow 11th rib) 0.5-1.0 cun Needle: 1.0-1.5 cun	- Harmonizes the Liver and Spleen - Regulates middle and lower jiao - Fortifies the Spleen - Spreads the Liver and regulates Qi	- Abdominal distention, borborygmus, pain in the hypochondriac region, vomiting, diarrhea, indigestion - Assist with SP Deficient signs esp. from the LV invading the SP: pain and distention of the abdomen, vomiting, constipation, diarrhea (or alternating), bloating, undigested food in the bowels. - Hui Meeting Point of the Zang: tonify all Zang organs. - Running Piglet Disorder
LV-14* Qi Men 期門 Cycle Gate	Liver Front Mu Point Intersection Point • SP, Yin Wei Moxibustion Applicable No Deep Needle	- Directly below the nipple, in the 6th intercostal space 4 cun lateral to the anterior midline Needling Method: - Oblique, follow intercostals 0.5-0.8 cun	- Spreads the Liver and regulates Qi - Invigorates blood and disperses masses - Harmonizes the Liver and Stomach	- Hypochondriac pain, abdominal distention, hiccup, acid regurgitation, mastitis, depression, febrile diseases - Strong effect on the middle and upper warmers: subcostal tension, chest/rib pain, LV overacting on the LU (cough, SOB). - Effects LV organ, Qi/Blood stagnation: hepatitis, gallstones. - Emotional imbalances: anger, irritability. - Running Piglet Disorder
REN-14* Ju Que 巨闕 Great Tower Gate	Front Mu of Heart Moxibustion Applicable	- On the anterior midline 6 cun above the umbilicus Needling Method: - Oblique down 0.5-1.0 cun 45 degrees initially, then turn needle	- Regulates the Heart - Alleviates pain - Descends Lung Qi - Unbinds the chest - Transforms phlegm* - Calms the spirit - Harmonizes the Stomach - Descends rebellion	- Pain in the cardiac region and the chest, nausea, acid regurgitation, difficulty in swallowing, vomiting, mental disorders, epilepsy, palpitation - Any Shen or Heart issue arising from Excess or Deficiency* Front Mu Point of the HT*: angina, pain/tightness in Heart area. - Shen disturbances arising from Phlegm "misting the mind"*: mania, muddled thinking, anxiety
REN-15* Jiu Wei 鳩尾 Turtledove Tail	Luo Connecting Point of REN (Connects to DU Meridian) Moxibustion Applicable	- On the anterior midline 1 cun below the xiphi-sternal synchondrosis (midline meeting point of costal cartilage) - Locate the point in supine position with the arms uplifted Needling Method: - Oblique (down) 0.3-0.5 cun	- Regulates the Heart - Calms the spirit - Descends Lung Qi* - Unbinds the chest*	- Pain in the cardiac region and the chest, nausea, mental disorders, epilepsy - Luo Connecting Point: upper abdomen issues, chest tightness/oppression
REN-17** Dan Zhong 膻中 Chest Center	Front Mu Point of PC Hui Meeting Point of Qi Sea of Qi Moxibustion Applicable	- On the anterior midline - Level with 4th intercostal space - Midway between the nipples Needling Method: - Subcutaneous down or towards both breasts 0.3-0.5 cun - Start perpendicular first, then turn needle	- Regulates Qi - Unbinds the chest (asthma) - Descends rebellion of the Lung and Stomach* - Benefits gathering Qi (Qi of HT & LU)* - Benefits the breasts and promotes lactation (Descend Qi to promote lactation)*	- Asthma, pain in the chest, fullness in the chest, palpitation, insufficient lactation, hiccup, difficulty in swallowing - Main point for tonification of the upper warmer. - Hui Meeting Point of the Qi*: tonify and move the Qi in body. - Chronic lung issues*: cough, asthma, SOB, diaphragmatic pain. - Breast issues*: insufficient lactation, mastitis. - Chest/Throat issues (rattling in throat w/asthma, difficulty swallowing), counterflow Qi problems - guides the Qi downwards

CHEST POINTS				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
REN-22* Tian Tu 天突 Celestial Chimney	Window of Sky Point Intersection Point • Yin Wei Moxibustion Applicable No Deep Needling	• In center of suprasternal fossa Needling Method: • First puncture perpendicularly 0.2-0.3 cun, slightly above sternum • If there is a sharp pain, STOP! • Then insert the needle tip downward along the posterior aspect of sternum 0.5-1.5 cun • Needle should be inserted perpendicularly 0.2 - 0.3 cun and retained or then angled and inserted an additional 0.3 - 0.7 cun (up to 1 cun total) so that it follows the posterior aspect of the manubrium • Use Seirin yellow or blue • Hold tube steady, push needle gently bend needle & insert 1.0 cun	• Descends rebellious Qi • Alleviates cough and wheezing • Benefits the throat and voice	• Asthma, cough, sore throat • Dry throat, hiccup • Sudden hoarseness of the voice • Difficulty in swallowing • Goiter • All throat/vocal cord disorders. • Window of the Sky Point: useful for aphasia. • Upper chest Qi/Stagnation issues*: Cough, asthma, wheezing, pain in the upper chest, tightness, oppression

BACK POINTS				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
- A: UB 13, UB 43, DU 9, UB 18, SI 10, DU 4, UB 23, UB 32, HTJJ, GB 30 - B: UB 15, UB 36, UB 25, UB 20, UB 47, UB 52, UB 54				
UB-13* Fei⁴ Shu¹ 肺俞 Lung Shu	Lung Shu Moxibustion Applicable	1.5 cun lateral to DU-12 - Level with T-3 spinous process lower border Needling Method: - Oblique down or toward spine 0.5-0.8 cun	- Tonifies Lung Qi - Nourishes Lung Yin - Descends & disseminates Lung Qi - Clears heat from Lung - Releases exterior	- Main point for all Lung problems: Cough, asthma, bronchitis, sore throat, nasal congestion, shortness of breath, voice weakness - Chest pain, Spitting up blood - Afternoon fever, night sweating - Useful for skin disorders: itching, acne, hives - Lung related emotional imbalances: Grief & sadness
UB-15* Xin¹ Shu¹ 心俞 Heart Shu	Heart Shu Moxibustion Applicable	1.5 cun lateral to DU-11 - Level with T-5 spinous process lower border Needling Method: - Oblique down 0.5-0.8 cun	- Tonifies & nourishes Heart - Regulates Heart Qi - Calms spirit - Unbinds chest - Resolves blood stasis - Clears Heart fire	- Main point for all heart, blood & circulatory conditions of excess or deficient nature - Cardiac pain, palpitation - Main point for HT related emotional issues: palpitations, Memory loss, panic, anxiety, stress. Useful w/PC-6, HT-7, CV-14, UB-14 - Cough, spitting up blood - Nocturnal emission, night sweating (Heart Qi or Yin Deficiency) - Mania (Heart fire), Epilepsy - Main point for insomnia
UB-18* Gan¹ Shu¹ 肝俞 Liver Shu	Liver Shu Moxibustion Applicable	1.5 cun lateral to DU-8 - Level with T-9 spinous process lower border Needling Method: - Obliquely down or towards spine 0.5-0.8 cun	- Spreads Liver Qi - Regulates & nourishes Liver Blood - Pacifies Wind - Cools fire & clears Damp Heat - Benefits eyes & sinews	- Main point for liver conditions: Jaundice, hepatitis, cirrhosis, hypochondriac pain, subcostal pain, blood & Qi stagnation, etc - Main point for eye problems: Redness of eye, blurry vision, pain, itching, dryness, visual dizziness, twitching, night blindness - Main point for liver related emotional issues & mental disorders (anger, depression, irritability, frustration, stress, PMS) - Epilepsy, backache, spitting of blood, epistaxis (nosebleeds)
UB-20* Pi² Shu¹ 脾俞 Spleen Shu	Spleen Shu Moxibustion Applicable	1.5 cun lateral to DU-6 - Level with T-11 spinous process lower border Needling Method: - Obliquely 0.5-0.8 cun	- Tonifies Spleen Qi & Yang - Resolves dampness - Raises Spleen Qi - Holds the Blood - Regulates & harmonizes Middle Jiao Qi	- Epigastric pain, abdominal distention - Jaundice, vomiting, diarrhea, dysentery, bloody stool - Profuse menstruation, edema, anorexia, backache - Main point for all Spleen problems: Low energy, fatigue, prolapses, damp related conditions, bleeding disorders - Spleen Qi Deficiency: Fatigue, lack of appetite, abdominal bloating/distention, undigested food in stool, chronic diarrhea, belching (weak pulse) - Excess pulse → External pathogen
UB-23* Shen⁴ Shu¹ 腎俞 Kidney Shu	Kidney Shu Moxibustion Applicable	1.5 cun lateral to DU-4 - Level with L-2 spinous process lower border Needling Method: - Perpendicular or oblique down 1.0-2.0 cun Needle: 1.0-1.5 cun	- Tonifies Kidneys - Fortifies Yang - Benefits essence - Nourishes Kidney yin - Firms Kidney Qi - Regulates water passages - Benefits urination - Benefits & warms uterus (use moxa) - Benefits ears & eyes - Strengthens lumbar region	- All Kidney related issues affecting brain, bone, hair, teeth or hearing - Male deficiency related sexual problems: nocturnal emission, impotence, premature ejaculation, spermatorrhea (excessive, involuntary ejaculation), sterility, exhaustion following ejaculation - Female sexual & reproductive disorders: dysmenorrhea, amenorrhea, irregular menstruation, cold uterus, frigidity, infertility, leucorrhea - Tonification point for deficiency conditions: exhaustion, weakness, chronic fatigue - Good for elderly because Kidney Jing is naturally depleted with age - Main point for acute or chronic low back pain, sprains, strains - Good for KD related ear issues: tinnitus, deafness, chronic ear infections - Eneuresis (involuntary urination, especially by children at night), knee weakness, blurry vision, dizziness, edema, asthma, diarrhea

BACK POINTS				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
UB-25* Da⁴ Chang² Shu¹ 大肠俞 Large Intestine Shu	Large Intestine Shu Moxibustion Applicable	1.5 cun lateral to DU-3 - Level with L-4 spinous process lower border Needling Method: - Perpendicular 0.8-1.2 cun Needle: 1.0-1.5 cun	- Regulates Intestines - Transforms stagnation - Alleviates pain - Strengthens lumbar region & legs	- Main point for low back pain, especially when related to constipation or menstruation. Combine with tender points (DU-3, UB-26, Shi Qi Zhui [btwn L-5 & S-1], UB-31, UB-32, GB-30) & distal points (GB-34, GB-39, GB-41, UB-40, UB-57, UB-58, UB-60, UB-62) - Main point for intestine related issues: constipation, diarrhea, dysentery, colitis, IBS, borborygmus, abdominal distention - Pain, numbness & motor impairment of lower extremities, sciatica
UB-32* Ci⁴ Liao² 次髎 Second Bone Hole	Local Point Moxibustion Applicable Contraindicated during pregnancy	- On sacrum - Medial & inferior to posterosuperior iliac spine (PSIS) & posterior midline - At 2nd posterior sacral foramen Needling Method: - Perpendicular 1.0-2.0 cun Needle: 1.0-1.5 cun	- Regulates Lower Jiao - Facilitates urination & defecation - Regulates menstruation - Stops leucorrhoea - Benefits lumbar region & legs	- Low back pain, hernia - OB/GYN issues: Irregular menstruation, leucorrhea, dysmenorrhea, blood stagnation - Important point for easing labor pain a/or inducing labor - Nocturnal emission, impotence - Eneuresis, dysuria - Muscular atrophy, pain, numbness & motor impairment of lower extremities Eight Liao Points: UB-31, UB-32, UB-33, & UB-34 → Good for local low back and/or sacrum problems & most genito-urinary problems. (UB-32 used most frequently)
UB-36* Cheng² Fu² 承扶 Support	Local Point Moxibustion Applicable	- On posterior side of thigh - At midpoint of inferior gluteal crease Needling Method: - Perpendicular 1.0-2.0 cun Needle: 1.0-1.5 cun	- Activates channel - Relaxes sinews - Alleviates pain - Regulates Lower Jiao - Treats hemorrhoids	- Pain in lower back & gluteal region - Constipation - Muscular atrophy, pain, numbness & motor impairment or weakness of lower extremities - Low back pain or sciatica where pain runs down posterior aspect of leg
UB-43* Gao Huang Shu 膏肓俞 Gao Huang Shu	Local Point Moxibustion Applicable	3 cun lateral to Du Meridian - Level with T-4 spinous process lower border - On spinal border of scapula Needling Method: - Oblique down 0.5-0.8 cun	- Tonifies & nourishes Lung, Heart, Kidneys, Spleen & Stomach - Nourishes Lung yin & clears heat - Strengthens deficiency conditions: Qi & Xue (Blood) - Calms spirit - Fosters original Qi - Resolves phlegm	- Pulmonary tuberculosis - Main point for all disorders of Lung & Upper Warmer: Cough, asthma, spitting of blood, dyspnea, tuberculosis - Night sweating, poor memory - Nocturnal emission - Tonification point for cases of weakness & deficiency especially from chronic illness (lingering pathogen)
UB-47 Hun² Men² 魂门 Hun Gate	Local Point Moxibustion Applicable	3 cun lateral to DU-8 - Level with T-9 spinous process lower border Needling Method: - Oblique down 0.5-0.8 cun	- Spreads Liver Qi (especially with emotional aspects) - Relaxes sinews - Harmonizes Middle Jiao (SP & ST, LV/SP)	- Pain in chest & hypochondriac region - Back pain - Vomiting, Diarrhea - Reinforce the LV Back Shu (UB-18) - Helps treat psycho-emotional aspects of LV (depression, frustration)
UB-52* Zhi⁴ Shi⁴ 志室 Will Chamber	Local Point Moxibustion Applicable	3 cun lateral to DU-4 - Level with L-2 spinous process lower border Needling Method: - Oblique down 0.5-0.8 cun	- Tonifies Kidneys - Benefits essence - Reinforces will power - Regulates urination - Dispels damp - Strengthens lumbar region	- Nocturnal emission, impotence, edema - Eneuresis, frequent urination, dysuria - Irregular menstruation - Knee & back pain - Reinforce KD Back Shu (UB 23) for fertility issues (impotence, infertility), a/or urinary issues, especially from damp heat or KD Qi or Yang deficiency (incontinence, dribbling urine)
UB-54* Zhi⁴ Bian¹ 秩边 Sequential Limit	Local Point Moxibustion Applicable	3 cun lateral to median sacral crest - Level with 4th posterior sacral foramen Needling Method: - Perpendicular 1.5-2.0 cun	- Benefits lumbar region - Activates channel - Alleviates pain - Regulates urination - Treats hemorrhoids	- Pain in lumbosacral region, muscular atrophy, motor impairment of lower extremities - Dysuria, constipation, hemorrhoids - Swelling around external genitalia - Sciatica, especially if pain radiates along posterior aspect of leg - Five Lin (Painful Urination) disorders

BACK POINTS				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
SI-10 Nao Shu 臑俞 Upper Arm Shu	Local Point Moxibustion Applicable	- When arm adducted - Directly above posterior end of axillary fold - In depression inferior to scapular spine Needling Method: - Perpendicular 0.5-1.0 cun - Oblique down 0.5-1.5 cun Needle: 1.0-1.5 cun	- Benefits shoulder - Activates channel - Alleviates pain	- Swelling of shoulder - Aching & weakness of shoulder & arm
GB 30* Huan Tiao 環跳 Jumping Round	Local Point Moxibustion Applicable	- At the junction of lateral 1/3 and medial 2/3 distance between the prominence of the greater trochanter and the hiatus of the sacrum (DU 2) - Located with patient in a lateral recumbent position with thigh flexed Needling Method: - Perpendicular 1.5-3.0 inch Needle: 2.0-5.0 cun	- Activates the channel - Alleviates pain* - Benefits the hip joint and leg - Dispels wind-damp*	- Pain of the lumbar region and thigh, muscular atrophy of the lower limbs, hemiplegia Sciatica*, pain, numbness, atrophy of lower back, hip, buttocks a/or lower limbs. - Bi (painful obstruction) or Wei (flaccidity, weakness) of the leg. - Urticaria, red, itchy skin issues from wind
DU-4** Ming Men 命門 Life Gate	Local Point Moxibustion Applicable	- Below the spinous process of the 2nd lumbar vertebra Needling Method: - Perpendicular 0.5-1.0 cun or - Subcutaneous down 1.0-2.0 cun	- Clears heat - Regulates the Governing vessel* - Tonifies the Kidneys* - Benefits the lumbar spine	- Stiffness of the back, lumbago, impotence, nocturnal emission, irregular menstruation, diarrhea, indigestion, leucorrhea - Clears heat from the whole body, for heat disorders of the five zang, malarial disorders, steaming bone disease (a feeling of heat very deep in the body (KI Yin Deficiency)). - Main point for tonifying Kidney qi and yang*: low back pain, weak knees, copious nocturnal urination, impotence, seminal emissions, deficient cold menstrual disorders, dysmenorrhea, cold-type vaginal discharge, daybreak diarrhea (5 a.m.). Works well with ginger moxa. Adrenal exhaustion* from stress or overwork, fatigue, lack of sexual vitality or sexual exhaustion
DU-9* Zhi Yang 至陽 Extremity of Yang	Local Point Moxibustion Applicable	- Below the spinous process of the 7th thoracic vertebra - Approximately level with inferior angle of the scapula Needling Method: - Obliquely upward 0.5-1.0 cun or 30 degree angle - Insert btwn spinous processes - Subcutaneously 1.0-2.0 cun	- Fortifies the Spleen, drains dampness and regulates the middle jiao - Treats jaundice* - Unbinds the chest*	- Jaundice, cough, asthma, stiffness of the back, pain in the chest and back - Important point for mid-thoracic pain, chest and flank pain radiating from the back. - Asthma, cough, difficulty speaking due to shortness of breath, opens chest and relaxes diaphragm. Combine with UB 17 and Huatuo of T7. - Important point for LV/GB disharmony, especially involving damp heat, for hepatitis, jaundice, cholecystitis
Hua Tuo Jia Ji (M-BW-35) Hair Clip (Hua Tuo's Paravertebral Points)		- A group of 34 points, .5 cun lateral to the lower border of the spinous processes of T1-L5 Needling Method: - Perpendicular or slightly Oblique toward spine - Chest: 0.5-1.0 cun [1.0 cun #] - Lumbar: 1-2 cun [1-1.5 cun #] Needle: 1.0-1.5 cun - Subcutaneous: 2-3 cun	Regulate the 5 Zang & 6 Fu	T1-T3: disorders of upper limbs and lungs. T4-T6: disorders of the HT. T7-T9: LV/GB issues. T10-T12: ST/SP issues. L1-L2: KD issues. L3-L5: UB, LI, SI, Uterine & Lower Limb issues. - Herpes Zoster (shingles): needle level of affected nerve segments

FACE POINTS				
Name	Association/Precautions	Location	Functions & Actions	Indications/Notes
- A: Yin Tang, GB 14, Tai Yang, UB 2 to Yu Yao, ST 1, ST 7, LI 20 to Bi Tong, ST 4 to ST 6, ST 6, ST 8 - B: UB 1, GB 3, SJ 23, GB 14, ST 4				
ST-1 Cheng Qi 承泣 Tear Container	Entry Point Intersection Point: - Conception Vessel - Yang Qiao (Motility) No Moxa Slow Insertion No Manipulation	- When eyes looking straight forward - Point directly below pupil - Between eyeball and infraorbital ridge Needling Method [1 cun needle] - Push eyeball upward w/ left thumb - Puncture perpendicularly and slowly 0.5-1.0 cun along the infraorbital ridge - Rest tube on orbital bone without finger (palpate first) - Have patient look down to get more room - Not advisable to manipulate the needle with large amplitude	- Benefits eyes - Stops lacrimation (tearing) - Eliminates wind - Clears Heat	- Redness, swelling & pain of eye - Lacrimation (tearing) - Night blindness, Eyelid twitching - Facial paralysis - ST 2 is a good alternative and safer to needle 10% chance of black eye, even with experienced practitioner
ST-2* Si Bai 四白 Four Whites	No Moxa No deep needling	- Directly below pupil - In depression at infraorbital foramen Needling Method [1 cun needle] - Perpendicular 0.2-0.3 inch	- Eliminates wind - Clears heat - Benefits eyes	- Redness, pain & itching of eye - Facial paralysis - Eyelid twitching - Facial pain
ST-4* Di Cang 地倉 Earth Granary	Intersection Point - Large Intestine - Yang Qiao (Motility) Moxibustion applicable	- Lateral to corner of mouth - Directly below pupil Needling Method [1-2 cun needle] - Subcutaneously 1.0-2.0 cun - Needle tip toward ST 6 - Needle parallel to cheek - Easier to insert closer to edge of mouth (keep needle in cheek)	- Eliminates wind from face - Activates channel - Alleviates pain	- Deviation of mouth, Salivation - Eyelid twitching - Facial pain, Trigeminal neuralgia (facial pain) - Bell's palsy, facial paralysis
ST-6* Jia Che 頰車 Jawbone	Ghost Point Moxibustion applicable	- One finger-breadth (middle finger) anterior & superior to lower angle of mandible - Where masseter prominent when teeth clenched - And masseter depressive when pressed (high point of masseter) Needling Method [1 cun needle] - Perpendicularly 0.3-0.5 cun - Subcutaneous 1-2 cun to ST 4	- Eliminates wind - Benefits jaw & teeth - Activates channel - Alleviates pain	- Facial pain & paralysis, Bell's palsy - Toothache (esp. back molars/wisdom teeth) - Swelling of cheek & face, Twitching - Mumps - Trismus (jaw muscle spasm → tetanus symptom) - Eliminate wind from face (TMJ)
ST-7 Xia Guan 下關 Below the Joint	Moxibustion applicable	- On face, anterior to ear - In depression between zygomatic arch & mandibular notch - Located with mouth closed Needling Method [1 cun needle] - Perpendicular/Oblique 0.5-1.0 cun - Can feel heavy	- Benefits ears, jaw & teeth - Activates channel - Alleviates pain	- Deafness, tinnitus - Otorrhea (middle ear infection) - Toothache (esp. upper jaw toothache) - Facial pain & paralysis - Motor impairment of jaw, TMJ
ST-8* Tou Wei 頭維 Head Corner	Intersection point Gallbladder No Moxa	- On lateral side of head 0.5 cun above anterior hairline at corner of forehead 4.5 cun lateral to midline of head Needling Method [1 cun needle] - Subcutaneously 0.5-1.0 cun - Point towards back of head	- Eliminates wind - Alleviates pain - Benefits eyes	- Headache ["Splitting" headache, headache associated w/cold & flu, headache w/nausea & vomiting, headache w/eye pain, migraine], Blurred vision, Dizziness - Ophthalmalgia (Eyeball pain), Lacrimation (tearing), Hair loss

FACE POINTS				
Name	Association/Precautions	Location	Functions & Actions	Indications/Notes
UB-1 Jing¹ Ming² 睛明 Bright Eyes	Entry Point Intersection Point • Urinary Bladder • Small Intestine • Stomach • Yin Qiao • Yang Qiao • Gallbladder • San Jiao • Du No Moxibustion	• In depression slightly above inner canthus Needling Method [1 cun needle] • Ask patient to close eyes while pushing eyeball gently to lateral side. Puncture slowly, perpendicularly 0.5-1.0 cun along orbital wall. Do not vigorously twist, or lift & thrust needle. To avoid bleeding, press site for a few seconds after needle removal.	• Benefits eyes • Expels Wind • Clears Heat	• Redness, swelling & pain of eye • Itching of canthus • Lacrimation, Night blindness, Color blindness, Blurry vision, Myopia • Main point for all eye disorders (especially from wind (internal or external), excess or heat) • Eye pain, strain, redness, swelling, itching, twitching, blurry vision)
UB-2* Cuan² Zhu² 攢竹 Bamboo Gathering	Local Point No Moxibustion	• On medial extremity of eyebrow or • On supraorbital notch Needling Method [1 cun needle] • Subcutaneously 0.5-1.0 cun, or • Start slightly above point for oblique insertion • Prick with 3 edged needle to cause bleeding	• Eliminates wind • Clears Heat • Benefits eyes • Clears head • Alleviates pain	• Headache, Blurring & failing of vision • Pain in supraorbital region • Lacrimation, Redness, swelling & pain of eye • Twitching eyelids, Glaucoma • Sinus congestion/headache • Red, itchy, watery eyes • Use in facial massage for headaches w/ GB20, ST8, LI4, UB60 • Needle toward UB 1 for eye diseases or Yu Yao for supraorbital pain
LI-20* Ying Xiang 迎香 Welcome Fragrance	Exit Point Intersection Point • ST No Moxibustion	• In the nasolabial groove • Level with midpoint of the lateral border of ala nasi • On opposite side Needling Method [1 cun needle] • Obliquely or subcutaneously • 0.3-0.5 cun • Perpendicular 0.2-0.3 cun • Subcutaneous to root of nose (aim towards Bi Tong & stay in groove)	• Opens the nasal passages • Expels wind and clears heat	• Nasal obstruction • Hyposmia (loss of smell or taste) • Epistaxis, rhinorrhea (runny nose) • Deviation of the mouth • Itching and swelling of the face • Loss of smell or taste, nasal discharge, any nose a/or sinus issues, rhinitis, sinusitis, allergies. Often combined with LI 19 and other local points
SJ-23* Si Zhu Kong 絲竹空 Silk Bamboo Hole	Local Point No Moxibustion	• In depression at the lateral end of the eyebrow Needling Method [1 cun needle] • Subcutaneously 0.5-1.0 cun directed posteriorly	• Eliminates wind • Alleviates pain • Benefits the eyes	• Headache • Redness, swelling and pain of the eye, blurring of vision, twitching of the eyelid, drooping eyelid • Toothache, facial paralysis • Liver Wind or Liver Fire headache: combine with other local points
GB-3 Shang Guan 上關 Upper Gate	Local Point Intersection Point • GB, SJ, ST Moxibustion Applicable	• In front of ear • On the upper border of the zygomatic arch • In the depression directly above Xiaguan (ST-7) Needling Method [1 cun needle] • Perpendicular/oblique • 0.3-0.5 cun	• Eliminates wind • Benefits the ears • Activates channel • Alleviates pain	• Headache, deafness, tinnitus • Diplacusis (two ears hear same tone as different pitch) • Deviation of the eye and mouth • Toothache
GB-14* Yang Bai 陽白 Yang White	Local Point Intersection Point • GB, ST, SJ, LI • Yang Wei (Linking) Moxibustion Applicable	• On the forehead, directly above the pupil • 1 cun above the midpoint of the eyebrow Needling Method [1 cun needle] • Subcutaneous 0.5-1.0 cun • Insert at 45 degrees initially, then turn & insert subcutaneously • Deeper for Bell's Palsy • Avoid vein	• Eliminates wind • Benefits the head* • Alleviates pain* • Benefits the eyes*	• Headache in the frontal region, pain of the orbital ridge, eye pain, vertigo, twitching of the eyelids, ptosis of the eyelids, lacrimation • Frontal/temporal (ST/SJ area) headaches* • Eye issues* (direct needle towards eye): redness, swelling, itching, twitching
Yin Tang (M-HN-3) Hall of Impression	Extra Point	• At the glabella, at the midpoint between the medial extremities of the eyebrows Needling Method: [0.5-1 cun needle] • Oblique downwards or Subcutaneous (Pinch) • 0.3-0.5 cun	•	• Headache, head heaviness, epistaxis, rhinorrhea, infantile convulsion, frontal headache, insomnia

FACE POINTS				
Name	Association/Precautions	Location	Functions & Actions	Indications/Notes
Tai Yang (M-HN-9) Sun (Supreme Yang)	Extra Point	- At the temple, in the tender depression approximately 1 cun posterior to the midpoint between the lateral extremity of the eyebrow and the outer canthus of the eye Needling Method [1 cun needle] - Perpendicular 0.5-1.0 cun - Oblique/Subcutaneous 1-2 cun - Need to break through membrane - Stay away from vein - Gentle insertion	- Eliminates wind & clears heat - Reduces swelling & stops pain - Activates the channel - Alleviates pain	Headache, eye diseases, deviation of the eyes & mouth
Yu Yao (M-HN-6) Fish Waist	Extra Point	- In the center of the eyebrow, in the depression directly above the pupil. Needling Method [1 cun needle] - Subcutaneous 0.5-1.0 cun - UB-2 → Yu Yao: Pinch - Very sensitive, painful - Parallel with eyebrow - Gentle push & follow eyebrow - Can cross needles		Pain in the supraorbital region, twitching of the eyelids, ptosis, cloudiness of the cornea, redness, swelling & pain of the eyes
BITONG (M-HN-14) Penetrating the Nose	Extra Point	- At the highest point of the naso-labial groove. Needling Method [1 cun needle] - Perpendicular 0.2-0.3 cun - Subcutaneous to root of nose		Rhinitis, nasal obstruction, nasal boils

FACE, NECK & BACK OF NECK POINTS				
Name	Association/Precautions	Location	Functions & Actions	Indications/Notes
- A: REN 23, ST 9, LI 18, SJ 17, GB 8, SI 19, GB 20, An Mian, DU 16, DU 20 - B: GB 20 to GB 20, Si Shen Cong, SJ 21, GB 2				
ST-9* Ren Ying 人迎 Man's Prognosis	Window of Sky Point Sea of Qi Point Intersection Point • GB channels Avoid Common Carotid Artery [Slow Insertion] No Moxa No Deep Needling	- Level with tip of Adam's apple (laryngeal prominence) - Where pulsation of common carotid artery is palpable - On anterior border of sternocleidomastoid Needling Method: - Perpendicularly 0.3-0.5 cun - Palpate thyroid cartilage - Place fingers on carotid pulse & guard pulse - Insert needle slowly along wall of thyroid cartilage, medial to pulse	- Regulates Qi & Blood - Lowers rebellion (hypertension) - Benefits throat & neck (sore throat) - Alleviates pain (esp. throat pain)	- Sore throat, Goiter, Flushed face, Dizziness - Asthma - Window of Sky point restores Qi flow btwn body & head → useful with headache, chest tightness - Can affect common carotid artery, use LI-18 because it is safer.
LI-18* Fu Tu 扶突 Protuberance Assistant	Window of Sky Point Moxibustion applicable	- On the lateral side of the neck - Level with tip of Adam's apple - Between the sternal head and clavicular head of sternocleidomastoid Needling Method: - Perpendicular 0.3-0.5 cun - Oblique down 0.5-1.0 cun (along SCM) - Use sharper needle due to loose skin - Can bleed	- Benefits the throat and voice - Alleviates cough and wheezing	- Cough, asthma, sore throat, sudden loss of voice, scrofula, goiter - Window of the Sky Point for sudden loss of voice with qi obstruction in the throat. High blood pressure, for which Window of the Sky Points are sometimes indicated, may also be useful for low blood pressure
SJ-17* Yi Feng 翳風 Wind Screen	Intersection Point • GB Moxibustion Applicable	- Posterior to the lobule of ear - In the depression between the mandible and mastoid process Needling Method: - Perpendicular 0.5-0.7 cun - Oblique up/posterior 1.0-1.5 cun - Point to opposite side, inner canthus of opposite eye - Use small size needle (sensitive point)	- Benefits the ears - Eliminates wind - Clears heat - Activates the channel - Alleviates pain (especially in ear)	- Facial paralysis, toothache - Swelling of the cheek, scrofula - Trismus (spasm of the jaw muscles, causing the mouth to remain tightly closed, typically as a symptom of tetanus) - Wind problems deriving from internal or external sources - Bell's palsy - Ear problems: tinnitus, deafness, acute earache due to wind cold, inner ear infection, otorrhea - Ear Infection Differentiation: ♦ Outer: pain when pulling on ear ♦ Inner: pain when pressing
SI-19* Ting Gong 聽宮 Auditory Palace	Intersection Point • SI Meridian • San Jiao Meridian • Gallbladder Meridian	- Anterior to tragus - Posterior to condyloid process of mandible - In depression formed when mouth open Needling Method: - Oblique 0.5-1.0 cun When mouth open	- Benefits ears - Calms spirit	- Ear problems (deafness, tinnitus, otorrhea (ear drainage), inflammation) - Motor impairment of mandibular joint - Toothache
SJ-21* Er Men 耳門 Ear Gate	Intersection Point • SI • GB Moxibustion Applicable Avoid Artery	- In depression anterior to supratragic notch - Behind the posterior border of condyloid process of mandible - Located with the mouth open Needling Method: - Perpendicular 0.5-1.0 cun - With mouth open	- Benefits the ears - Clears heat	- Tinnitus, deafness, otorrhea, toothache, stiffness of the lip Ear problems of an excess or deficient nature (tinnitus, deafness, earache) TMJ problems, upper jaw toothache: Combine w/ ST 6 & ST 7
GB-2 Ting Hui 聽會 Auditory Convergence	Local Point Moxibustion Applicable Avoid Artery	- Anterior to intertragic notch - At the posterior border of the condyloid process of mandible - Located with the mouth open Needling Method: - Perpendicular 0.5-0.7 inch - With mouth open	- Benefits the ears - Eliminates wind and clears heat - Activates the channel - Alleviates pain	- Deafness, tinnitus, toothache, - Motor impairment of the temporomandibular joint, mumps - Deviation of the eye and mouth Ear issues (along with SJ 21 & SI 19): tinnitus, otitis media, deafness - Eliminate wind locally: TMJ disorder, facial paralysis, trigeminal neuralgia, toothache

FACE, NECK & BACK OF NECK POINTS				
Name	Association/Precautions	Location	Functions & Actions	Indications/Notes
GB-8* Shuai Gu 率谷 Valley Lead	Local Point Moxibustion Applicable	• Superior to the apex of auricle • 1.5 cun within the hairline Needling Method: • Subcutaneously 0.5-0.8 cun • Point towards back of head Needle in direction of channel to bring the Yang down	• Eliminates wind • Benefits the head • Alleviates pain • Harmonizes diaphragm & Stomach • Alleviates vomiting • Treats alcohol intoxication	• Migraine, vertigo, vomiting • Infantile convulsion • Migraine, one-sided or unilateral headaches and associated nausea, vomiting a/or visual disturbances. • Major empirical point for Hangover: eases headache and harmonizes the middle jiao. • In the <i>Bronze Man</i> this point is indicated for cold & phlegm in the Diaphragm & ST, injury by alcohol & agitation & fullness with ceaseless vomiting
GB-20** Feng Chi 風池 Wind Pool (Where Wind Gathers)	Local Point Intersection Point • GB, SJ • Yang Qiao (Motility) • Yang Wei (Linking) Major Wind Point on Body Moxibustion Applicable	• In a depression between the upper portion of the sternocleidomastoid muscle and the trapezius • Level with DU 16 Needling Method: • Puncture 0.5-1.0 cun • Toward the tip of the nose • 15 degree angle • DU 16, UB 10, GB 20 and An Mian should all be on same line • Don't needle significantly oblique up because of spinal cord & cranial cavity	• Eliminates wind (Interior & Exterior) • Benefits the head and eyes • Clears the sense organs • Activates the channel • Alleviates pain	• Headache, vertigo, insomnia, pain and stiffness of the neck • Eye issues: Blurred vision (liver), glaucoma, red and painful eyes, tinnitus • Convulsion, epilepsy, infantile convulsion • Febrile diseases, common cold, nasal obstruction, rhinorrhea • Dispel Exterior or Interior Wind: • Exterior: fever/chills, stiff neck • Internal: paralysis, twitching, tremors, numbness, dizziness, vertigo • Allergies → LIVER (incorrect Qi flow) • All issues of head, brain (seizures, memory, mental/neurological disorders), face, throat and sense organs (eyes, ears, nose, tongue). • Headache, especially occipital. • Issues of the neck, shoulders a/or upper back - pain, weakness, stiffness. • Hypertension, especially w/ LV Yang Rising. • In the Tong Ren/Tam Healing System: It is used in conjunction with the hua tuo points of C1 and C2 to open the spinal cord, generally used to relieve neck tension.
REN-23* Lian Quan 廉泉 Ridge Spring	Intersection Point • Yin Wei Moxibustion Applicable	• Above the Adam's apple • In the depression of the upper border of the hyoid bone Needling Method: • Obliquely 0.5-1.0 cun • Toward tongue root (very slightly up) • Avoid hitting cartilage	• Benefits the tongue • Descends Qi and alleviates cough	• Swelling and pain of the subglossal region • Salivation with glossoplegia • Aphasia with stiffness of tongue by apoplexy, sudden hoarseness of the voice, difficulty in swallowing • Main point for speech/mouth disorders, * stroke victims. Salivation issues: excessive drooling or dry mouth/thirst
DU-16* Feng Fu 風府 Wind Mansion	Window of Sky Point Ghost Point Sea of Marrow Point (w/ DU 20) Intersection point • Yang Wei (Linking) • UB No Moxibustion No Deep Needling No Oblique Upward	• 1 cun directly above midpoint of posterior hairline • Directly below the external occipital protuberance • In depression between m. trapezius of both sides Needling Method: • Perpendicular 0.5-1.0 cun • Point toward mandible (chin) or slightly oblique down • Slow insertion • Near medullary bulb in deep layer → Pay strict attention to puncture depth & angle	• Eliminates wind (Exterior or Interior)* • Nourishes the sea of marrow* • Benefits the head and neck • Calms the spirit	• Headache, neck rigidity, blurring of vision, epistaxis, sore throat, post-apoplexy aphasia, hemiplegia, mental disorders • Main point for wind (exterior or interior), particularly affecting head and neck. Wind cold headache, stiff neck, aversion to wind, dizziness, visual dizziness, numbness, twitching, tremors. • Window of the Sky point: promotes communication between the head and body, many indications are consistent with other points of this group, such as headache, dizziness, throat swelling, earache, eye pain, nosebleeds, aphasia

FACE, NECK & BACK OF NECK POINTS				
Name	Association/Precautions	Location	Functions & Actions	Indications/Notes
DU-20** Bai Hui 百會 Hundred Convergences	Sea of Marrow Point (w/ DU 16) Intersection point • UB, GB, SJ, LV Moxibustion Applicable	- On the midline of the head 5 cun directly above the midpoint of the anterior hairline - Approximately on the midpoint of the line connecting the apexes of both ears Needling Method: - Subcutaneous 0.5-1.0 cun 30 degree angle to break skin, then shift angle	- Pacifies wind and subdues yang* - Raises yang & counters prolapse* - Benefits head and sense organs* - Nourishes the sea of marrow* - Benefits the brain* - Calms the spirit*	- Headache, vertigo, tinnitus, nasal obstruction, aphasia by apoplexy, coma, mental disorders, rectal & uterine prolapse - Main point for headache, dizziness, eye pain and redness, irritability, hypertension from excess yang in the upper body, often occurring with patterns of excess Liver yang or Liver fire. Combine w/ lower body points (LV 2, LV 3, KD 1, GB 34, GB 41) - Main point for internal wind. Overlapping indications with the above entry, for headaches, dizziness, visual dizziness, tinnitus, vertex pain, wind stroke, seizures. - Main point for prolapse: anal, uterine, vaginal; main point for hemorrhoids
SISHENCONG (M-HN-1) Four Alert Spirit	Needling Method: Subcutaneous 0.5-1.0 cun	- Four points at vertex of scalp, grouped around Baihui (DU-20) and located 1 cun anterior, posterior and lateral to DU-20 - Always point needles toward center		Headache, vertigo, insomnia, poor memory, epilepsy
An Mian N-HN-54 Peaceful Sleep	Needling Method: Perpendicular 0.5-1.0 cun	- Midpoint between SJ 17 and GB 20 - On attachment of SCM	Calms the spirit and pacifies the Liver	- Insomnia, vertigo, headache, palpitation, mental disorders - Sleep issues: insomnia, dream-disturbed sleep

ABDOMINAL POINTS				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
- A: REN 12, REN 13 to REN 12, ST 21, ST 25, SP 15, GB 26, REN 4, ST 28, KD 12, Zi Gong - B: REN 9, ST 29, REN 6, REN 13, KD 13				
KD-12 Da He Great Manifestation	Intersection Point • KD • Chong Mai (Penetrating Vessel) Moxibustion Applicable	• 4 cun below the umbilicus • 0.5 cun lateral to REN-3 Needling Method: • Perpendicular 0.5-1.0 cun	• Tonifies the Kidneys • Astringes essence	• Nocturnal emission, impotence • Morbid leukorrhea • Pain external genitalia • Prolapse of uterus
ST-29 Gui Lai 归来 Return	Moxibustion applicable	• 4 cun below umbilicus • 2 cun lateral to REN-3 (Zhong Ji) Needling Method: • Perpendicularly 1.0 cun or • Obliques 1.0-1.5 cun	• Warms Lower Jiao • Regulates menstruation • Benefits genital region	• Abdominal pain, Hernia • Gynecological issues (dysmenorrhea, irregular menstruation, amenorrhea, leucorrhea (white/yellow vaginal discharge), uterine prolapse) – Warms Uterus & drives out pathogens • Running Piglet Disorder (Panic Attacks)
Zi Gong Xue M-CA-18 Uterus Point (Palace of the Child)	No Needling in Pregnancy	• 4 cun below the umbilicus • 3 cun lateral to the anterior midline Needling Method: • Perpendicularly 0.5-1.2 cun or • Subcutaneously or oblique toward pubic symphysis 1.5-2.5 cun Needle: 1.5-2.0 cun	• Raises and regulates qi • Regulates menstruation and alleviates pain	• Prolapse of uterus, infertility, irregular menses, uterine bleeding. • Uterine Issues - dysmenorrhea, infertility, prolapse
REN-4** Guan Yuan 關元 Origin Pass	Front Mu of Small Intestine Intersection Point • REN, SP, LV, KD Moxibustion Applicable No Deep Needling in Pregnancy No Perpendicular Needling in Advanced Pregnancy	• On the anterior midline • 3 cun below the umbilicus Needling Method: • Perpendicular 0.5-1.5 cun Needle: 1.0-1.5 cun	• Fortifies the original Qi and benefits essence* • Tonifies and nourishes the Kidneys* • Warms and fortifies the Spleen* • Benefits the uterus and assists conception* • Regulates the lower jiao and benefits the Bladder* • Regulates Small Intestine Qi • Restores collapse	• Enuresis, nocturnal emission, frequency of urination, retention of urine, hernia, irregular menstruation, morbid leucorrhea, dysmenorrhea, uterine bleeding, postpartum hemorrhage, lower abdominal pain, indigestion, diarrhea, prolapse of the rectum, flaccid type of apoplexy • Generally, used for deficiencies of Yin, Yang, Qi & Blood. • Main point for Kidney deficiencies of Qi, Jing, Yin a/or Yang*: low back pain, bone disorders, early morning (5 a.m., "cock-crow") diarrhea. • Genito-urinary issues with Deficient a/or Cold Patterns - incontinence, clear copious urine, nocturia. • Main point for all menstrual disorders with Deficient, Cold a/or Stagnation Patterns - scanty menstruation, pale blood. • Yang collapse - chills, profuse sweating, SOB, unconsciousness
ST-28* Shui Dao 水道 Waterway	Moxibustion applicable	• 3 cun below umbilicus • 2 cun lateral to REN-4 (Guan Yuan) Needling Method: • Perpendicularly 1.0-1.5 cun	• Regulates Lower Jiao • Dispels stagnation (expel placenta or stillborn child) • Benefits bladder & uterus	• Lower abdominal distension • Edema, urine retention, inflammation (Lower Warmer Excess Cold/Damp) • Hernia, Sterility • Gynecological issues w/excess (dysmenorrhea, fibroids, cysts)
KD-13 Qi Xue Qi Hole	Intersection Point • KD • Chong Mai (Penetrating Vessel) Moxibustion Applicable	• 3 cun below the umbilicus • 0.5 cun lateral to REN-4 Needling Method: • Perpendicular 0.5-1.0 cun	• Regulates the Penetrating and Conception vessels • Regulates the lower jiao	• Irregular menstruation, dysmenorrhea • Dysuria, abdominal pain, diarrhea

ABDOMINAL POINTS				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
REN-6* Qi Hai 氣海 Sea of Qi (Lower Dan Tian)	Local Point Moxibustion Applicable No Deep Needling in Pregnancy No Perpendicular Needling in Advanced Pregnancy	- On the anterior midline 1.5 cun below the umbilicus Needling Method: - Perpendicular 1.0-1.5 cun	- Fosters original (Yuan) Qi* - Tonifies Qi* - Tonifies the Kidneys and fortifies yang* - Rescues collapse of yang - Regulates Qi and harmonizes blood	- Abdominal pain, enuresis, nocturnal emission, impotence, hernia, edema, diarrhea, dysentery, uterine bleeding, irregular menstruation, dysmenorrhea, amenorrhea, morbid leucorrhea, postpartum hemorrhage, constipation, flaccid type of apoplexy, asthma - Generally, useful for *Qi tonification. (This is one of the important points for tonification.) - Deficiencies of the lower and middle warmers - abdominal distention, bloating, edema, poor digestion, loose stools, fatigue. - Tonify ST/SP Qi Deficiencies. Main point for prolapse of any type
ST-25** Tian Shu 天樞 Celestial Pivot	Front Mu Point of Large Intestine Moxibustion applicable	2 cun lateral to center of umbilicus (REN 8) Needling Method: - Perpendicularly 1.0-1.5 cun or oblique 1.0-1.5 cun Needle: 1.0-1.5 cun	- Regulates intestines - Regulates spleen & stomach - Resolves dampness & damp-heat - Regulates Qi & Blood - Eliminates stagnation	- Abdominal pain & distention - Pain around umbilicus - All intestinal issues: Constipation, diarrhea, dysentery, borborygmus - Irregular menstruation - Edema
SP-15* Da Heng 大橫 Great Horizontal	Intersection Point - Spleen - Yin Wei (Yin Linking) Moxibustion Applicable	4 cun lateral to center of umbilicus - Lateral to rectus abdominis Needling Method: - Perpendicular 1.0-1.5 cun Needle: 1.0-1.5 cun	- Moves Qi - Regulates intestines	- Abdominal pain & distention - Diarrhea, dysentery, constipation (ST-25 better for diarrhea)
GB 26* Dai Mai 帶脈 Girdling Vessel	Intersection Point GB, Dai Mai (Dai Mai is only Meridian that goes around body) Moxibustion Applicable	- Directly below LV 13 - At crossing point of a vertical line through the free end of 11th rib & horizontal line through the umbilicus (level with Ren 8) Needling Method: - Perpendicular 1.0 cun or - Oblique 1.0-1.5 cun Needle: 1.0-1.5 cun	- Regulates the Girdling vessel - Drains dampness (astringing water in abdominal region) - Regulates menstruation - Stops leucorrhoea - Activates the channel - Alleviates pain	- Irregular menstruation, amenorrhea, leucorrhea, abdominal pain, hernia (inguinal) - Pain in the lumbar and hypochondriac region - GB 26, GB 27 & GB 28 are all useful points on the Dai Mai meridian which influences the GB, KD, Chong Mai, Ren & DU Meridians. - GB 26 is most useful for women's issues: (morbid) leucorrhea from any etiology, gynecological disorders, prolapses, infertility - Menstrual related pains, cramping, bloating a/or migraines. - Local point for the lower back and waist
REN-9* Shui Fen 水分 Water Divide	Local Point Moxibustion Applicable	- On the anterior midline 1 cun above the umbilicus Needling Method: - Perpendicular 0.5-1.0 cun	- Regulates the water passages - Treats edema (Esp. Middle Jiao) - Harmonizes the intestines - Dispels accumulation	- Abdominal pain, borborygmus, edema, retention of the urine, diarrhea - Main point to move stagnation of water, especially in the middle jiao. - Useful for tonifying the SP or KD
REN-12** Zhong Wan 中脘 Central Venter	Front Mu of Stomach Hui Meeting Point of Fu Intersection Point REN, SJ, SI, ST Moxibustion Applicable	- On the anterior midline 4 cun above the umbilicus Needling Method: - Perpendicular 0.5-1.0 cun	- Harmonizes the middle jiao - Descends rebellion - Tonifies the Stomach* - Fortifies the Spleen - Regulates Qi - Alleviates pain	- Stomachache, abdominal distention, borborygmus, nausea, vomiting, acid regurgitation, diarrhea, dysentery, jaundice, indigestion, insomnia - Epigastric pain in Stomach due to Qi Stagnation from Seven Emotions - Stress related digestive disorders (nervous Stomach, heartburn, diarrhea). - ST patterns arising from an excess or a deficiency, tonify deficient SP patterns (moxa useful). - Hui Meeting Point - broad effect on the Fu (hollow) organs in the body

ABDOMINAL POINTS				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
ST-21* Liang Men 梁門 Beam Gate	Moxibustion applicable	• 4 cun above umbilicus • 2 cun lateral to REN-12 (Zhong Wan) → [Midline of abdomen, midway between umbilicus & sternocostal angle] Needling Method: • Perpendicularly 0.5 cun or • Oblique down 1.0-1.5 cun (preferred)	• Regulates Qi • Alleviates pain • Harmonizes Middle Jiao • Transforms (food) stagnation • Raises Qi & stops diarrhea	• Gastric pain, palpable masses • Vomiting • Anorexia • Abdominal distention, accumulation of food • Tonifies middle warmer, assists REN 12
REN-13 Shang Wan 上脘 Upper Venter	Intersection Point • REN, SJ, SI, ST Moxibustion Applicable	• On the anterior midline • 5 cun above the umbilicus Needling Method: • Perpendicular 0.5-1.2 inch or • REN 13 → REN 12: Subcutaneous or oblique 1.0-1.5 cun Needle: 1.5 cun	• Harmonizes the Stomach • Regulates Qi • Descends rebellion • Alleviates vomiting • Regulates the Heart	• Stomachache, abdominal distention, nausea, vomiting, epilepsy, insomnia • REN 13 is useful for upper warmer issues (vomiting, hiatal hernia, hiccups, epigastric pain), whereas REN 12 is useful for middle warmer issues and REN 10 is useful for lower warmer issues

SCALP ACUPUNCTURE

Notes:

Two Standard Lines of Measurement

- Anterior-Posterior Midline:
 - ♦ Glabella → Over Vertex → Lower Border of External Occipital Protuberance
- Eyebrow-Occiput Line:
 - ♦ Midpoint of superior border of eyebrow → Tip of EOP
- Scalp acupuncture has areas rather than points
 - ♦ Disease area [stomach, etc.]
 - ♦ Symptoms, Indications [vertigo, etc.]
 - ♦ Motor sensor [Opposite side of body → Important to know]
- Indications: Theoretically can be used for internal conditions & skin conditions but not used often for that purpose
 - ♦ Skin conditions with a neurological function might work
- Scalp acupuncture primarily used for neurological problems
 - ♦ Stroke, Bell's Palsy, Meningitis, hormone imbalance

Contraindications

- Children under 2 years old: Contraindicated if fontanel is not closed
 - ♦ Wait until 5 years old
- No needling on open wounds/head trauma

Caution

- Anxiety, lightheadedness, etc.
 - Cerebral hemorrhage, high BP, high fever, coma
- Scalp acupuncture may help but **not during Acute Phase**

Techniques

- Best to needle in red area [Too deep or too superficial may cause pain]
- Make sure Du Meridian is identified properly
- Locate midpoint of Anterior-Posterior Midline
 - ♦ 3 cm: Use 1.5 needle
 - ♦ 4 cm: Use 2 cun needle
- 34 gage is best [Purple Seirin]

SCALP ACUPUNCTURE [A Side]

Name	Needling Method	Location	Functions & Actions	Indications/Notes
Motor Area	• Free Hand insertion required • Initial Insertion: Oblique at 30 degree angle • Then adjust to subcutaneous needling Needle: 1.5-2.0 Cun	• Diagonal line on the lateral side of head • Begins 0.5 cm posterior to midpoint of Anterior-Posterior Midline [APM] of head • Stretches diagonally anterior & inferior across the juncture between the eyebrow-occipital line & anterior border of the corner of the temporal hairline • Divided into 5 equal parts	Upper 1/5 [Lower Limb & trunk area] 1.5 Cun Needle	• Contralateral Paralysis • Lower limb & trunk
			Middle 2/5 [Upper Limb Area] 2 Cun Needle	• Contralateral Paralysis • Upper Limb
			Lower 2/5 [Facial Area] 2 Cun Needle	• Contralateral Paralysis • Face, motor aphasia, dribbling saliva, dysphonia (difficulty speaking)
Sensory Area	• Free Hand insertion required • Initial Insertion: Oblique at 30 degree angle • Then adjust to subcutaneous needling Needle: 1.5-2.0 Cun	Reference: Motor Area Line • Parallel • 1.5 cm posterior • Divided into 5 equal parts	Upper 1/5 [Lower Limb & trunk area]	• Contralateral • Lower back & leg pain • Paresthesia (burning or prickling sensation), numbness • Occipital headache, neck pain • Tinnitus, vertigo
			Middle 2/5 [Upper Limb Area]	• Contralateral • Upper limb pain, numbness or paresthesia
			Lower 2/5 [Facial Area]	• Contralateral • Head & facial pain, numbness or paresthesia • Trigeminal neuralgia, toothache • Tempromandibular arthritis
Chorea & Tremor Control Area	• Free Hand insertion required • Initial Insertion: Oblique at 30 degree angle • Then adjust to subcutaneous needling Needle: 1.5-2.0 Cun	Reference: Motor Area Line • Parallel • 1.5 cm anterior Insert 2-3 needles along line	• Contralateral • Involuntary movement & tremor in contralateral limbs	
Vertigo & Hearing Area	• Free Hand insertion required • Initial Insertion: Oblique at 30 degree angle • Then adjust to subcutaneous needling Needle: 1.5-2.0 Cun	Reference: Point Located 1.5 cm directly superior to apex of ear • 2 cm anterior • 2 cm posterior • [4 cm total length]	• Ipsilateral [Same Side] • Dizziness, tinnitus • Auditory vertigo: Vertigo associated with ear disease. Characterized by sensations of gyration and, when severe, with prostration and vomiting • Cortical hearing impairment: Sensorineural hearing loss caused by damage to the primary auditory cortex. • Meniere's Disease: Disorder of inner ear that causes vertigo, and fluctuating hearing loss • Auditory hallucination: False perceptions of sound	
Foot Motor & Sensory Area	• Free Hand insertion required • Initial Insertion: Oblique at 30 degree angle • Then adjust to subcutaneous needling Needle: 1.5-2.0 Cun	Reference: Midpoint of Anterior-Posterior Midline [APM] • 3 cm in length [posterior to APM midpoint] • 1 cm lateral to APM • Parallel to APM	• Contralateral Lower limb pain, numbness • Acute lumbar sprain • Nocturia • Uterine Prolapse • Alopecia areata, tactile dermatitis • Cortical incontinence: Incontinence as part of a cortical hemispheric stroke syndrome	

SCALP ACUPUNCTURE [A Side]				
Name	Needling Method	Location	Functions & Actions	Indications/Notes
Balance Area	- Free Hand insertion required - Initial Insertion: Oblique at 30 degree angle - Then adjust to subcutaneous needling - Needle: 1.5-2.0 Cun [Preferably 2 cun Needle]	Reference: External Occipital Protuberance [EOP] - Begins 3.5 cm lateral to EOP - Extends 4 cm inferior - Parallel to APM	Loss of balance due to cerebellar disorders & dizziness	
Reproduction Area	- Free Hand insertion required - Initial Insertion: Oblique at 30 degree angle - Then adjust to subcutaneous needling - Needle: 1.0 Cun	Reference: Anterior Hairline 2 cm long - Begins at lateral corner of anterior hairline - Extends posteriorly from anterior hairline	- Functional uterine bleeding, pelvic inflammation - Leucorrhea, uterine prolapse - Cystitis [Bladder inflammation] - Diabetes - Impotence, nocturnal emission, frequent urination	
Liver & Gallbladder Area	- Free Hand insertion required - Initial Insertion: Oblique at 30 degree angle - Then adjust to subcutaneous needling - Needle: 1.0 Cun	Reference: Stomach Area Line 2 cm long - Extends anteriorly from Stomach Area Line	- Pain in upper right quadrant of abdomen from LV/GB diseases - Chronic hepatitis	
Praxis (Usage) Area	- Free Hand insertion required - Initial Insertion: Oblique at 30 degree angle - Then adjust to subcutaneous needling - Needle: 1.5 Cun	Reference: Origin of the parietal tubercle - Trio of lines [Use 3 needles] - Each line 3 cm in length - Inferior Anterior - Inferior - Inferior Posterior 40 degree angles between lines	Apraxia: Loss of the ability to execute or carry out skilled movements and gestures, despite having the desire and the physical ability to perform them. - Used to improve fine motor skills	
Vision Area	- Free Hand insertion required - Initial Insertion: Oblique at 30 degree angle - Then adjust to subcutaneous needling - Needle: 2.0 Cun	Reference: External Occipital Protuberance [EOP] 1 cm lateral and 4 cm superior to EOP 4 cm long line - Parallel to anterior-posterior midline of head - Needle downward	Visual disturbances, cortical blindness, cataracts, etc.	

SCALP ACUPUNCTURE [B Side]			
Name	Needling Method	Location	Functions, Actions, Indications, Notes
Blood Vessel Dilation & Constriction Area	- Free Hand insertion required - Initial Insertion: Oblique at 30 degree angle - Then adjust to subcutaneous needling Needle: 1.5 Cun	Reference: Chorea & Tremor Control Area Parallel 1.5 cm anterior	- Primary Hypertension - Cortical edema: Excess accumulation of fluid in the intracellular or extracellular spaces of the brain
Speech II Area	- Free Hand insertion required - Initial Insertion: Oblique at 30 degree angle - Then adjust to subcutaneous needling Needle: 1.5 Cun	Reference: Parietal Tubercle 2 cm inferior & posterior to parietal tubercle Parallel to the Anterior-Posterior Midline of head	Nominal Aphasia: An individual has consistent inability to produce words for things that they want to talk about (particularly nouns and verbs)
Speech III Area	- Free Hand insertion required - Initial Insertion: Oblique at 30 degree angle - Then adjust to subcutaneous needling Needle: 1.5 Cun	Reference: Vertigo & Hearing Area line - Horizontal line - Overlaps Vertigo & Hearing Area line Begins at midpoint of Vertigo & Hearing Area line Extends posterior 4 cm	Sensory Aphasia: Involves damage to specific areas of the temporal lobe of the brain, resulting in symptoms such as poor auditory comprehension, relatively intact repetition, and fluent speech with semantic paraphasias [production of unintended syllables, words, or phrases during the effort to speak] present.
Stomach Area	- Free Hand insertion required - Initial Insertion: Oblique at 30 degree angle - Then adjust to subcutaneous needling Needle: 1.0 Cun	Reference: Anterior hairline 2 cm long - Begins at anterior hairline - Directly above pupil of eye - Extends posteriorly - Parallel to anterior-posterior midline of head	Chronic & acute gastroenteritis Pain from gastro-duodenal ulcer Stomach pain Epigastric discomfort
Thoracic Cavity	- Free Hand insertion required - Initial Insertion: Oblique at 30 degree angle - Then adjust to subcutaneous needling Needle: 1.0 Cun	Reference: Anterior hairline 4 cm long [2 cm anterior & 2 cm posterior] - Begins at anterior hairline - Halfway between Stomach Area line & Anterior-Posterior Midline - Parallel to anterior-posterior midline of head - Insert downward from 2 cm posterior from anterior hairline	Chest pain, coronary heart disease Asthma, bronchitis, hiccups Shortness of breath Palpitations Edema from rheumatic cardiac disease Angina pectoris Paroxysmal supra-ventricular tachycardia
Intestine Area	- Free Hand insertion required - Initial Insertion: Oblique at 30 degree angle - Then adjust to subcutaneous needling Needle: 1.0 Cun	Reference: Anterior hairline 2 cm long - Begins at anterior hairline - Extends anteriorly from anterior end of Genital Area line - Parallel to anterior-posterior midline of head	Lower abdominal pain

POINTS [LOWER BODY] A SIDE				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
SP-6** San Yin Jiao 三陰交 Three Yin Intersection	Intersection Point of 3 Yin Leg Meridians - Spleen - Liver - Kidney Moxibustion Applicable Contraindicated during pregnancy	3 cun directly above tip of medial malleolus - Posterior to medial border of tibia Needling Method: - Perpendicular 0.5-1.5 cun	- Tonifies Spleen & Stomach - Resolves dampness - Harmonizes Liver - Tonifies Kidneys - Regulates menstruation - Induces labor - Harmonizes Lower Jiao - Regulates urination - Benefits genitals - Calms spirit - Invigorates blood - Activates channel - Alleviates pain	- Abdominal pain & distention - Borborygmus, diarrhea - Dysmenorrhea (painful menses) - Irregular menstruation - Uterine bleeding - Morbid leucorrhea (vaginal disch.) - Uterine prolapse - Sterility - Delayed labor - Nocturnal emission, impotence - Enuresis (involuntary urination, esp. by children at night) - Dysuria (Painful, difficult urination) - Edema, Hernia - Pain in external genitalia - Muscular atrophy - Motor impairment - Paralysis/pain of lower extremities - Headache - Dizziness/vertigo - Insomnia
SP-9* Yin Ling Quan 陰陵泉 Yin Mound Spring	He Sea Point Water Point Moxibustion Applicable	- On lower border of medial condyle of tibia - In depression posterior & inferior to medial condyle of tibia Needling Method: - Perpendicular 0.5-1.5 cun	- Regulates Spleen - Resolves dampness - Opens & moves water passages - Benefits lower jiao	- Abdominal pain & distention - Diarrhea, dysentery, edema - Jaundice, hepatitis (damp heat) - Dysuria, enuresis (involuntary urination), urine incontinence - Pain in external genitalia - Dysmenorrhea - Knee pain (especially medial) - Damp Bi - Chronic yeast infections, candida
SP-10* Xue Hai 血海 Sea of Blood	Good for Blood conditions Moxibustion Applicable	- When knee flexed, 2 cun above medio-superior border of patella - On bulge of medial portion of quadriceps femoris Needling Method: - Perpendicular 0.5-1.5 cun	- Invigorates blood - Dispels blood stasis - Cools blood (used often for this) - Harmonizes menstruation - Benefits skin	- Gynecological issues due to blood, heat, stasis, or deficiency (Irregular menstruation, dysmenorrhea, amenorrhea, cramps, PMS) - Skin problems from damp-heat or hot blood [Urticaria (hives), Eczema, dermatitis, Erysipelas (bacterial infection causing large, raised red skin patches)] - Pain in medial aspect of thigh
ST-36** Zu San Li 足三里 Leg Three Li	He Sea Point Earth Point (Horary) Command Point of Abdomen Sea of Water & Grain Point MAIN TONIFICATION POINT ON BODY!!! Moxibustion applicable	3 cun below ST-35 1 finger-breadth (middle finger) from anterior border of tibia Needling Method: - Perpendicularly 0.5-1.5 cun	- Harmonizes stomach - Fortifies spleen - Resolves dampness (edema) - Supports correct Qi - Fosters original (Yuan) Qi - Tonifies Qi - Nourishes blood & yin - Clears fire & calms spirit - Activates channel - Alleviates pain - Revives yang - Restores Consciousness	- All issues involving stomach/spleen → gastric pain, vomiting, hiccup, abdominal distention, borborygmus, diarrhea, dysentery, constipation, enteritis, indigestion, beriberi, emaciation due to general deficiency - Mastitis (stomach fire), Edema - Cough (Lung Qi or yin deficiency) [Earth is mother of Metal] → supports Lung function in cases of asthma, wheezing, dyspnea. - Apoplexy (cerebral hemorrhage or stroke), hemiplegia (paralysis of one side of body) - Insomnia, mania (Calm Shen) - Tonify deficient Qi a/or Blood - Tonify Wei Qi. - Clear disorders along the course of the channel - breast problems, lower leg pain. - Psychological/Emotional disorders: PMS, depression, nervousness

POINTS [LOWER BODY] A SIDE

Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
GB 34* Yang Ling Quan 陽陵泉 Yang Mound Spring	He Sea Point Earth Point Hui Meeting Point of Sinews Moxibustion Applicable	- In a depression anterior and inferior to the head of the fibula Needling Method: - Perpendicular 0.5-1.5 cun	- Benefits the sinews and joints - Spreads Liver Qi - Benefits the lateral costal region - Clears Liver and Gall Bladder damp-heat - Harmonizes shaoyang - Activates the channel and alleviates pain	- Hemiplegia, weakness, numbness and pain of the lower extremities, swelling and pain of knee, beriberi, hypochondriac pain, bitter taste in the mouth, vomiting, jaundice, infantile convulsion - Hui Meeting of the Sinews: useful for treating soft tissue anywhere in the body, contracture, cramping, pain, spasm, weakness, numbness, paralysis. - Sciatica and issues with the low back, hip, a/or lower limbs, knees. - All disorders of the lateral regions of the body. - He Sea of the GB: affects GB organ, usually with GB Damp-Heat conditions, cholecystitis, hepatitis, jaundice, nausea, vomiting, bitter taste in mouth, gallstones. - Shao Yang level diseases presenting with alternating chills/fevers, malaria (different life cycles of parasite cause different reactions in body) costal pain, bitter taste in mouth, jaundice - LV attacking SP: counterflow Qi, nausea, vomiting, indigestion
XI YAN Eye of Knee		- Lateral (ST 35) and medial knee depressions. Needling Method: With the knee flexed and supported by a rolled pillow - Perpendicular insertion, directed towards UB-40, 1 to 2 cun; Oblique insertion in a medial and superior direction, behind the patella 0.5-1.0 cun or running needle	- Dispels wind-damp, reduces swelling and alleviates pain	- Knee pain, weakness of the lower extremities All knee disorders - pain, inflammation, injury, etc
LV-8* Qu Quan 曲泉 Spring at the Bend	He Sea Point Water Point Moxibustion Applicable Caution: The great saphenous vein is at the medium level depth and behind LV-8	- When knee is flexed - At the medial end of the transverse popliteal crease, - Posterior to the medial epicondyle of the tibia - In depression of anterior border of insertions of semimembranosus and semitendinosus Needling Method: - Perpendicular 0.5-1.5 cun	- Clears damp-heat from lower jiao - Benefits the genitals - Invigorates blood - Benefits the uterus - Nourishes blood and yin	- Prolapse of uterus, lower abdominal pain, retention of urine, nocturnal emission, pain in the external genitalia, pruritus vulvae, pain in the medial aspect of the knee and thigh - Tonify LV Yin and Blood, clears excess heat patterns. - Genital issues related to damp-heat - pain/swelling, retention of urine, cystitis, prostatitis, ovarian cysts. - Tonify Yin from mental, physical, emotional strain. - Medial knee pain.
UB-40* Wei³ Zhong¹ 委中 Bend Middle	He Sea Point Earth Point Lumbar Command Point Moxibustion Applicable	- Midpoint of transverse crease of popliteal fossa - Between tendons of biceps femoris & semitendinosus Needling Method: - Perpendicular 0.5-1.0 cun - Or prick popliteal vein with 3-edged needle to cause bleeding	- Benefits lumbar region & knees - Activates channel - Alleviates pain	- Lumbar Command Point: All lumbar related issues (Low back pain, sprain, muscle spasms) - Motor impairment of hip joint & lower extremities - Contracture of tendons in popliteal fossa - Muscular atrophy, hemiplegia - Pain, numbness & motor impairment of lower extremities - Abdominal pain, vomiting, diarrhea, erysipelas (large, raised red patches on skin from bacterial infection) - Main point for heat conditions: summer heat, heat stroke, heat exhaustion - Main point for all skin related issues: itching, oozing, inflammation - Good point for leg a/or knee pain

POINTS [LOWER BODY] A SIDE

Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
UB-57* Cheng² Shan¹ 承山 Mountain Support	Local Point Moxibustion Applicable	- On posterior midline of leg - Between UB-40 & UB-60 - In pointed depression formed below gastrocnemius muscle belly - When leg stretched or heel lifted Needling Method: - Perpendicular 0.8-1.5 cun	- Relaxes sinews - Activates channel - Alleviates pain - Benefits calf & heel - Treats hemorrhoids	- Low back pain - Gastrocnemius spasm - Main point for Hemorrhoids, any etiology - Constipation, beriberi - Main point for pain, swelling a/or cramping of calf muscle - Heel a/or foot pain from trauma or paralysis a/or neurological disorders
ST-38 Tiao Kou 條口 Ribbon Opening B Side	Local Point Moxibustion applicable	8 cun below ST-35 1 finger breadth (middle finger) from anterior border of tibia Needling Method: - Perpendicularly 0.5-1.0 cun - Running toward UB-57 [1.5-2.0 cun]	- Expels wind-damp - Alleviates pain - Benefits shoulder	- Numbness, soreness & pain of knee & leg - Weakness & motor impairment of foot - Pain & motor impairment of shoulder (esp. adhesive capsulitis or “frozen shoulder”) - Abdominal pain
GB 39* Jue Gu or (Xuan Zhong) 懸鐘 Suspended Belt B Side	Hui Meeting Point of Marrow Moxibustion Applicable	3 cun above the tip of external malleolus - In a depression between the posterior border of the fibula and the tendons of peroneous longus and brevis Needling Method: - Perpendicular 0.3-1.0 cun	- Benefits the sinews and bones* - Benefits the neck* - Dispels wind-damp* - Clears Gall Bladder fire - Activates the channel - Alleviates pain	- Apoplexy, hemiplegia, pain of the neck, abdominal distension, pain in the hypochondriac region, muscular atrophy of the lower limbs, spastic pain of the leg, beriberi Hui Meeting of the Marrow*: excess or deficiency conditions affecting the bone marrow, ligaments, tendons, muscles a/or bones - pain, spasms, numbness, weakness. (probably good for chronic ankle problems) Chronic Bi or Wei syndromes* especially with KD Deficiency: thought to strengthen immunity. Empirical Point for Neck issues*: stiffness, arthritis, strain, sprain, whiplash, headache - Descends rising LV/GB heat: dizziness, tinnitus.

POINTS [LOWER BODY] A SIDE				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
LV-3** Tai Chong 太冲 Great Surge	Shu Stream Point Earth Point Yuan Source Point Moxibustion Applicable	- On the dorsum of the foot, in the depression distal to the junction of the first and second metatarsal bones Needling Method: - Perpendicular 0.3-0.8 cun	- Spreads Liver Qi - Subdues Liver yang and extinguishes wind - Nourishes Liver blood & Liver yin - Clears the head and eyes - Regulates menstruation - Regulates the lower jiao	- Headache, dizziness and vertigo, insomnia, congestion, swelling and pain of the eye, depression, infantile convulsion, deviation of the mouth, pain in the hypochondriac region, uterine bleeding, hernia, enuresis, retention of urine, epilepsy, pain in the anterior aspect of the medial malleolus - Generally, resolves stagnation and tonifies Yin - balancing for all LV pathologies. - LV Qi Stagnation / LV Yang Rising - headaches, dizziness, canker sores. - Eye issues - blurred vision, red, swollen, painful eyes. - Menstrual issues from Deficient Blood, Yin, Qi a/or LV Qi Stagnation - dysmennorrhea, amenorrhea, PMS, breast tenderness. - Genital issues - pain/swelling, hernia, impotence, seminal emission. - Stagnation in the middle warmer - subcostal tension, chest/flank pain, swellings in the axillary region. - Digestive issues from LV attacking ST/SP - nausea, vomiting, constipation, diarrhea w/ undigested food. - Calming point - anger, irritability, insomnia, anxiety. - With LI 4, four gates treatment - powerfully effects the flow of Qi and Blood in the body
SP-4 Gong Sun 公孫 Yellow Emperor	Luo Connecting Point Chong Mai Master Point [w/PC 6 (Yin Wei Mai Master Point)] Moxibustion Applicable	- In depression distal & inferior to base of 1st metatarsal bone - At junction of red & white skin Needling Method: - Perpendicular 0.5-1.0 cun	- Fortifies Spleen - Harmonizes Middle Jiao - Regulates Qi - Resolves dampness - Calms spirit - Benefits Heart & chest - Regulates Penetrating vessel	- Gastric pain - Vomiting - Abdominal pain & distention - Diarrhea - Dysentery - Borborygmus
UB-60* Kun¹ Lun² 昆仑 Kunlun Mountains	Jing River Point Fire Point Moxibustion Applicable Contraindicated during pregnancy	- In depression between tip of external malleolus & Achilles tendon Needling Method: - Perpendicular 0.5-1.0 cun	- Clears heat & lowers yang - Pacifies wind & leads down excess - Activates entire Bladder channel - Alleviates pain - Relaxes sinews - Strengthens lumbar spine - Promotes labor	- Headache, blurry vision, neck rigidity - Epistaxis (nose bleed) - Pain in shoulder, back & arm - Swelling & pain of heel - Difficult labor - Epilepsy - Main point for pain anywhere along spine (UB-40 may be used more for pain in middle of spine) - Main point for chronic low back pain, pain a/or numbness in lower limbs - Main point for headache and other excesses affecting head - Induces labor or promotes discharge of retained placenta
KD-3** Tai Xi Great Ravine	Shu Stream Point Earth Point Yuan Source Point Moxibustion Applicable	- In depression midway between the tip of the medial malleolus and the attachment of the Achilles tendon Needling Method: - Perpendicular 0.3-0.5 cun	- Nourishes Kidney yin - Clears deficiency heat - Tonifies Kidney yang - Anchors the Qi and benefits the Lung - Strengthens the lumbar spine	- Sore throat, toothache, deafness, tinnitus, dizziness, spitting of blood, asthma, thirst, irregular menstruation, insomnia, nocturnal emission, impotence, frequency of micturition, pain in the lower back - Tonify KD Qi, Yin or Yang Deficiencies from any etiology. - Asthma from KD Deficiency (difficulty inhaling) - Tonifies Yin of KD (chronic sore throat, empty heat), LV (dizziness, tinnitus, headache) a/or HT (anxiety, insomnia, excessive dreaming). - Low back pain, usually of chronic nature. - Local point for heel a/or ankle pain

POINTS [LOWER BODY] A SIDE				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
KD-6** Zhao Hai Shining Sea	Yin Qiao (Motility) Master Point w/ LU 7 (Ren Master Point) Moxibustion Applicable	- In a depression below tip of medial malleolus Needling Method: - Perpendicular 0.3-0.5 cun	- Benefits the throat - Nourishes the Kidneys - Clears deficiency heat - Regulates the Yin (Qiao) Motility vessel - Calms the spirit - Regulates the lower jiao	- Irregular menstruation, morbid leucorrhea, prolapse of uterus, pruritus vulvae - Frequency of micturition, retention of urine, constipation, epilepsy, insomnia, sore throat, asthma - Sore throat from any etiology, especially empty heat from yin deficiency - Other Yin Deficient throat related issues: swollen, dry, loss of voice, difficult swallowing - Constipation from Yin Deficiency - Plum Pit Qi - Nighttime epilepsy
ST-41* Jie Xi 解谿 Ravine Divide	Jing (River) Point Fire Point (Use fire to treat fire) Very Important for treating ankle sprains Moxibustion applicable	- On dorsum of foot - At midpoint of transverse crease of ankle joint - In depression btwn tendons of extensor digitorum longus & hallucis longus - Approximately at level of tip of lateral malleolus Needling Method: - Perpendicularly 0.5-1.0 cun	- Clears heat from Stomach channel and Fu (organ) - Calms spirit - Activates channel - Alleviates pain	- Very important in treating ankle sprain & ankle joint pain & inflammation - Muscular atrophy, motor impairment, pain & paralysis of lower extremities - Epilepsy, headache, dizziness & vertigo - Abdominal distention, constipation
GB 41* Zu Lin Qi 足臨泣 Foot Overlooking Tears	Shu Stream Point Wood (Horary) Point Master Point of Dai Mai (with SJ 5) Moxibustion Applicable	- Posterior to the 4th metatarsophalangeal joint - In a depression lateral to the tendon of extensor digiti minimi Needling Method: - Perpendicular 0.5 cun	- Spreads Liver Qi - Benefits the chest, lateral costal region and breasts - Clears the head* - Benefits the eyes - Transforms phlegm - Dissipates nodules	- Headache, vertigo, pain of the outer canthus, scrofula, pain in the hypochondriac region, distending pain of the breast, irregular menstruation, pain and swelling of the dorsum of foot, spastic pain of the foot and toe. Moves LV Qi*: menstrual/breast disorders, distal point for headaches (lateral or migraines*, also mentioned classically for occipital or vertex headaches). - Empirical Point to Stop Lactation* - As the name indicates - "foot overlooking tears," useful for eye problems, redness, swelling and lacrimation issues, tearing, excessive lacrimation. - Local point for lateral foot issues: pain, cramping.
REN-1 Hui Yin 會陰 Meeting of Yin	Intersection Point • REN, DU, CHONG Moxibustion Applicable	- Male: Between the anus and the root of the scrotum - Female: Between the anus and the posterior labial commissure Needling Method: - Lie on back or side lying with knees bent and legs separated - Perpendicular 0.5-1.0 cun	- Regulates the anterior and posterior yin - Drains damp heat - Calms the spirit - Promotes resuscitation - Revives from drowning	- Vaginitis, retention of urine, hemorrhoids, nocturnal emission, enuresis, irregular menstruation, mental disorders - Regulates lower yin orifices (genitalia, urethra, anus) - used for all genito-urinary issues, genital pain/itching. - Hemorrhoids, anal prolapse. - Main point for drowning
DU-1* Chang Qiang 長強 Long Strong	Luo Connecting Point Intersection Point • REN, KD, GB Moxibustion Applicable	- Midway between the tip of the coccyx and the anus - Locate point in prone position or side lying with knees bent Needling Method: - Oblique up 45 degrees 0.5-1.0 cun - Insert needle close to anterior of coccyx - Avoid deep perpendicular insertion → May puncture anus	- Treats hemorrhoids - Benefits the two lower yin - Activates the channel and alleviates pain - Calms the spirit	- Diarrhea, bloody stools, hemorrhoids, prolapse of the rectum, constipation, pain in the lower back, epilepsy - Main point for hemorrhoids from excess or deficiency, anal prolapse, anal fissure; other hemorrhoid points: UB 25, UB 30, UB 32, UB 35, UB 57, Erbai. - Important point for genitourinary disorders, for the five types of painful urinary disorder (Five Lin), urinary retention, sexual exhaustion, impotence, seminal emission. - Main point for disorders of the coccyx. Injuries to the coccyx will generally cause the tip of the coccyx to point more ventrally, to deviate to one side, or both, affecting the energetics of the spine and the whole body

POINTS [LOWER BODY] A SIDE				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
KD-1* Yong Quan Gushing Spring	Jing Well Point Wood Point Moxibustion Applicable	- On sole, in depression with foot in plantar flexion - At junction of anterior 1/3 and posterior 2/3 of line connecting base of the 2nd and 3rd toes with the heel. Needling Method: - Perpendicular 0.3-0.5 inch	- Descends excess from the head - Calms the spirit - Revives consciousness - Rescues yang	- Headache, blurring of vision - Dizziness, sore throat - Dryness of tongue, loss of voice, dysuria, infantile convulsions - Feverish sensation in the sole, loss of consciousness - Descends excess from above: useful for LV Yang Rising or LV Fire (Wood Point) → headaches, tinnitus, hypertension, epilepsy - Cooling KD empty heat: chronic sore throat, dry mouth, low back pain. - Tonify KD/HT Yin: insomnia, palpitations, anxiety, poor memory, mania, rage w/desire to kill, hot flashes, night sweats. - Loss of consciousness, yang collapse - Medical Qi Gong point: Connects to Earth

REVIEW POINTS FOR FINAL				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
UB-23* Shen⁴ Shu¹ 腎俞 Kidney Shu	Kidney Shu Moxibustion Applicable	1.5 cun lateral to DU-4 - Level with L-2 spinous process lower border Needling Method: - Perpendicular or oblique down 1.0-2.0 cun Needle: 1.0-1.5 cun	- Tonifies Kidneys - Fortifies Yang - Benefits essence - Nourishes Kidney yin - Firms Kidney Qi - Regulates water passages - Benefits urination - Benefits & warms uterus (use moxa) - Benefits ears & eyes - Strengthens lumbar region	- All Kidney related issues affecting brain, bone, hair, teeth or hearing - Male deficiency related sexual problems: nocturnal emission, impotence, premature ejaculation, spermatorrhea (excessive, involuntary ejaculation), sterility, exhaustion following ejaculation - Female sexual & reproductive disorders: dysmenorrhea, amenorrhea, irregular menstruation, cold uterus, frigidity, infertility, leucorrhea - Tonification point for deficiency conditions: exhaustion, weakness, chronic fatigue - Good for elderly because Kidney Jing is naturally depleted with age - Main point for acute or chronic low back pain, sprains, strains - Good for KD related ear issues: tinnitus, deafness, chronic ear infections - Eneuresis (involuntary urination, especially by children at night), knee weakness, blurry vision, dizziness, edema, asthma, diarrhea
UB-32* Ci⁴ Liao² 次髎 Second Bone Hole	Local Point Moxibustion Applicable Contraindicated during pregnancy	- On sacrum - Medial & inferior to posterosuperior iliac spine (PSIS) & posterior midline - At 2nd posterior sacral foramen Needling Method: - Perpendicular 1.0-2.0 cun Needle: 1.0-1.5 cun	- Regulates Lower Jiao - Facilitates urination & defecation - Regulates menstruation - Stops leucorrhoea - Benefits lumbar region & legs	- Low back pain, hernia - OB/GYN issues: Irregular menstruation, leucorrhea, dysmenorrhea, blood stagnation - Important point for easing labor pain a/or inducing labor - Nocturnal emission, impotence - Eneuresis, dysuria - Muscular atrophy, pain, numbness & motor impairment of lower extremities Eight Liao Points: UB-31, UB-32, UB-33, & UB-34 → Good for local low back and/or sacrum problems & most genito-urinary problems. (UB-32 used most frequently)
LV-13* Zhang Men 章門 Camphor-wood Gate	Spleen Front Mu Point Hui Meeting of Zang Intersection Point • GB Moxibustion Applicable	- On the lateral side of abdomen - Below the free end of the 11th rib Needling Method: - Perpendicular or obliquely toward center (follow 11th rib) 0.5-1.0 cun Needle: 1.0-1.5 cun	- Harmonizes the Liver and Spleen - Regulates middle and lower jiao - Fortifies the Spleen - Spreads the Liver and regulates Qi	- Abdominal distention, borborygmus, pain in the hypochondriac region, vomiting, diarrhea, indigestion - Assist with SP Deficient signs esp. from the LV invading the SP: pain and distention of the abdomen, vomiting, constipation, diarrhea (or alternating), bloating, undigested food in the bowels. - Hui Meeting Point of the Zang: tonify all Zang organs. - Running Piglet Disorder
LV-14* Qi Men 期門 Cycle Gate	Liver Front Mu Point Intersection Point • SP, Yin Wei Moxibustion Applicable No Deep Needle	- Directly below the nipple, in the 6th intercostal space 4 cun lateral to the anterior midline Needling Method: - Oblique, follow intercostals 0.5-0.8 cun	- Spreads the Liver and regulates Qi - Invigorates blood and disperses masses - Harmonizes the Liver and Stomach	- Hypochondriac pain, abdominal distention, hiccup, acid regurgitation, mastitis, depression, febrile diseases - Strong effect on the middle and upper warmers: subcostal tension, chest/rib pain, LV overacting on the LU (cough, SOB). - Effects LV organ, Qi/Blood stagnation: hepatitis, gallstones. - Emotional imbalances: anger, irritability. - Running Piglet Disorder
DU-9* Zhi Yang 至陽 Extremity of Yang	Local Point Moxibustion Applicable	- Below the spinous process of the 7th thoracic vertebra - Approximately level with inferior angle of the scapula Needling Method: - Obliquely upward 0.5-1.0 cun or 30 degree angle - Insert btwn spinous processes - Subcutaneously 1.0-2.0 cun	- Fortifies the Spleen, drains dampness and regulates the middle jiao - Treats jaundice* - Unbinds the chest*	- Jaundice, cough, asthma, stiffness of the back, pain in the chest and back - Important point for mid-thoracic pain, chest and flank pain radiating from the back. - Asthma, cough, difficulty speaking due to shortness of breath, opens chest and relaxes diaphragm. Combine with UB 17 and Huatuo of T7. - Important point for LV/GB disharmony, especially involving damp heat, for hepatitis, jaundice, cholecystitis

REVIEW POINTS FOR FINAL

Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
GB-20** Feng Chi 風池 Wind Pool (Where Wind Gathers)	Local Point Intersection Point • GB, SJ • Yang Qiao (Motility) • Yang Wei (Linking) Major Wind Point on Body Moxibustion Applicable	• In a depression between the upper portion of the sternocleidomastoid muscle and the trapezius • Level with DU 16 Needling Method: • Puncture 0.5-1.0 cun • Toward the tip of the nose • 15 degree angle • DU 16, UB 10, GB 20 and An Mian should all be on same line • Don't needle significantly oblique up because of spinal cord & cranial cavity	• Eliminates wind (Interior & Exterior) • Benefits the head and eyes • Clears the sense organs • Activates the channel • Alleviates pain	• Headache, vertigo, insomnia, pain and stiffness of the neck • Eye issues: Blurred vision (liver), glaucoma, red and painful eyes, tinnitus • Convulsion, epilepsy, infantile convulsion • Febrile diseases, common cold, nasal obstruction, rhinorrhea • Dispel Exterior or Interior Wind: • Exterior: fever/chills, stiff neck • Internal: paralysis, twitching, tremors, numbness, dizziness, vertigo • Allergies → LIVER (incorrect Qi flow) • All issues of head, brain (seizures, memory, mental/neurological disorders), face, throat and sense organs (eyes, ears, nose, tongue). • Headache, especially occipital. • Issues of the neck, shoulders a/or upper back - pain, weakness, stiffness. • Hypertension, especially w/ LV Yang Rising. • In the Tong Ren/Tam Healing System: It is used in conjunction with the hua tuo points of C1 and C2 to open the spinal cord, generally used to relieve neck tension.
ST-7 Xia Guan 下關 Below the Joint	Moxibustion applicable	• On face, anterior to ear • In depression between zygomatic arch & mandibular notch • Located with mouth closed Needling Method [1 cun needle] • Perpendicular/Oblique • 0.5-1.0 cun • Can feel heavy	• Benefits ears, jaw & teeth • Activates channel • Alleviates pain	• Deafness, tinnitus • Otorrhea (middle ear infection) • Toothache (esp. upper jaw toothache) • Facial pain & paralysis • Motor impairment of jaw, TMJ
SI-19* Ting Gong 聽宮 Auditory Palace	Intersection Point • SI Meridian • San Jiao Meridian • Gallbladder Meridian	• Anterior to tragus • Posterior to condyloid process of mandible • In depression formed when mouth open Needling Method: • Oblique 0.5-1.0 cun • When mouth open	• Benefits ears • Calms spirit	• Ear problems (deafness, tinnitus, otorrhea (ear drainage), inflammation) • Motor impairment of mandibular joint • Toothache
KD 25 Shen Cang Spirit Storehouse	Local Point Moxibustion Applicable	• In 2nd intercostal space • 2 cun lateral to anterior midline Needling Method: • Obliquely 0.3-0.5 inch	• Unbinds the chest • Lowers rebellious Lung and Stomach Qi	• Cough, asthma, chest pain • Generally useful for cough, chest tension, constricted breathing
ST-9* Ren Ying 人迎 Man's Prognosis	Window of Sky Point Sea of Qi Point Intersection Point • GB channels Avoid Common Carotid Artery [Slow Insertion] No Moxa No Deep Needling	• Level with tip of Adam's apple (laryngeal prominence) • Where pulsation of common carotid artery is palpable • On anterior border of sternocleidomastoid Needling Method: • Perpendicularly 0.3-0.5 cun • Palpate thyroid cartilage • Place fingers on carotid pulse & guard pulse • Insert needle slowly along wall of thyroid cartilage, medial to pulse	• Regulates Qi & Blood • Lowers rebellion (hypertension) • Benefits throat & neck (sore throat) • Alleviates pain (esp. throat pain)	• Sore throat, Goiter, Flushed face, Dizziness • Asthma • Window of Sky point restores Qi flow btwn body & head → useful with headache, chest tightness • Can affect common carotid artery, use LI-18 because it is safer.

REVIEW POINTS FOR FINAL

Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
LI-18* Fu Tu 扶突 Protuberance Assistant	Window of Sky Point Moxibustion applicable	- On the lateral side of the neck - Level with tip of Adam's apple - Between the sternal head and clavicular head of sternocleidomastoid Needling Method: - Perpendicular 0.3-0.5 cun - Oblique down 0.5-1.0 cun (along SCM) - Use sharper needle due to loose skin - Can bleed	- Benefits the throat and voice - Alleviates cough and wheezing	- Cough, asthma, sore throat, sudden loss of voice, scrofula, goiter - Window of the Sky Point for sudden loss of voice with qi obstruction in the throat. High blood pressure, for which Window of the Sky Points are sometimes indicated, may also be useful for low blood pressure
REN-22* Tian Tu 天突 Celestial Chimney	Window of Sky Point Intersection Point Yin Wei Moxibustion Applicable No Deep Needling	- In center of suprasternal fossa Needling Method: - First puncture perpendicularly 0.2-0.3 cun, slightly above sternum - If there is a sharp pain, STOP! - Then insert the needle tip downward along the posterior aspect of sternum 0.5-1.5 cun - Needle should be inserted perpendicularly 0.2 - 0.3 cun and retained or then angled and inserted an additional 0.3 - 0.7 cun (up to 1 cun total) so that it follows the posterior aspect of the manubrium - Use Seirin yellow or blue - Hold tube steady, push needle gently bend needle & insert 1.0 cun	- Descends rebellious Qi - Alleviates cough and wheezing - Benefits the throat and voice	- Asthma, cough, sore throat - Dry throat, hiccup - Sudden hoarseness of the voice - Difficulty in swallowing - Goiter - All throat/vocal cord disorders. - Window of the Sky Point: useful for aphasia. - Upper chest Qi/Stagnation issues*: Cough, asthma, wheezing, pain in the upper chest, tightness, oppression