


SAN JIAO CHANNEL OF HAND SHAO YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
SJ-1 Guan Chong 關衝 Passage Hub	Jing Well Point Metal Point Entry Point Moxibustion Applicable	- On the lateral side of the ring finger, about 0.1 cun from the corner of the nail Needling Method: - Superficially 0.1 inch - Or prick with a three-edged needle to cause bleeding.	- Clears upper jiao heat - Benefits the ears and tongue - Activates the channel - Alleviates pain	- Headache, redness of the eyes, - Sore throat (Kidney Yin deficiency can cause sore throat because of dryness), also Wind Cold or Wind Heat - Stiffness of tongue, febrile diseases, irritability - Similar to SJ3 (used more clinically)
SJ-2 Ye Men 液門 Humor Gate	Ying Spring Point Water Point Moxibustion Applicable	- When fist clenched - In the depression proximal to the margin of the web between the ring and small fingers - At the junction of the red and white skin Needling Method: - Obliquely 0.3-0.5 inch towards the interspace of the metacarpal bones	- Disperses upper jiao heat - Benefits the ears - Calms the spirit - Activates the channel - Alleviates pain (Joint Pain)	- Headache - Redness of the eyes - Sudden deafness (hearing impairment) - Sore throat - Malaria (Shao Yang disease) - Pain in the arm - Similar to SJ 3 (used more clinically)
SJ-3 Zhong Zhu* 中渚 Central Islet	Shu Stream Point Wood Point Moxibustion Applicable	- When fist clenched - On dorsum of the hand - Between 4th and 5th metacarpal bones - In depression proximal to 4th metacarpophalangeal joint Needling Method: - Perpendicular 0.3-0.5 inch	- Clears heat - Benefits the ears - Clears the head and eyes - Activates the channel - Alleviates pain	- Headache, Redness of the eyes - Deafness (hearing impairment) - Tinnitus - Sore throat, Febrile diseases - Pain in the elbow and arm - Motor impairment of fingers - Ear Problems of any etiology such as excess tinnitus, especially those arising from a LV issue such as LV Qi Stagnation or LV Yin Deficiency. - Distal point for temporal headaches, shoulder & upper back pain, pain & inflammation in throat. - Eye diseases with GB 37
SJ-4 Yang Chi 陽池 Yang Pool	Yuan Source Point Moxibustion Applicable	- On the transverse crease of dorsum of wrist - In depression lateral to the tendon of m. extensor digitorum communis Needling Method: - Perpendicular 0.3-0.5 inch	- Relaxes the sinews - Alleviates pain - Clears heat	- Pain in the arm, shoulder and wrist - Malaria, deafness, thirst - Dorsal wrist issues such as strains, sprains or subluxations. - Wasting & thirsting disorder, regulates water metabolism, alleviates dry mouth a/or thirst. - Moxa to tonify Yang of the body
SJ-5* Wai Guan 外關 Outer Pass	Luo Connecting Point (Connects to PC) Yang Wei Master Point (w/ GB 41 Dai Mai MP) (GB 41 is a first aid point for migraine headaches) Moxibustion Applicable	2 cun proximal to dorsal wrist crease - On line connecting SJ-4 and the tip of olecranon - Between the radius and ulna Needling Method: - Perpendicular 0.5-1.0 inch	- Expels wind & releases exterior (Major use of SJ channel) - Benefits the head and ears - Opens the Yang Linking vessel - Clears heat - Activates channel - Alleviates pain	- Febrile diseases, headache, pain in the cheek, strained neck, deafness, tinnitus, pain in the hypochondriac region, motor impairment of the elbow and arm, pain of the fingers, hand tremor - Beginning exterior conditions: (Tonify: WC, cold-damp Sedate: WH, fever) - Headache from exterior wind, migraines, headaches in any area (temporal, parietal, vertex) especially with stiffness or pain in the posterior & lateral aspects of neck - Upper limb disorders including the elbow, forearm, wrist and hand. - Shao Yang stage diseases (alternating fever and chills) - SJ 5 (Master Points of the Yang Wei) & PC 6 (MP of Yin Wei) → affect the balance of yin and yang in body. If right pulse stronger than the left (more Qi than Blood) → disperse SJ 5 & tonify PC 6 and vice versa

SAN JIAO CHANNEL OF HAND SHAO YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
SJ-6* Zhi Gou 支溝 Branch Ditch	Jing River Point Fire Point Moxibustion Applicable	3 cun proximal to dorsal wrist crease - On line connecting SJ-4 & tip of olecranon - Between the radius and ulna - On the radial side of m. extensor digitorum Needling Method: - Perpendicular 0.8-1.2 inch	- Regulates Qi and clears heat in the three jiao - Benefits the chest and lateral costal region - Moves the stool - Benefits the voice - Activates the channel - Alleviates pain	- Tinnitus, deafness, pain in the hypochondriac region, vomiting, constipation, febrile diseases, aching and heavy sensation of the shoulder and back, sudden hoarseness of voice - Affects the Triple Warmer in the following ways: ♦ Lower: Constipation due to stagnation and heat in the body. ♦ Middle: Issues with the chest & hypochondrium. Often used with GB 34 for chest & rib pain, also "sudden turmoil disorder" (vomiting & diarrhea) ♦ Upper: Febrile diseases with no sweating, eye redness & pain, ear pain, inflammation
SJ-7 Hui Zong 會宗 Convergence & Gathering	Xi Cleft Point Local Point Moxibustion Applicable	- At the level with SJ-6 - On ulnar side of SJ-6 - On the radial border of the ulna Needling Method: - Perpendicular 0.5-1.0 inch	- Clears the San Jiao channel - Benefits the ears	- Deafness - Pain in the ear - Epilepsy - Pain of the arm
SJ-8* San Yang Luo 三陽絡 Three Yang Connection	Local Point Moxibustion Applicable	4 cun proximal to dorsal wrist crease - Between the radius and ulna Needling Method: - Perpendicular 0.5-1.0 inch	- Clears the San Jiao channel - Activates the channel - Alleviates pain	- Deafness, sudden hoarseness of voice, pain in the chest and hypochondriac region, pain in the hand and arm, toothache - Sudden deafness, acute or chronic loss of voice - Aphasia: combine w/ HT5 & REN23
SJ-9 Si Du 四瀆 Four Rivers	Local Point Moxibustion Applicable	- On the lateral side of forearm 5 cun below the olecranon - Between the radius and ulna Needling Method: - Perpendicular 0.5-1.0 inch	Benefits the throat and ears	- Deafness, toothache, migraine - Sudden hoarseness of voice - Pain in the forearm
SJ-10* Tian Jing 天井 Celestial Well	He Sea Point Earth Point Sedation Point Moxibustion Applicable	- When the elbow is flexed - In depression about 1 cun superior to the olecranon Needling Method: - Perpendicular 0.3-0.5 inch	- Transforms phlegm - Dissipates nodules - Regulates Qi - Descends rebellion - Calms the spirit - Clears heat from San Jiao channel - Activates the channel - Alleviates pain	- Migraine, pain in the neck, shoulder and arm, - Epilepsy, scrofula, goiter - Transforms phlegm, reduces lymph swellings (phlegm) - Thyroid disorders - Elbow pain, tendonitis. - One-sided headache, migraines. [If patient currently has headache → needle the local point, without headache → use distal point] - Useful for depression a/or anxiety, especially with chest pain or oppression, angina a/or palpitations. - Epilepsy (phlegm obstruction), possibly mania as well. - Differentiation: SJ 5 is for headache anywhere whereas SJ 10 is specifically for one-sided headaches
SJ-11 Qing Leng Yuan 清冷淵 Clear Cold Abyss	Local Point Moxibustion Applicable	1 cun above SJ-10 - When the elbow is flexed Needling Method: - Perpendicular 0.3-0.5 inch	- Activates the channel - Dispels wind-damp - Clears damp-heat	- Motor impairment and pain of the shoulder and arm - Migraine
SJ-12 Xiao Lou 消瀾 Dispersing Riverbed	Local Point Moxibustion Applicable	- On the line joining olecranon and SJ-14 - Midway between SJ-11 & SJ-13 Needling Method: - Perpendicular 0.5-0.7 inch	- Activates the channel - Alleviates pain	- Headache, neck rigidity - Motor impairment and pain of arm


SAN JIAO CHANNEL OF HAND SHAO YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
SJ-13 Nao Hui 臑會 Upper Arm Convergence	Intersection Point • LI • Yang Wei Moxibustion Applicable	- On line joining SJ-14 and the olecranon - On posterior border of deltoid Needling Method: • Perpendicular 0.5-0.8 inch	- Regulates Qi - Transforms phlegm - Activates the channel - Alleviates pain	- Goiter - Pain in the shoulder and arm
SJ-14* Jian Liao 肩髃 Shoulder Bone Hole	Local Point Moxibustion Applicable	- On shoulder, posterior to LI-15 - In depression inferior and posterior to the acromion - When the arm is abducted Needling Method: • Perpendicular 0.7-1.0 inch	- Dispels wind-damp - Alleviates pain - Benefits the shoulder joint	- Pain and motor impairment of the shoulder and upper arm - Shoulder problems, especially those involving the lateral or posterior aspects of the shoulder
SJ-15 Tian Liao 天髃 Celestial Bone Hole	Intersection Point • GB • Yang Wei Moxibustion Applicable	- Midway btwn GB-21 & SI-13 - On the superior angle of the scapula Needling Method: • Perpendicular 0.3-0.5 inch	- Dispels wind-damp, - Activates the channel - Alleviates pain - Unbinds the chest - Regulates Qi	- Pain in the shoulder and elbow - Stiffness of the neck
SJ-16 Tian You 天牖 Celestial Window	Window of Sky Point Intersection Point • GB Moxibustion Applicable	- On the lateral side of the neck - Directly below the posterior border of mastoid process - On level of mandibular angle - On the posterior border of sternocleidomastoid muscle Needling Method: • Perpendicular 0.3-0.5 inch	- Benefits the head & sense organs - Regulates and descends Qi	- Headache - Neck rigidity - Facial swelling, - Blurring of vision - Sudden deafness
SJ-17* Yi Feng 翳風 Wind Screen	Intersection Point • GB Moxibustion Applicable	- Posterior to the lobule of ear - In the depression between the mandible and mastoid process Needling Method: • Perpendicular 0.5-1.0 inch	- Benefits the ears - Eliminates wind - Clears heat - Activates the channel - Alleviates pain (especially in ear)	- Facial paralysis, toothache - Swelling of the cheek, scrofula - Trismus (spasm of the jaw muscles, causing the mouth to remain tightly closed, typically as a symptom of tetanus) - Wind problems deriving from internal or external sources - Bell's palsy - Ear problems: tinnitus, deafness, acute earache due to wind cold, inner ear infection, otorrhea - Ear Infection Differentiation: ♦ Outer: pain when pulling on ear ♦ Inner: pain when pressing
SJ-18 Qi Mai 契脈 Spasm Vessel	Local Point Moxibustion Applicable	- In center of mastoid process - At the junction of the middle and lower third of the curve formed by SJ-17 and SJ-20 - Posterior to the helix Needling Method: • Subcutaneously 0.3-0.5 inch or • Prick with 3 edged needle to bleed	- Benefits the ears - Calms fright - Pacifies wind	- Headache - Tinnitus, deafness - Infantile convulsion
SJ-19 Lu Xi 顱息 Skull Rest	Local Point Moxibustion Applicable Avoid Artery Do Not Bleed	- Posterior to ear - At junction of the upper and middle third of the curve formed by SJ-17 and SJ-20 - Behind the helix Needling Method: • Obliquely 0.3-0.5 inch	- Benefits the ears - Clears heat - Calms fright - Relieves tetany (condition marked by intermittent muscular spasms, caused by malfunction of the parathyroid glands and a consequent calcium deficiency)	- Headache - Tinnitus, deafness, pain in the ear - Infantile convulsion
SJ-20 Jiao Sun 角孫 Angle Vertex	Local Point Moxibustion Applicable	- Directly above the ear apex - Within the hair line Needling Method: • Subcutaneously 0.3-0.5 inch	- Benefits the ears - Benefits the teeth, gums and lips - Clears heat	- Tinnitus, redness, pain and swelling of the eye, swelling of gum, toothache, - Parotitis (inflammation of a parotid gland, especially (infectious parotitis) mumps)

SAN JIAO CHANNEL OF HAND SHAO YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
SJ-21* Er Men 耳門 Ear Gate	Intersection Point • SI • GB Moxibustion Applicable	- In depression anterior to supratragic notch - Behind the posterior border of condyloid process of mandible - Located with the mouth open Needling Method: - Perpendicular 0.3-0.5 inch	- Benefits the ears - Clears heat	- Tinnitus, deafness, otorrhea, toothache, stiffness of the lip Ear problems of an excess or deficient nature (tinnitus, deafness, earache) TMJ problems, upper jaw toothache: Combine w/ ST 6 & ST 7
SJ-22 Er He Liao 耳和髎 Harmony Bone Hole	Intersection Point • SI • GB Moxibustion Applicable Avoid Artery	- Anterior and superior to SJ-21 - At the level with root of auricle - On posterior border of hairline of the temple - Where superficial temporal artery passes Needling Method: - Obliquely 0.1-0.3 inch	- Expels wind - Alleviates pain	Migraine, tinnitus, lockjaw
SJ-23* Si Zhu Kong 絲竹空 Silk Bamboo Hole	Local Point No Moxibustion	- In depression at the lateral end of the eyebrow Needling Method: - Subcutaneously 0.3-0.5 inch	- Eliminates wind - Alleviates pain - Benefits the eyes	- Headache - Redness, swelling and pain of the eye, blurring of vision, twitching of the eyelid, drooping eyelid - Toothache, facial paralysis Liver Wind or Liver Fire headache: combine with other local points

MAJOR POINTS OF THE HAND (DORSUM)



MAJOR POINTS OF THE LATERAL FOREARM



MAJOR POINTS OF THE NECK REGION

