

GALLBLADDER CHANNEL OF FOOT SHAO YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
GB-1 Tong Zi Liao 瞳子髎 Pupil Bone Hole	Intersection Point • GB, SJ, SI No Moxibustion	0.5 cun lateral to outer canthus of eye - In a depression on the lateral side of the orbit Needling Method: - Subcutaneously 0.3-0.5 inch	- Benefits eyes - Eliminates wind - Clears heat	- Headache, redness and pain of the eyes, failing of vision, lacrimation, deviation of the eye and mouth - Excessive tears - LV Yang/Heat Rising affecting the head: headache, eye problems, similar to Tai Yang (EP), which is used more. - Local point for manifestations of heat - pain, inflammation
GB-2 Ting Hui 聽會 Auditory Convergence	Local Point Moxibustion Applicable	- Anterior to intertragic notch - At the posterior border of the condyloid process of mandible - Located with the mouth open Needling Method: - Perpendicular 0.5-0.7 inch	- Benefits the ears - Eliminates wind and clears heat - Activates the channel - Alleviates pain	- Deafness, tinnitus, toothache, - Motor impairment of the temporomandibular joint, mumps - Deviation of the eye and mouth Ear issues (along with SJ 21 & SI 19): tinnitus, otitis media, deafness - Eliminate wind locally: TMJ disorder, facial paralysis, trigeminal neuralgia, toothache
GB-3 Shang Guan 上關 Upper Gate	Local Point Intersection Point • GB, SJ, ST Moxibustion Applicable	- In front of ear - On the upper border of the zygomatic arch - In the depression directly above Xiaguan (ST-7) Needling Method: - Perpendicular 0.3-0.5 inch	- Eliminates wind - Benefits the ears - Activates channel - Alleviates pain	- Headache, deafness, tinnitus - Dipacusis (two ears hear same tone as different pitch) - Deviation of the eye and mouth - Toothache
GB-4 Han Yan 頤厭 Forehead Fullness	Local Point Intersection Point • GB, SJ, ST Moxibustion Applicable	- Within hairline of temporal region - At the junction of the upper 1/4 and lower 3/4 distance between ST 8 and GB 7 Needling Method: - Subcutaneously 0.3-0.5 inch	- Eliminates wind and clears heat - Activates the channel - Alleviates pain	- Migraine, vertigo, tinnitus - Pain in the outer canthus - Toothache - Convulsion, epilepsy
GB-5 Xuan Lu 懸顙 Suspended Skull	Local Point Intersection Point • GB, SJ, ST, LI Moxibustion Applicable	- Within hairline of temporal region - Midway of the border line connecting ST-8 and GB-7 Needling Method: - Subcutaneously 0.3-0.5 inch	- Expels wind and clears heat - Activates the channel - Alleviates pain	- Migraine, pain in outer canthus - Facial swelling
GB-6 Xuan Li 懸厘 Suspended Tuft	Local Point Intersection Point • GB, SJ, ST, LI Moxibustion Applicable	- Within hairline - At the junction of the lower 1/4 and upper 3/4 of the distance between ST-8 and GB-7 Needling Method: - Subcutaneously 0.3-0.5 inch	- Expels wind and clears heat - Activates the channel - Alleviates pain	- Migraine - Pain in the outer canthus - Tinnitus - Frequent sneezing
GB-7 Qu Bin 曲鬢 Hairline Curve	Local Point Moxibustion Applicable	- On head, at a crossing point of vertical posterior border of temple and horizontal line through ear apex Needling Method: - Subcutaneously 0.3-0.5 inch	- Eliminates wind - Benefits the mouth and jaw	- Headache, swelling of the cheek - Trismus - Pain in the temporal region - Infantile convulsion
GB-8* Shuai Gu 率谷 Valley Lead	Local Point Moxibustion Applicable	- Superior to the apex of auricle 1.5 cun within the hairline Needling Method: - Subcutaneously 0.3-0.5 inch Needle in direction of channel to bring the Yang down	- Eliminates wind - Benefits the head - Alleviates pain - Harmonizes diaphragm & Stomach - Alleviates vomiting - Treats alcohol intoxication	- Migraine, vertigo, vomiting - Infantile convulsion - Migraine, one-sided or unilateral headaches and associated nausea, vomiting a/or visual disturbances. Major empirical point for Hangover: eases headache and harmonizes the middle jiao. - In the <i>Bronze Man</i> this point is indicated for cold & phlegm in the Diaphragm & ST, injury by alcohol & agitation & fullness with ceaseless vomiting

GALLBLADDER CHANNEL OF FOOT SHAO YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
GB-9 Tian Chong 天冲 Celestial Hub	Local Point Some say No Moxibustion	- Directly above the posterior border of the auricle 2 cun within the hairline, about 0.5 cun posterior to GB-8 Needling Method: - Subcutaneously 0.3-0.5 inch	- Clears Gall Bladder channel heat - Calms the spirit - Pacifies fright	- Headache, epilepsy - Swelling and pain of the gums - Convulsion
GB-10 Fu Bai 浮白 Floating White	Local Point Intersection Point • GB, UB Moxibustion Applicable	- Posterior & superior to the mastoid process - At the junction of the middle 1/3 and upper 1/3 of curved line connecting GB-9 & GB-12 Needling Method: - Subcutaneously 0.3-0.5 inch	- Clears the head - Benefits the neck region - Activates the channel - Alleviates pain	Headache, tinnitus, deafness
GB-11 Tou Qiao Yin 頭竅陰 Head Portal Yin	Local Point Intersection Point • GB, UB, SJ, SI Moxibustion Applicable	- Posterior & superior to mastoid process - At the junction of the middle 1/3 and lower 1/3 of a curved line connecting GB-9 & GB-12 Needling Method: - Subcutaneously 0.3-0.5 inch	- Clears the head - Benefits the sense organs - Activates the channel - Alleviates pain	- Pain of the head and neck - Tinnitus, deafness, - Pain in the ears
GB-12* Wan Gu 完骨 Completion Bone	Local Point Intersection Point • GB, UB Moxibustion Applicable	- In a depression posterior and inferior to the mastoid process Needling Method: - Subcutaneously 0.3-0.5 inch	- Eliminates wind - Benefits the head* - Alleviates pain* - Calms the spirit*	- Headache, insomnia, swelling of the cheek, retroauricular pain - Deviation of the eye and mouth - Toothache - Dispel exterior & interior wind from the head: tinnitus, tremors in the head, occipital headache, neck rotation ROM issues - Regulates and calms the spirit → insomnia
GB-13* Ben Shen 本神 Root Spirit	Local Point Intersection Point • Yang Wei (Linking) Moxibustion Applicable	0.5 cun within hairline of forehead 3 cun lateral to DU 24 (junction of medial 2/3 and lateral 1/3 distance from DU 24 to ST 8) Needling Method: - Subcutaneously 0.3-0.5 inch	- Eliminates wind and phlegm (insubstantial phlegm) - Calms Shen* - Treats epilepsy	- Headache, insomnia, vertigo, epilepsy - In the Tong Ren/Tam Healing System: Used to affect the frontal lobe. Used on the (R) side for psychological conditions such as anxiety and depression and on the (L) side for attention related conditions such as ADHD. Also useful for issues which come from subconscious influences
GB-14* Yang Bai 陽白 Yang White	Local Point Intersection Point • GB, ST, SJ, LI • Yang Wei (Linking) Moxibustion Applicable	- On the forehead, directly above the pupil 1 cun above the midpoint of the eyebrow Needling Method: - Subcutaneously 0.3-0.5 inch	- Eliminates wind - Benefits the head* - Alleviates pain* - Benefits the eyes*	- Headache in the frontal region, pain of the orbital ridge, eye pain, vertigo, twitching of the eyelids, ptosis of the eyelids, lacrimation - Frontal/temporal (ST/SJ area) headaches* - Eye issues* (direct needle towards eye): redness, swelling, itching, twitching
GB-15* Tou Lin Qi 頭臨泣 Head Overlooking Tears	Local Point Moxibustion Applicable	- On head, directly above pupil 0.5 cun above anterior hairline - At the midpoint of a line connecting DU 24 to ST 8 (directly above GB 14). Needling Method: - Subcutaneously 0.3-0.5 inch	- Eliminates wind - Benefits the head - Alleviates pain - Benefits the nose and eyes*	- Headache, vertigo, lacrimation, pain in the outer canthus, rhinorrhea, nasal obstruction - Excessive tearing from internal or external wind affecting the eyes. - Sinus issues: sinusitis, rhinitis. (with DU 23, Yin Tang a/or LI 20).
There is significant disagreement regarding the locations of the next three points (GB 16 – GB 18). CAM and Gongwang agree on one location while AMOA, and the Shanghai text assert another. Both are included for your reference. All three are minor, local points used mainly for headache. Their “location” will be dependent on the patient’s response to an inquiry regarding the focal point of their headache.				
GB-16 Mu Chuang 目窗 Eye Windows	Local Point Moxibustion Applicable	- On the head 1.5 cun above the anterior hairline 2.25 cun lateral to the midline of the head. Needling Method: - Subcutaneously 0.3-0.5 inch	- Benefits the eyes - Eliminates wind - Alleviates pain	- Headache - Vertigo - Red and painful eyes - Nasal obstruction

GALLBLADDER CHANNEL OF FOOT SHAO YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
GB-17 Zheng Ying 正營 Upright Construction	Local Point Moxibustion Applicable	- On the head, 2.5 cun above the anterior hairline 2.25 cun lateral to the midline of the head Needling Method: - Subcutaneously 0.3-0.5 inch	- Benefits the head - Alleviates pain - Pacifies the Stomach	- Migraine - vertigo
GB-18 Cheng Ling 承靈 Spirit Support	Local Point Moxibustion Applicable	- On the head 4 cun above the anterior hairline 2.25 cun lateral to midline of head Needling Method: - Subcutaneously 0.3-0.5 inch	- Benefits the head - Alleviates pain - Benefits the nose - Descends Lung Qi	- Headache - Vertigo - Epistaxis - Rhinorrhea
GB-19 Nao Kong 腦空 Brain Hollow	Local Point Moxibustion Applicable	- On the head and level with upper border of external occipital protuberance (EOT) or DU 17 2.25 cun lateral to midline of the head (directly above GB 20, level with DU 17) Needling Method: - Subcutaneously 0.3-0.5 inch	- Benefits the head - Alleviates pain - Pacifies wind - Clears the sense organs	- Headache, stiffness of the neck, vertigo, painful eyes, tinnitus, - Epilepsy (if lesion location known, do scalp acupuncture over lesion) - In the Tong Ren/Tam Healing System: Used to affect the visual cortex. Useful for muscle & coordination problems with the eyes from conditions such as MS, Parkinson's
GB-20** Feng Chi 風池 Wind Pool (Where Wind Gathers)	Local Point Intersection Point - GB, SJ - Yang Qiao (Motility) - Yang Wei (Linking) Major Wind Point on Body Moxibustion Applicable	- In a depression between the upper portion of the sternocleidomastoid muscle and the trapezius - Level with DU 16 Needling Method: - Puncture 0.5-0.8 inch toward the tip of the nose	- Eliminates wind (Interior & Exterior) - Benefits the head and eyes - Clears the sense organs - Activates the channel - Alleviates pain	- Headache, vertigo, insomnia, pain and stiffness of the neck - Eye issues: Blurred vision (liver), glaucoma, red and painful eyes, tinnitus - Convulsion, epilepsy, infantile convulsion - Febrile diseases, common cold, nasal obstruction, rhinorrhea - Dispel Exterior or Interior Wind: - Exterior: fever/chills, stiff neck - Internal: paralysis, twitching, tremors, numbness, dizziness, vertigo - Allergies → LIVER (incorrect Qi flow) - All issues of the head, brain (seizures, memory, mental/neurological disorders), face, throat and sense organs (eyes, ears, nose, tongue). - Headache, especially occipital. - Issues of the neck, shoulders a/or upper back - pain, weakness, stiffness. - Hypertension, especially with LV Yang Rising. - In the Tong Ren/Tam Healing System: It is used in conjunction with the hua tuo points of C1 and C2 to open the spinal cord, generally used to relieve neck tension.

GALLBLADDER CHANNEL OF FOOT SHAO YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
GB-21* Jian Jing 肩井 Shoulder Well	Local Point Intersection Point • GB, SJ, ST • Yang Wei (Linking) Moxibustion Applicable Contraindicated in Pregnancy No Deep Needling (Pneumothorax)	• On the shoulder directly above the nipple (or ST 12 → 4 cun mammillary line) • At midpoint of a line connecting DU 14 and the acromion • at the highest point of the shoulder Needling Method: • Perpendicular 0.3-0.5 inch	• Regulates Qi • Activates the channel and • Alleviates pain • Transforms & lowers phlegm • Dissipates nodules • Benefits the breasts • Expedites delivery	• Pain and rigidity of the neck, pain in the shoulder and back, motor impairment of the arm, insufficient lactation, mastitis, scrofula, apoplexy, difficult labor • Local point for occipital headache, tight trapezius muscles and/or neck/shoulder pain. • Phlegm related issues of the head and neck - embolic stroke, neck lumps, swollen lymph nodes, tumors. • Phlegm related issues of the breast and chest - mastitis, breast abscess, asthma, dyspnea. • Strongly descends Qi - useful for rebellious Qi, cough. • Contraindicated in Pregnancy but useful for difficult labor, retained placenta. • Gao Wu felt that balancing GB 21's strong descending action with ST 36's strong centering action is important
GB-22 Yuan Ye 淵腋 Armpit Abyss	Local Point Moxibustion Applicable	• On the mid-axillary line when the arm is raised • 3 cun below the axilla • In the 4th intercostal space Needling Method: • Oblique 0.3-0.5 inch	• Regulates Qi • Unbinds the chest • Benefits the axilla	• Fullness of the chest • Swelling of the axillary region • Pain in the hypochondriac region • Pain and motor impairment of arm
GB-23 Zhe Jin 軋筋 Sinew Seat	Local Point Moxibustion Applicable	• 1 cun anterior to GB 22 • At the level of the nipple • In the 4th intercostal space Needling Method: • Oblique 0.3-0.5 inch	• Unbinds the chest • lowers rebellion • Regulates Qi in the three jiao	• Fullness of the chest • Pain in the hypochondriac region • Asthma
GB-24* Ri Yue 日月 Sun & Moon	GB Front Mu Moxibustion Applicable	• Directly below nipple in 7th ICS • 4 cun lateral to the AML Needling Method: • Oblique 0.3-0.5 inch	• Benefits the Gall Bladder • Spreads Liver Qi • Lowers rebellious Qi and harmonizes the middle jiao • Resolves damp-heat (LV & GB have the closest Yin/Yang relationship because LV completely surrounds GB)	• Pain in the hypochondriac region • Vomiting, acid regurgitation • Hiccup, jaundice, mastitis. • LV & GB issues, especially involving heat and stagnation: gallstones, hepatitis, jaundice. • LV/GB attacking (overcontrolling) the SP: nausea, vomiting, sour belching, bitter taste, acid reflux. • GB related emotional imbalances: fearfulness, shyness • Indecisiveness, timidity, sighing • The <i>Ling Shu</i> indicates GB 24 & UB 19 (GB Back Shu) for frequent indecisiveness.
GB 25* Jing Men 京門 Capital Gate	KD Front Mu Moxibustion Applicable	• Lateral side of the abdomen • On lower border of free end • Of the 12th rib Needling Method: • Perpendicular 0.3-0.5 inch	• Tonifies the Kidneys* • Regulates the water passages* • Fortifies the Spleen • Regulates the intestines • Strengthens the lumbar region	• Abdominal distention, borborygmus, diarrhea • Pain in lumbar and hypochondriac region • Local point for pain in the lumbar a/or lateral costal region especially when presenting with a KD deficiency. • KD/SP Issues involving dampness - diarrhea (esp. watery/cold), bloating, abdominal distention. • Diuretic point - urinary retention, difficult urination, EDEMA* • Urinary tract stones - assists passage (herbs can dissolve KD stones)

GALLBLADDER CHANNEL OF FOOT SHAO YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
GB 26* Dai Mai 帶脈 Girdling Vessel	Intersection Point • GB, Dai Mai (Dai Mai is only Meridian that goes around body) Moxibustion Applicable	- Directly below LV 13 - At crossing point of a vertical line through the free end of 11th rib & horizontal line through the umbilicus (level with Ren 8) Needling Method: - Perpendicular 0.5-0.8 inch	- Regulates the Girdling vessel - Drains dampness (astringing water in abdominal region) - Regulates menstruation - Stops leucorrhoea - Activates the channel - Alleviates pain	- Irregular menstruation, amenorrhea, leucorrhea, abdominal pain, hernia (inguinal) - Pain in the lumbar and hypochondriac region - GB 26, GB 27 & GB 28 are all useful points on the Dai Mai meridian which influences the GB, KD, Chong Mai, Ren & DU Meridians. - GB 26 is most useful for women's issues: (morbid) leucorrhea from any etiology, gynecological disorders, prolapses, infertility - Menstrual related pains, cramping, bloating a/or migraines. - Local point for the lower back and waist
GB 27 Wu Shu 五樞 Fifth Pivot	Local Point Moxibustion Applicable	- On lateral side of abdomen - Anterior to the ASIS 3 cun below the level of umbilicus (lateral to Ren 4) Needling Method: - Perpendicular 0.5-1.0 inch	- Regulates the Girdling vessel - Regulates the lower jiao - Transforms stagnation	- Leukorrhea, lower abdominal pain, lumbar pain, hernia, constipation - GB 27 is used more for male issues: testicular pain a/or retraction, lower abdominal pain, shan disorder
GB 28 Wei Dao 維道 Linking Path	Local Point Moxibustion Applicable	- Anterior and Inferior to ASIS 0.5 cun anterior and inferior to GB 27 Needling Method: - Perpendicular 0.5-1.0 inch	- Regulates the Girdling vessel - Regulates the lower jiao - Transforms stagnation	- Leukorrhea - Lower abdominal pain - Hernia - Prolapse of uterus
GB 29* Ju Liao 居髎 Squatting Bone Hole	Local Point Moxibustion Applicable	- Depression of the midpoint between the anterosuperior iliac spine (ASIS) and the prominence of the great trochanter Needling Method: - Perpendicular 0.5-1.0 inch	- Activates the channel - Alleviates pain - Benefits the hip joint	- Pain and numbness in the thigh and lumbar region - Paralysis - Muscular atrophy of the lower limbs
GB 30* Huan Tiao 環跳 Jumping Round	Local Point Moxibustion Applicable	- At the junction of lateral 1/3 and medial 2/3 distance between the prominence of the greater trochanter and the hiatus of the sacrum (DU 2) - Located with patient in a lateral recumbent position with thigh flexed Needling Method: - Perpendicular 1.5-2.5 inch	- Activates the channel - Alleviates pain* - Benefits the hip joint and leg - Dispels wind-damp*	- Pain of the lumbar region and thigh, muscular atrophy of the lower limbs, hemiplegia Sciatica*, pain, numbness, atrophy of lower back, hip, buttocks a/or lower limbs. - Bi (painful obstruction) or Wei (flaccidity, weakness) of the leg. - Urticaria, red, itchy skin issues from wind
GB 31* Feng Shi 風市 Wind Market	Local Point Moxibustion Applicable	- On the midline of lateral aspect of the thigh 7 cun above the transverse popliteal crease - When the patient is standing erect with the hands close to the sides, the point is where the tip of the middle finger touches Needling Method: - Perpendicular 0.7-1.2 inch	- Eliminates wind* - Alleviates itching* - Activates the channel - Alleviates pain	- Pain and soreness in the thigh and lumbar region, paralysis of the lower limbs, beriberi, general pruritus - Lateral and posterior leg issues - sciatica, weakness, numbness, post-stroke symptoms of lower limbs. - Red, itchy, skin disorders from wind a/or dampness anywhere on the body
GB 32 Zhong Du 中瀆 Central River	Local Point Moxibustion Applicable	- On the lateral aspect of thigh 5 cun above popliteal crease 2 cun below GB 31 - Between the tendons of vastus lateralis and biceps femoris Needling Method: - Perpendicular 0.7-1.0 inch	- Expels wind, damp and cold - Activates the channel - Alleviates pain	- Pain and soreness of thigh and knee - Numbness and weakness of the lower limbs - Hemiplegia
GB 33 Xi Yang Guan 膝陽關 Knee Yang Joint	Local Point Moxibustion Applicable	3 cun above GB 34 - Lateral to the knee joint - In depression above external epicondyle of the femur - Between the femur and the tendon of biceps femoris Needling Method: - Perpendicular 0.5-1.0 inch	- Relaxes the sinews and benefits the joints - Dispels wind-damp	- Swelling and pain of the knee, - Contracture of the tendons in popliteal fossa - Numbness of the leg

GALLBLADDER CHANNEL OF FOOT SHAO YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
GB 34* Yang Ling Quan 陽陵泉 Yang Mound Spring	He Sea Point Earth Point Hui Meeting Point of Sinews Moxibustion Applicable	- In a depression anterior and inferior to the head of the fibula Needling Method: - Perpendicular 0.8-1.2 inch	- Benefits the sinews and joints - Spreads Liver Qi - Benefits the lateral costal region - Clears Liver and Gall Bladder damp-heat - Harmonizes shaoyang - Activates the channel and alleviates pain	- Hemiplegia, weakness, numbness and pain of the lower extremities, swelling and pain of knee, beriberi, hypochondriac pain, bitter taste in the mouth, vomiting, jaundice, infantile convulsion - Hui Meeting of the Sinews: useful for treating soft tissue anywhere in the body, contracture, cramping, pain, spasm, weakness, numbness, paralysis. - Sciatica and issues with the low back, hip, a/or lower limbs, knees. - All disorders of the lateral regions of the body. - He Sea of the GB: affects GB organ, usually with GB Damp-Heat conditions, cholecystitis, hepatitis, jaundice, nausea, vomiting, bitter taste in mouth, gallstones. - Shao Yang level diseases presenting with alternating chills/fevers, malaria (different life cycles of parasite cause different reactions in body) costal pain, bitter taste in mouth, jaundice - LV attacking SP: counterflow Qi, nausea, vomiting, indigestion
GB 35 Yang Jiao 陽交 Yang Intersection	Xi Cleft of Yang Wei Mai Moxibustion Applicable	7 cun above the tip of the external malleolus - On posterior border of fibula - Level with GB 36 & UB 58 Needling Method: - Perpendicular 0.5-0.8 inch	- Activates the channel and alleviates pain - Regulates Gall Bladder Qi - Calms the spirit	- Fullness of the chest and hypochondriac region - Muscular atrophy and paralysis of the leg
GB 36* Wai Qiu 外丘 Outer Hill	Xi Cleft Point Moxibustion Applicable	7 cun above the tip of external malleolus - On anterior border of fibula Needling Method: - Perpendicular 0.5-0.8 inch	- Activates the channel - Alleviates pain - Clears heat - Detoxifies poison	- Pain in the neck, chest, thigh and hypochondriac region, rabies - Mentioned in the <i>Bronze Man</i> for treating rabies w/rage, fever, convulsions: 3 moxa cones after bite - Acute cholecystitis - Acute painful skin conditions
GB 37* Guang Ming 光明 Bright Light	Luo Connecting Point Moxibustion Applicable	5 cun above the tip of external malleolus - On the anterior border of the fibula Needling Method: - Perpendicular 0.7-1.0 inch	- Benefits the eyes - Dispels wind-damp - Activates the channel - Alleviates pain	- Pain in knee - Motor impairment and pain of lower extremities, muscular atrophy - Distending pain of the breast - Eye issues, especially LV related - redness, itching, blurry vision, night blindness, optic nerve atrophy, cataracts, ophthalmalgia - Lower leg, calf a/or foot problems: dropped foot, edema, atrophy, obstruction. - Headaches affecting the region around the eyes - temporal, infra/supraorbital, migraines. - Breast issues from stagnant LV Qi: pain, insufficient lactation. Empirical Point to Stop Lactation (Regulates lactation: Starts/stops)
GB-38* Yang Fu 陽輔 Yang Assistance	Jing River Point Fire Point Moxibustion Applicable	4 cun above the tip of external malleolus - Slightly anterior to the anterior border of the fibula - Between extensor digitorum longus and peroneus brevis Needling Method: - Perpendicular 0.5-0.7 inch	- Clears Gall Bladder channel heat* - Harmonizes Shao Yang* - Benefits the sinews and bones - Activates the channel - Alleviates pain	- Migraine, pain of outer canthus, pain in axillary region, scrofula, lumbar pain, pain in chest, hypochondriac region and lateral aspect of the lower extremities, malaria. Fire Point*: useful for treating fever period of <i>Shao Yang stage</i> diseases (alternating fever and chills). - Moving point for GB channel issues - pain, heat, stagnation along the channel.

GALLBLADDER CHANNEL OF FOOT SHAO YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
GB 39* Jue Gu or (Xuan Zhong) 懸鐘 Suspended Belt	Hui Meeting Point of Marrow Moxibustion Applicable	• 3 cun above the tip of external malleolus • In a depression between the posterior border of the fibula and the tendons of peroneous longus and brevis Needling Method: • Perpendicular 0.3-0.5 inch	• Benefits the sinews and bones* • Benefits the neck* • Dispels wind-damp* • Clears Gall Bladder fire • Activates the channel • Alleviates pain	• Apoplexy, hemiplegia, pain of the neck, abdominal distension, pain in the hypochondriac region, muscular atrophy of the lower limbs, spastic pain of the leg, beriberi • Hui Meeting of the Marrow*: excess or deficiency conditions affecting the bone marrow, ligaments, tendons, muscles a/or bones - pain, spasms, numbness, weakness. (probably good for chronic ankle problems) • Chronic Bi or Wei syndromes* especially with KD Deficiency: thought to strengthen immunity. • Empirical Point for Neck issues*: stiffness, arthritis, strain, sprain, whiplash, headache • Descends rising LV/GB heat: dizziness, tinnitus.
GB 40 Qiu Xu 丘墟 Hill Ruins	Yuan Source Point Moxibustion Applicable	• Anterior and inferior to external malleolus • in a depression on the lateral side of the tendon of m. extensor digitorum longus Needling Method: • Perpendicular 0.5-0.8 inch	• Spreads Liver Qi and • Clears Gallbladder heat & damp-heat • Activates the channel • Alleviates pain • Benefits the joints • Regulates shaoyang	• Pain in the neck • Swelling in the axillary region • Pain in the hypochondriac region • Vomiting, acid regurgitation • Muscular atrophy of the lower limbs • Pain and swelling of the external malleolus • Local point for issues of the lower limbs a/or ankles: weakness, paralysis, atrophy • Wrist issues using the cross joints needling method. • Chronic malaria where chills are predominant
GB 41* Zu Lin Qi 足臨泣 Foot Overlooking Tears	Shu Stream Point Wood (Horary) Point Master Point of Dai Mai (with SJ 5) Moxibustion Applicable	• Posterior to the 4th metatarsophalangeal joint • In a depression lateral to the tendon of extensor digiti minimi Needling Method: • Perpendicular 0.3-0.5 inch	• Spreads Liver Qi • Benefits the chest, lateral costal region and breasts • Clears the head* • Benefits the eyes • Transforms phlegm • Dissipates nodules	• Headache, vertigo, pain of the outer canthus, scrofula, pain in the hypochondriac region, distending pain of the breast, irregular menstruation, pain and swelling of the dorsum of foot, spastic pain of the foot and toe. • Moves LV Qi*: menstrual/breast disorders, distal point for headaches (lateral or migraines*, also mentioned classically for occipital or vertex headaches). • Empirical Point to Stop Lactation* • As the name indicates - "foot overlooking tears," useful for eye problems, redness, swelling and lacrimation issues, tearing, excessive lacrimation. • Local point for lateral foot issues: pain, cramping.
GB 42 Di Wu Hui 地五會 Earth Fivefold Convergence	Local Point Moxibustion Applicable	• Proximal to the 4th metatarsophalangeal joint • Between the 4th and 5th metatarsals • On the medial side of the tendon of extensor digiti minimi Needling Method: • Perpendicular 0.3-0.5 inch	• Spreads Liver Qi • Clears Gall Bladder heat	• Pain of the canthus • Tinnitus • Distending pain of the breast • Swelling and pain of the dorsum of foot

GALLBLADDER CHANNEL OF FOOT SHAO YANG				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
GB 43* Xia Xi 俠谿 Pinched Ravine	Ying Spring Point Water Point* Moxibustion Applicable	- On the dorsum of the foot - Between the 4th and 5th toes, - Proximal to margin of the web - At the junction of the red and white skin Needling Method: - Perpendicular 0.3-0.5 inch	- Clears heat - Benefits the head, ears and eyes* - Clears damp-heat from channel* - Reduces swelling	- Headache, dizziness and vertigo, pain of the outer canthus, tinnitus, deafness, swelling of the cheek, pain in the hypochondriac region, distending pain of the breast, febrile diseases Water Point*: clears heat from the entire channel. Affects opposite end of the channel: headaches, dizziness, tinnitus, eye a/or ear pain. GB Damp Heat stagnations in the channel*: swelling in axillary region, lateral costal pain, breast abscesses, knee pain
GB 44* Zu Qiao Yin 足竅陰 Foot Portal Yin	Jing Well Point Metal Point Moxibustion Applicable	0.1 cun posterior to nail corner - On the lateral side of the 4th toe Needling Method: - Superficially 0.1 inch	- Clears heat* - Benefits the head* - Benefits the chest and lateral costal region - Calms the spirit*	- Migraine, deafness, tinnitus, ophthalmalgia, dream-disturbed sleep, febrile diseases Insomnia especially with nightmares*: LV/GB heat rising to affect the HT (fullness below the heart). Issues with the sense organs*: (eyes, ears, nose, mouth, tongue) related to excesses a/or stagnation - pain, inflammation, speech disorders, stiff tongue





