

CONCEPTION VESSEL (REN CHANNEL)				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
REN-1 Hui Yin 會陰 Meeting of Yin	Intersection Point • REN, DU, CHONG Moxibustion Applicable	- Between the anus and the root of the scrotum in males and - Between the anus and the posterior labial commissure in females Needling Method: - Perpendicular 0.5-1.0 inch	- Regulates the anterior and posterior yin - Drains damp heat - Calms the spirit - Promotes resuscitation - Revives from drowning	- Vaginitis, retention of urine, hemorrhoids, nocturnal emission, enuresis, irregular menstruation, mental disorders - Regulates lower yin orifices (genitalia, urethra, anus) - used for all genito-urinary issues, genital pain/itching. - Hemorrhoids, anal prolapse. - Main point for drowning
REN-2* Qu Gu 曲骨 Curved Bone	Intersection Point • LV Moxibustion Applicable No Deep Needling in Pregnancy No Perpendicular Needling in Advanced Pregnancy	- On the midpoint of the upper border of the pubic symphysis Needling Method: - Perpendicular 0.5-1.0 inch	- Benefits urination* - Regulates the lower jiao - Warms and invigorates Kidneys*	- Retention and dribbling of urine, enuresis, nocturnal emission, impotence, morbid leukorrhea, irregular menstruation, dysmenorrhea, hernia - Generally useful for Deficiency and Cold-Type genito-urinary issues. - Main point for feminine discharges*, "red and white" discharges along with other sexual/menstrual issues. - Male sexual issues such as impotence a/or seminal emission as well as any problems with the genitals (dryness, itching, dampness, pain)
REN-3* Zhong Ji 中極 Central Pole	Front Mu of Urinary Bladder Intersection Point • REN, DU, CHONG Moxibustion Applicable No Deep Needling in Pregnancy No Perpendicular Needling in Advanced Pregnancy	- On the anterior midline 4 cun below the umbilicus Needling Method: - Perpendicular 0.5-1.0 inch	- Benefits the Bladder, regulates Qi transformation and drains damp-heat* - Drains dampness and treats leucorrhoea* - Benefits the uterus and regulates menstruation - Dispels stagnation and benefits the lower jiao - Fortifies the Kidneys	- Enuresis, nocturnal emission, impotence, hernia, uterine bleeding, irregular menstruation, dysmenorrhea, morbid leukorrhea, frequency of urination, retention of urine, pain in the lower abdomen, prolapse of the uterus, vaginitis - Generally useful for Excess-Type Genito-urinary disorders. - Urinary disorders from excess heat*: stagnation a/or dampness, cystitis, dark, burning, urgent, frequent urination. - Main point for damp-heat in the genital area - genital itching w/sensation of heat, rashes, genital herpes. - Yin excess accumulations - masses below the umbilicus, cold lower abdomen. - Moving and cooling point for Gynecological disorders: dysmenorrhea, amenorrhea, fibroids. - Running Piglet Disorder

REN-4** Guan Yuan 關元 Origin Pass	Front Mu of Small Intestine Intersection Point • REN, SP, LV, KD Moxibustion Applicable No Deep Needling in Pregnancy No Perpendicular Needling in Advanced Pregnancy	• On the anterior midline • 3 cun below the umbilicus Needling Method: • Perpendicular 0.8-1.2 inch	• Fortifies the original Qi and benefits essence* • Tonifies and nourishes the Kidneys* • Warms and fortifies the Spleen* • Benefits the uterus and assists conception* • Regulates the lower jiao and benefits the Bladder* • Regulates Small Intestine Qi • Restores collapse	• Enuresis, nocturnal emission, frequency of urination, retention of urine, hernia, irregular menstruation, morbid leucorrhea, dysmenorrhea, uterine bleeding, postpartum hemorrhage, lower abdominal pain, indigestion, diarrhea, prolapse of the rectum, flaccid type of apoplexy • Generally, used for deficiencies of Yin, Yang, Qi & Blood. • Main point for Kidney deficiencies of Qi, Jing, Yin a/or Yang*: low back pain, bone disorders, early morning (5 a.m., "cock-crow") diarrhea. • Genito-urinary issues with Deficient a/or Cold Patterns - incontinence, clear copious urine, nocturia. • Main point for all menstrual disorders with Deficient, Cold a/or Stagnation Patterns - scanty menstruation, pale blood. • Yang collapse - chills, profuse sweating, SOB, unconsciousness
REN-5* Shi Men 石門 Stone Gate	Front Mu of San Jiao Moxibustion Applicable No Deep Needling in Pregnancy No Perpendicular Needling in Advanced Pregnancy	• On the anterior midline • 2 cun below the umbilicus Needling Method: • Perpendicular 0.5-1.0 inch	• Moves and benefits the water passages* • Regulates Qi and alleviates pain* • Regulates the uterus*	• Abdominal pain, diarrhea, edema, hernia, anuria, enuresis, amenorrhea, morbid leucorrhea, uterine bleeding, postpartum hemorrhage • Generally, useful Excess abdomen issues and * infertility but used less than the other lower REN points. • Mentioned classically to both cause and * treat infertility, although the cause may merely be incorrect needling which is specifically mentioned. • Useful for lower abdominal pain of an excess nature, genital pain/itching, shan disorders, hernia
REN-6* Qi Hai 氣海 Sea of Qi (Lower Dan Tian)	Local Point Moxibustion Applicable No Deep Needling in Pregnancy No Perpendicular Needling in Advanced Pregnancy	• On the anterior midline • 1.5 cun below the umbilicus Needling Method: • Perpendicular 0.8-1.2 inch	• Fosters original (Yuan) Qi* • Tonifies Qi* • Tonifies the Kidneys and fortifies yang* • Rescues collapse of yang • Regulates Qi and harmonizes blood	• Abdominal pain, enuresis, nocturnal emission, impotence, hernia, edema, diarrhea, dysentery, uterine bleeding, irregular menstruation, dysmenorrhea, amenorrhea, morbid leucorrhea, postpartum hemorrhage, constipation, flaccid type of apoplexy, asthma • Generally, useful for *Qi tonification. (This is one of the important points for tonification.) • Deficiencies of the lower and middle warmers - abdominal distention, bloating, edema, poor digestion, loose stools, fatigue. • Tonify ST/SP Qi Deficiencies. • Main point for prolapse of any type
REN-7 Yin Jiao 陰交 Yin Intersection	Intersection Point • KD, Chong Moxibustion Applicable No Deep Needling in Pregnancy No Perpendicular Needling in Advanced Pregnancy	• On the anterior midline • 1.0 cun below the umbilicus Needling Method: • Perpendicular 0.8-1.2 inch	• Regulates menstruation • Benefits the lower abdomen and genital region	• Abdominal distention, edema, hernia, irregular menstruation, uterine bleeding, morbid leucorrhea, pruritus vulvae, postpartum hemorrhage, abdominal pain around the umbilicus. • This point is not used very often clinically, although its connections with the Chong, REN & KD meridians make it useful for Uterine and menstrual issues

REN-8** Shen Que 神闕 Spirit Gate	Local Point Moxibustion Applicable	In center of umbilicus Contraindicated for Needling	- Warms the yang - Rescues collapse - Warms & harmonizes intestines	- Abdominal pain, borborygmus, flaccid type of apoplexy, prolapse of the rectum, unchecked diarrhea - Main point for extreme collapse of Yang, especially leading to cold in the intestines - warms the stomach and helps digestive disorders. - Tonify body weakened from chronic illness/exhaustion. - Revival point from shock (esp. involving cold - hypothermia, frostbite)
REN-9* Shui Fen 水分 Water Divide	Local Point Moxibustion Applicable	- On the anterior midline 1 cun above the umbilicus Needling Method: - Perpendicular 0.5-1.0 inch	- Regulates the water passages - Treats edema (Esp. Middle Jiao) - Harmonizes the intestines - Dispels accumulation	- Abdominal pain, borborygmus, edema, retention of the urine, diarrhea - Main point to move stagnation of water, especially in the middle jiao. - Useful for tonifying the SP or KD
REN-10 Xia Wan 下脘 Lower Venter	Local Point Moxibustion Applicable	- On the anterior midline 2 cun above the umbilicus Needling Method: - Perpendicular 0.5-1.2 inch	- Harmonizes the Stomach - Regulates Qi - Dispels food stagnation	- Epigastric pain, abdominal pain, borborygmus, indigestion, vomiting, diarrhea - REN 10 is indicated for issues with the lower stomach (stagnation, bloating, distention, weak digestion, undigested food in the stool). - REN 12: issues w/ middle stomach - REN 13: issues w/ upper stomach. - Food retention
REN-11 Jian Li 建里 Interior Strengthening	Local Point Moxibustion Applicable	- On the anterior midline 3 cun above the umbilicus Needling Method: - Perpendicular 0.5-1.2 inch	- Harmonizes the middle jiao - Regulates Qi	Stomachache, vomiting, abdominal distention, borborygmus, edema, anorexia
REN-12** Zhong Wan 中脘 Central Venter	Front Mu of Stomach Hui Meeting Point of Fu Intersection Point • REN, SJ, SI, ST Moxibustion Applicable	- On the anterior midline 4 cun above the umbilicus Needling Method: - Perpendicular 0.5-1.2 inch	- Harmonizes the middle jiao - Descends rebellion - Tonifies the Stomach* - Fortifies the Spleen - Regulates Qi - Alleviates pain	- Stomachache, abdominal distention, borborygmus, nausea, vomiting, acid regurgitation, diarrhea, dysentery, jaundice, indigestion, insomnia - Epigastric pain in Stomach due to Qi Stagnation from Seven Emotions - Stress related digestive disorders (nervous Stomach, heartburn, diarrhea). - ST patterns arising from an excess or a deficiency, tonify deficient SP patterns (moxa useful). - Hui Meeting Point - broad effect on the Fu (hollow) organs in the body
REN-13 Shang Wan 上脘 Upper Venter	Intersection Point • REN, SJ, SI, ST Moxibustion Applicable	- On the anterior midline 5 cun above the umbilicus Needling Method: - Perpendicular 0.5-1.2 inch	- Harmonizes the Stomach - Regulates Qi - Descends rebellion - Alleviates vomiting - Regulates the Heart	- Stomachache, abdominal distention, nausea, vomiting, epilepsy, insomnia - REN 13 is useful for upper warmer issues (vomiting, hiatal hernia, hiccups, epigastric pain), whereas REN 12 is useful for middle warmer issues and REN 10 is useful for lower warmer issues
REN-14* Ju Que 巨闕 Great Tower Gate	Front Mu of Heart Moxibustion Applicable	- On the anterior midline 6 cun above the umbilicus Needling Method: - Perpendicular 0.3-0.8 inch	- Regulates the Heart - Alleviates pain - Descends Lung Qi - Unbinds the chest - Transforms phlegm* - Calms the spirit - Harmonizes the Stomach - Descends rebellion	- Pain in the cardiac region and the chest, nausea, acid regurgitation, difficulty in swallowing, vomiting, mental disorders, epilepsy, palpitation - Any Shen or Heart issue arising from Excess or Deficiency* Front Mu Point of the HT*: angina, pain/tightness in Heart area. - Shen disturbances arising from Phlegm "misting the mind"*: mania, muddled thinking, anxiety

REN-15* Jiu Wei 鳩尾 Turtledove Tail	Luo Connecting Point of REN (Connects to DU Meridian) Moxibustion Applicable	- On the anterior midline 1 cun below the xiphi-sternal synchondrosis (midline meeting point of costal cartilage) - Locate the point in supine position with the arms uplifted Needling Method: - Oblique (down) 0.4-0.6 inch	- Regulates the Heart - Calms the spirit - Descends Lung Qi* - Unbinds the chest*	- Pain in the cardiac region and the chest, nausea, mental disorders, epilepsy - Luo Connecting Point: upper abdomen issues, chest tightness/oppression
REN-16 Zhong Ting 中庭 Center Palace	Local Point Moxibustion Applicable	- On the anterior midline - Level with 5th intercostal space - On xiphi-sternal synchondrosis Needling Method: - Subcutaneous 0.3-0.5 inch	- Unbinds the chest - Regulates the Stomach - Descends rebellion	Distension and fullness in the chest and intercostal region, hiccup, nausea, anorexia
REN-17** Dan Zhong 膻中 Chest Center	Front Mu Point of PC Hui Meeting Point of Qi Sea of Qi Moxibustion Applicable	- On the anterior midline - Level with 4th intercostal space - Midway between the nipples Needling Method: - Subcutaneous 0.3-0.5 inch	- Regulates Qi - Unbinds the chest (asthma) - Descends rebellion of the Lung and Stomach* - Benefits gathering Qi (Qi of HT & LU)* - Benefits the breasts and promotes lactation (Descend Qi to promote lactation)*	- Asthma, pain in the chest, fullness in the chest, palpitation, insufficient lactation, hiccup, difficulty in swallowing - Main point for tonification of the upper warmer. - Hui Meeting Point of the Qi*: tonify and move the Qi in body. - Chronic lung issues*: cough, asthma, SOB, diaphragmatic pain. - Breast issues*: insufficient lactation, mastitis. - Chest/Throat issues (rattling in throat w/asthma, difficulty swallowing), counterflow Qi problems - guides the Qi downwards
REN-18 Yu Tang 玉堂 Jade Hall	Local Point Moxibustion Applicable	- On the anterior midline - Level with 3rd intercostal space Needling Method: - Subcutaneous 0.3-0.5 inch	- Unbinds the chest - Regulates and descends Qi	Pain in the chest, cough, asthma, vomiting
REN-19 Zi Gong 紫宮 Purple Palace	Local Point Moxibustion Applicable	- On the anterior midline - Level with 2nd intercostal space Needling Method: - Subcutaneous 0.3-0.5 inch	- Unbinds the chest - Regulates and descends Qi	Pain in the chest, asthma, cough
REN-20 Hui Gai 華蓋 Florid Canopy	Local Point Moxibustion Applicable	- On the anterior midline - At midpoint of sternal angle - Level with 1st intercostal space Needling Method: - Subcutaneous 0.3-0.5 inch	- Unbinds the chest - Regulates and descends Qi	- Pain and fullness in the chest and intercostal region - Asthma, cough
REN-21 Xuan Ji 璇璣 Jade Pivot	Local Point Moxibustion Applicable	- On the anterior midline - In the center of the sternal manubrium 1 cun below REN-22 Needling Method: - Subcutaneous 0.3-0.5 inch	- Descends Stomach Qi - Dispels food accumulation - Unbinds the chest - Descends Lung Qi - Benefits the throat	- Pain in the chest - Cough, asthma
REN-22* Tian Tu 天突 Celestial Chimney	Window of Sky Point Intersection Point • Yin Wei Moxibustion Applicable No Deep Needling	- In center of suprasternal fossa Needling Method: - First puncture perpendicularly 0.2 inch - Then insert the needle tip downward along the posterior aspect of sternum 0.5-1.0 inch - Needle should be inserted perpendicularly 0.2 - 0.3 cun and retained or then angled and inserted an additional 0.3 - 0.7 cun (up to 1 cun total) so that it follows the posterior aspect of the manubrium	- Descends rebellious Qi - Alleviates cough and wheezing - Benefits the throat and voice	- Asthma, cough, sore throat - Dry throat, hiccup - Sudden hoarseness of the voice - Difficulty in swallowing - Goiter - All throat/vocal cord disorders. - Window of the Sky Point: useful for aphasia. - Upper chest Qi/Stagnation issues*: Cough, asthma, wheezing, pain in the upper chest, tightness, oppression

REN-23* Lian Quan 廉泉 Ridge Spring	Intersection Point • Yin Wei Moxibustion Applicable	- Above the Adam's apple, in the depression of the upper border of the hyoid bone Needling Method: - Obliquely 0.5-1.0 inch - Toward tongue root	- Benefits the tongue - Descends Qi and alleviates cough	- Swelling and pain of the subglossal region - Salivation with glossoplegia - Aphasia with stiffness of tongue by apoplexy, sudden hoarseness of the voice, difficulty in swallowing - Main point for speech/mouth disorders*: often used in stroke victims. Salivation issues: excessive drooling or dry mouth/thirst
REN-24* Cheng Jiang 承漿 Sauce Receptacle	Sun Si-Miao Ghost Pt Intersection Point • DU, LI, ST Moxibustion Applicable	- In depression in the center of the mentolabial groove Needling Method: - Obliquely upward 0.2-0.3 inch	- Extinguishes wind - Benefits the face - Regulates the Conception vessel	- Facial puffiness, swelling of the gums, toothache, salivation, mental disorders, deviation of the eyes and mouth - Facial pain/paralysis - Bell's palsy. - Dry mouth as seen in wasting and thirsting disorders



