

RESOURCE DROP

Claude Code Status Bar

Set it up once. Stop interrupting your builds.

The Problem

Every time you type `/status`, `/usage`, or `/model` mid-build, you're stopping to ask Claude Code: where am I? What branch? How much context have I used? That's three different commands that pull you out of flow — for information that should always be visible.

The fix: A status line at the bottom of your terminal — folder, branch, model, context bar — always on, just like a health bar in a game.

STEP 1 — QUICKEST SETUP

The Exact Prompt

Open Claude Code in your terminal and type this:

```
/statusline show folder, git branch, model name, and context percentage with  
a progress bar
```

That's it. Claude Code generates and installs the script automatically. You'll see:

- Your current working folder
- Git branch you're on
- Which Claude model is active (Opus, Sonnet, Haiku)
- Context window percentage with a visual progress bar — so you know when Claude is about to forget earlier work

STEP 2 — MANUAL CONFIG (OPTIONAL)

If You Want Full Control

For advanced users who want to customise the script manually:

1. Open your settings file

```
~/.claude/settings.json
```

2. Add the statusLine block

```
{  "statusLine": {    "type": "command",    "command":    "~/.claude/statusline.sh",    "padding": 0  }}
```

3. How it works

Claude Code passes live session data into your script via stdin as JSON — including model, current directory, context cost, and more. Your script reads it and outputs one formatted line.

Refresh rate: Updates every time conversation messages update, at most every 300ms. ANSI colour codes are fully supported for styling.

COMMUNITY GITHUB REPOS

Cool Status Lines to Explore

These go beyond the basics — themes, rate limit tracking, cost monitoring, powerline support, and more.

Repo	What it does
sirmalloc/ccstatusline <i>Zero Config · npm</i>	Zero-config TUI setup wizard. Powerline support, themes, context bar, session & weekly usage, cost tracking. Easiest to install.
daniel3303/ClaudeCodeStatusLine <i>Ask Claude to install</i>	Just ask Claude to clone and install it. Shows model, tokens, rate limits, git info. Colour-coded: green → yellow → orange → red as context fills.
tmck-code/yet-another-statusline <i>Plugin marketplace · Themes</i>	Available via Claude plugin marketplace. Multiple themes (claude-dark, catppuccin-mocha, latte). Automatically adapts layout to terminal width.
nilbuild/claude-statusline <i>Minimal</i>	Minimal and lightweight. Shows limits, directory, and git info. Backs up existing statusline config before installing — safe to try.
Haleclipse/CCometixLine <i>Rust · High performance</i>	High-performance statusline written in Rust. Git integration, usage tracking, interactive TUI config. Compiles to a single binary, cross-platform.

These are third-party community projects. Read the repo and installation steps before running scripts or plugins inside your terminal environment.

Anthropic Docs — Status Line Config

The official page covers the `/statusline` command, `settings.json` setup, the full JSON input structure Claude passes to your script (model, cwd, cost, session ID, and more), and example bash scripts.

→ docs.anthropic.com/en/docs/claude-code/statusline

PRO TIPS

Context warning: Some community setups change the icon or colour at 70%+ context so you know exactly when to run `/compact` or `/clear` — before Claude starts forgetting earlier work.

Commands you can retire: Once your status bar is live, you can stop typing `/status`, `/usage`, and `/model` mid-build. It's all in the bar.

Settings location: `~/.claude/settings.json` — hand-edit at any time. The `statusLine.command` is just a path to any executable script.