INTERNAL

# TVF Lead Engine

User manual

13 October 2026

# Contents


1 What this tool is

2 Getting in

3 The shape of the app

4 Universal: searching Apollo

5 LCX Services: every service in one email

6 The board

7 The leads list

8 Deciding on a lead

9 Outreach

10 Approving one email

11 Approving many at once

12 The footer

13 Follow-ups

14 Replies

15 Operations

16 Reports

17 The rules that never bend

18 What only you can do

19 If something looks wrong

20 Words used here

# What this tool is

The Lead Engine finds companies and people worth emailing, gathers the evidence for why they are worth emailing, scores them, writes a first email to each one, and holds every email until a person reads it and says yes.

It sends nothing a person has not approved. That is the whole design.

There are two halves:

**The engine** runs on its own. It searches YouTube, Apple Podcasts, Wikidata and news feeds, reads public pages, works out who is behind a show or a studio, scores each one against a written rubric, and writes a draft email built from that company's own numbers.


**You** do the part a machine should not do. You look at what it found, decide yes or no, read the emails it wrote, and approve the ones you stand behind.

The whole flow is three steps. **Leads are shown** on the board. **You shortlist** the good ones, and each one's email is drafted by itself within minutes. **You approve** the email, and it is sent. A normal day is twenty minutes.

> The screenshots in this manual come from the real app, loaded with a snapshot of the live pool. The email addresses in them end in `example.com` because a manual gets shared and a real prospect's address does not belong in a PDF.

# Getting in

Open the site in any browser. You will be asked to log in.




The sign-in screen

**The first time anyone ever opens it**, the screen asks you to create the owner account instead: an email address and a password of at least ten characters. That account is created once and only once.

**One login per person.** Everyone has their own account, and the emails they approve go out from their own Gmail, signed with their own name. To set people up, the owner runs this once on their machine, with everyone's address:

```
python tools/users.py team suhasc@theviralfever.com kartikeyap@theviralfever.com
upangyay@theviralfever.com
```

It asks for one **starting password**, twice, and never puts it in a command. Tell each person the site address and that password. It works once: their first sign-in asks for **their own password** (ten characters or more) and **their name and title** (they sign every email that person approves). Until the starting password is replaced, the app refuses to do anything else for that login. Adding `--remove old@theviralfever.com` to the same command takes someone's login away; their past approvals and sent emails stay in the history.

**The owner links each person's sending address**, once per address, on their own machine:

```
python tools/users.py gmail suhasc@theviralfever.com
```

A browser opens on Google's own sign-in; sign in to the address that person will send from (it can be their own or another one). That's all: the address is linked to them, and the emails they approve go out from it. Nobody else connects anything. Run it again to add a second address for the same person, or to refresh one whose sign-in stopped working; `--move` moves an address to another person; `gmail-remove <address>` unlinks one.

`users.py list` shows who has access, whether they have signed in yet and which addresses they send from; `add` and `passwd` (with `--starting` for a one-time password) do the same as `team` for one person.

**Your account** is at the bottom of the sidebar, under your name. Click it for **Your sending address** (where your emails go out from, and today's count), **Your name and title** and **Change password**. Changing your password keeps you signed in where you are and signs you out everywhere else.

There is no "sign up" link and no password reset by email. That is deliberate. Everything in this tool sits behind that one login, including every screen, every number and every draft email.

# The shape of the app

Down the left is the menu. Five places, and you will live in three of them.

| WHERE | WHAT IT IS FOR |
|---|---|
| **Board** | The pipeline at a glance. Cards move left to right as you decide on them. |
| **Leads** | Every lead, whatever its status, with search and filters. Better than the board once you have hundreds. |
| **Outreach** | Every email. Drafts waiting for you, approved ones, sent ones, and replies. |
| **Reports** | Where every company sits. Are we contacting enough? Are they replying? |
| **Operations** | Run the weekly refresh by hand, see what runs by itself and how it went, check the mailboxes. |

The number next to **Outreach** is what is waiting for you there: drafts to approve, replies nobody has marked yet, and sends that failed.


At the top of the sidebar is the Lead Engine mark and, under it, the project you are in. At the bottom is your account: your name, and behind it **Your sending address**, **Your name and title**, **Change password** and **Log out**. The small button beside the mark folds the sidebar down to a row of icons, and back. On a phone the sidebar opens from the menu button at the top left. The app is light or dark to match your computer's setting.

The Universal project has a different menu: **Apollo search** sits at the top, because that is where its leads come from, then Board, Leads and Outreach (for the emails you write to its leads). Reports and Operations are not there. LCX Services has Apollo search at the top too, for adding a lead by hand, and every other page after it.

## Switching between projects

A **project** (the code calls it a segment) is one sales motion with its own leads, its own rubric, its own email templates and its own mailboxes. Nothing leaks between them.

Click the project, just under the Lead Engine mark at the top of the sidebar, to switch.




Click the project at the top of the sidebar to switch


Right now there are five:

- **LCX Clipping** — creators, podcasters and production houses with a deep back catalogue and almost no short-form. This is the active one.
- **US Production Houses** — TVF co-production targets.
- **Startup Acquisitions** — Mumbai startups showing public signs of struggle, which TVF could buy for little or back with its content and audience.
- **Universal** — any company or person, found with Apollo. No rubric and no harvest: you search, you pick, you save.
- **LCX Services** — companies and businesses everywhere cold email is allowed, found by itself every Friday and sent one email offering every LCX service, with the services deck attached.

Whichever project you pick, every screen changes with it. The board, the leads, the emails, the reports. Check the sidebar if you are ever unsure which one you are looking at.

# Universal: searching Apollo

The Universal project finds leads anywhere, through Apollo. Pick it from the project menu and it opens on **Apollo search**.




Apollo search, in the Universal project

**Two searches, as in Apollo's own app.** *People* finds people; *Companies* finds companies. Type in the search bar, or set filters on the left, then press **Search**.

**The search bar reads what they do and where.** Type a segment, the way you would say it: *US arcades*, *animation studios in California*, *Atlanta-based arcades*, *Indian production houses*. The place becomes the HQ location filter (a country, a nationality like "Indian", a US state, a city, or anything after "in"), and the rest becomes Apollo's industry and keyword tags, searched in both singular and plural. Commas or "or" search several segments at once (*arcades, bowling alleys*).

**In a people search, say the job too:** *producers at animation studios in California*, *heads of partnerships at production companies*, *founders of gaming startups in India*. The job becomes Apollo's job-title filter (similar titles included), what the company does becomes the same company tags as above, and the place is the employer's HQ. Until 21 September the words went to profile keywords, which matched company names: *producers in California* found staff at a food firm called Flavor Producers; read as a title it finds 36,594 producers.

**No job typed? You get the people who decide.** A people search that names no job, like *UAE restaurants*, finds the owners, founders and C-suite of those companies, not everyone on the payroll: 2,144 decision makers instead of 168,306 people, cost controllers and bar managers among them. The line under the bar

says so, with a **Search everyone instead** link. You can also type *everyone at UAE restaurants*, or pick a job title or management level under Filters; either one replaces the default.

**Typos are caught before they cost anything.** Apollo matches tags word for word, so *UAE Restraunts* finds nothing, while *UAE restaurants* finds thousands. When a word looks mistyped, a company search is not sent (no credit spent) and the page asks: *Did you mean UAE Restaurants?*, with a link to search that, or to search what you typed after all. A people search is free, so it runs and shows the same suggestion if it finds nobody. After each search, a line under the bar says exactly how it was read, for example *Searched people titled "producer", at companies tagged "animation studios" or "animation studio", based in California*. To find one company by its name, use **Company name** under Filters.

The filters carry the names Apollo gives them:

- **Person**: name, job titles, management level, where they live, email status. Once you enter a job title, **Include people with similar titles** appears to widen it.
- **Company**: company name, HQ location (a company search can also leave locations out), number of employees, industry and keywords, revenue, company domains, and domains to leave out.
- **Technologies** the company uses, **funding**, **job postings**, and **headcount growth** over 6, 12 or 24 months.
- **Company**, in a people search: the companies you picked with **People here** (below).
- **Company lookalikes**, in a company search: press **Lookalikes** on a company to find others like it.

**What it costs.** Once Apollo is connected, the credits left show at the top right. Until then, a box at the top of the page says it is not connected and lists the steps.

| | APOLLO CREDITS |
|---|---|
| Searching people (25 a page) | none |
| Saving a person (reveals their name, work email and LinkedIn) | 1 each, only when Apollo finds them |
| One page of company results (100 companies) | 1 |
| Saving companies | none |


A page of companies costs one credit whatever its size, so a company search always brings back a full page of 100. Saving people always asks first, and says the most it can cost.

**Saving.** Tick the people or companies worth keeping and press **Save**. Each company becomes a lead and each person a contact on it, on this project's Board and Leads pages, where you shortlist or reject them as in any other project. *At most N per company* stops one company filling the list. Nobody already saved is paid for twice, and TVF's own people, and anything rejected before, are never saved.

**People at a company.** In a company search, **People here** switches to a free people search at that company. Tick several companies and press **Find people at these companies** to do the same for all of them.

**Saved searches. Save search** keeps the search bar and every filter under a name, and **Saved searches** runs one again. A saved company search waits for you to press Search, because it costs a credit.

## Writing to Universal leads




One email, written once, as each person will read it

Universal leads come from your searches, not from a harvest, so there is no ready-made email for them. You write it. On the **Leads** page, tick the leads you want to write to (a tick box shows on every lead with an address that has not been written to yet), then press **Write email to N**. For one lead, open it and press **Write email**.


Write the subject and the email once. Two fields make it each person's own: **{{first_name}}**, the first name of the person it goes to ("there" when no first name is known, so *Hi {{first_name}},* still reads), and **{{company}}**, their company. The **First name** and **Company** buttons put them in for you. Anything else in double braces is refused.

Under it, the page shows the email exactly as each person will read it, your sign-off and TVF's postal address included; the arrows, or a click on a name in the list on the right, go from one person to the next. The list shows how each is greeted and says when no first name is known. Leave anyone out with the cross beside their name. Leads that cannot be written to are listed with the reason: no address, already contacted, rejected, or already written to. So is an address that has already replied to us, or bounced an email from us, in any project: whoever answered is answered in that conversation, never sent a second cold email.

**Approve** approves every one of them: you have read it and stand behind it, exactly as when approving a draft. Each goes on its own, at its own minute between 10:00 and 10:30 on its recipient's clock (the list on the right shows each person's window), from your own sending address, signed with your name and title, inside that address's daily limit (see *When an email goes out*). A lead still in To review is shortlisted by being written to. Every company gets one first email and no more, as everywhere. The emails then sit in **Outreach** under

Approved until they go, then under Sent; replies arrive under Replies. Until the owner links a sending address to you, they wait in Approved.

# LCX Services: every service in one email




A draft in LCX Services, with the services deck attached

LCX Services offers everything LCX does in one email, with the services deck attached, to businesses it finds by itself. Like the production houses, it harvests every Friday:

- **Companies from Apollo**: mid-size companies of any industry, consumer brands, retailers, real estate developers, hotels, publishers, insurers, schools, attractions and agencies in the US, the UK, India and the UAE. The ones showing a reason to buy now come first: hiring trainers, sales staff, store staff or content people this month, or funded in the last three months. The lead says which.
- **US banks from the FDIC's register**: banks of $1 to 20 billion, largest first.
- **Companies from Wikidata**: the same kinds of buyer and listed companies, each with its own website. The ones of 10 to 5,000 people come first; companies of over 50,000 are left out.
- **Local businesses from OpenStreetMap**, fewer than before: independent cafes, salons, gyms and shops that publish a website or an email address, two cities a week. A chain's branch is never one of them.

It looks everywhere cold business email is allowed, so Canada, Germany, Austria and Italy are left out. A business that is already a lead of another project is not found again here.

Each lead says what kind of buyer it is and which services to pitch first. Its address comes from the business itself first: the one it publishes, or one read off its own website. A lead that fits well and still has nobody to write to gets the right person from Apollo: a marketing head at a brand, the head of training at a mid-size company, the principal of a school. Only someone in a fitting role who still works there is paid for, inside a

weekly budget the owner set (120 credits), and only for a lead scoring over 60 whose own website has been read.

**How a lead is rated** (since 2026-10-07). Out of 100, on what the engine can check for itself. Does its own website show it is the kind of buyer it was filed as (30)? Is it the right size to buy and to answer (25)? Does it already post video or Instagram (20)? How directly do the services fit it (15)? Is there someone to write to (10)? A reason to buy now, such as hiring trainers, adds a little, and so does being in the US, the UK, India or the UAE. A software firm, staffing agency, competitor, university, charity or a company too big to answer loses 50, and a website not in English loses 15. Sanctioned countries, adult, gambling, tobacco and weapons businesses, very large companies and their brands, and dead websites are left out. Anything not yet known is left out of the rating, not counted as zero. A lead above 70 is shortlisted by itself, and its email drafted within minutes, once its website has been read and it has someone to write to; for a bank or a mid-size company, that must be a named person, not an info@ inbox. Until then it waits in To review.


**The email** is short and the same for every lead: *Hi* and the person's first name (or *there*), *I'm writing from LCX. We work in three areas, and at least one of them should be useful to* the company, *Our services deck is attached. If one fits, reply with its name and I'll send examples.* It is signed with your name and title, over TVF's Mumbai address. The deck goes with every email: five pages, a cover, one page for each of the three clusters with every service in the services sheet's own words, and the next step. Open it from **Attached** on the email before you approve.

**Approving** is as in the other projects: in **Outreach**, under Drafts, open an email and approve it, or tick several and approve them together after reading a random few. It goes from your own sending address, inside its daily limit. When the deck is rebuilt, emails not yet approved take the new one, and an approved email whose deck changed since is held back rather than sent with a file you did not see.

**Adding a lead by hand. Apollo search** works here as in Universal, and what you save becomes an LCX Services lead, drafted like the others once it is shortlisted. What a search costs here counts in the project's weekly budget, and once that is used up the page says so until Friday.

A company that already had a first email from another project, or an inbox that did, is not written to again from here: approving it says why. (A first email that bounced does not count: it reached nobody.)

# The board




The board: everything the engine found, by where it sits

Four columns, left to right. A lead only ever moves forward.

**To review** — the engine found it and scored it. Nobody has decided yet. This is your inbox. It starts at the project's review line, 25 points; leads below the line are still in Leads. In LCX Clipping everything above 20 is shortlisted already, so To review shows every lead that is left, whatever its score, for you to pick by hand. In US Production Houses everything above 30 is shortlisted already, so To review holds the leads between 25 and 30.

**Shortlisted** — you said yes, or it scored above the project's automatic line (20 in LCX Clipping, 30 in US Production Houses). It gets an email.

**Contacted** — an email has been sent. The engine will not start a second thread with this company, ever.

**In conversation** — they replied and the reply was a real one. Your job now, not the tool's.

A rejected lead leaves the board. To find one, open Leads and set Status to Rejected.

In the Universal project the emails are the ones you write (see *Writing to Universal leads*); its board has the same four columns.


Above the columns is one search box.

## Reading a card

Each card shows the person first when the engine could work out who is behind the show, and the show or company underneath. Below that are the numbers that made it interesting: subscribers, how much short-form it publishes, how many episodes, how often. Then a few tags: which source found it (only in projects with more than one source), the kind of lead, and the place.

Beside the name is the fit score, **out of 100**, as a ring that fills with it: indigo from 25 (worth a look), green from 45 (the priority band). It is explained in full inside the lead. On the bottom row is the person the email goes to ("No contact yet" means there is no address yet) and, once an email has gone, who reached out. Universal leads have no score.

# The leads list




The same leads as a list, with filters

The board is nice for twenty leads. Past that, use this. It is the whole pool: every lead, whatever its status, best score first.

Search matches the show name, the host's name and the website. The filters along the top narrow by status and, in projects with more than one source, by which connector found it. A status is in the list only while some lead has it.

The **Contact** column shows the address a draft would actually use, with the person's name when one is known. "No address" means there is none yet.


The last filter splits the list by exactly that: **Has an address** is what can be written to today, **No address yet** is the work left, and each option carries its own count. It uses the same test the drafting step makes, so a lead in "Has an address" is a lead that can be drafted. It appears only when the current selection holds some of each — filtering a list where every lead already has an address would do nothing, so it stays out of the way.

**Export this view** downloads exactly what the list shows, search included, as a spreadsheet named after the project. It is hidden when the list is empty.

Click anywhere on a row to open it.

# Deciding on a lead

This is the main job. Click any row or card. The lead opens in a sheet beside the list, so you never lose your place: **J** and **K**, or the arrows at its top right, move to the next and previous lead in the same column or list without closing it. **Esc**, or a click beside the sheet, closes it.




Everything the engine knows, and the two buttons that matter

At the top are the lead's status and a link to the company's website, labelled with its domain; beside the name, its fit score.

Read it top to bottom:

**Analysis** comes first. One line gives the engine's verdict, such as "Strong lead" or "Hold: no usable email address". Then one suggested next step, then strengths and gaps, each naming the criterion and its points (the reasons are in the score breakdown), then risks. A blocker, such as a public company or no usable address, puts the lead on hold whatever its score. Evidence withdrawn on review shows up as a risk, with the reason. There is no checklist to tick. Universal leads have no score, so they have no verdict line.

**Score breakdown** shows every criterion: what it is worth, what this lead earned, why (the facts the engine observed, such as subscribers or how many recent uploads were shorts), and a link to the evidence. Each criterion is in one of three states:

- **Found** — evidence earned points. The source is linked.
- **Checked, nothing found** — a pass looked (it read their website, searched the news, profiled the channel) and found nothing. It scores 0, and that zero means something.
- **Not checked yet** — nobody has looked. It also scores 0 for now, so the score is a floor: checking can only raise it. The weekly refresh does the checking; where a person can check by hand, the row says what to look at.

The bar above the table shows how much of the score has actually been checked, and the key under it names the three states. When most of the points are unchecked, the analysis says **Too little checked to trust the score**. The score is the points earned out of the rubric's 110, scaled to 100, plus any adjustments.

**Research notes** appear only on the TVF leads that were researched by hand. They start with "Why it could fit", then who owns the company and any caveats.

**Decision note** appears only when a decision carries a note, such as your reason for rejecting it or the reason it was shortlisted automatically, with its date.

On the right, **Contacts** lists every address, best first. **Drafts use this** marks the address the email goes to. Addresses that cannot be used, such as a website template's placeholder or a scraping artefact, are struck through with the reason. Below them are the other ways in: a phone number, people listed without an address, the contact page, social profiles, the channel or feed, and what has already been tried. Under it, **Details** shows anything else known about the lead, such as where it is; it appears only when there is something to show. Open the website or channel and look at it before you decide. Thirty seconds there beats any rubric.

Then press one of two buttons at the bottom:


**Shortlist** — its email is drafted straight away and appears in Outreach, under Drafts, within minutes, waiting for your approval. Above a project's automatic line you will rarely need it: every lead scoring above 20 in LCX Clipping, and above 30 in US Production Houses, is shortlisted automatically after each refresh, and its decision note says so. If you send one back to review with **Undo decision**, that stands; the rule never shortlists it again.

**Reject** — it leaves the pipeline. It asks for a reason, which is kept with the decision. A rejected lead is shielded permanently: no later harvest, re-import or reset will bring it back. If you reject something by mistake, reopen it from the Leads list with Status set to Rejected and press **Undo decision**.

Rejecting a lead, or undoing a shortlist, withdraws its waiting email straight away, whether it is a draft or already approved, so nothing goes out to a company you have just turned down. Rejecting also stops any follow-ups.

# Outreach

Every email lives here, in folders.




The Drafts folder: emails waiting to be read

| FOLDER | WHAT IS IN IT |
|---|---|
| **Drafts** | Written by the engine. Nothing has been sent. Waiting for you. |
| **Approved** | You said yes. It goes out at its own minute between 10:00 and 10:30 on its recipient's clock, inside the day's sending limit; **Goes out** says when. |
| **Sent** | Gone. |
| **Replies** | Every reply, with its mark: Positive, Negative, or Needs triage if nobody has judged it yet. |
| **Attention** | A send whose outcome is not known. Look at these. The folder shows only when something is in it. |


Each row shows the company (the show, in LCX Clipping), the contact, the subject and when. In Approved the last column is **Goes out**: the day and minute it is sent, on the recipient's clock ("Tue 10:17 New York"), with your own clock under it when that is a third one; holding the mouse over it gives the whole sentence and why that time zone. Approved is in that order, the next to go first. A reply's mark sits in front of its subject.

Nothing here needs a button to get it going. A shortlisted lead's email is drafted into Drafts within minutes, and in LCX Clipping a follow-up that falls due is drafted the same way. The one button at the top right,

**Footer**, sets the sign-off every email ends with.

# Approving one email

Click any row in Drafts. It opens beside the list, and **J** and **K** (or the arrows at its top right) move through the folder. Moving never approves anything: approving is always its own click, after reading. If you have edited a draft, moving to another one or closing it asks first, so an edit is never lost to a stray click.




A draft, with the Approve button

The subject and the body are editable. Change anything you like: the whole point is that what you approve is what goes out, word for word. On the right are the company and the address it goes to.

Notice what is personal in it. The greeting is the first name of the person the email goes to, never the show's or the company's name. In LCX Clipping the opening sentence is their own numbers, and the offer names their actual most recent episode. None of that was invented; all of it came from the evidence on the lead. Internal research notes never go into an email.

Production-house emails follow the owner's template, in four paragraphs: who we are and what TVF makes; which is why this company caught our attention; the partnership and why it fits; a short call. Since 21 September they are written by Vedansh on Kartikeya's behalf: the opening reads "I'm writing on behalf of

Kartikeya, who leads Business Development and IP Strategy at The Viral Fever (TVF)…", and the sign-off is whoever the Footer names ("Warm regards, Vedansh Gupta, Outreach Consultant"). The wording for the company's lane (animation, documentary, digital-first, drama or general) is the owner's own. The second paragraph is written from what the company says about itself on its website, its work and its founders, and it never names anything that is not on record. With a named person the email opens "Hello Becky, I trust you are well."; with none, "Hello,".

Some drafts say **Written by a model** in their details: a model wrote the opening sentence from that same evidence and nothing else, with every number in it checked against the evidence before it was kept. A written draft is approved on its own, never in a batch, because a random sample cannot stand for a sentence written once for one company.

**Approve** records your name against the email and sends it at its own minute in the recipient's next 10:00–10:30 (the draft shows that window under **Next window**, with why that time zone; the minute itself is drawn when you approve). It is the only button on a draft. If you do not want to write to a company at all, reject the lead: its draft goes with it.

**Withdraw approval**, on an approved email that has not gone yet, takes your yes back. For a first email, as long as the lead stays shortlisted, a new one is written and waits in Drafts. Withdrawing a follow-up ends the thread.

**Stop follow-ups** (LCX Clipping, on a sent email or a follow-up draft) ends the whole thread with that company. No further follow-up will ever be drafted for them.

## Approving sends

Approving is the decision to send, and in US Production Houses **it goes out from your own sending address**, signed with your own name and title. The owner links that address to your login (see *Getting in*); you connect nothing. A person can have more than one. Each address sends **up to 35 a day**, and an approval goes out from whichever of yours has the most room left. Nobody's approval ever leaves from somebody else's address.

**What you see is what goes out.** A draft is shown to you as you would send it: your name and title in the sign-off. Kartikeya sees his own emails in his own voice ("I am Kartikeya, and I lead Business Development and IP Strategy…", the line from the original samples) rather than "on behalf of Kartikeya". Approving stores exactly the text you read. Approving needs your name and title; if you have not set them, it says so.

**Sending today**, at the top of Outreach, lists everyone: each of their sending addresses with today's count out of its limit (for example `3/35`), anyone who has none linked yet, and their approvals by the day each goes out ("approved: 3 on Tue 14 Oct, 2 on Wed 15 Oct", days on India's clock). The counts start again at midnight UTC, which is 5:30 am in India. An approval by someone with no sending address waits in Approved until the owner links one.

In the other projects the email goes out from the project's own mailbox, inside the day's sending limit and each mailbox's warm-up, and the counter at the top of Outreach shows how many have gone out today against that limit, and the approved ones by the day each goes. Either way, never to an address that failed verification.

## When an email goes out

The owner, 12 October: "*send mails to the sender's time region between 10 to 10:30AM and that must be randmized not like all mail going at 10:15 some must be going at 10:17 some at 10:13*". So every approved email goes out at **its own minute between 10:00 and 10:30 on the recipient's clock**, Monday to Friday there: 10:00 in Mumbai would be 5:30 in London, before anyone reads email. The minute is drawn when you approve, and the email shows it as **Goes out**: "Tue 14 Oct, 10:17 New York time (19:47 IST)", the recipient's time first, India's in the brackets.

Where the recipient is comes from what the lead holds: the person's own record, the company's state or city, a phone's area code, its country. The reason sits under *Goes out* ("company state TX (FDIC)"). A lead that names no place goes at the project's own default (New York's 10:00 for LCX, Los Angeles' for US Production Houses, India's for Universal).

Approve as many as you like. Two emails from one address are never sent closer than 45 seconds apart, so one window holds about 24 per address per window; the rest go in the next weekday's window, each at a new minute. An approval after the day's window, or at a weekend, goes in the next weekday's. If an email's window passes and it has not gone — the server was down, its address had used up its 35 for the day, Gmail refused the address — it moves to its next window at a new minute, never later the same afternoon, and says why: *Its earlier window passed unsent (…): now Wed 15 Oct, 10:04 New York time*. Until a sending address is connected (see *What only you can do*), approved emails wait in Approved, and move from window to window until one is.

**One first email per inbox and per company.** An address that already has a first email from us, under any lead in the project, is not written to again, and neither is a company of the same name found under a second website. Approving such a draft says why it cannot be approved; if two slip through together, the second is held back at sending with the reason. That keeps the footer's promise: "you won't hear from me again".


**When Gmail says no.** If Gmail refuses one email, it is held back in Approved with Gmail's reason instead of being sent. If Gmail refuses the mailbox itself (its sign-in has expired or been revoked, or a sending limit is hit), the email goes back to Approved untouched, sending stops for that run, and Operations shows the run as failed. After a sign-in problem, sign the mailbox in again (see *What only you can do*) and approved emails go out on the next run.

**Sending is paused in LCX Clipping and Startup Acquisitions** (since 21 September): only US Production Houses sends for now. In those two projects you can still draft and approve; approving says the email waits, and it stays in Approved until the pause is lifted. The pause is a setting in each project's config (`outreach.sending_paused`), so lifting it is a one-line change.

# Approving many at once

Reading six hundred emails one at a time is not realistic, so the app has a second route that is still honest about what you read.

1. Tick the checkbox on each draft you want, or the one in the header to take one batch, the first 100 drafts. Untick the header box to clear the selection.
2. A bar appears at the top. Press **Approve N selected**.
3. The server picks a random sample from your selection and shows you those.




You read a random sample the server picked; everything else follows

You have to read each one in the sample and tick it before the Approve button turns on. The sample is at least three, or one in ten, whichever is bigger, and you cannot choose which ones you get. Every email in the batch is checked first for unfilled placeholders, a missing sender, a bad address or a company that has moved on; anything that fails is left behind and named.


Afterwards, each email records your name, the batch it belonged to, and whether it was one of the ones you actually read.

Batch approval is on for LCX Clipping only. The TVF projects still require one approval per email.

# The footer

The sign-off, the postal address and the line that lets someone out are the same on every email. They are one setting, not four lines buried in each template.

Press **Footer** at the top of the Outreach screen.




Your name, your address, and the block every email ends with

Fill in your name, your title and your postal address. In the footer text, `{{sender_name}}`, `{{sender_title}}` and `{{postal_address}}` stand for those three. The preview underneath shows exactly how the block will read.

Two things it will not let you do:

- **Save without a postal address.** Commercial email has to carry one, and a missing address is the fastest way to get a sending domain blocked.
- **Save without a way out.** Keep the line that tells the recipient how to stop hearing from you. It is the law, and it is the difference between a reply and a spam report.

When you save, the drafts already waiting for approval get the new footer too. Only the footer is replaced; anything you wrote by hand above it stays exactly as you wrote it. Emails already sent are never touched.

# Follow-ups

For LCX Clipping, one company gets one thread: the opener, then up to two follow-ups in the same email thread.

- **Follow-up 1** four days after the opener.
- **Follow-up 2** seven days after that.
- Then the thread is closed for good.

**Any reply stops it immediately.** A genuine reply ends the thread; an out-of-office lets it resume. This is enforced in the database, not just in the app, so a follow-up cannot be sent to someone who has already written back even if something else goes wrong.


Follow-ups are drafts like any other email and need the same approval. They are drafted by themselves when they fall due; read and approve them like any other.

To stop a thread by hand, open its sent email, or a follow-up waiting in Drafts, and press **Stop follow-ups**. Rejecting the lead stops it too.

The TVF projects do not use follow-ups at all. One email per company, full stop.

# Replies

When someone writes back, their reply appears in **Replies** within the hour: the engine reads each sent thread's mailbox hourly, by itself. It only reads; a bounce ("address not found") marks that address so nothing is written to it again. Open a reply.




A reply, with the two buttons that close the loop


You mark it **Positive** or **Negative**. The reply stays in Replies either way, with its mark in front of the subject; one nobody has marked yet says **Needs triage** and counts in the number next to Outreach.

Positive moves the company to **In conversation** on the board and hands it to you. Negative closes it out. Either way the follow-up thread stops.

If an Anthropic key is configured, a triage step reads new replies first and suggests a label with a one-line reason. It is a suggestion. Your click is what counts.

A bounce (a mailer-daemon reply) is handled without you: the address is marked invalid, the thread ends, and no mailbox writes to that address again.

# Operations




Run the engine by hand, and see what it has been doing

## Running the refresh by hand

There is one button: **Run weekly refresh**. It runs this project's weekly refresh now instead of waiting for its day. The refresh finds new candidates (in LCX Clipping and Startup Acquisitions), fills in what is missing (the contact address, the website, the evidence the scoring needs), then scores everything again and applies the gates. Its steps run one at a time.

In **US Production Houses** one of those steps asks Apollo. Every company scoring **over 22.5** with nobody to write to gets one free search on its domain for the roles that project targets, and the best person's work address costs one credit. A company with no website is first looked up in Apollo by its exact name (one credit), and only a single exact match is trusted. Companies at 22.5 or below are not paid for. The address also counts toward the score: a named person is worth the rubric's 10 points for a reachable decision-maker, and the lead is re-scored as soon as it is found. A run stops at 150 credits, shortlisted leads are served first, and a company Apollo does not know is left for a month. No other project spends a credit: that is a setting in the project's own config, and it is on for this one only.

You do not normally need it. The schedule runs it for you once a week. Use it when you want more leads today, or when you have changed something and want to see the effect now.

Only one refresh runs at a time: a second click while one is running is refused.

Whenever something is running, its log streams at the bottom of the page, with a **Stop** button. A send has no Stop button: it stops only by finishing.

## Automatic runs

One row for each thing that runs by itself, with when it runs (in UTC), when it last ran ("by hand" if a person started it) and how that went:

- **Weekly refresh**: Tuesday 02:00 for US Production Houses, Wednesday 02:00 for LCX Clipping, Thursday 02:00 for Startup Acquisitions.
- **Drafting and sending**: drafting every 15 minutes, when there is work; each approved email at its own time, 10:00–10:30 in its recipient's zone.
- **Timed sending**: whether the server's timed sender is **On**, and how its last run went. If it says **Off**, hold the mouse over it for why: approved emails then go only every 15 minutes and most move to the next weekday.
- **Gmail refused an address**: shown only when Gmail turned one of the sending addresses away in the last day, with which one and why. Its emails have moved to their next window and the other addresses carry on; tell the owner if it shows day after day.

A failed run says which step failed; hold the mouse over it to read the error. If no alert webhook is set up, the panel says that failures show only here.


## Mailboxes

This panel appears only in projects with several mailboxes (LCX Clipping). It shows each sending address, how much it can send today, how much it has already sent, and how much room is left. A mailbox that is not connected yet says what to set.

New mailboxes **warm up**: ten emails a day to start, five more every two days, up to forty. Three warm mailboxes give 120 a day, which is also the project ceiling. This is not caution for its own sake; a new address that sends eighty cold emails on day one gets filtered, and then none of them arrive.

Openers are spread across whichever mailbox has the most room. A follow-up always leaves from the mailbox that sent its opener, because a thread belongs to one mailbox.

# Reports




Is this working?

**Status overview** — every company ever found for this project, and where it sits now.

**Outreach results** — says "Nothing sent yet." until the first email goes out. Then: the companies contacted in the last 7 days (follow-ups not counted), the reply rate and the positive rate, and in LCX Clipping the follow-ups sent. The target is 15 to 20 companies contacted a week.

**By person** — who reached out: for each person, the first emails they approved, how many went out today, in the last 7 days and in all, and the companies that wrote back (a reply counts once per company, for whoever reached out to it). The same name shows in the Sent folder's **By** column, under **Contacted** in the leads list, on the board card, and in the lead's own **Outreach** box, with the address it went out from.

**By source** — which connectors are earning their place: for each one, how many companies it found, how many can be contacted, and how many were shortlisted. It shows only in projects with more than one source.

The Universal project has no Reports page.

# The rules that never bend

These are built into the database, not just into the screens. They hold even if the app has a bug.

**No email is ever sent that a person has not approved.** Approval means a human read that exact text, and approving is what sends it. Nothing goes out that nobody approved, and there is no "approve all without looking". Nor does an approved email go outside its own window: the database refuses that too.

**One thread per company, ever.** An opener and at most two follow-ups. Checked across every project, not just the one you are in, and it survives resets and re-imports.

**A rejected lead never comes back.** No later harvest will re-import something you turned down.

**"Remove me" is permanent.** An opt-out request marks that domain unsubscribed forever.

**Nothing is claimed that the evidence does not support.** Every sentence in an email is built from that lead's own recorded numbers. A lead that already publishes shorts gets no "you publish no shorts" line, because it would not be true of them.

**Only public first-party pages are read, and robots.txt is honoured.** No LinkedIn scraping. No CAPTCHA bypass. No buying scraped lists.

**Credits are spent only where you turned them on.** Apollo costs money per person revealed, so a project spends nothing unless its own config says it may. US Production Houses may; LCX Clipping, Startup Acquisitions and Universal's automatic steps may not. Searching costs nothing anywhere, and on the Universal page you see what a save will cost before you agree to it.

# What only you can do

The engine cannot finish these. Each one needs a person with an account or a card.

**1. Fill in the footer.** Your name and postal address, in the Footer dialog on the Outreach screen. Until this is done, no email can be approved: the check refuses a draft that still says `SET_ME`.

**2. Link each person's sending address (US Production Houses).** `python tools/users.py gmail <their login>` on your machine, once per address (see *Getting in*). It uses the Google client already in `.env`, and nothing needs adding to Render. Because the consent screen is **Internal**, only theviralfever.com addresses can be linked. If a sending address's sign-in stops working (a password change, access removed), Sending today marks it, its emails wait, and running the same command again fixes it.

**3. Connect a project mailbox (LCX Clipping).** A Gmail OAuth client in Google Cloud, then the address in `.env`, then one browser consent per mailbox:

```
SEGMENT_SLUG=lcx-clipping python tools/outreach.py auth --mailbox main
```

Sending happens on the server, so put the same values in Render's Environment tab: the address, the Google client ID and secret, and the token that `auth` wrote (the variable name is listed by `python tools/outreach.py mailboxes`).

Use addresses on a sending domain that belongs to LCX alone, not the main company domain, so a bad week never touches everyday mail.

**4. Connect Apollo**, for the Universal project and for the addresses the weekly refresh buys in US Production Houses. In Apollo: Settings → Integrations → API Keys → Create new key, tick the five endpoints the Apollo search page lists (or turn on *Set as master key*), then put the key in `.env` as `APOLLO_API_KEY` and in Render's Environment tab. Until then the page shows these steps at the top, and the refresh's Apollo step finds no key and stops short of spending anything.

**5. Put the YouTube key on the server.** In Render's Environment tab, set `YOUTUBE_API_KEY` (the same Google key as in `.env`). Without it, LCX Clipping's weekly refresh stops at its YouTube step. It has failed that way since 2026-09-16, and Operations shows it under Automatic runs.

Optional, and worth having later: an Anthropic key for reply triage, and an alert webhook so a failed overnight run reaches you.

# If something looks wrong

**"I approved it but nothing was sent."** It goes at its own minute in its recipient's next 10:00–10:30: look at **Goes out** in Approved. If that time has passed and it is still there, it has moved to its next window, and the email says why (no mailbox connected yet, see *What only you can do*; or its address's limit for the day was used up). A send the checks refused stays in Approved, with the reason under its subject. A send whose outcome is not known is in Attention.

**"The screen is blank / says it cannot reach the database."** The free cloud instance goes to sleep when it is idle and takes a few seconds to wake. Reload once. If it persists, check Operations for a failed run.

**"A lead has no contact."** The engine only uses addresses that companies have published themselves. If nobody published one, open the lead: **Contacts** shows every other way in it found (a phone number, the contact page, social profiles) and what it already tried. The weekly refresh reads the website of every lead without a usable address once, shortlisted leads included.

**"The greeting says 'Hi there' or just 'Hello,'."** That means no person could be named for the address the email goes to, and the engine will not guess. When the lead lists a person at their own address, or a person against a shared inbox like info@, the greeting uses their first name. "Hi there" is correct behaviour; "Hi Tech Talk" would not be.

**"A draft will not approve."** The dialog names the reason: an unfilled placeholder, a sender that still says `SET_ME`, an address that failed verification, or a company whose status has moved on since the draft was written.

**"I rejected something by mistake."** Leads list, Status set to Rejected, open it, and press **Undo decision**. It goes back to To review.

**"Operations says the weekly refresh failed."** The row names the step it stopped at; hold the mouse over it to read the error. If LCX Clipping's refresh failed at its YouTube step, the server has no YouTube key yet (see *What only you can do*).

# Words used here

**Project (segment)** — one sales motion with its own leads, rubric, templates and mailboxes. Switch with the project name at the top of the sidebar.

**Lead** — one company, show or creator.

**Fit score** — out of 100: the points earned out of the rubric's 110, scaled to 100, plus adjustments. Every point is explained in the lead dialog, along with the points nobody has checked yet.

**Gate** — a hard disqualifier. Fires only on confirmed evidence, never on something the engine failed to check.

**Evidence** — a fact the engine actually observed, with a record of where it came from.

**Draft** — an email that has been written and not sent. Inert until approved.

**Opener** — the first email to a company. **Follow-up** — a later one in the same thread.

**Spot check** — the random sample the server makes you read before approving a batch.

**Warm-up** — the ramp on a new mailbox, from ten a day up to forty.

**Enrichment** — the passes that fill in contacts and evidence on leads already found.