JDBC :- The JDBC API contains two major sets of interfaces
- JDBC API for application writers
- JDBC driver low-level API for driver writers

Advantage: Used to interact with multiple data sources in a distributed heterogeneous environment

Connecting database from java languages
- It can switch over to any backed database without changing java code

JDBC Drivers: - Its a S/w component enabling a java application to interact with a database.

4 types JDBC Drivers

(1) JDBC-ODBC Bridge Driver (Type1-Driver)
(2) Native API Partly Java Driver (Type2-Driver)
(3) Net protocol Pure Java Driver (Type 3-Driver)
(4) Native protocol Pure Java Driver (Type 4-Driver)

Type1 →



Functions:- Translate query obtained by JDBC into corresponding ODBC query, which is then handled by the ODBC Driver.
- Sun provides JDBC-ODBC Bridge driver sun.jdbc.odbc.JdbcOdbcDriver. This driver is native code and not Java.

Adv:-
(1) Almost all databases are accessible
(2) A Type 1 driver is easy to install

DisAdv:-
(1) The ODBC driver needs to be installed client M/c
(2) Considering the client-side s/w needed, this is not suitable for applets

class: sun.jdbc.odbc.JdbcOdbcDriver
URL: jdbc:odbc:dsnname

Type2:-



→ Is a database driver implementation that uses the client-side libraries of the database. The driver converts JDBC method calls into native calls of the database API

Adv.
Better performance than type 1 driver

DisAdv.
(1) The client library needs to be installed on client m/c
(2) Cannot be used in web-based application due the client side s/w needed
(3) Not all database have a client side library
(4) Driver is plateform dependent

3 Drivers – Network Protocol Driver :- also known as the Pure Java driver for Database middleware.



Functions:- ① follows a three tier communication

② Can interface to multiple databases

③ The JDBC client driver written in Java communicates with middleware net-server using a database independent protocol

④ Client → JDBC Drives → middleware - Net server → Any database

Adv:- ① Since Communi is database independent there is no need vendor db library on the client m/c

② middleware Server (Which can Provide typical middleware services like caching (connections, query results, and so on), load balancing, logging, auditing, etc.

Disadv

- required database - specific coding.
- An extra layer added may result in a time-bottleneck

TYPE 4 - Driver - Native Protocol Driver :- also known as Direct to Database Pure Java Driver, is a



Function:-

① entirely written in Java that communicates directly through vendor's database, usually through socket connections

② The driver converts JDBC calls into the vendor-specific database protocol so that client can directly communicate with db server

③ Client → Native Protocol JDBC → Database server

Adv:-

① All aspects of the application to database connection can be managed within the JVM, this can facilitates easier debugging

Disadv

① At client side, a separate driver is needed for each database

Loading Driver

- Class.forName("java.lang.String Driver class") or RegisterDriver(Driver driver)

- Step to connect database?

Class.forName("the class name of a specific Driver")

Connection C = DriverManager.getConnection(url of specific Driver, userName, Password);

Statement S = C.CreateStatement();

PrepareStatement (or) P = C.PrepareStatement();

CallableStatement (or) cal = C.PrepareCall();

Depending upon requirement

Jdbc Exception

① BatchUpdateException ② DataTruncation ③ SQLException ④ SQLWarning