PYTHON OOPs

<u>Inheritance</u>: The process of inheriting the properties of one class by another class is called as inheritance.

- It is the best features in the concept of object oriented programming.
- It refers to defining a new class with little or no modifications to an existing class. The new class is called Derived or Child class and the existing class is called Base class or Parent class.
- Best feature of inheritance is code re-usability.

```
Syntax:
       class Baseclass:
              Body of base class
       class Derivedclass(Baseclass):
              Body of derived class
Example:
       class Student:
               def __init__(self,name):
                      self.name=name
               def getName(self):
                      return self.name
               def isStudent(self):
               return "{} is from
              Srichaitanya".format(self.name)
       class School(Student):
               def details(self):
               return "{} is famous in Andhra
              Pradesh".format(self.name)
       stu = School("Naveen")
       print (stu.getName(),stu.isStudent())
```

```
stu = School("Narayana")
print (stu.getName(),stu.details())
```

Output:

Naveen Naveen is from Srichaitanya

Narayana Narayana is famous in Andhra Pradesh

<u>Multiple Inheritance</u>: The process of inheriting all features of base classes to the derived classes is called multiple inheritance.

• This is same as inheritance but difference here we can take multiple base classes to a subclass.

```
Syntax:
       class One:
              pass
       class Two:
              pass
       class Three(One,Two):
              pass
Example:
       class One:
              def init (self):
                      self.state1 = "Tamil Nadu"
                      print ("One class")
       class Two:
              def init (self):
                      self.state2 = "Telangana"
                      print ("Two class")
       class Three(One,Two):
              def __init__(self):
```

```
One.__init__(self)

Two.__init__(self)

print ("Three")

def output(self):

print (self.state1, self.state2)

I = Three()

I.output()

Output :

One class

Two class

Three

Tamil Nadu Telangana
```

<u>Multilevel inheritance</u>: Inheriting properties from a child class and its associated parent class by a another class is called multilevel inheritance.

• Both parent and child properties will be inherited to the new child class.

```
Syntax:

class Parent:

pass

class Child1(Parent):

pass

class Child2(Child1):

pass

Example:

class Cricket:

def game(self):

print ("Cricket is famous game")
```

```
class Batsmen(Cricket):
                                           def batsmen(self):
                                           print ("Modern Batsmen are ruling the cricket")
                                    class Leading(Batsmen):
                                           def leading(self):
                                           print ("Sachin is the leading runscorer in the
                                          world")
                                    a = Leading()
                                    a.game()
                                    a.batsmen()
                                    a.leading()
                             Output:
                                    Cricket is famous game
                                    Modern Batsmen are ruling the cricket
                                    Sachin is the leading runscorer in the world
              Access Parent class in subclass: Accessing a parent class from its
subclass can be done in two ways:
                     Parent class name: In this method we can use parent class name
to access the value in the parent class.
                                    Example:
                                           class Parent:
                                                  def init (self,name):
                                                          self.name = name
                                           class Child(Parent):
                                                  def __init__(self,name,country):
                                                          Parent.name = name
                                                          self.country = country
```

```
def Output(self):
                                    print (Parent.name, self.country)
                             d = Child("Rajesh", "America")
                             d.Output()
                     Output:
                             Rajesh America
• Parent.name can be replaced with self.name both perform same actions.
      Super (): In this method to access parent we will use super().
              Example:
                     class Parent:
                             def init (self,name):
                                    self.name = name
                     class Child(Parent):
                                    def __init__(self,name,sport):
                                           super(Child,self).__init__(name)
                                           self.sport = sport
                                    def print(self):
                                           print (self.name,":", self.sport)
                     d = Child("Dhoni", "Cricket")
                     d.print()
                     b = Child("Messie","Football")
                     b.print()
              Output:
                     Dhoni: Cricket
```

Messie: Football

• issubclass() and isinstance() are used to check the relations between classes and instances.

Issubclass(): It is a python Boolean function which is used to check the condition whether the give class is subclass of another class according to the condition and returns True if condition is satisfied or False.

```
Syntax:
       Issubclass(child,parent)
Example:
       class First(object):
               pass
       class Second(First):
               pass
       class Third(Second):
               pass
       print (issubclass(Second,First))
       print (issubclass(First,Second))
       print (issubclass(Third,First))
       print (issubclass(Third,Second))
Output:
       True
       False
       True
       True
```

• In example **First** not the subclass of **Third** but it returned **True** because **Second** is the subclass of **Third** and **First** is subclass of **Second**.

<u>Isinstance()</u>: It is a function used to check whether the object is instance of the class or instance of any subclass of that class and return True.

```
Syntax:
       isinstance(object,class)
Example:
       class First:
               pass
       class Second(First):
               pass
       class Third(Second):
               pass
       a = Second()
       b = First()
       c = Third()
       print (isinstance(b, Second))
       print (isinstance(a, First))
       print (isinstance(c, First))
Output:
       False
       True
       True
```