NATIONAL HYDRO POWER CORPORATION

(Company Name)

(24pt., 1.5 line spacing, Centre Aligned, Bold)

SALAL POWER STATION DHYANGARH REASI JAMMU & KASHMIR

(Company Address) (20pt., 1.5 line spacing, Centre Aligned, Bold)

A TRAINING REPORT

(14pt, Bold)

SUBMITTED IN PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR THE AWARD OF THE DEGREE OF (12pt, Centre Aligned)

BACHELOR OF TECHNOLOGY (14pt, Bold)

(Electronics & Communication Engineering) (12pt)

SUBMITTED TO (14pt, Bold)
GAUTAM BUDDH TECHNICAL UNIVERSITY, LUCKNOW (14pt, Bold)

SUBMITTED BY (14pt, Bold)

Name of Student (14pt) XYZ University Roll No. (14pt) 0935231XXXX

DD-MM-YYYY to DD-MM-YYYY (12pt) (Duration of Training period)

College Logo

COLLEGE NAME UTTAR PRADESH (14pt, Bold)

SAMPLE SHEET (INNER TITLE PAGE)

NATIONAL HYDRO POWER CORPORATION SALAL POWER STATION DHYANGARH REASI JAMMU & KASHMIR

A TRAINING REPORT

SUBMITTED IN PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR THE AWARD OF THE DEGREE OF

BACHELOR OF TECHNOLOGY

(Electronics & Communication Engineering)

SUBMITTED TO GAUTAM BUDDH TECHNICAL UNIVERSITY, LUCKNOW

SUBMITTED BY

Name of Student XYZ

University Roll No. 0935231XXXX

DD-MM-YYYY to DD-MM-YYYY

College Logo

COLLEGE NAME, KANPUR UTTAR PRADESH

ACKNOWLEDGEMENT

I would like to place on record my deep sense of gratitude to Er, line manager of Light Alloy Foundry of Jyoti Concast Foundry, Ludhiana for his generous guidance, help and useful suggestions.
I express my sincere gratitude to Er, Shop Manager of quality control department of Jyoti Concast Foundry ,Ludhiana, for his stimulating guidance, and continuous encouragement .
I also wish to extend my thanks to Mr and other workers for guiding and providing the knowledge related to machinery and processes.
I am extremely thankful to Sr. Lecturer, HOD, KGEC, KANPUR, for valuable suggestions and encouragement.
Signature of Student
VV7 (0025221VVVV)

CERTIFICATE

I hereby certify that I have completed the Four weeks/Six week/Six months Training in partial fulfillment of the requirements for the award of **Bachelor of Technology in Electronics & Communication Engineering.** I did my training in National Hydro Power Corporation at Salal power station Dhyangarh, Reasi, Jammu & Kashmir from DD-MM-YYYY to DD-MM-YYYY.

The matter presented in this Report has not been submitted by me for the award of any other degree elsewhere.

Signature of Student	~0.3°	
XYZ (0935231XXXX),		
Signatures		
Examined by:		
1. 2.	3.	4.
HOD		

Electronics & Communication Engineering Department

CERTIFICATE

This is to certify that Mr	has partially
completed / completed / not completed the Training in our	Organization
/ Industry during the period 01-05-12 to 15-06-12.	His overall
performance during the period was excellent / very go	od / good /
average / poor.	

Signature & Seal of Training Manager

Note: This certificate must be typed on the company letter head.

TABLE OF CONTENTS

			Page No
Acknowledgement	t		i
About Company/in	dustry/ins	stitute	ii
List of Tables		~0°2°	iii
List of Figures			iv
List of Abbreviation	ons		ν
List of Nomenclat	ure		vi
Chapter 1: INT	RODU	CTION	
W.	1.1	GENERAL	2
	1.2		8
	1.2.1	General	10
	1.2.2		12
	1.2.2.1	General	13

1.2.2.2 .		15
1.2.2.3 .		16
1.2.3		17
1.3 .		18
1.4 .		19
Chapter 2: Project Work		20
2.1	GENERAL	22
2.2		23
2.2.1 GE	NERAL	26
2.2.2		27
2.3 GEN	NERAL	29
	XU	
Chapter 3: RESULTS A	ND DISCUSSION	35
Chapter 4: CONCLUSIO	ON AND FUTURE SCOPE	43
References		59
Data Sheet		
Appendices- 1, 2, 3		

List of Tables

Table	Title	Page
3.1	Values Assigned to Standard <i>k</i> -ε Turbulence Model Coefficients	55
3.2	Values Assigned to RNG k-ε Turbulence Model Coefficients	57
4.1	Engine Specifications.	90
4.2	Geometrical Details of the Injector	90
4.3	Boundary and Initial Conditions	94
4.4	Grid Independence Study	99

LIST OF FIGURES

Figure	Title	Page
3.1	Lagrangian Droplet Motion	70
4.1	Vertical Manifold.	95
4.2	20 ₀ Bend Manifold	95
4.3	90 _o Bend Manifold	95
4.4	Spiral Manifold	95
4.5	Spiral Manifold Configuration ($\theta = 225_0$)	96
4.6	Spiral Manifold with Different Flow Entry Angles (20 _o , 32.5 _o and 45 _o)	96

NOMENCLATURE

English Symbols

- A Pre-exponential constant
- Cp Specific heat, J/kg-K
- c Reaction progress variable
- D_d Instantaneous droplet diameter, m
- D_m Instantaneous droplet diameter

ABBREVIATIONS

ATDC After Top Dead Center

BDC Bottom Dead Center

BTDC Before Top Dead Center

CA Crank Angle

CAD Computer Aided Design

CCS Combined Charging System

CFD Computational Fluid Dynamics

CO Carbon Monoxide

CTC Characteristic – Time Combustion