Project report

On

Responsive web design Of wedding planner and budget tracker

CSE-326 INTERNET PROGRAMMING LABORATORY

SUBMITTED BY

SUBMITTED TO

Gurdeep Rathi (roll no.67)

Mrs. Parveen kaur mam



Transforming Education Transforming India

Table of content

1.	Introduction to project1 to 4
2.	Technologies used2 to 9
3.	Web pages10 to 65
4	. References66
	Introduction to project

WEDDING PLANNER AND BUDGET TRACKER

ABOUT

This project is based on purpose of wedding planning and budget tracking This website help user in planning a good plan for their wedding and tracking their budget at the same time. this includes information about the venues and vendors booking etc

Project Scope:

TO ENHANCE LEARNING:

This Educational project is designed to help students learn new concepts and skills in a more engaging and interactive way.

TO PROMOTE CREATIVITY

This Project encourage students to think creatively and come up with innovative solutions to problems.

TO DEVELOP CRITICAL THINKING SKILLS:

Projects require students to analyse information, evaluate evidence, and draw conclusions, which helps them develop critical thinking skills.

TO FOSTER TEAMWORK:

This educational project is collaborative, which helps students learn how to work

effectively in teams.

Responsive design:

This website is developed with a responsive design approach to ensure accessibility across various devices including tablets, mobile phones etc. CSS syntax is used to utilize and adapt the layout based on device screen.

Quality Assurance:

This includes testing for compatibility, usability. Feedback from potential users is collected using feedback form and used to make necessary improvements.

Technologies used:

The following technologies were used to create the website

- HTML: used to define the structure and content of a web page. Hyper Text Markup Language is the standard markup language for creating web pages. It is
- CSS:

Cascading Style Sheets is a language used to describe the presentation of a web page. It is used to control the layout, colours and fonts of a web page.

PROJECT IMPLEMENTATION:

The website was created using a variety of tools and software, including:

VISUAL STUDIO CODE:

A text editor and integrated development environment (IDE) for building and debugging web applications. • LIVE SERVER:

A tool that allows you to preview your web pages in a web browser while you are editing them.

The choice of technologies for this project was based on the following factors:

- Suitability: The chosen technologies are well-suited for creating informative and easy-tonavigate websites.
- Popularity: The chosen technologies are all popular and widely used, which makes it easier to find support and resources.
- Maturity: The chosen technologies are all mature and stable, which reduces the risk of problems.

MODULE

<DIV>

• The <div> element usually has no specific semantic meaning by itself, simply representing a division, and is typically used for grouping and encapsulating other elements within an HTML document and separating those from other groups of content. As such, each <div> is best described by its contents.

<section>

Section tag defines the section of documents such as chapters, headers, footers or any other sections. The section tag divides the content into section and subsections. The section tag is used when requirements of two headers or footers or any other section of documents needed

Heading Tags:

Headings can be used to describe the topic they precede and they are defined with the <h1> to <h6>. Headings support all the global attributes.

Anchors:

Anchor tags are commonly used to link separate webpages, but they can also be used to link between different places in a single document, often within table of contents or even launch external applications

- A It creates a hyperlink, to the URL http://example.com/ as specified by the href
- B Open link in new tab/window
- C Specifies the relationship between the current document and the linked document
- D Callus value of the href-attribute begins with tel: your device will dial the number when you click it. This works on mobile devices or on computers/tablets running software like Skype or FaceTime that can make phone calls.

· :

An ordered list can be created with the tag and each list item can be created with the In this tag I have used to create navigation bar button such as Home tab, Service Tab, About Tab etc.

<input>:

The <input> tag specifies an input field where the user can enter data.

- A <input type="button"> To add button of
- B <input type="email"> To add email text field
- C <input type="password"> To add Password field
- D <input type="submit"> To add submit button
- E Placeholder attribute the placeholder attribute specifies a short hint that describes the expected value of an input field
- F Required attribute It used for mandatory to input something

1. <label>

The **<label>** HTML element represents a caption for an item in a user interface.

2. <footer>:

The **<footer>** HTML element represents a footer for its nearest ancestor sectioning content or sectioning root element. A <footer> typically contains information about the author of the section, copyright data or links to related documents.

:

The tag is an inline container used to mark up a part of a text, or a part of a document.

<ion-icon >:

- <ion-icon name="logo-google"> </ion-icon>
 To add Google logo
- <ion-icon name="logo-facebook"> </ion-icon> To add Facebook logo
- <ion-icon name="logo-skype"> </ion-icon>
 To add Skype logo

<ion-icon name="logo-instagram"> </ion-icon> To add Instagram logo
 <ion-icon name="logo-twitter"> </ion-icon> To add Twitter logo

:

To add Paragraph of a webpage

:

To break line 13. <i> and

:

To emphasize the text or paragraph

 and :

To bold the text or paragraph.

CSS:

1. Background:

We use this property to add something related to the background such as

• Background: url () To add image on the webpage

• Background-size: cover Total cover of the webpage

• Background-position: center to add image on center of the webpage

• Background-position: right-top to add image on right top of webpage

• Background-position: right-buttom to add image right-bottom of the webpage

• Background-position-x: left to change the position in x direction

2. font-size: we used to increase or decrease of font size and the value added in px format

3. font-family:

We have used to this property to change the font of the text. Such as We have used "arial" text format in this webpage.

4. font-weight: bold: To bold the text

5. color:

It used to change the color of the text or paragraph

6. height and width:

The CSS height and width properties are used to set the height and width of an element

. 7. Padding:

CSS Padding is the space between the content and the border of an element. It adds spacing inside the element, controlling its internal space, thus affecting its dimensions and appearance.

- Padding-top: Padding-left:
- Padding-right:
- Padding-bottom:

8. Margin:

The CSS margin properties are used to create space around elements, outside of any defined borders

Margin-left: To add left of the margin
 Margin-top: To add right of the margin

• Margin-right: To add right of the margin

• Margin-bottom: To add bottom of the margin

9. Float:

The CSS float property specifies how an element should float.

10. Border:

• Border-style: solid continuous thin line border visible

• Border-style: dashed dashed line border visible

• Border-width: add some value in px to change the width of

border

• Border-color: To change the color of border

• Border-radius: To make in circular format

8. Cursor: pointer

The cursor is a pointer and indicates a link

9. Transition:

10. Display:

- **Display: inline** Displays an element as an inline element (like). Any height and width properties will have no effect.
- **Display: inline-block** Displays an element as an inline-level block container. The element itself is formatted as an inline element, but you can apply height and width values
- **Display: flex** Displays an element as a block-level flex container

11. Transform:

The transform property applies a 2D or 3D transformation to an element. This property allows you to rotate, scale, move, skew, etc., elements.

12. Position: absolute:

The position property specifies the type of positioning method used for an element (static, relative, fixed, absolute or sticky).

13. List-style

- Set different list item markers for ordered lists
- Set different list item markers for unordered lists
- Set an image as the list item marker
- Add background colours to lists and list items


14. Justify-content

The justify-content property aligns the flexible container's items when the items do not use all available space on the main-axis (horizontally).

• **Justify-content: center:** Items are positioned in the center of the container.

18. Align-items:

The align-items property specifies the default alignment for items inside a flexbox or grid container. You can add normal, stretch, center, flex-start etc. as the value



Source code:

CSS

ction class="home" id="home">

<form action="#">

<div class="search-box">

<h1>Plan your wedding, your way</h1>

pplan your venues, vendors, budget and much more...

```
Page | 12
home {
  background: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0, 0,
0.4)), url (background.jpg); \quad background-position: center;\\
background-repeat: no-repeat; background-size: cover;
justify-content: center; align-items: center; height: 80vh;
} search-box {
margin: 20rem 0 0 0;
color: #fff; text-
align: center;
.search-box h1 { font-
size: 5.5rem; text-
transform: capitalize;
font-weight: 600; letter-
spacing: .2rem;
.search-box p {
font-size: 1.8rem;
margin: .5rem 0;
.search-field { width:
25rem; height: 4.5rem;
font-size: 1.5rem; font-
weight: 600; color:
rgb(236, 68, 90);
```



Services


```
<section class="service" id="service">
    <div class="title">
       <h1 class="srvc"><span>Services</span></h1>
    </div>
    <div class="services-row">
       <div class="services-col">
         <i class="fas fa-book-open"></i>
         <h2>invitation</h2>
         plan a invitation as per your requirements
and at any design you want.
       </div>
     <div class="services-col">
         <i class="fas fa-camera"></i>
         <h2>Photography & Video</h2>
         book Photography and videography services at your price and quality vendors.
       </div>
       <div class="services-col">
         <i class="fas fa-brush"></i>
         <h2>Beauty & Makeup</h2>
         book the best available makeup and beauty parlour service in the area .
       </div>
       <div class="services-col">
         <i class="fab fa-pagelines"></i>
         <h2>Wedding flowers</h2>
         have a wonderful environment aroma with the flowers available at your doorstep..
       </div>
       <div class="services-col">
         <i class="fas fa-birthday-cake"></i>
```

```
<h2>wedding cake</h2>
         >book best available cakes bakery products in the area.
</div>
      <div class="services-col">
         <i class="fas fa-music"></i>
         <h2>music band</h2>
         have a wonderful night with the band music and dance book on the best dj available.
      </div>
      <div class="services-col">
         <i class="fas fa-utensils"></i>
         <h2>Catering</h2>
         book best food catering services in the town .
      </div>
      <div class="services-col">
         <i class="fas fa-ring"></i>
         <h2>Jewellery</h2>
         book or rent expensive and beautiful Jewellery
      </div>
    </div>
  </section>
 CSS:
        text-align:
.srvc{
        padding-
center;
```

bottom: 25px;

```
}
. services \hbox{-row } \{
display: flex; justify-
content: center;
                   flex-
wrap: wrap;
               align-
items: center;
}
.services-col {
                 height: 22rem;
color: rgb(236, 68, 90);
background: url("back-2.png");
background-color: lightgray;
background-position: center;
background-size: cover;
border-radius: 15px;
                       flex: 1 1
         padding: 1.2rem;
25rem;
margin: 1.5rem;
}
.services-col i \{
padding: 2.2rem;
border: none;
background: aliceblue;
border-radius: 5rem;
font-size: 2.8rem;
}
.services-col h2 {
padding: 1rem 0;
```

```
font-size: 2rem; color:
#000;
}
.services-col p { font-
size: 1.2rem; color:
#000;
}
@media (max-width:767px) {
    .service { margin-
bottom: 30rem;
    }
}
```



Html code:


```
<!----->
<section class="vendor" id="vendor">
    <div class="title">
      <h1 class="vndrs"> Featured <span>Vendors</span></h1>
    </div>
    <div class="vendor-list">
      <div class="vendor-row">
        <div class="rate">4.5&nbsp;<i class="fa fa-star" aria-hidden="true"></i></div>
        <h2>Beauty tales by komal rai</h2>
        Sridal Makeup
        <h3>Rs.20,000 onwards</h3>
        <button class="btnn">book now</button>
      </div>
      <div class="vendor-row">
        <div class="rate">4.2&nbsp;<i class="fa fa-star" aria-hidden="true"></i></div>
        <h2>Flinters Management</h2>
        Wedding Planner
        <h3>Rs.2.5-4 Lakh</h3>
        <button class="btnn">book now</button>
      </div>
      <div class="vendor-row">
        <div class="rate">5.0&nbsp;<i class="fa fa-star" aria-hidden="true"></i></div>
        <h2>Wedding Mela</h2>
        Wedding Decorators
        <h3>Rs.80,000-30,00,000</h3>
```

```
<br/>
```

CSS:

```
text-align:
.vndrs{
center;
         padding-
bottom: 25px;
} .vendor-list {
                 align-
items: center; justify-
content: center;
display: flex;
               flex-
wrap: wrap;
}
.vendor .vendor-row { max-width: 1300px;
background: rgb(245, 236, 245);
         flex: 1 1 30rem; padding: 1.2rem;
35rem;
margin: 1.5rem; border-radius: 1rem;
shadow: 0.2rem.5rem rgb(236, 68, 90);
}
.vendor-row .rate {
width: 6rem;
               padding:
.5rem .1rem;
               color:
#000;
        border: none;
background: var(--clr6);
font-size: 1.6rem;
                  font-
weight: 400;
}
```

```
.vendor .vendor-row img {
height: 20rem;
                width:
        object-fit: cover;
100%;
}
                    font-
.vendor-row h2 {
            font-weight:
size: 2rem;
600;
}
.vendor-row p \{
                   font-
size: 1.2rem;
               font-
weight: 500;
               color:
var(--clr4);
}
.vendor h3 {
               font-size:
        color: var(clr2);
2rem;
background: var(--clr4);
}
.explore{
            align-
items: center;
padding-top: 100px;
padding-left: 70px; }
```



Html code:

```
<section class="venue" id="venue">
 <div class="title">
   <h1 class="vnus"><span>Venues</span></h1>
 </div>
 <div class="venue-list">
   <div class="venue-box">
      <img src="venue1.jpg" alt="img">
      <div class="venue-info">
        <h2>bath castle</h2>
        jalandhar
        <button class="btnn">More Info</button>
      </div>
   </div>
    <div class="venue-box">
      <img src="venue2.jpg" alt="img">
      <div class="venue-info">
        <h2>break point gardens</h2>
        delhi
        <button class="btnn">More Info</button>
      </div>
   </div>
    <div class="venue-box">
      <img src="venue3.jpg" alt="img">
      <div class="venue-info">
        <h2>Sagar Ratna resorts</h2>
```

```
sahranpur
          <button class="btnn">More Info</button>
        </div>
      </div>
      <div class="venue-box">
        <img src="venue4.jpg" alt="img">
        <div class="venue-info">
          <h2>lpu auditorium</h2>
          phagwara
          <button class="btnn">More Info</button>
        </div>
      </div>
    </div>
    <a class="btnn" type="button" >explore</a>
  </section>
CSS:
/**venue-----**/
.vnus\{
       text-align:
       padding-
center;
bottom: 25px;
}
.venue .venue-list {
display: flex;
             align-
items: center; justify-
```

```
content: center;
                  flex-
wrap: wrap;
}
.venue .venue-list .venue-box {
flex: 1 1 50rem; margin:
        position: relative;
1rem;
border-radius: .6rem;
overflow: hidden;
                    height:
20rem;
}
.venue .venue-list .venue-box img {
height: 100%; width: 100%;
object-fit: cover;
}
.venue .venue-list .venue-box .venue-info {
display: flex;
               flex-flow: column;
align-items: center;
                    justify-content:
         position: absolute;
                               top: 0;
center;
left: 0;
  height: 100%;
                  width: 100%;
color: #fff;
             background: rgba(46,
39, 40, 0.5); transform:
scale(1.3);
             opacity: 0;
transition: 1s ease;
}
.venue .venue-list .venue-box:hover .venue-info {
transform: scale(1);
                      opacity: 90;
```

```
}.venue .venue-list .venue-box .venue-info h2 {
letter-spacing: .1rem; font-size: 3rem;
}
.venue .venue-list .venue-box .venue-info p {
letter-spacing: .1rem; font-size: 2rem;
}
.venue .venue-list .venue-box .venue-info .btn {
width: 12rem;
                height: 4rem;
                                 margin:
1rem;
        padding: .6rem;
                          letter-spacing:
                              font-weight:
         font-size: 1.6rem;
.1rem;
                     background: rgb(236, 68,
700;
       color: #fff;
       border: none;
90);
                       border-radius: .5rem;
} .btnn section{
align-items: center;
}
```

What We Do?

Wedding Planning And Budget Tracking- We Plan The Best Wedding You Could Imagine Ever With Our Best Venders And Services We Ensure That You Get The Best Experience

Why We Are Best?

Being In This Wedding Journey We Know The Importance Of The Moments We Have Verified And Efficient Vendorswe Also Cross Check By The Rating And Review Procedure. So That We Can Provide Best Service To You.

Planning Assistance:

We Also Assist You To Make You Moments More Exciting And Worthy By Our Newsletter And Our Customer Support That Helps You 24*7 In Your Need Time

Budget Tracker

Along With Planning We Have Our Budget Trackerso That Along With Your Planning You Can Also Track Your Expenses Easily At Your Fingertips. Explore The Tracker

By Adding All Your Expenses In The Wedding

See Our Reviews


Html code:

```
<!---->
  <section class="about" id="about">
    <div class="title">
      <h1 class="vnus">More <span>about</span> us</h1>
    </div>
    <div class="about-us">
      <div class="abouts">
        <h2 class="head-about">What we do?</h2>
        wedding planning and budget tracking- we plan the best wedding you
could imagine ever<br/>
with our best venders and services we ensure that you get the best experience
      </div>
      <div class="abouts">
        <h2 class="head-about">Why we are best?</h2>
        being in this wedding journey we know the importance of the moments we
have verified < br > and efficient vendorswe also cross check by the rating and review procedure. < br > so that
we can provide best service to you.
      </div>
      <div class="abouts">
        <h2 class="head-about">planning assistance:</h2>
        we also assist you to make you moments more exciting and worthy by our
newsletter<br/>or and our customer support that helps you 24*7 in your need time
      </div>
      <div class="abouts">
        <h2 class="head-about">budget tracker</h2>
        along with planning we have our <a>budget tracker</a>so that along with
your planning br>you can also track your expenses easily at your fingertips.explore the tracker br> by
adding all your expenses in the wedding. 
      </div>
      <div class="reviews">
        <a class="" href="review.html"><h1 class="head-review">see our
<span>reviews</span></h1></a>
```

your reviews keeps us efficient and better with time
</div>
</div>
</section>

CSS:

```
/**-----**/
.head-about {
             font-size:x-
large; padding-bottom:
15px;
.para-about {
             color:
        font-size:large;
black;
padding-bottom: 30px;
. head\text{-review}\,\{
color:black; font-size:
x-large; padding-
bottom: 15px;
}
.para-review {
color:#000; font-
size:large; padding-
bottom: 30px;
}
```



Html code:

```
<!----->
  <footer id="contact">
    <div class="container">
      <div class="f-container">
         <h2>Wedding planner and budget tracker</h2><br>
         Plan your wedding with Us this is an Indian Wedding Planning Website 
         <div>
           <a href="vender.html"><button class="btnn">Register as a Vendor</button></a>
         </div>
         <div class="social">
           follow us on
           <i class="fab fa-facebook"></i>
           <i class="fab fa-instagram"></i>
           <i class="fab fa-linkedin"></i>
           <i class="fab fa-twitter"></i>
           <i class="fab fa-pinterest"></i>
        </div>
      </div>
      <div class="f-container">
         <h2>Our Location</h2>
         <a href="#"><i class="fas fa-angle-right"></i>phagwara</a>
         <a href="#"><i class="fas fa-angle-right"></i>jalandhar</a>
         <a href="#"><i class="fas fa-angle-right"></i>ludhiana</a>
         <a href="#" ><i class=" fas fa-angle-right "></i>sahranpur</a>
         <a href="#"><i class="fas fa-angle-right "></i>muzzafarnagar</a>
```


```
</div>
        <div class="f-container ">
           <h2>Our Newsletter</h2>
           Subscribe for latest updates
           <input type="text " placeholder="Enter Your Email ">
           <button class="btn ">Subscribe</button>
           </div>
      </div>
    </footer>
    <div class="copyright">
      Copyright ©2023 All Rights Reserved | Abhijeet chauhan k23pe-64
</div>
CSS:
/**-----**/
footer {
         padding:
10rem 5%;
             background-
} #contact {
color:rgb(44, 38, 38)
}
.container {
            padding: 3rem;
display: grid;
             grid-
template-columns: 1fr;
grid-gap: 2rem;
.f-container h2 {
                 font-
size: 2.5rem; color:
```

```
var(--clr3);
              padding:
1rem 0;
}
.f-container a {
                  font-
size: 1.4rem;
decoration: none;
color: var(--clr3);
padding: 1rem 0;
display: block; } .f-
container i { padding-
right: .5rem; color:
var(--clr1); } f-container
      padding-bottom:
         font-size:
1rem;
1.5rem;
           color:
rgb(181, 227, 11);
}
.f-container input {
                      width:
      padding: 1rem;
90%;
background: #eee; border:
.2rem solid var(--clr1);
}
.f-container .btn {
background: var(--clr1);
color: #fff;
              cursor:
pointer;
           margin-top:
```

```
border-radius:
2rem;
.2rem; }
.f-container .social i { margin-
top: 2rem;
             margin-bottom:
        margin-left: 2rem;
2rem;
font-size: 2rem;
                  background:
var(--clr3);
              border-radius:
1rem; padding: 2rem; } .footer-
content { padding: 2rem 0;
text-align: center;
}
.footer-content h1 {
font-size: 3rem;
                 color:
#aaa; } .copyright {
padding: 2rem 0;
align: center;
background: var(--clr1);
color: #fff;
             font-size:
1.5rem;
}
.copyright p {
                 font-
size: 2rem;
              color:
#f3f1f1;
}
```

Vendor Registration Form

Dear vendors kindly fill this form our team will shortly contact you for the verification



© 2023 Wedding Planner and budget tracker

Html and css code:


```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Wedding Planner - wedding planner</title>
  <style>
               body {
                             font-family: 'Segoe UI', Tahoma,
Geneva, Verdana, sans-serif;
                                   background-color: #f9f9f9;
margin: 0;
                 padding: 0;
                                    box-sizing: border-box;
     }
    header {
                    background-color:
rgb(104, 12, 12);
       color: #fff;
text-align: center;
padding: 1em 0;
     }
                     background: linear-gradient(to bottom,
     section {
#f0f8ff, #c0c0c0);
                         max-width: 600px;
                                                    margin:
20px auto;
                  padding: 30px;
                                        border-radius: 8px;
box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
     }
```

```
form {
display: grid;
gap: 16px;
     }
     label {
                    display:
block;
              margin-
bottom: 8px;
                     font-
weight: bold;
            input,
                       textarea {
width: 100%;
                     padding: 12px;
margin-bottom: 16px;
                              box-
sizing: border-box;
                           border: 1px
                   border-radius: 4px;
solid #ccc;
transition: border-color 0.3s ease;
     }
     input:focus,
textarea:focus {
                        border-
color: #ff8c00;
     }
     button {
                     background: linear-gradient(to bottom,
#4caf50, #45a049);
       color: #fff;
padding: 12px 20px;
border: none;
border-radius: 4px;
cursor: pointer;
```

```
transition: background 0.3s
ease;
    button:hover {
                         background: linear-gradient(to bottom,
#45a049, #398243);
    }
    footer {
                   text-
align: center;
margin-top: 20px;
color: #777;
    }
    .diclmr{
                    text-
align:center;
                   text-
shadow: red;
                   font-size:
x-large;
    }
  </style>
</head>
<body>
  <header>
    <h1>Vendor Registration Form</h1>
  </header>
  Dear vendors kindly fill this form our team will shortly contact you for the
verification
```

```
<section>
    <form>
       <label for="name">Name:</label>
       <input type="text" id="name" name="name" required>
       <label for="email">Email:</label>
       <input type="email" id="email" name="email" required>
       <label for="phone">Phone:</label>
       <input type="tel" id="phone" name="phone" required>
       <label for="message">Message:</label>
       <textarea id="message" name="message" rows="4" required></textarea>
       <button type="submit">Submit</button>
    </form>
  </section>
  <footer>
    © 2023 Wedding Planner and budget tracker
  </footer>
</body>
</html>
```

Page 7




Html code:

```
<header>
  <h1>User Review Page</h1>
 </header>
 <section>
  <form>
   <label for="username">Username:</label>
   <input type="text" id="username" name="username" required>
   <label for="rating">Rating:</label>
   <select id="rating" name="rating" required>
    <option value="5">5 stars
    <option value="4">4 stars
    <option value="3">3 stars
    <option value="2">2 stars</option>
    <option value="1">1 star</option>
   </select>
   <label for="review">Review:</label>
   <textarea id="review" name="review" rows="4" required></textarea>
   <button type="submit">Submit Review</button>
  </form>
 </section>
```

CSS:

```
body {
           font-family: Arial,
sans-serif;
              background-
color: #f4f4f4;
                   margin: 0;
padding: 0;
  }
               background-
  header {
color:rgb(104, 12, 12)
        color: #fff;
text-align: center;
padding: 1em;
  }
  section {
               max-width: 600px;
margin: 20px auto;
                       background-color:
#fff;
        padding: 20px;
                            border-radius:
        box-shadow: 0 0 10px rgba(0, 0, 0,
8px;
0.1);
  }
  label {
             display:
block;
          margin-
bottom: 8px;
  }
  input,
           textarea {
width: 100%;
padding: 8px;
margin-bottom: 16px;
```

```
box-sizing: border-box;
border: 1px solid #ccc;
border-radius: 4px;
  }
  button {
              background-
color: #333;
   color: #fff;
padding: 10px 20px;
border: none;
border-radius: 4px;
cursor: pointer;
  }
  button:hover {
                    background-
color: #555;
  }
```



Html code:


```
<!------reviews------>
<hr>>
<div class="reviews">
  <h1 class="head-review">See our <span>Reviews</span>...</h1>
</div>
 <div class="container">
  <h1>Read what our customers love about us</h1>
  >
   Over 2000+ wedding experince consult us to enhance the
user experience of their wedding using our products and services.
  >
   We have helped vendors increase their customer base and generate
multifold revenue with our service.
  </div>
 <div class="container right">
  <div class="card">
   <img src="r1.jfif" alt="user" />
   <div class="card content">
    <span><i class="ri-double-quotes-l"></i></span>
    <div class="card details">
     >
```

We had a great time collaboraring with the wedding planning team. They have my high recommendation!

```
<h4>- kalpesh pratap singh</h4>
    </div>
   </div>
  </div>
  <div class="card">
    <img class= "img2" src="r2.jpg" alt="user" />
    <div class="card content">
     <span><i class="ri-double-quotes-l"></i></span>
     <div class="card details">
      >
        they made our experience best we felt so much good at the venue people
were also praising them in their arrangement
      <h4>- Navneet chaudhary</h4>
     </div>
    </div>
   </div>
                             CSS:
  .reviews
                span{
color: red;
                     }
.container__right
display: grid;
                  gap:
2rem;
} .card { padding: 2rem; display: flex;
align-items: flex-start; gap: 2rem;
background-color: var(--white); border-
radius: 1rem; box-shadow: 5px 20px
rgba(0, 0, 0, 0.2); cursor: pointer;
```

```
}
.card__content {
  display: flex;
  gap: 1rem; }
.card__details p { font-
  style: italic; color:
  var(--text-dark);
  margin-bottom: 1rem; }
.card__details h4 { text-
  align: right; color: var(--
  primary-color); font-size:
  1rem; font-weight: 500; }
.img2{ border-image-
  width: 0%
```

p 9



```
Html code:
<!DOCTYPE html>
<html lang="en">
  <head>
<title>Wedding planner and budget tracker</title>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.4/css/all.min.css">
k rel="stylesheet" href="CSE326stylesP1.css"
  </head>
  <body>
    <header class="head">
       <a href="#" class="logo">Wedding planner <span>and</span> budget tracker</a>
<nav class="navbar ">
         <a href="#" class="active">Home</a>
         <a href="#service">Service</a>
         <a href="#vendor">Vendors</a>
         <a href="#venue">Venue</a>
         <a href="#contact">Contact</a>
         <a href="#budget tracker.html">Budget tracker</a>
         <a href="#about">about </a>
       </nav>
       <div id="menu-bar"><i class="fas fa-bars"></i></div>
    </header>
```


```
@import url('https://fonts.googleapis.com/css2?family=PT+Sans:ital@0;1&display=swap');
:root {
  --clr1: rgb(21, 12, 104);
  --clr2: rgb(236, 68, 90);
  --clr3: #fff;
  --clr4: #000;
  --clr5: lightgray;
  --clr6: yellow;
}
                   padding: 0;
      margin: 0;
box-sizing: border-box;
decoration: none;
                    text-transform:
capitalize;
             font-family: 'PT Sans',
sans-serif;
             box-sizing: border-
box;
}
html {
         font-size: 56%;
overflow-x: hidden;
scroll-behavior: smooth;
}
section {
            padding:
7rem 9%;
             margin-
top: 7rem;
}
```

```
section h3 { font-size:
  3rem; color: rgb(236,
  68, 90); text-transform:
  none; text-align:
  center; letter-spacing:
  .2rem;
}
              color: white;
section p {
font-size: 1.5rem;
                   text-
transform: capitalize;
line-height: 2.5rem;
justify-content: flex-start;
}
section h4 {
              margin: 0 0 1rem
30rem; width: 40%;
                         font-
              color: #fff;
size: 4rem;
text-transform: uppercase;
text-align: center;
                     align-
items: center; letter-spacing:
         background:rgb(21,
.2rem;
12, 104);;
}
          margin-top: 2rem;
.btnn {
padding: 1.3rem 4rem;
                          font-size:
1.5rem;
           text-transform: capitalize;
```

```
letter-spacing: .1rem; font-weight:
600; color: white; background-color:
rgb(236, 68, 90); border: none;
cursor: pointer; outline: none;
}
.title {
        text-align: left;
font-family: sans-serif;
font-size: 2.5rem;
letter-spacing: .2rem;
}
.title span {
color:rgb(236, 68, 90);
font-size: 4rem;
}
.title p {
          font-
size: 1.8rem;
font-weight: 600;
color: #000;;
}
/*-header section-----*/
.head {
position: fixed;
```

```
top: 0; left: 0;
  right: 0; z-
  index: 1000;
  background:r
  gb(104, 12,
  12);
  padding:
  2rem 9%;
  display: flex;
  align-items:
  center;
  justify-
  content:
  space-
  between;
}
.head .logo {
                font-
size: 2.5rem;
                color:
white;
         font-weight:
600;
       letter-spacing:
.1rem;
}
span {
color:red;
             font-
size: 3rem;
}
```

```
.head .navbar { font-size:
2rem; justify-content: space-
between; font-weight: 500;
}
.head .navbar a { padding-
left: 1.5rem; color: white;
}
#menu-bar { display:
    none; color:
    white; }
```



Html code:

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Wedding Budget Tracker</title>
 <style>
           body {
                      font-
family: 'Arial', sans-serif;
   margin: 0;
padding: 0;
               display:
        justify-content:
flex;
           align-items:
center;
          height: 100vh;
center;
  }
  .container {
                  background-color: #fff;
box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
padding: 20px;
                   border-radius: 8px;
width: 400px;
                  text-align: center;
  }
  h1 {
color: #333;
  }
```

```
table {
             width: 100%;
margin-top: 20px;
border-collapse: collapse;
  }
  th, td {
             padding: 10px;
border-bottom: 1px solid #ddd;
  }
   th {
            background-color:
#f2f2f2;
  }
  .add-expense {
                     margin-
top: 20px;
             text-align:
center;
  }
  .add-expense input {
padding: 8px;
                 width:
60%;
  .add-expense button {
padding: 8px 20px;
background-color: #4caf50;
color: #fff;
               border: none;
cursor: pointer;
  }
.bg-image{
            background-image:
url(im6.jpg);
```

}

```
</style>
</head>
<body class="bg-image">
  <div class="bg-image"></div>
 <div class="container">
  <h1>Wedding Budget Tracker</h1>
  <thead>
    >
    Expense
    Amount
    </thead>
   <div class="add-expense">
   <input type="text" id="expenseName" placeholder="Expense Name">
   <input type="number" id="expenseAmount" placeholder="Amount">
   <button>Add Expense/button>
  </div>
 </div>
```

</body>

</html>

CSS code common:

}

```
@import url('https://fonts.googleapis.com/css2?family=PT+Sans:ital@0;1&display=swap');
:root {
  --clr1: rgb(21, 12, 104);
clr2: rgb(236, 68, 90);
  --clr3: #fff;
  --clr4: #000;
  --clr5: lightgray;
  --clr6: yellow;
}
      margin: 0;
                   padding: 0;
box-sizing: border-box;
                           text-
decoration: none;
                    text-transform:
             font-family: 'PT Sans',
capitalize;
sans-serif;
             box-sizing: border-
box;
}
html {
         font-size: 56%;
overflow-x: hidden;
scroll-behavior: smooth;
```

```
section {
           padding:
7rem 9%;
             margin-
top: 7rem;
}
section h3 {
              font-size:
        color: rgb(236,
3rem;
68, 90); text-transform:
        text-align:
none;
        letter-spacing:
center;
.2rem;
}
section p {
             color: white;
font-size: 1.5rem;
transform: capitalize;
line-height: 2.5rem;
justify-content: flex-start;
}
section h4 { margin: 0 0 1rem
30rem; width: 40%;
                         font-
              color: #fff;
size: 4rem;
text-transform: uppercase;
text-align: center;
                    align-
```

```
letter-spacing:
items: center;
.2rem;
          background:rgb(21,
12, 104);; }
.btnn {
          margin-top: 2rem;
padding: 1.3rem 4rem;
                          font-size:
           text-transform: capitalize;
1.5rem;
letter-spacing: .1rem;
                         font-weight:
600;
       color: white;
                        background-
color: rgb(236, 68, 90);
                           border:
none;
         cursor: pointer;
                            outline:
none;
}
.title {
         text-align: left;
font-family: sans-serif;
font-size: 2.5rem;
letter-spacing: .2rem;
}
.title span {
color:rgb(236, 68, 90);
font-size: 4rem;
}
.title p {
```

font-size: 1.8rem;

font-weight: 600;

color: #000;; }

REFERENCES:

https://www.w3schools.com/

https://www.youtube.com/

https://www.geeksforgeeks.org/