

R- Group 13 Assignment

Gurjeet Singh, Priyasha Duvedi, Astha Dogra, Shar Spektor, Abhinandan Umakant Jawalekar

2023-02-12

```
install.packages("r package", repos = "http://cran.us.r-project.org")
```

```
## Installing package into 'C:/Users/gurje/AppData/Local/R/win-library/4.2'  
## (as 'lib' is unspecified)
```

```
## Warning: package 'r package' is not available for this version of R  
##  
## A version of this package for your version of R might be available elsewhere,  
## see the ideas at  
## https://cran.r-project.org/doc/manuals/r-patched/R-admin.html#Installing-packages
```

```
options(repos = list(CRAN="http://cran.rstudio.com/"))  
install.packages("readxl")
```

```
## Installing package into 'C:/Users/gurje/AppData/Local/R/win-library/4.2'  
## (as 'lib' is unspecified)
```

```
## package 'readxl' successfully unpacked and MD5 sums checked
```

```
## Warning: cannot remove prior installation of package 'readxl'
```

```
## Warning in file.copy(savedcopy, lib, recursive = TRUE): problem copying  
## C:\Users\gurje\AppData\Local\R\win-library\4.2\00LOCK\readxl\libs\x64\readxl.dll  
## to C:\Users\gurje\AppData\Local\R\win-library\4.2\readxl\libs\x64\readxl.dll:  
## Permission denied
```

```
## Warning: restored 'readxl'
```

```
##  
## The downloaded binary packages are in  
## C:\Users\gurje\AppData\Local\Temp\RtmpKURLM8\downloaded_packages
```

```
install.packages("tidyverse")
```

```
## Installing package into 'C:/Users/gurje/AppData/Local/R/win-library/4.2'  
## (as 'lib' is unspecified)
```

```
## package 'tidyverse' successfully unpacked and MD5 sums checked
##
## The downloaded binary packages are in
## C:\Users\gurje\AppData\Local\Temp\RtmpKURLM8\downloaded_packages
```

```
install.packages("ggplot2")
```

```
## Installing package into 'C:/Users/gurje/AppData/Local/R/win-library/4.2'
## (as 'lib' is unspecified)
```

```
## package 'ggplot2' successfully unpacked and MD5 sums checked
##
## The downloaded binary packages are in
## C:\Users\gurje\AppData\Local\Temp\RtmpKURLM8\downloaded_packages
```

```
install.packages("rlang")
```

```
## Installing package into 'C:/Users/gurje/AppData/Local/R/win-library/4.2'
## (as 'lib' is unspecified)
```

```
## package 'rlang' successfully unpacked and MD5 sums checked
```

```
## Warning: cannot remove prior installation of package 'rlang'
```

```
## Warning in file.copy(savedcopy, lib, recursive = TRUE): problem copying
## C:\Users\gurje\AppData\Local\R\win-library\4.2\00LOCK\rlang\libs\x64\rlang.dll
## to C:\Users\gurje\AppData\Local\R\win-library\4.2\rlang\libs\x64\rlang.dll:
## Permission denied
```

```
## Warning: restored 'rlang'
```

```
##
## The downloaded binary packages are in
## C:\Users\gurje\AppData\Local\Temp\RtmpKURLM8\downloaded_packages
```

```
install.packages("dplyr")
```

```
## Installing package into 'C:/Users/gurje/AppData/Local/R/win-library/4.2'
## (as 'lib' is unspecified)
```

```
## package 'dplyr' successfully unpacked and MD5 sums checked
```

```
## Warning: cannot remove prior installation of package 'dplyr'
```

```
## Warning in file.copy(savedcopy, lib, recursive = TRUE): problem copying
## C:\Users\gurje\AppData\Local\R\win-library\4.2\00LOCK\dplyr\libs\x64\dplyr.dll
## to C:\Users\gurje\AppData\Local\R\win-library\4.2\dplyr\libs\x64\dplyr.dll:
## Permission denied
```

```
## Warning: restored 'dplyr'
```

```
##
```

```
## The downloaded binary packages are in
```

```
## C:\Users\gurje\AppData\Local\Temp\RtmpKURLM8\downloaded_packages
```

```
library(tidyverse)
```

```
## -- Attaching packages ----- tidyverse 1.3.2
```

```
## --
```

```
## v ggplot2 3.4.1      v purrr  1.0.1
```

```
## v tibble  3.1.8      v dplyr  1.1.0
```

```
## v tidyr   1.3.0      v stringr 1.5.0
```

```
## v readr   2.1.3      v forcats 1.0.0
```

```
## -- Conflicts ----- tidyverse_conflicts() --
```

```
## x dplyr::filter() masks stats::filter()
```

```
## x dplyr::lag()     masks stats::lag()
```

```
library(ggplot2)
```

```
library(dplyr)
```

```
library(rlang)
```

```
##
```

```
## Attaching package: 'rlang'
```

```
##
```

```
## The following objects are masked from 'package:purrr':
```

```
##
```

```
##      %@%, flatten, flatten_chr, flatten_dbl, flatten_int, flatten_lgl,
```

```
##      flatten_raw, invoke, splice
```

```
library(readxl)
```

```
Esports_Data_Filtered <- read_excel("C:/Users/gurje/OneDrive/Desktop/data/Esports_Data_Filtered.xlsx")
```

```
View(Esports_Data_Filtered)
```

```
#R PROGRAMMING
```

```
#Structure of the dataset
```

```
str(Esports_Data_Filtered)
```

```
## tibble [641 x 6] (S3: tbl_df/tbl/data.frame)
```

```
## $ TeamId      : num [1:641] 760 588 584 608 857 ...
```

```
## $ TeamName    : chr [1:641] "San Francisco Shock" "Finnish National Team" "Swedish National Team" ...
```

```
## $ TotalUSDPrize : num [1:641] 3105000 63000 58500 56500 54400 ...
```

```
## $ TotalTournaments: num [1:641] 7 5 5 5 3 3 4 4 2 4 ...
```

```
## $ Game        : chr [1:641] "Overwatch" "Overwatch" "Overwatch" "Overwatch" ...
```

```
## $ Genre        : chr [1:641] "First-Person Shooter" "First-Person Shooter" "First-Person Shooter" ...
```

```
#Variables in the dataset
```

```
names(Esports_Data_Filtered)
```

```
## [1] "TeamId"          "TeamName"          "TotalUSDPrize"     "TotalTournaments"
## [5] "Game"            "Genre"
```

#Top 15 rows of the dataset

```
head(Esports_Data_Filtered, n=15)
```

```
## # A tibble: 15 x 6
##   TeamId TeamName          TotalUSDPrize TotalTournaments Game      Genre
##   <dbl> <chr>                <dbl>          <dbl> <chr>    <chr>
## 1    760 San Francisco Shock    3105000          7 Overwatch Firs~
## 2    588 Finnish National Team    63000          5 Overwatch Firs~
## 3    584 Swedish National Team    58500          5 Overwatch Firs~
## 4    608 British National Team    56500          5 Overwatch Firs~
## 5    857 Toronto Defiant          54400          3 Overwatch Firs~
## 6    342 Star Horn Royal Club    52328          3 Overwatch Firs~
## 7    846 Nova eSports            50278          4 Overwatch Firs~
## 8    581 Russian National Team    49500          4 Overwatch Firs~
## 9  24788 Lowkey Esports          47500          2 Overwatch Firs~
## 10   579 German National Team    47000          4 Overwatch Firs~
## 11   599 Spanish National Team    47000          4 Overwatch Firs~
## 12   637 Taiwanese National Team  47000          4 Overwatch Firs~
## 13   663 eUnited                45750          4 Overwatch Firs~
## 14   611 NGA Club                45335          7 Overwatch Firs~
## 15   500 REUNITED                44989          29 Overwatch Firs~
```

```
Total_of_any_three_teams_tournaments = function(x,y,z){x+y+z}
Total_of_any_three_teams_tournaments(7,5,5)
```

```
## [1] 17
```

#FILTER ROWS

```
newesports = as.data.frame(filter(Esports_Data_Filtered,Esports_Data_Filtered$TotalTournaments > 5))
```

#RESHAPING

```
data.frame1 <- data.frame(
  Teamname = c("Team Liquid", "ROOT Gaming", "Team Acer"),
  TotalTournaments = c(808,610,466)
)
```

```
data.frame2 <- data.frame(
  Teamname = c("Team Liquid", "ROOT Gaming", "Team Acer"),
  TotalUSDPrize = c(1498925,627435,587934)
)
```

```
Total <- merge(data.frame1,data.frame2, by = "Teamname")
print>Total)
```

```
##   Teamname TotalTournaments TotalUSDPrize
## 1 ROOT Gaming           610         627435
## 2 Team Acer             466         587934
## 3 Team Liquid           808        1498925
```

#The following commands cover the Question 7-9 for the Assignment.

*# The Following command will Omit/Remove the missing values from data set
And create a new data set with omitted values.
#Original Data set values will remain unchanged.*

```
Esports_Data_Filtered_without_na <- na.omit(Esports_Data_Filtered)
View(Esports_Data_Filtered)
```

#The Following command will identify the rows which have duplicates and will indicate whether the row has been duplicated

```
duplicated_rows <- duplicated(Esports_Data_Filtered)
View(duplicated_rows)
```

#The following command will remove all the exact duplicates from the data set.

```
Esports_Data_Filtered_without_duplicates <- unique(Esports_Data_Filtered)
View(duplicated_rows)
```

*# The following command will reorder multiple rows in descending order.
And will create a new Data set with manipulated data.*

```
Esports_Data_Filtered_sorted_descending <- Esports_Data_Filtered[order(Esports_Data_Filtered$TeamId, decreasing = TRUE)]
View(Esports_Data_Filtered_sorted_descending)
```

#The following commands cover the Question 10-12 for the Assignment.

#The following command will change the column names

```
View(Esports_Data_Filtered)
names(Esports_Data_Filtered)[1]="TeamNumber"
names(Esports_Data_Filtered)[4]="NumberOfTournaments"
names(Esports_Data_Filtered)[4]="NumberOfTournaments"
```

*#The following command will add new column
#with some mutation*

```
Esports_Data_Filtered %>% mutate(TournamentsNew=NumberOfTournaments*2)
```

```
## # A tibble: 641 x 7
##   TeamNumber TeamName      TotalUSDPrize NumberOf~1 Game Genre Tourn~2
##   <dbl> <chr>          <dbl>      <dbl> <chr> <chr> <dbl>
## 1       760 San Francisco Shock    3105000      7 Over~ Firs~    14
## 2       588 Finnish National Team    63000      5 Over~ Firs~    10
## 3       584 Swedish National Team    58500      5 Over~ Firs~    10
## 4       608 British National Team    56500      5 Over~ Firs~    10
## 5       857 Toronto Defiant    54400      3 Over~ Firs~     6
## 6       342 Star Horn Royal Club    52328      3 Over~ Firs~     6
## 7       846 Nova eSports    50278      4 Over~ Firs~     8
## 8       581 Russian National Team    49500      4 Over~ Firs~     8
## 9      24788 Lowkey Esports    47500      2 Over~ Firs~     4
## 10      579 German National Team    47000      4 Over~ Firs~     8
## # ... with 631 more rows, and abbreviated variable names
## #   1: NumberOfTournaments, 2: TournamentsNew
```

```
install.packages("tidyverse")
```

```
## Warning: package 'tidyverse' is in use and will not be installed
```

```
Esports_Data_Filtered %>% mutate(TournamentsNew=NumberOfTournaments*2)
```

```
## # A tibble: 641 x 7
##   TeamNumber TeamName      TotalUSDPrize NumberOf~1 Game Genre Tourn~2
##   <dbl> <chr>          <dbl>      <dbl> <chr> <chr> <dbl>
## 1      760 San Francisco Shock    3105000      7 Over~ Firs~    14
## 2      588 Finnish National Team    63000      5 Over~ Firs~    10
## 3      584 Swedish National Team    58500      5 Over~ Firs~    10
## 4      608 British National Team    56500      5 Over~ Firs~    10
## 5      857 Toronto Defiant    54400      3 Over~ Firs~     6
## 6      342 Star Horn Royal Club    52328.      3 Over~ Firs~     6
## 7      846 Nova eSports    50278      4 Over~ Firs~     8
## 8      581 Russian National Team    49500      4 Over~ Firs~     8
## 9     24788 Lowkey Esports    47500      2 Over~ Firs~     4
## 10     579 German National Team    47000      4 Over~ Firs~     8
## # ... with 631 more rows, and abbreviated variable names
## #   1: NumberOfTournaments, 2: TournamentsNew
```

```
library("tidyverse")
Esports_Data_Filtered %>% mutate(TournamentsNew=NumberOfTournaments*2)
```

```
## # A tibble: 641 x 7
##   TeamNumber TeamName      TotalUSDPrize NumberOf~1 Game Genre Tourn~2
##   <dbl> <chr>          <dbl>      <dbl> <chr> <chr> <dbl>
## 1      760 San Francisco Shock    3105000      7 Over~ Firs~    14
## 2      588 Finnish National Team    63000      5 Over~ Firs~    10
## 3      584 Swedish National Team    58500      5 Over~ Firs~    10
## 4      608 British National Team    56500      5 Over~ Firs~    10
## 5      857 Toronto Defiant    54400      3 Over~ Firs~     6
## 6      342 Star Horn Royal Club    52328.      3 Over~ Firs~     6
## 7      846 Nova eSports    50278      4 Over~ Firs~     8
## 8      581 Russian National Team    49500      4 Over~ Firs~     8
## 9     24788 Lowkey Esports    47500      2 Over~ Firs~     4
## 10     579 German National Team    47000      4 Over~ Firs~     8
## # ... with 631 more rows, and abbreviated variable names
## #   1: NumberOfTournaments, 2: TournamentsNew
```

```
#The following command will generate random set of numbers
set.seed(1234)
Esports_Data_Filtered %>% sample_frac(0.75,replace = FALSE)
```

```
## # A tibble: 481 x 6
##   TeamNumber TeamName      TotalUSDPrize NumberOfTournaments Game Genre
##   <dbl> <chr>          <dbl>      <dbl> <dbl> <chr> <chr>
## 1     24746 Geek Fam    284938.      20 Dota 2 Mult~
## 2        NA <NA>          NA           NA NA <NA> <NA>
## 3      343 Royal Never Give Up    361620.      4 Arena~ Mult~
## 4        NA <NA>          NA           NA NA <NA> <NA>
## 5        NA <NA>          NA           NA NA <NA> <NA>
## 6        NA <NA>          NA           NA NA <NA> <NA>
```

```
## 7      593 Czech National Team      1500      1 Heart~ Coll~
## 8      711 Team Zenith      48217.      7 Dota 2 Mult~
## 9      NA <NA>      NA      NA <NA> <NA>
## 10     192 Gambit Esports      683780.      30 Dota 2 Mult~
## # ... with 471 more rows
```

```
Esports_Data_Filtered_new=as.data.frame(Esports_Data_Filtered %>% sample_frac(0.75,replace = FALSE))
```

#The following commands cover the Question 13-14 for the Assignment.

#The following command is used for summary stat of the data.

```
summary(Esports_Data_Filtered)
```

```
##      TeamNumber      TeamName      TotalUSDPrize      NumberOfTournaments
## Min.   :   101  Length:641      Min.   :    175      Min.   :   1.00
## 1st Qu.:   224  Class :character  1st Qu.:   40000      1st Qu.:   4.00
## Median :   494  Mode  :character  Median :  132490      Median :  13.00
## Mean   :  2961      Mean   :  817407      Mean   :  30.29
## 3rd Qu.:   706      3rd Qu.:  416233      3rd Qu.:  36.00
## Max.   :24987      Max.   :33810636      Max.   :808.00
## NA's   :168      NA's   :168      NA's   :168
##      Game      Genre
## Length:641      Length:641
## Class :character  Class :character
## Mode  :character  Mode  :character
##
##
##
##
```

For statistical functions, used na.rm - TRUE to avoid NA values from affecting the results

```
mean(Esports_Data_Filtered$TotalUSDPrize,na.rm = TRUE)
```

```
## [1] 817406.7
```

```
median(Esports_Data_Filtered$TotalUSDPrize, na.rm = TRUE)
```

```
## [1] 132489.5
```

#For mode, create a user defined function since standard function doesn't work
#Used a library modeest for mode calculation

```
mymode = function(x){
  library(modeest)
  mode = mfv(x,na_rm = TRUE)
  print(mode)
}
mymode(Esports_Data_Filtered$TotalTournaments)
```

```
## Registered S3 method overwritten by 'rmutil':
## method      from
## print.response httr
```

```
## Warning: Unknown or uninitialised column: 'TotalTournaments'.
```

```
## [1] NaN
```

```
view(Esports_Data_Filtered$NumberOfTournaments)
#The following command will show the range.
range(Esports_Data_Filtered$TotalTournaments,na.rm = TRUE)
```

```
## Warning: Unknown or uninitialised column: 'TotalTournaments'.
```

```
## Warning in min(x, na.rm = na.rm): no non-missing arguments to min; returning
## Inf
```

```
## Warning in max(x, na.rm = na.rm): no non-missing arguments to max; returning
## -Inf
```

```
## [1] Inf -Inf
```


```
view(Esports_Data_Filtered)
#The following commands cover the Question 15-17 for the Assignment.

# The following code will Plot a scatter plot for any 2 variables in data set
Esports_Data_Filtered
```

```
## # A tibble: 641 x 6
##   TeamNumber TeamName      TotalUSDPrize NumberOfTournam~1 Game Genre
##   <dbl> <chr>          <dbl>          <dbl> <chr> <chr>
## 1      760 San Francisco Shock    3105000      7 Over~ Firs~
## 2      588 Finnish National Team    63000      5 Over~ Firs~
## 3      584 Swedish National Team    58500      5 Over~ Firs~
## 4      608 British National Team    56500      5 Over~ Firs~
## 5      857 Toronto Defiant    54400      3 Over~ Firs~
## 6      342 Star Horn Royal Club    52328.      3 Over~ Firs~
## 7      846 Nova eSports    50278      4 Over~ Firs~
## 8      581 Russian National Team    49500      4 Over~ Firs~
## 9     24788 Lowkey Esports    47500      2 Over~ Firs~
## 10      579 German National Team    47000      4 Over~ Firs~
## # ... with 631 more rows, and abbreviated variable name 1: NumberOfTournaments
```

```
x<-Esports_Data_Filtered$TotalUSDPrize
y<-Esports_Data_Filtered$NumberOfTournaments
ggplot(data.frame(x,y), aes(x=x,y=y))+ geom_point()
```

```
## Warning: Removed 168 rows containing missing values ('geom_point()').
```


The Following command will Plot a bar plot for any 2 variables in data set

Esports_Data_Filtered

```
## # A tibble: 641 x 6
##   TeamNumber TeamName      TotalUSDPrize NumberOfTournamen~1 Game Genre
##   <dbl> <chr>          <dbl>          <dbl> <chr> <chr>
## 1       760 San Francisco Shock      3105000          7 Over~ Firs~
## 2       588 Finnish National Team      63000          5 Over~ Firs~
## 3       584 Swedish National Team      58500          5 Over~ Firs~
## 4       608 British National Team      56500          5 Over~ Firs~
## 5       857 Toronto Defiant      54400          3 Over~ Firs~
## 6       342 Star Horn Royal Club      52328          3 Over~ Firs~
## 7       846 Nova eSports      50278          4 Over~ Firs~
## 8       581 Russian National Team      49500          4 Over~ Firs~
## 9      24788 Lowkey Esports      47500          2 Over~ Firs~
## 10       579 German National Team      47000          4 Over~ Firs~
## # ... with 631 more rows, and abbreviated variable name 1: NumberOfTournaments
```

```
agg_data <- as.data.frame(aggregate(TotalUSDPrize ~ TeamNumber, data = Esports_Data_Filtered, sum))
barplot(agg_data$TotalUSDPrize ~ agg_data$TeamNumber,
        xlab = "TeamNumber",
        ylab = "Total USD Prize",
        main = "Bar Plot of Total USD Prize by TeamNumber",
        col = c("red", "blue", "green"))
```

Bar Plot of Total USD Prize by TeamNumber



The Following command will find the correlation between 2 variables via linear regression model
`view(Esports_Data_Filtered)`

`Esports_Data_Filtered`

```
## # A tibble: 641 x 6
##   TeamNumber TeamName      TotalUSDPrize NumberOfTournament~1 Game Genre
##   <dbl> <chr>          <dbl>          <dbl> <chr> <chr>
## 1       760 San Francisco Shock      3105000          7 Over~ Firs~
## 2       588 Finnish National Team       63000          5 Over~ Firs~
## 3       584 Swedish National Team       58500          5 Over~ Firs~
## 4       608 British National Team       56500          5 Over~ Firs~
## 5       857 Toronto Defiant       54400          3 Over~ Firs~
## 6       342 Star Horn Royal Club       52328          3 Over~ Firs~
## 7       846 Nova eSports       50278          4 Over~ Firs~
## 8       581 Russian National Team       49500          4 Over~ Firs~
## 9      24788 Lowkey Esports       47500          2 Over~ Firs~
## 10       579 German National Team       47000          4 Over~ Firs~
## # ... with 631 more rows, and abbreviated variable name 1: NumberOfTournaments
```

```
plot(Esports_Data_Filtered$TotalUSDPrize, Esports_Data_Filtered$NumberOfTournaments)
model <- lm(NumberOfTournaments ~ TotalUSDPrize, data = Esports_Data_Filtered)
summary(model)
```

##

```
## Call:
## lm(formula = NumberOfTournaments ~ TotalUSDPrize, data = Esports_Data_Filtered)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -157.99  -22.18  -14.61    4.96   773.67
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  2.544e+01  2.453e+00  10.372 < 2e-16 ***
## TotalUSDPrize 5.931e-06  8.985e-07   6.601  1.1e-10 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 50.9 on 471 degrees of freedom
## (168 observations deleted due to missingness)
## Multiple R-squared:  0.08469,    Adjusted R-squared:  0.08274
## F-statistic: 43.58 on 1 and 471 DF,  p-value: 1.1e-10
```

```
abline(model, col = "red")
```

