

Unknown Title



 Description

Description

 Note

Note

 Editorial

Editorial

 Solutions

Solutions

 Submissions

Submissions

</>

Code

Code



Testcase

Testcase

>_

Test Result

Test Result



Leet

Leet

x

[224. Basic Calculator](#)

Hard



Topics



Companies

Given a string `s` representing a valid expression, implement a basic calculator to evaluate it, and return *the result of the evaluation*.

Note: You are **not** allowed to use any built-in function which evaluates strings as mathematical expressions, such as `eval()`.

Example 1:

Input: `s = "1 + 1"`

Output: 2

Example 2:

Input: `s = " 2-1 + 2 "`

Output: 3


Example 3:

Input: `s = "(1+(4+5+2)-3)+(6+8)"`

Output: 23

Constraints:

- $1 \leq s.length \leq 3 \times 10^5$
- `s` consists of digits, '+', '-', '(', ')', and ' '.
- `s` represents a valid expression.
- '+' is **not** used as a unary operation (i.e., "+1" and "+(2 + 3)" is invalid).
- '-' could be used as a unary operation (i.e., "-1" and "-(2 + 3)" is valid).
- There will be no two consecutive operators in the input.
- Every number and running calculation will fit in a signed 32-bit integer.



Seen this question in a real interview before?

1/6

Yes

No

Accepted

715,224/1.5M

Acceptance Rate

46.9%



Companies



Discussion (224)



</>



Discussion Rules

×

1. Please don't post **any solutions** in this discussion.

2. The problem discussion is for asking questions about the problem or for sharing tips - anything except for solutions.
3. If you'd like to share your solution for feedback and ideas, please head to the solutions tab and post it there.




[anonydon89](#)



Feb 06, 2023

a basic calculator shouldnt be allowed to have parenthesis.



Read more



579




10



[Dennis Otwoma](#)

Mar 13, 2024

I have solved this problem successfully and now I can't even remember my own name



Read more



349



10




[renol](#)



Dec 25, 2023

stupid calculator



Read more



195




[zzandland](#)



Nov 19, 2022

Damn should have read the description first. I thought multiplication and division were also part of the requirements and implemented that as well..



Read more



189



7




[suuuuperbai](#)



Jun 12, 2024

The description makes me forget there could be number bigger than 9 🐼



Read more



110



2




[Tjism](#)



Oct 02, 2023

There must be an example with multi digit numbers , so coder can know beforehand .



Read more



147




3



If first item is not number or bracket, just add 0 ..it makes it much easier.

"-2+ 1" becomes 0 - 2 + 1



Read more




74



2



Sat for the whole day to figure out its solution,
Got it using simple recursion and a bunch of conditionals.
Just to figure out it was NOT enough to pass tests 43 and onwards.
Confused whether I should be glad to find out the "at least working" solution, or should sit
for another day to get this problem done :c



Read more



44



[lkwq007](#)



Sep 11, 2021


Input:

"-2+ 1"

"- (3 + (4 + 5))"

However, the problem clearly states that

| '-' could be used as a unary operation but it has to be inside parentheses



Read more



52



2



[TheAsh](#)

Sep 17, 2019

I think that the problem description should include information on the desired efficiency. I'm probably not the only one who first designed a working solution that got rejected after test 36 because of its runtime, and then had to go back and write a solution in $O(N)$. I find it frustrating when information that can be easily added to the problem statement has to be inferred from test cases. Regarding this problem, just adding something along the lines of "just make a single pass on the input string" would be fine.



Read more



28



3



Copyright © 2026 LeetCode. All rights reserved.



40 Online

1

2

3

4

5

```
class Solution {
```

```
public int calculate(String s) {
```

```
}
```

```
}
```



Saved

Ln 1, Col 1

You must run your code first



Stuck? Leet guides you through every line.

[Subscribe to Premium](#)

 Qwen

 Qwen3.5-Plus



FindHeaderBarSize

FindTabBarSize

FindBorderBarSize