

Unknown Title



 Description

Description

 Note

Note

  Editorial

Editorial

 Solutions

Solutions

 Submissions

Submissions

</>

Code

Code



Testcase

Testcase

>_

Test Result

Test Result



Leet

Leet

x

[92. Reverse Linked List II](#)

Medium




Topics



Companies

Given the **head** of a singly linked list and two integers **left** and **right** where **left** $\leq$ **right**, reverse the nodes of the list from position **left** to position **right**, and return *the reversed list*.

Example 1:



Input: head = [1,2,3,4,5], left = 2, right = 4

Output: [1,4,3,2,5]

Example 2:


Input: head = [5], left = 1, right = 1

Output: [5]

Constraints:

- The number of nodes in the list is n .
- $1 \leq n \leq 500$
- $-500 \leq \text{Node.val} \leq 500$
- $1 \leq \text{left} \leq \text{right} \leq n$

Follow up: Could you do it in one pass?



Seen this question in a real interview before?

1/6

Yes

No

Accepted

1,342,980/2.6M

Acceptance Rate

51.7%



Topics



[Linked List](#)



Companies



Similar Questions



[Reverse Linked List](#)

Easy



Discussion (254)



</>



Discussion Rules

×

1. Please don't post **any solutions** in this discussion.
2. The problem discussion is for asking questions about the problem or for sharing tips - anything except for solutions.


3. If you'd like to share your solution for feedback and ideas, please head to the solutions tab and post it there.



[zeroand1only](#)

Dec 30, 2022

What the hell? so the Left and Right are 1-based POSITIONS, not node.val? who the hell uses 1-based positions.



Read more



544



Show 26 Replies



Reply




[Sameer Trivedi](#)



Jul 27, 2023

Wasted so much time coding up the solution assuming that left and right are node values. Who would've guessed they are indices (with 1 based indexing btw). And to confuse you even more they have come up with the most ambiguous first test case.



Read more



308



Show 7 Replies



Reply




[pqow16](#)



Jul 20, 2023

This problem should explicitly state that it is 1-indexed



Read more



188



Show 1 Replies



Reply




[ALSVenky.](#)



Sep 06, 2023

So, this is a Linked list week.

By the way, Happy Janmastami :)



Read more



382



Show 9 Replies




Reply



[Dmitry Popov](#)

Feb 29, 2024

I spent maybe 3 hours to solve this problem. Sometimes I think that I am stupid (:



Read more



111



Show 10 Replies



Reply




[Kush](#)



Sep 06, 2023

Who writes these discriptions and examples? The left and right are indices, not node.vals... wouldve been great to know before wasting my time.



Read more



60



Show 2 Replies



Reply



[RajHarsh](#)



Oct 03, 2022

What you can do here is:


step 1: create dummy node and put address of head int it next;

step2: find node at place (left-1 and right);

step3: reverse left node to right node;

step4: put address of node at left->next in right->next && store head of reverse node(i.e right) address in next of node at (left-1) position;

step 5: if left is node at head then send dummy->next; else send head;



Read more

Tip



61



Show 4 Replies



Reply




[uzia35](#)



Sep 07, 2023

I think the first example is confusing people, it should probably have different numbers, left and right being numbers would make this question much harder if you had to account for duplicates with no constraints specifying so.



Read more



29



Reply



[zhizhipaint](#)

Mar 09, 2014


My submission failed for this test case, but unless I misunderstood the question, I think mine is actually the expected output?

Submission Result: Wrong Answer

Input: {1,2,3,4}, 1, 4

Output: {4,2,3,1}

Expected: {4,3,2,1}



Read more



26



Show 5 Replies



Reply



[LeetCanCode](#)



Sep 07, 2023

Few more test cases:

[1,2,3,4,5]

2

4

[5]

1

1

[1,2,3,4,5]

2

3

[1,2,3,4,5]

2

2

[1,2,3,4,5]

1

4

[1,2,3,4,5]

1

5

[1,2,3,4,5]

5

5

[1,2]

1

2



Read more



28



Show 3 Replies



Reply

Copyright © 2026 LeetCode. All rights reserved.



70 Online

1

2

3

4

5

6

7

8

9

10

11

12

13

/**

* Definition for singly-linked list.

```

* public class ListNode {
*     int val;
*     ListNode next;
*     ListNode() {}
*     ListNode(int val) { this.val = val; }
*     ListNode(int val, ListNode next) { this.val =
val; this.next = next; }
* }
*/

class Solution {
    public ListNode reverseBetween(ListNode head, int
left, int right) {

```



Saved

Ln 1, Col 1

You must run your code first



Stuck? Leet guides you through every line.

[Subscribe to Premium](#)

 Qwen

 Qwen3.5-Plus



FindHeaderBarSize

FindTabBarSize

FindBorderBarSize