


2020 – 2021
YILI
WEB PROGRAMLAMA
YIL SONU
PROJE SUNUM
DOSYASI

OKUL NUMARASI : 16060424
AD : GÜRKAN
SOYAD : KIR
PROJE ADI : BENİM KÖYÜM
YOUTUBE VİDEO LİNKİ :
<https://www.youtube.com/watch?v=3iLMaTJwlgs>


HOME SAYFA TASARIMI



HOME SAYFASI KAYNAK KOD

```
eclipse-workspace - BenimKoyum/WebContent/Views/Home.jsp - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Home.jsp Home
1 <%@ page language="java" contentType="text/html; charset=ISO-8859-1"
2   pageEncoding="ISO-8859-1"%>
3 <!DOCTYPE html>
4<html>
5<head>
6 <meta charset="ISO-8859-1">
7 <title>Home</title>
8   <link rel="stylesheet" href="../css/Home.css">
9   <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
10  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.4.1/css/all.css" integrity="s
11
12 </head>
13<body>
14
15
16
17   <%@ include file="Header.jsp" %>
18
19   <%@ include file="Carousel.jsp" %>
20
21   <%@ include file="AnaMenu.jsp" %>
22
23   <%@ include file="Content.jsp" %>
24
25   <%@ include file="Footer.jsp" %>
26
27
28
29
30
31
32   <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js" integrity="sha384-J6qa4849bLE2+poT4
33   <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js" integrity="sha3
34   <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js" integrity="sh
35
36 </body>
37 </html>
```


HOME SAYFASINDA Kİ ÜRÜNLER



KAYNAK KOD

```
eclipse-workspace - BenimKoyum/WebContent/Views/homeUrun.jsp - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Homejsp Home homeUrun.jsp
1 <%@page import ="Controller.urunController,Model.urunModel,java.util.*"%>
2
3 <%
4
5     String uk=request.getParameter("urunKodu");
6     String urunFotograf=request.getParameter("urunFotograf");
7     String urunAd=request.getParameter("urunAdi");
8     String uf=request.getParameter("urunFiyati");
9
10    if((uk!=null) && (urunFotograf!=null) && (urunAd!=null) && (uf!=null)){
11
12        int urunKodu=Integer.valueOf(uk);
13        int urunFiyati=Integer.valueOf(uf);
14        List<urunModel> sepetim= (List<urunModel>)session.getAttribute("sepet");
15        if(sepetim==null){
16            sepetim=new ArrayList<>();
17        }
18
19        urunModel sepetUrun=new urunModel(urunKodu,urunFotograf,urunAd,urunFiyati);
20        sepetim.add(sepetUrun);
21        session.setAttribute("sepet",sepetim);
22
23    }
24
25
26
27
28 %>
```


GİRİŞ SAYFA TASARIMI



GİRİŞ SAYFASI KAYNAK KODU

A screenshot of the Eclipse IDE interface. The title bar says 'eclipse-workspace - BenimKoyum/WebContent/Views/girisControl.jsp - Eclipse IDE'. The menu bar includes File, Edit, Source, Refactor, Navigate, Search, Project, Run, Window, Help. The toolbar has various icons for file operations. The main editor area shows the JSP code for 'girisControl.jsp'. The code imports 'Model.uyeModel' and 'Controller.uyeController'. It retrieves 'kullaniciAdi' and 'sifre' from the request parameters. It creates a new 'uyeModel' object and a 'uyeController' object. It then calls the 'control' method of the controller. If the result is true, it sets a session attribute 'session' to 'true', creates a cookie 'username' with the value 'kullaniciAdi', sets its max age to 60 days, adds it to the response, and sends a redirect to 'Home.jsp'. If the result is false, it creates a cookie 'username' with the value 'false', sets its max age to 60 days, adds it to the response, sets the session attribute 'session' to 'false', and sends a redirect to 'uyeGiris.jsp'. The code uses JSP syntax with scriptlets and comments.


KAYIT EKRANI SAYFA TASARIMI




KAYIT EKRANI KAYNAK KOD

```
eclipse-workspace - BenimKoyum/WebContent/Views/kayitControl.jsp - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Home.jsp Home kayitControl.jsp
1 <%@ page import="Controller.uyeController,Model.uyeModel,java.util.*"%>
2
3
4<%
5
6     boolean result=false;
7
8     String kullaniciAdi = request.getParameter("kullaniciAdi");
9     String sifre = request.getParameter("sifre");
10    String ad = request.getParameter("ad");
11    String soyad = request.getParameter("soyad");
12    String eMail = request.getParameter("eMail");
13
14    uyeController uDao=new uyeController();
15    List<uyeModel> uyeler=uDao.readingData();
16
17    for(uyeModel uye:uyeler) {
18
19        if(uye.getKullaniciAdi().equals(kullaniciAdi)) {
20
21            result=true;
22            break;
23        }
24    }
25
26    if(result) {
27
28        session.setAttribute("kayit","true");
29        response.sendRedirect("uyeKayit.jsp");
30    }
31    else {
32
33        session.setAttribute("kayit","false");
34        uyeModel uModel=new uyeModel(kullaniciAdi,ad,soyad," ",eMail,sifre," "," ");
35        uDao.Add(uModel);
36        response.sendRedirect("uyeKayit.jsp");
37    }
38
39 %>
```

MENU KISMI TASARIMI



HESAP AYARLARI SAYFA TASARIMI




MÜŞTERİ SİPARİŞ SAYFASI

The screenshot shows a web browser window with the URL `localhost / 127.0.0.1 / benimkoy...`. The page has a header with a logo (GK), a search bar, and navigation links: 'Hesap Ayarları', 'Tüm Kategoriler', 'Yeni Ürünler', 'İndirimekiler', 'Çok Satanlar', 'Hikayemiz', and 'İletişim'. A modal window is open, displaying order details: 'Siparis Numarası : @numara', 'Siparis Tarihi : @tarih', and 'Teslim Edildi'. It also shows a thumbnail of a product, the price '@300 ₺', and a progress bar with four stages: 'İşleme Alındı' (red), 'Hazırlanıyor' (yellow), 'Kargo Verildi' (green), and 'Teslim Edildi' (blue). Below the modal, there's a 'iletisim' section and a footer with various service icons like 'ÜCRETSİZ KARGO', '7/24 ONLINE DESTEK', 'GUVENLİ ÖDEME', and 'EKONOMİK VE HESAPLI'.

MÜŞTERİ ŞİFRE GÜNCELLEME EKRANI

The screenshot shows a web browser window with the URL `localhost / 127.0.0.1 / benimkoy...`. The page structure is identical to the previous one, with a header, navigation links, and a modal window for password change. The modal contains fields for 'Eski Sifre', 'Yeni Sifre', and 'Yeni Sifre Tekrar'. A large 'Degistir' button is at the bottom. Below the modal, there's a 'iletisim' section and a footer with service icons.


SEPET TASARIM SAYFASI



SEPETİM SAYFASI KAYNAK KOD

```
eclipse-workspace - BenimKoyum/WebContent/Views/Sepetim.jsp - Eclipse IDE
File Edit Source Refactor Navigate Project Run Window Help
Home.jsp Home Sepetim.jsp
29
30<%
31 String urk=request.getParameter("urunk");
32 if(urk!=null){
33
34     int sepetUrunkSil=Integer.valueOf(urk);
35     List<urunModel> sepetim= (List<urunModel>)session.getAttribute("sepet");
36     if(sepetim!=null){
37
38         for(urunModel u:sepetim){
39
40             if(u.getUrunkodu()==sepetUrunkSil){
41
42                 sepetim.remove(u);
43                 break;
44             }
45         }
46
47         session.setAttribute("sepet", sepetim);
48     }
49
50
51     List<urunModel> sepetim= (List<urunModel>)session.getAttribute("sepet");
52
53
54
55     if(sepetim==null){
56
57         sepetim=null;
58     }
59
60
61 <%
62
63<div class="row mx-auto" style="width: 100%;margin-top:200px">
64
65
66<div class="col-2 ">
67
68</div>
69
70
71
72     <%int sayac=0; %>
```

ÖDEME EKRANI SAYFA TASARIMI



ÖDEME EKRANI SAYFASI KAYNAK KOD

```
eclipse-workspace - BenimKoyum/WebContent/Views/odemecontrol.jsp - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Home.jsp Home odemecontrol.jsp
1 <%@page import ="Controller.siparisController,Model.siparisModel,java.util.*" %>
2
3<%
4
5     String tip=request.getParameter("tip");
6     if(tipi==null){
7
8         siparisController siparisdb=new siparisController();
9         Date simdikiZaman = new Date();
10        String cookieName = "username";
11        Cookie cookies [] = request.getCookies();
12        Cookie myCookie = null;
13        if (cookies != null){
14
15            for (int i = 0; i < cookies.length; i++){
16
17                if (cookies [i].getName().equals(cookieName)){
18
19                    myCookie = cookies[i];
20                    break;
21                }
22            }
23        }
24        siparisModel siparis=new siparisModel(simdikiZaman.toString(),"false","false","false",tip,myCookie.getValue());
25
26        siparisdb.Add(siparis);
27        session.setAttribute("sepet",null);
28
29        session.setAttribute("onay", "true");
30        session.setMaxInactiveInterval();
31        response.sendRedirect("OdemeSayfasi.jsp");
32    }
33
34 %>
```

ÇIKIŞ YAP BUTONU KAYNAK KODU


eclipse-workspace - BenimKoyum/WebContent/Views/cikisyap.jsp - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help


Home.jsp Home Content.jsp cikisyap.jsp

```
1<%>
2
3     String cookieName = "username";
4     Cookie cookies [] = request.getCookies();
5     Cookie myCookie = null;
6     if (cookies != null){
7
8         for (int i = 0; i < cookies.length; i++){
9
10            if (cookies [i].getName().equals(cookieName)){
11
12                myCookie = cookies[i];
13                break;
14            }
15        }
16    }
17    myCookie.setValue("false");
18    myCookie.setMaxAge(60*60*24);
19    response.addCookie(myCookie);
20    session.invalidate();
21    response.sendRedirect("Home.jsp");
22 %>
```

Writable



YÖNETİCİ PANELİ GİRİŞ EKRANI SAYFA TASARIMI



YÖNETİCİ PANELİ SAYFASI

MÜSTERİ CRUD İŞLEMLERİ

A screenshot of a web browser window showing the customer management page. The page features a dark header with a search bar and navigation links for 'Musteriler', 'Kategoriler', 'Urunler', 'Siparisler', and 'Yoneticiler'. Below the header is a section titled 'Musteriler' containing a table of customer data. The table has columns for 'kullanici Adi', 'Adi', 'Soyadi', 'Telefon', 'Email', 'Sifre', 'Sehir', 'ilce', 'Adres', and 'islemler'. Two rows of data are shown, each with 'Guncelle' and 'Sil' buttons. Below the table is a section titled 'Kategoriler' with a 'Kategori Ekle' button. The page is set against a dark background with light-colored text and buttons.

KATEGORİLER CRUD İŞLEMLERİ

The screenshot shows a web-based administration panel for managing categories. At the top, there's a header bar with user information (Kullanıcı Adı: asd55, Soyadı: omu55, Email: gurkan.kir@bil.omu.edu.tr) and navigation links (Müşteriler, Kategoriler, Ürünler, Siparisler, Yöneticiler). Below the header, there's a search bar and a button labeled 'Arrowseit'. The main content area has two tabs: 'Kategoriler' (Categories) and 'Ürünler' (Products). The 'Kategoriler' tab is active, displaying a table with three rows:

Kategori Numarası	Kategori adı	İşlemler
5	ballar	Güncelle Sil
6	soslar	Güncelle Sil
7	peynirler	Güncelle Sil

At the bottom of the page, there's a Windows taskbar with icons for File Explorer, Mail, and other applications.

ÜRÜNLER CRUD İŞLEMLERİ

The screenshot shows a web-based administration panel for managing products. At the top, there's a header bar with user information (Kullanıcı Adı: asd55, Soyadı: omu55, Email: gurkan.kir@bil.omu.edu.tr) and navigation links (Müşteriler, Kategoriler, Ürünler, Siparisler, Yöneticiler). Below the header, there's a search bar with placeholder text 'Aradığınız ürünü giriniz' and a button labeled 'Guncelle Sil'. The main content area has two tabs: 'Ürünler' (Products) and 'Siparisler' (Orders). The 'Ürünler' tab is active, displaying a table with two rows:

Ürün Kodu	Ürün Adı	Detay	Fiyat	Adet	Fotograf	Ozel Kategori	Kategori	İşlemler
5	bal	kaliteli baldır?	52	5		5	5	Güncelle Sil
7	kasar peyniri	2 yıllık peynirdir	42	22		7	7	Güncelle Sil

At the bottom of the page, there's a Windows taskbar with icons for File Explorer, Mail, and other applications.

YÖNETİCİ SİPARİŞLERİ GÖRÜNTÜLEME

The screenshot shows a web browser window with the URL `localhost:8081/BenimKoyum/admin/adminpanel.jsp`. The page title is "adminPaneli". The main content area displays a table of orders with columns: Order ID, Order Date, Received Status, Preparation Status, Shipment Status, Payment Type, and Customer ID. The table contains 8 rows of order data. At the top of the page, there is a search bar with placeholder text "Aradığınız urunu giriniz" and a button labeled "Ara". There are also buttons for "Sil" (Delete), "Guncelle" (Update), and "Cikis Yap" (Logout). Below the table, there are navigation links for "Musteriler", "Kategoriler", "Urunler", "Siparisler", and "Yoneticerler". The bottom of the screen shows a Windows taskbar with various icons.


Siparis Kodu	Siparis Tarihi	isleme Alinma	Hazirlanma	Kargolanma	Teslim	Odeme Tipi	Musteri Kodu
70	Sun May 10 09:48:19 EET 2020	false	false	false	false	havale	crayzboy55
71	Sun May 10 09:49:38 EET 2020	false	false	false	false	krediKarti	crayzboy55
72	Sun May 10 19:18:35 EET 2020	false	false	false	false	krediKarti	crayzboy55
73	Sun May 10 19:26:19 EET 2020	false	false	false	false	havale	crayzboy55
74	Mon May 11 00:57:25 EET 2020	false	false	false	false	krediKarti	omu55
75	Fri May 15 18:09:29 EET 2020	false	false	false	false	havale	omu55
76	Fri May 15 18:30:26 EET 2020	false	false	false	false	kapidaOdeme	omu55
77	Fri May 15 22:52:39 EET 2020	false	false	false	false	krediKarti	omu55

YÖNETİCİ CRUD İŞLEMLERİ

The screenshot shows a web browser window with the URL `localhost:8081/BenimKoyum/admin/adminpanel.jsp`. The page title is "adminPaneli". The main content area displays a table of users with columns: User ID, User Name, Password, and Actions. The table contains 6 rows of user data. At the top of the page, there is a search bar with placeholder text "Aradığınız ürünü giriniz" and a button labeled "Ara". There are also buttons for "Sil" (Delete) and "Guncelle" (Update). Below the table, there are navigation links for "Musteriler", "Kategoriler", "Urunler", "Siparisler", and "Yoneticerler". The bottom of the screen shows a Windows taskbar with various icons.

Yonetici Kodu	Yonetici Adi	Sifre	islemler
73	root	root55	Guncelle Sil
74	web	web123	Guncelle Sil

MODEL VE CONTROLLER DOSYALARI



VERİ TABANI BAĞLANTISI İÇİN GEREKEN KAYNAK KODLAR

```
1 package Controller;
2
3 import java.sql.Connection;
4
5
6
7
8 public class databaseConnection {
9
10
11     public String host = "localhost";
12     public int port = 3306;
13     public String db_ismi ="benimKoyum";
14     public String kullanici_adi ="root";
15     public String parola =" ";
16     public String databaseType="com.mysql.jdbc.Driver";
17     public String url="jdbc:mysql://"+host+":"+port+"/"+db_ismi+","+kullanici_adi+","+parola;
18     public PreparedStatement ps=null;
19     public Connection con=null;
20
21
22
23
24 }
```

VERİ TABANI İŞLEMLERİ İÇİN KULLANILAN KODLAR

```
public List<uyeModel> readingData(){

    try {
        String sorgu="SELECT * FROM uye";
        Class.forName("com.mysql.jdbc.Driver");
        con=DriverManager.getConnection("jdbc:mysql://localhost:3306/benimKoyum","root","");
        ps=con.prepareStatement(sorgu);
        ResultSet rs=ps.executeQuery();
        List<uyeModel> liste=new ArrayList<>();
        while(rs.next())
        {
            uyeModel uye=new uyeModel(rs.getString("kullaniciAdi"),rs.getString("ad"),rs.getString("soyad"),
                rs.getString("telefon"),rs.getString("eMail"),rs.getString("sifre"),
                rs.getString("sehir"),rs.getString("ilce"),rs.getString("adres"));

            liste.add(uye);
        }
        return liste;
    }
    catch (ClassNotFoundException | SQLException exception) {
        System.out.println("Bir hata meydana geldi:"+exception);
        return null;
    }
    finally{
        try {
            if(con!=null){
                con.close();
            }
            if(ps!=null){
                ps.close();
            }
        } catch (SQLException sqlException) {
            System.out.println("Bir hata meydana geldi:"+sqlException);
        }
    }
}
}
```

MÜŞTERİ EKLEME

```
public void Add(uyeModel uyemodel){

    try {
        String sorgu="INSERT INTO uye(kullaniciAdi,ad,soyad,telefon,eMail,sifre,sehir,ilce,adres) VALUES(?,?,?,?,?,?,?,?,?)";
        Class.forName("com.mysql.jdbc.Driver");
        con=DriverManager.getConnection("jdbc:mysql://localhost:3306/benimKoyum","root","");
        ps=con.prepareStatement(sorgu);

        ps.setString(1, uyemodel.getKullaniciAdi());
        ps.setString(2, uyemodel.getAd());
        ps.setString(3, uyemodel.getSoyad());
        ps.setString(4, uyemodel.getTelefon());
        ps.setString(5, uyemodel.geteMail());
        ps.setString(6, uyemodel.getSifre());
        ps.setString(7, uyemodel.getSehir());
        ps.setString(8, uyemodel.getIlce());
        ps.setString(9, uyemodel.getAdres());

        ps.executeUpdate();
    }
    catch(ClassNotFoundException | SQLException exception)
    {
        System.out.println(exception);
        setErrorMessage(exception.toString());
    }
    finally
    {
        try {
            if(con!=null){
                con.close();
            }
            if(ps!=null){
                ps.close();
            }
        } catch(SQLException sqlException)
        {
            System.out.println(sqlException);
        }
    }
}
}
```

MÜŞTERİ SILME

```
public void Remove(uyeModel uyemodel){

    try {
        String sorgu="DELETE FROM uye WHERE kullaniciAdi=?";
        Class.forName("com.mysql.jdbc.Driver");
        con=DriverManager.getConnection("jdbc:mysql://localhost:3306/benimKoyum","root","");
        ps=con.prepareStatement(sorgu);
        ps.setString(1,uyemodel.getKullaniciAdi());
        ps.executeUpdate();
    }

    catch(ClassNotFoundException | SQLException exception)
    {
        System.out.println(exception);
        setErrorMessage(exception.toString());
    }
    finally
    {
        try {
            if(con!=null){
                con.close();
            }
            if(ps!=null){
                ps.close();
            }
        }
        catch(SQLException sqlException)
        {
            System.out.println(sqlException);
        }
    }
}

}
```

MÜŞTERİ GÜNCELLEME

```
public void Update(uyeModel uyemodel){

    try {
        String sorgu="UPDATE uye SET ad=?,soyad=?,telefon=?,eMail=?,sifre=?,sehir=?,ilce=?,adres=? WHERE kullaniciAdi=?";
        Class.forName("com.mysql.jdbc.Driver");
        con=DriverManager.getConnection("jdbc:mysql://localhost:3306/benimKoyum","root","");
        ps=con.prepareStatement(sorgu);

        ps.setString(1, uyemodel.getAd());
        ps.setString(2, uyemodel.getSoyad());
        ps.setString(3, uyemodel.getTelefon());
        ps.setString(4, uyemodel.getMail());
        ps.setString(5, uyemodel.getSifre());
        ps.setString(6, uyemodel.getSehir());
        ps.setString(7, uyemodel.getIlce());
        ps.setString(8, uyemodel.getAdres());
        ps.setString(9, uyemodel.getKullaniciAdi());

        ps.executeUpdate();
    }

    catch(ClassNotFoundException | SQLException exception)
    {
        System.out.println(exception);
        setErrorMessage(exception.toString());
    }
    finally
    {
        try {
            if(con!=null){
                con.close();
            }
            if(ps!=null){
                ps.close();
            }
        }
        catch(SQLException sqlException)
        {
            System.out.println(sqlException);
        }
    }
}
```

MÜŞTERİ MODEL SINIFI KAYNAK KODLAR

```
1 package Model;
2
3 public class uyeModel {
4
5     private String kullaniciAdi;
6     private String ad;
7     private String soyad;
8     private String telefon;
9     private String eMail;
10    private String sifre;
11    private String sehir;
12    private String ilce;
13    private String adres;
14
15
16    public uyeModel(String kullaniciAdi, String ad, String soyad, String eMail, String sifre) {
17
18        this.kullaniciAdi = kullaniciAdi;
19        this.ad = ad;
20        this.soyad = soyad;
21        this.eMail = eMail;
22        this.sifre = sifre;
23    }
24
25}
```

MYSQL VERİ TABANI TABLOLARI

The screenshot shows the phpMyAdmin interface for a MySQL database named 'benimkoyum'. The left sidebar lists databases like 'benimkoyum', 'Yeni', 'information_schema', 'mysql', 'performance_schema', 'phpmyadmin', and 'test'. The main area displays the structure of the 'benimkoyum' database, specifically the 'tablolar' (tables) section. It lists five tables: 'kategori', 'siparis', 'urun', 'uye', and 'yönetici'. Each table entry includes icons for 'Gözat', 'Yapı', 'Ara', 'Ekle', 'Boşalt', and 'Kaldır'. A table header row shows columns for 'Tablo', 'Eylem', 'Satır', 'Türü', 'Karşılaştırma', 'Boyut', and 'Ek Yük'. Below the table, there's a search bar and a 'Toplam' (Total) button. At the bottom, there's a 'Tablo oluştur' (Create Table) form with fields for 'Adı' (Name) and 'Sütun sayısı' (Number of columns), and a 'Git' (Go) button.

KATEGORİLER TABLOSU

The screenshot shows the phpMyAdmin interface for the 'benimkoyum' database. The left sidebar shows tables like 'benimkoyum', 'Yeni', 'kategori', 'siparis', 'urun', 'uye', and 'yonetici'. The main area displays the 'kategori' table with 3 rows:

	kategoriId	kategoriAdi
	5	ballar
	6	soslar
	7	peynirler

Below the table, there are buttons for 'Tümünü işaretle' (Select All), 'Seçilleri:' (Selected), and 'Düzenle' (Edit). The bottom section shows the SQL query used:

```
SELECT * FROM `kategori`
```

SİPARİŞLER TABLOSU

The screenshot shows the phpMyAdmin interface for the 'benimkoyum' database. The left sidebar shows tables like 'benimkoyum', 'Yeni', 'kategori', 'siparis', 'urun', 'uye', and 'yonetici'. The main area displays the 'siparis' table with 10 rows:

	siparisKodu	siparisTarihi	islemle	hazirlanma	kargolanma	teslim	odemeTipi	uyeKullaniciAdi
	70	Sun May 10 09:48:19 EET 2020	false	false	false	false	havale	crazzboy55
	71	Sun May 10 09:49:38 EET 2020	false	false	false	false	krediKarti	crazzboy55
	72	Sun May 10 19:18:35 EET 2020	false	false	false	false	krediKarti	crazzboy55
	73	Sun May 10 19:26:19 EET 2020	false	false	false	false	havale	crazzboy55
	74	Mon May 11 00:57:25 EET 2020	false	false	false	false	krediKarti	omu55
	75	Fri May 15 08:09:29 EET 2020	false	false	false	false	havale	omu55
	76	Fri May 15 18:30:26 EET 2020	false	false	false	false	kapidaOdeme	omu55
	77	Fri May 15 22:52:39 EET 2020	false	false	false	false	krediKarti	omu55
	81	Sat May 16 21:14:04 EET 2020	false	false	false	false	kapidaOdeme	omu55
	82	Sun May 17 14:07:12 EET 2020	false	false	false	false	kapidaOdeme	omu55

Below the table, there are buttons for 'Tümünü işaretle' (Select All), 'Seçilleri:' (Selected), and 'Düzenle' (Edit). The bottom section shows the SQL query used:

```
SELECT * FROM `siparis`
```

ÜRÜNLER TABLOSU

The screenshot shows the phpMyAdmin interface for the 'benimkoyum' database. The left sidebar lists databases, tables, and other schema objects. The main area displays the 'siparis' table with 10 rows of data. The columns are: siparisKodu, siparisTarihi, Isleme, hazirlanma, kargolanma, teslim, odemeTipi, and uyeKullaniciAdi. The data includes various dates from May 2020 and user IDs like crayzboy55, krediKarti, omu55, and kapidaOdeme.


siparisKodu	siparisTarihi	Isleme	hazirlanma	kargolanma	teslim	odemeTipi	uyeKullaniciAdi
70	Sun May 10 09:48:19 EET 2020	false	false	false	false	havale	crayzboy55
71	Sun May 10 09:49:38 EET 2020	false	false	false	false	krediKarti	crayzboy55
72	Sun May 10 19:35 EET 2020	false	false	false	false	krediKarti	crayzboy55
73	Sun May 10 19:26:19 EET 2020	false	false	false	false	havale	crayzboy55
74	Mon May 11 00:57:25 EET 2020	false	false	false	false	krediKarti	omu55
75	Fri May 15 18:09:29 EET 2020	false	false	false	false	havale	omu55
76	Fri May 15 18:30:26 EET 2020	false	false	false	false	kapidaOdeme	omu55
77	Fri May 15 22:52:39 EET 2020	false	false	false	false	krediKarti	omu55
81	Sat May 16 21:14:04 EET 2020	false	false	false	false	kapidaOdeme	omu55
82	Sun May 17 14:07:12 EET 2020	false	false	false	false	kapidaOdeme	omu55

MÜŞTERİLER TABLOSU

This screenshot is identical to the one above, showing the 'benimkoyum' database in phpMyAdmin. It displays the same 'siparis' table with 10 rows of data, listing purchase codes, dates, and payment details for users crayzboy55, krediKarti, omu55, and kapidaOdeme.

siparisKodu	siparisTarihi	Isleme	hazirlanma	kargolanma	teslim	odemeTipi	uyeKullaniciAdi
70	Sun May 10 09:48:19 EET 2020	false	false	false	false	havale	crayzboy55
71	Sun May 10 09:49:38 EET 2020	false	false	false	false	krediKarti	crayzboy55
72	Sun May 10 19:35 EET 2020	false	false	false	false	krediKarti	crayzboy55
73	Sun May 10 19:26:19 EET 2020	false	false	false	false	havale	crayzboy55
74	Mon May 11 00:57:25 EET 2020	false	false	false	false	krediKarti	omu55
75	Fri May 15 18:09:29 EET 2020	false	false	false	false	havale	omu55
76	Fri May 15 18:30:26 EET 2020	false	false	false	false	kapidaOdeme	omu55
77	Fri May 15 22:52:39 EET 2020	false	false	false	false	krediKarti	omu55
81	Sat May 16 21:14:04 EET 2020	false	false	false	false	kapidaOdeme	omu55
82	Sun May 17 14:07:12 EET 2020	false	false	false	false	kapidaOdeme	omu55

YÖNETİCİLER TABLOSU



SUNUMUMUZ BURADA
TAMAMLANMIŞTIR ...