



# URL Whitelisting Guide

India Production Tenant

---

Quilr AI | Adapt AI Securely

Version 2025.02.14

## Table of Contents

---

1. Overview
2. Prerequisites
3. URLs to Whitelist
4. Key Fields / Reference
5. Validation and Testing
6. Troubleshooting
7. Summary

### 1. Overview

---

This guide lists all URLs that must be whitelisted (allowed) in your network environment for Quilr AI to function correctly on the India Production Tenant. Share this document with your network/security team so they can add these URLs to the firewall, proxy, or web gateway allow-list before deployment begins.

#### Purpose

- Ensure all Quilr AI service endpoints are reachable from user endpoints
- Prevent connectivity failures caused by blocked domains
- Provide a single reference for network teams to validate URL accessibility

### 2. Prerequisites

---

| Requirement      | Details                                                              |
|------------------|----------------------------------------------------------------------|
| Network Access   | Firewall, proxy, or web gateway admin access to add allow-list rules |
| HTTPS (Port 443) | All URLs below require outbound HTTPS on port 443                    |
| DNS Resolution   | Endpoints must be able to resolve the listed domains                 |

### 3. URLs to Whitelist

---

The following URLs must be whitelisted in your firewall, proxy, or web gateway to ensure Quilr AI services function correctly on the India Production Tenant.

#### 3.1 Core URLs

| URL                                                                                             | Purpose                                      |
|-------------------------------------------------------------------------------------------------|----------------------------------------------|
| <a href="https://platform.quilrai.com">https://platform.quilrai.com</a>                         | Quilr AI Console (Admin & Policy Management) |
| <a href="https://platform.quilrai.com/ext-beoauth">https://platform.quilrai.com/ext-beoauth</a> | Browser Extension Authentication             |
| <a href="https://quilr-extensions.quilrai.com">https://quilr-extensions.quilrai.com</a>         | Extension Updates & Downloads                |
| <a href="https://dlp-platform.quilrai.com">https://dlp-platform.quilrai.com</a>                 | DLP Engine Endpoint                          |

## 3.2 Granular URLs (If Full-Domain Whitelisting Not Permitted)

If your organization restricts full-domain whitelisting, enable the following specific paths:

### Common

- <https://quilr-extensions.quilrai.com/<tenant-uuid>/manifest.xml>
- <https://quilr-extensions.quilrai.com/<tenant-uuid>/vanguard.crx>

### Windows

- <https://quilr-extensions.quilrai.com/browser-agent/prod/windows/quilr-installer.zip>
- <https://quilr-extensions.quilrai.com/browser-agent/prod/windows/64/update.json>
- <https://quilr-extensions.quilrai.com/browser-agent/prod/windows/64/quilr-native-messaging-agent-windows.zip>
- [https://aka.ms/vc14/vc\\_redist.x64.exe](https://aka.ms/vc14/vc_redist.x64.exe)

### macOS

- <https://quilr-extensions.quilrai.com/browser-agent/prod/mac/silicon/update.json>
- <https://quilr-extensions.quilrai.com/browser-agent/prod/mac/intel/update.json>
- <https://quilr-extensions.quilrai.com/browser-agent/prod/mac/silicon/quilr-native-messaging-agent-mac-dir.zip>
- <https://quilr-extensions.quilrai.com/browser-agent/prod/mac/intel/quilr-native-messaging-agent-mac-dir.zip>



Replace <tenant-uuid> with your actual tenant UUID. If you do not have your tenant ID, check with Quilr AI Support to obtain it.

## 4. Key Fields / Reference

| Field                | Value                                                                                           |
|----------------------|-------------------------------------------------------------------------------------------------|
| Tenant Type          | India Production                                                                                |
| Console URL          | <a href="https://platform.quilrai.com">https://platform.quilrai.com</a>                         |
| Extension Auth URL   | <a href="https://platform.quilrai.com/ext-beoauth">https://platform.quilrai.com/ext-beoauth</a> |
| Extension Update URL | <a href="https://quilr-extensions.quilrai.com">https://quilr-extensions.quilrai.com</a>         |
| DLP URL              | <a href="https://dlp-platform.quilrai.com">https://dlp-platform.quilrai.com</a>                 |
| VC++ Redistributable | <a href="https://aka.ms/vc14/vc_redist.x64.exe">https://aka.ms/vc14/vc_redist.x64.exe</a>       |

## 5. Validation and Testing

Open each URL in a browser to verify it is not blocked. Any HTTP response confirms accessibility.

| Step | URL                                                                                             | Expected Result                |
|------|-------------------------------------------------------------------------------------------------|--------------------------------|
| 1    | <a href="https://platform.quilrai.com">https://platform.quilrai.com</a>                         | Page loads (any HTTP response) |
| 2    | <a href="https://platform.quilrai.com/ext-beoauth">https://platform.quilrai.com/ext-beoauth</a> | Domain resolves and responds   |
| 3    | <a href="https://quilr-extensions.quilrai.com">https://quilr-extensions.quilrai.com</a>         | Domain resolves and responds   |
| 4    | <a href="https://dlp-platform.quilrai.com">https://dlp-platform.quilrai.com</a>                 | Domain resolves and responds   |
| 5    | <a href="https://aka.ms/vc14/vc_redist.x64.exe">https://aka.ms/vc14/vc_redist.x64.exe</a>       | Download starts or page loads  |



Any HTTP response (200, 301, 403, 404, etc.) confirms the URL is not blocked. A connection timeout or DNS failure indicates the URL is blocked and needs to be whitelisted.

## 6. Troubleshooting

| Issue                           | Resolution                                                 |
|---------------------------------|------------------------------------------------------------|
| URL returns connection timeout  | URL is likely blocked - add to firewall/proxy allow-list   |
| DNS resolution failure          | Domain not resolvable - check DNS settings or proxy config |
| SSL/TLS certificate error       | Proxy may be stripping certificates - add exception        |
| URL blocked by web gateway      | Add the domain to web gateway allow-list category          |
| Path blocked but domain allowed | Switch to full-domain whitelisting or add individual path  |

## 7. Summary

| # | URL                                                                                             | Purpose              |
|---|-------------------------------------------------------------------------------------------------|----------------------|
| 1 | <a href="https://platform.quilrai.com">https://platform.quilrai.com</a>                         | Console              |
| 2 | <a href="https://platform.quilrai.com/ext-beoauth">https://platform.quilrai.com/ext-beoauth</a> | Extension Auth       |
| 3 | <a href="https://quilr-extensions.quilrai.com">https://quilr-extensions.quilrai.com</a>         | Extension Updates    |
| 4 | <a href="https://dlp-platform.quilrai.com">https://dlp-platform.quilrai.com</a>                 | DLP Engine           |
| 5 | <a href="https://aka.ms/vc14/vc_redist.x64.exe">https://aka.ms/vc14/vc_redist.x64.exe</a>       | VC++ Redistributable |