



MDM Installation Guide

Quilr AI Browser Agent Deployment via Intune & JAMF

Quilr AI | Adapt AI Securely

Version 2026.02.15

Table of Contents

1. Overview
2. Prerequisites
3. Part 1 - Package Installation via Intune (Windows)
4. Part 2 - Package Installation via Intune (macOS)
5. Part 3 - Chrome Extension Deployment via Intune
6. Part 4 - Package Installation via JAMF (macOS)
7. Part 5 - Chrome Extension Deployment via JAMF
8. Key Fields / Reference
9. Validation and Testing
10. Troubleshooting
11. Summary

1. Overview

This guide provides step-by-step instructions for deploying the Quilr AI Browser Agent across your organization using Mobile Device Management (MDM) solutions. It covers deployment via Microsoft Intune (Windows & macOS) and JAMF Pro (macOS).

The Quilr AI Browser Agent enables secure, AI-aware browsing protection across enterprise endpoints. Deployment can be performed via installer packages pushed through MDM or Chrome extension policies added to existing browser management configurations.

Benefits

- Centralized deployment across all managed endpoints
- Zero end-user interaction required during installation
- Consistent security posture across Windows and macOS devices
- Compatible with existing MDM policies and extension management
- Silent installation support for minimal disruption

2. Prerequisites

Requirement	Details
Quilr AI Tenant	Active Quilr AI tenant with valid subscription
Tenant ID	Your unique Quilr AI tenant identifier (e.g., acme-corp)
Microsoft Intune Access	Global Administrator or Intune Administrator role
JAMF Pro Access	Administrator access to JAMF Pro console
Network Access	Endpoints must reach quilr-extensions.quilr.ai

Chrome Browser	Google Chrome installed on target endpoints
Operating System	Windows 10/11 (64-bit) or macOS 12+ (Intel or Apple Silicon)



Identify your macOS hardware architecture (Apple Silicon vs Intel) before downloading the correct installer package.

3. Part 1 - Package Installation via Intune (Windows)

Step 1: Download the Windows Installer

1. Download the Quilr AI Windows installer from:

```
https://quilr-extensions.quilr.ai/browser-agent/prod/windows/QuilrInstaller.exe
```

2. Save the file to a local directory (e.g., C:\Temp\QuilrInstaller.exe).

Step 2: Prepare the Win32 App Package

1. Download the Microsoft Win32 Content Prep Tool from Microsoft's GitHub repository.
2. Run the tool to convert the EXE into an .intunewin package:

```
IntunewinAppUtil.exe -c C:\Temp -s QuilrInstaller.exe -o C:\Temp\Output
```

3. The output file QuilrInstaller.intunewin will be created in the output directory.

Step 3: Add the App in Microsoft Intune

1. Log in to the Microsoft Intune admin center at <https://intune.microsoft.com>.
2. Navigate to Apps > All apps > Add.
3. Select App type as Windows app (Win32) and click Select.
4. Upload the QuilrInstaller.intunewin package file.

Step 4: Configure App Information

Field	Value
Name	Quilr AI Browser Agent
Description	Quilr AI Browser Agent for secure AI-aware browsing
Publisher	Quilr AI
App Version	Latest
Category	Security

Step 5: Configure Installation Commands

Field	Value
Install command	QuilrInstaller.exe --tenant <TENANT_ID>
Uninstall command	QuilrInstaller.exe /uninstall
Install behavior	System

- i** Replace <TENANT_ID> with your actual Quilr AI tenant identifier. The --tenant flag associates the agent with your organization during installation.

Step 6: Configure Detection Rules

1. Select Manually configure detection rules.
2. Add a rule with the following settings:

Setting	Value
Rule type	File
Path	C:\Program Files\Quilr AI
File or folder	QuilrBrowserAgent.exe
Detection method	File or folder exists

Step 7: Assign the App

1. Under Assignments, click Add group under Required.
2. Select the device groups or user groups for deployment.
3. Click Review + create to deploy the app.

- i** Deploy to a pilot group first before rolling out to the entire organization.

4. Part 2 - Package Installation via Intune (macOS)

Step 1: Download the macOS Installer

Download the appropriate installer for your hardware architecture:

Architecture	Download URL
Apple Silicon (M1/M2/M3/M4)	https://quilr-extensions.quilr.ai/browser-agent/prod/mac/silicon/QuilrInstaller.pkg
Intel	https://quilr-extensions.quilr.ai/browser-agent/prod/mac/intel/QuilrInstaller.pkg

- i** Ensure you select the correct architecture. Deploying the wrong package will result in installation failure or degraded performance.

Step 2: Configure Tenant Before Installation

Before deploying the PKG, a pre-install script must set the tenant configuration on each device:

```
echo "tenant = <TENANT_ID>" > /tmp/agent.conf
```

- i** Replace <TENANT_ID> with your actual Quilr AI tenant identifier. This file is read by the installer to associate the agent with your organization.

In Intune, deploy this as a shell script to the same device group before the PKG deployment, or bundle it as a pre-install script within the package.

Step 3: Add the App in Microsoft Intune

1. Log in to the Microsoft Intune admin center at <https://intune.microsoft.com>.
2. Navigate to Apps > All apps > Add.
3. Select App type as macOS app (PKG) and click Select.
4. Upload the QuilrInstaller.pkg file.

Step 4: Configure App Information

Field	Value
Name	Quilr AI Browser Agent (macOS)
Description	Quilr AI Browser Agent for secure AI-aware browsing
Publisher	Quilr AI
Minimum OS	macOS 12.0




Figure 1: Intune - macOS App Information configuration

Step 5: Configure Detection Rules

The PKG installer will be auto-detected by Intune. Verify the app bundle identifier is listed correctly.

Step 6: Assign the App

1. Under Assignments, click Add group under Required.
2. Select the device groups or user groups for deployment.
3. Click Review + create to deploy.

i If your organization has both Apple Silicon and Intel Macs, create two separate app entries in Intune with appropriate assignment filters for each architecture.

5. Part 3 - Chrome Extension Deployment via Intune

Deploy the Quilr AI Chrome extension using a pre-configured JSON policy file downloaded from the Quilr AI portal. This is the simplest approach - no manual extension ID or manifest URL configuration required.

Step 1: Download Configuration from Quilr AI Portal

1. Log in to the Quilr AI portal.
2. Navigate to Settings > Browser Extension > Deployment tab.
3. Under deployment method, select MDM (Device Management Software).
4. Select your MDM provider: Microsoft Intune.
5. Select the Browser (e.g., Chrome) and OS (e.g., Microsoft Windows).
6. Click Download Config File to download the JSON configuration file.




Figure 2: Quilr AI Portal - Settings > Browser Extension > Deployment > Download Config File

i The downloaded JSON contains all necessary extension settings pre-configured for your tenant. No manual editing is required.

Step 2: Navigate to Devices Configuration in Intune

1. Log in to the Microsoft Intune admin center at <https://intune.microsoft.com>.
2. In the left panel, click Devices.
3. Under Manage devices, select Configuration.




Figure 3: Intune - Devices > Configuration page with Import Policy option

Step 3: Import the Policy

1. At the top of the Devices | Configuration page, click the Create dropdown.
2. Select Import Policy.
3. In the Import policy (preview) panel:
 - Click Browse for files and select the JSON configuration file downloaded from the Quilr AI portal.
 - Under New name, enter a policy title (e.g., Windows Quilr Extension Policy).
 - Under New description, enter a brief description (e.g., Policy for deploying Quilr extension).
4. Click Save.




Figure 4: Intune - Import Policy panel with config file, name, and description

Field	Example Value
Policy file	Quilr_Extension_Deployment_Configuration_chrome.json
New name	Windows Quilr Extension Policy

New description

Policy for deploying Quilr extension

Step 4: Assign the Policy

1. Open the newly created policy from the Configuration list.
2. Under Assignments, click Add group under Required.
3. Select the device groups or user groups that should receive the extension.
4. Click Save.




Figure 5: Intune - Configuration Profiles list with imported policy



The extension will be force-installed on Chrome at the next policy sync and cannot be removed by end users.

6. Part 4 - Package Installation via JAMF (macOS)

Step 1: Download the macOS Installer

Download the appropriate PKG installer (same URLs as Part 2):

Architecture	Download URL
Apple Silicon (M1/M2/M3/M4)	https://quilr-extensions.quilr.ai/browser-agent/prod/mac/silicon/QuilrInstaller.pkg
Intel	https://quilr-extensions.quilr.ai/browser-agent/prod/mac/intel/QuilrInstaller.pkg

Step 2: Upload the Package to JAMF Pro

1. Log in to your JAMF Pro console.
2. Navigate to Settings > Computer Management > Packages.
3. Click New to create a new package entry.
4. Upload the QuilrInstaller.pkg file.

Field	Value
Display Name	Quilr AI Browser Agent
Category	Security
Filename	QuilrInstaller.pkg

Step 3: Configure Tenant Before Installation

Create a script in JAMF to set the tenant configuration on target devices before the PKG runs:

```
#!/bin/bash
echo "tenant = <TENANT_ID>" > /tmp/agent.conf
```

1. Navigate to Settings > Computer Management > Scripts.
2. Click New and paste the above script (replacing <TENANT_ID> with your tenant identifier).
3. Save the script as Quilr AI Tenant Config.

i This script must run before the PKG installer. Add it to the deployment policy in the next step with Priority: Before.

Step 4: Create a Policy for Deployment

1. Navigate to Computers > Policies.
2. Click New to create a new policy.
3. Configure the General settings:

Setting	Value
Display Name	Deploy Quilr AI Browser Agent
Trigger	Recurring Check-in
Execution Frequency	Once per computer

4. Under Scripts, click Configure and add the Quilr AI Tenant Config script with Priority: Before.
5. Under Packages, click Configure and add the uploaded PKG.
6. Set Action to Install.

Step 5: Define the Scope

1. Under Scope, define which computers should receive the installation.
2. Add target computers, computer groups, or buildings as needed.

Step 6: Enable and Save

1. Ensure the policy is Enabled.
2. Click Save to activate the deployment.

i Use a Smart Group to target the correct architecture (Apple Silicon vs Intel) and create separate policies for each if needed.

7. Part 5 - Chrome Extension Deployment via JAMF

Deploy the Quilr AI Chrome extension on macOS devices managed by JAMF Pro using a pre-configured .mobileconfig file downloaded from the Quilr AI portal.

Step 1: Download the .mobileconfig File from Quilr AI Portal

1. Log in to the Quilr AI portal.
2. Navigate to Settings > Browser Extension > Deployment tab.
3. Under deployment method, select MDM (Device Management Software).
4. Select your MDM provider: Jamf.
5. Select the Browser (e.g., Chrome) and OS (e.g., macOS).
6. Click Download Config File to download the .mobileconfig file.



The downloaded .mobileconfig file contains all the necessary Chrome extension settings pre-configured for your tenant. No manual editing is required.

Step 2: Navigate to Configuration Profiles in JAMF Pro

1. Log in to your JAMF Pro console.
2. On the left pane, navigate to Computers > Configuration Profiles.
3. Click Upload.




Figure 6: JAMF Pro - Computers > Configuration Profiles with Upload button

Step 3: Upload the .mobileconfig File

1. Select the downloaded .mobileconfig file and upload it.
2. After successful upload, the configuration profile name will be auto-populated.
3. Add a Description if needed (e.g., Managed Quilr extension deployment for Chrome browser).
4. Other settings remain unchanged:

Field	Value
Name	Quilr Extension MAC Deployment (auto-populated)
Description	Managed Quilr extension deployment for Chrome browser
Category	None

Level	Computer Level
Distribution Method	Install Automatically

Figure 7: JAMF Pro - New macOS Configuration Profile with auto-populated settings

Step 4: Define Scope

1. Go to the Scope tab.
2. Define the target users, computers, or any exclusions for selective deployment.

Step 5: Save and Deploy

1. Click Save.
2. Deployment is complete. Press the back arrow and check the deployment status to verify.



The extension will be force-installed on Chrome at the next JAMF check-in and cannot be removed by end users.

8. Key Fields / Reference

Field / Parameter	Value
Extension ID	piajhjhghgijgkddhdpgbjdcfhmammbk
Manifest URL Pattern	https://quilr-extensions.quilr.ai/<TENANT_ID>/manifest.xml
Windows Installer	https://quilr-extensions.quilr.ai/browser-agent/prod/windows/QuilrInstaller.exe
macOS Installer (Silicon)	https://quilr-extensions.quilr.ai/browser-agent/prod/mac/silicon/QuilrInstaller.pkg
macOS Installer (Intel)	https://quilr-extensions.quilr.ai/browser-agent/prod/mac/intel/QuilrInstaller.pkg
Chrome Preference Domain	com.google.Chrome
Windows Install Command	QuilrInstaller.exe --tenant <TENANT_ID>
macOS Tenant Config	echo "tenant = <TENANT_ID>" > /tmp/agent.conf

9. Validation and Testing

Windows Validation

1. Open Chrome on a target Windows device.
2. Navigate to `chrome://extensions`.
3. Verify the Quilr AI extension is listed and shows "Installed by enterprise policy."
4. Check that the Quilr AI Browser Agent process is running in Task Manager.

macOS Validation

1. Open Chrome on a target macOS device.
2. Navigate to `chrome://extensions`.
3. Verify the Quilr AI extension is listed and enabled.
4. Open Activity Monitor and confirm the Quilr AI Browser Agent process is active.

Intune Validation

1. In the Intune admin center, navigate to Apps > Monitor > App install status.
2. Verify that the Quilr AI Browser Agent shows as Installed for targeted devices.

JAMF Validation

1. In JAMF Pro, navigate to Computers > Search Inventory.
2. Check that the Quilr AI Browser Agent appears in the Applications inventory.
3. Review the policy logs to confirm successful execution.

10. Troubleshooting

Issue	Possible Cause	Resolution
Extension not appearing in Chrome	Policy not synced	Force a policy sync from Intune/JAMF and restart Chrome
Extension shows 'Update URL invalid'	Incorrect tenant ID	Verify the <TENANT_ID> in the manifest URL matches your tenant
Windows installer fails	Package not wrapped correctly	Re-run Win32 Content Prep Tool and re-upload .intunewin file
macOS PKG install fails	Wrong architecture package	Verify device architecture and deploy correct PKG (Silicon vs Intel)
Extension installs but shows errors	Network connectivity issue	Ensure endpoints can reach quilr-extensions.quilr.ai over HTTPS (443)
JAMF policy not executing	Scope misconfigured	Verify Smart Group criteria and ensure devices are in scope
Install not working	Missing --tenant flag	Ensure install command includes --tenant <TENANT_ID>
Extension removable by user	Not force-installed	Ensure extension is in force-install list, not recommended list

11. Summary

Step	Action	Platform	Method
1	Download Quilr AI Installer (EXE)	Windows	Intune Win32 App
2	Wrap EXE as .intunewin and deploy	Windows	Intune
3	Download Quilr AI Installer (PKG)	macOS	Intune / JAMF
4	Upload PKG and create deployment policy	macOS	Intune / JAMF
5	Add Chrome extension to force-install policy	Win / macOS	Intune Config Profile
6	Add Chrome extension to JAMF preferences	macOS	JAMF Config Profile
7	Validate installation on endpoints	All	Chrome Extensions Page