



Manual Installation Guide

Quilr AI Browser Agent - Desktop Installer

Quilr AI | Adapt AI Securely

Version 2026.02.15

Table of Contents

1. Overview
2. Prerequisites
3. Part 1 - Windows Installation
4. Part 2 - macOS Installation
5. Key Fields / Reference
6. Validation and Testing
7. Troubleshooting
8. Summary

1. Overview

This guide provides step-by-step instructions for manually installing the Quilr AI Browser Agent on Windows and macOS endpoints. Manual installation is recommended when automated deployment is not available or for individual workstation setups.

Benefits

- Full control over the installation process
- Ideal for small-scale or individual deployments
- Simple step-by-step process with minimal prerequisites
- Supports both Windows and macOS (Intel & Apple Silicon)

2. Prerequisites

Ensure the following requirements are met before proceeding with the installation.

Requirement	Details
Operating System	Windows 10/11 (64-bit) or macOS 11+ (Intel or Apple Silicon)
Administrator Access	Local admin rights required for installation
Quilr AI Tenant ID	Provided by your Quilr AI administrator or support team
Supported Browser	Google Chrome, Microsoft Edge, or other Chromium-based browser
Internet Connection	Required during installation for agent registration
Disk Space	Minimum 200 MB free space



If you do not have your Tenant ID, contact the Quilr AI support team before proceeding with the installation.

3. Part 1 - Windows Installation

Step 1: Download the Installer

1. Download the Quilr AI Windows installer from the link below:

```
https://quilr-extensions.quilr.ai/browser-agent/prod/windows/QuilrInstaller.exe
```

2. Save the file to a known location (e.g., your Downloads folder).

Step 2: Run the Installer as Administrator

1. Navigate to the downloaded QuilrInstaller.exe file.
2. Right-click on the file and select "Run as administrator".
3. If prompted by User Account Control (UAC), click Yes to allow the installer to run.

i The installer must be run with administrator privileges. Running without admin rights will cause the installation to fail.

Step 3: Enter the Tenant ID

1. The installer will display the Quilr Installer dialog prompting you to enter your Tenant ID.




Figure 1: Quilr Installer - Enter Tenant ID prompt on Windows

2. Enter the Tenant ID provided by your administrator in the Enter Tenant ID field.
3. Optionally, check "Pin extension to toolbar" to keep the Quilr AI extension visible in your browser toolbar.
4. Click "OK" to proceed with the installation.

i If you do not have your Tenant ID, contact the Quilr AI support team for assistance.

Step 4: Wait for Installation to Complete

1. The installer will download required components and configure the Quilr AI Browser Agent.
2. Wait for the installation progress to complete.
3. Once finished, a confirmation message will appear.

Alternative: Command-Line Installation (Windows)

You can also install the Quilr AI Browser Agent silently via the command line. Open Command Prompt or PowerShell as Administrator and run:

```
QuilrInstaller.exe --tenant <tenant_id>
```

Example:

```
QuilrInstaller.exe --tenant a1b2c3d4-e5f6-7890-abcd-ef1234567890
```



Replace <tenant_id> with your actual Quilr AI Tenant ID. This method is useful for scripted or bulk deployments.

Step 5: Validate the Windows Installation

1. Restart your browser (close all browser windows and reopen).
2. Verify the Quilr AI extension appears in your browser's extension list.
3. Open Task Manager (Ctrl + Shift + Esc) and confirm the Quilr AI native process is running.

4. Part 2 - macOS Installation

Step 1: Download the Installer

Download the appropriate installer for your Mac hardware:

Mac Type	Download Link
Apple Silicon (M1/M2/M3/M4)	https://quilr-extensions.quilr.ai/browser-agent/prod/mac/silicon/QuilrInstaller.pkg
Intel-based Mac	https://quilr-extensions.quilr.ai/browser-agent/prod/mac/intel/QuilrInstaller.pkg



To check your Mac type, click the Apple menu > "About This Mac". If it says "Apple M1/M2/M3/M4", use the Silicon installer. Otherwise, use the Intel installer.

Step 2: Run the Installer Package

1. Navigate to the downloaded QuilrInstaller.pkg file.
2. Double-click the .pkg file to launch the installer.
3. If prompted with a security warning, go to System Settings > Privacy & Security and click "Open Anyway".
4. Follow the on-screen instructions and provide your macOS password when prompted.

Step 3: Enter the Tenant ID

1. The installer will prompt you to enter your Quilr AI Tenant ID.
2. Enter the Tenant ID provided by your administrator.
3. Click "Continue" to proceed with the installation.



If you do not have your Tenant ID, contact the Quilr AI support team for assistance.

Step 4: Wait for Installation to Complete

1. The installer will configure the Quilr AI Browser Agent on your system.
2. Wait for the installation to finish.
3. A success message will confirm the installation is complete.

Alternative: Command-Line Installation (macOS)

You can also install the Quilr AI Browser Agent via Terminal. Open Terminal and run the following commands:

Step 1: Create the agent configuration file

```
echo "tenant = <tenant_id>" > /tmp/agent.conf
```

Step 2: Run the package installer

For Apple Silicon (M1/M2/M3/M4):

```
sudo installer -pkg QuilrInstaller.pkg -target /
```

For Intel-based Mac:

```
sudo installer -pkg QuilrInstaller.pkg -target /
```

Full example (Apple Silicon):

```
echo "tenant = a1b2c3d4-e5f6-7890-abcd-ef1234567890" > /tmp/agent.conf  
sudo installer -pkg QuilrInstaller.pkg -target /
```



Replace <tenant_id> with your actual Quilr AI Tenant ID. The agent.conf file must be created before running the installer so the agent can read the tenant configuration.

Step 5: Validate the macOS Installation

1. Restart your browser (close all browser windows and reopen).
2. Verify the Quilr AI extension appears in your browser's extension list.
3. Open Activity Monitor (Applications > Utilities > Activity Monitor) and confirm the Quilr AI process is running.

5. Key Fields / Reference

Field / Parameter	Description	Example
Tenant ID	Unique identifier for your Quilr AI organization	a1b2c3d4-e5f6-7890-abcd-ef1234567890

Windows Installer	EXE installer for Windows endpoints	QuilrInstaller.exe
macOS Installer (Silicon)	PKG installer for Apple Silicon Macs	QuilrInstaller.pkg
macOS Installer (Intel)	PKG installer for Intel-based Macs	QuilrInstaller.pkg
Browser Extension	Quilr AI extension auto-added to browser	Visible in extension toolbar
Native Process (Windows)	Background service on Windows	Visible in Task Manager
Native Process (macOS)	Background service on macOS	Visible in Activity Monitor

6. Validation and Testing

After installation, perform the following checks to confirm the Quilr AI Browser Agent is properly installed and operational.

Validation Check	How to Verify	Expected Result
Browser Extension	Open browser > Extensions menu	Quilr AI extension is listed and enabled
Native Process (Windows)	Open Task Manager (Ctrl+Shift+Esc)	Quilr AI process is running
Native Process (macOS)	Open Activity Monitor	Quilr AI process is running
Browser Restart	Close and reopen browser	Extension loads automatically

7. Troubleshooting

Issue	Possible Cause	Resolution
Installer fails to run	Insufficient privileges	Right-click > "Run as administrator" (Windows) or enter admin password (macOS)
Tenant ID not accepted	Incorrect or expired Tenant ID	Verify the Tenant ID with your Quilr AI administrator
Extension not visible	Browser not restarted	Close all browser windows and reopen the browser
Native process not running	Installation incomplete	Re-run the installer and check for error messages
macOS security warning	Unidentified developer	System Settings > Privacy & Security > "Open Anyway"
Wrong macOS installer	Incorrect architecture	Check Mac type via Apple menu > "About This Mac"
Installation hangs	Network connectivity issue	Check internet connection and retry the installation

8. Summary

The following table summarizes all installation steps for quick reference.

Step	Action	Platform
1	Check prerequisites and obtain Tenant ID	Both
2	Download the appropriate installer	Both
3	Run installer with admin privileges	Both
4	Enter Tenant ID when prompted	Both
5	Wait for installation to complete	Both
6	Restart browser and validate setup	Both