# **Case Report: Stocking Sets**

# **Prepared for**

Brenda Sims Kitchen Showroom Floor Saleswoman Furniture City

Date: November 23, 2016

by Gurpal Bisra, Maja Peralta, and Barend Lotter Centre for Operations Excellence

# 1 Executive Summary

Brenda Sims, the saleswoman on the kitchen showroom floor of Furniture City, is concerned her company is losing customer goodwill and business because of stock-outs. Brenda discovered 80% of her orders for kitchen sets couldn't be filled as the local warehouse was overstocked with unpopular items and understocked with popular ones. A new inventory policy is required, with data-driven solutions pitched to management, to prevent customer delays and revenue loss due to wasted warehouse space. Our services were requested to formulate an integer programming model to maximize the total number of kitchen sets Furniture City stocks in the local warehouse and, consequently, their number of customer orders.

This report discusses the binary integer programming models we formulated under various scenarios and our recommendations for Brenda Sims to optimize their warehouse stocking strategy to influence management to accept a new inventory policy. We first considered how to maximize the number of kitchen sets Furniture City can stock in the local warehouse given the current space requirements. All analysis re based on the assumptions that inventory is replenished immediately.

For this scenario, we found that the maximum number of kitchen sets that could be stocked is four. The solution we provided is not unique and various combinations of items can be chosen to obtain a maximum objective value of four. Next, we reformulated our integer programming model, to include additional space that was made available by discontinuing the nursery set range. We found that the additional space enabled us to stock one more kitchen set (five in total). Furthermore, we also evaluated the potential inventory if all the space previously assigned to the nursery sets was made available for extra kitchen sets. We found that this additional space enabled us to stock a maximum of six kitchen sets. Finally, we discuss how the inventory policy will be affected by the kitchen sets which cannot be replenished immediately.

Our analysis was conducted while meeting the following requirements:

- 1. Binary Constraint: The values of  $x_i$  and y are binary.
- 2. Light Fixtures: A maximum of two different styles of light fixtures can be in stock.
- 3. Cabinets: A maximum of two different styles of cabinets can be in stock.
- **4.** Countertops: A maximum of three different styles of countertops can be in stock.
- **5. Sinks:** A maximum of two different styles of sinks can be in stock.
- **6. Dishwashers and Ranges:** A combination of four different styles of dishwashers and ranges can be held in stock.
- 7. **Kitchen Set Tiles:** A maximum of two different styles of tiles can be in stock.
- **8. Kitchen Set Wallpaper:** A maximum of two different styles of wallpaper can be in stock.
- 9. Kitchen Set: All items composing a kitchen set must be in stock before selling the kitchen set.

# **Table of Contents**

1		Executive Summary	2
2		Introduction	5
	2.	1 Information Provided	6
		Rationale	6
		Current Management Policy	6
		Brenda's Plan	6
		Analyzed Kitchen Sets	6
3		Analysis	9
	3.	.1 Binary Integer Programming Model [Question (a)]	9
	3.	2 Optimal Solution of Original Formulation	.11
		Question (b): Optimal Solution to Maximize the Number of Kitchen Sets from Part (a)	.11
	3.	3 Integer Programming Model for Discontinuing Nursery Set [Question (c)]	.12
		Constraint Information for Discontinuing Nursery Sets	.12
	3.	4 Optimal Solution for Updated Formulation without Nursery Set	.12
	3.	5 Integer Programming Model for Testing Space Conditions [Question (d)]	.13
		Constraint Information for Testing Space Formulation	.13
	3.	.6 Optimal Solution for Testing Space Formulation	.14
	3.	7 Inventory Policy [Question (e)]	.15
4		Appendices	.16
		ppendix A. Representation of the Binary Integer Programming Model in AMPL with the Optimal olution	.16
	A	ppendix B. Variants of the Binary Integer Programming Model in AMPL with the Optimal Solution	ns 19

# **Table of Figures**

Figure 1: Optimum solution for (a)	16
Figure 2: Optimum solution for question (c).	19
Figure 3: Optimum solution for question (d).	21
Table of Tables	
Table 1: Top 20 selling kitchen sets composed of up to eight features in a variety of styles	7
Table 2: 20 kitchen sets and the particular features composing each set.	8
Table 3: Different kitchen items to be selected for stock.	11
Table 4: Different kitchen items to be selected for stock once the nursery set is discontinued	12
Table 5: Different kitchen items to be selected for stock once the nursery set is discontinued	14

#### 2 Introduction

Brenda Sims, the saleswoman on the kitchen showroom floor of Furniture City, is concerned her company is losing customer goodwill and business because of stock-outs. Brenda discovered that over 80% of her orders for kitchen sets couldn't be filled because the local warehouse was overstocked with unpopular items and understocked with popular ones. A new inventory policy is required, with data-driven solutions pitched to management, to prevent customer delays and revenue loss due to wasted warehouse space. Our services were requested to formulate an integer programming model to maximize the total number of kitchen sets Furniture City stocks in the local warehouse and, consequently, their number of customer orders

This report discusses the binary integer programming models we formulated under various scenarios and our recommendations for Brenda Sims to optimize their warehouse stocking strategy to influence management to accept a new inventory policy. We first considered how to maximize the number of kitchen sets, and consequently the number of customer orders, that Furniture City stocks in the local warehouse. We then noted how many different kitchen sets were in stock and how many of each feature and style should be stocked to meet customer demands. Next, we reformulated our integer programming model, to factor discontinuing nursery sets, to determine the optimal inventory policy for the kitchen department. As per request of Ms. Sims, we determined how the additional testing space provided to the kitchen department obtained from the nursery department helps Furniture City. Finally, we discuss how the inventory policy will be affected by the kitchen sets which cannot be replenished immediately.

Our analysis was conducted while meeting the following requirements:

- 1. Binary Constraint: All decision variables are binary (1 or 0).
- 2. **Light Fixtures:** A maximum of two different styles of light fixtures can be in stock.
- 3. Cabinets: A maximum of two different styles of cabinets can be in stock.
- **4. Countertops:** A maximum of three different styles of countertops can be in stock.
- 5. Sinks: A maximum of two different styles of sinks can be in stock.
- **6. Dishwashers and Ranges:** A combination of four different styles of dishwashers and ranges can be held in stock.
- 7. **Kitchen Set Tiles:** A maximum of two different styles of tiles can be in stock.
- **8. Kitchen Set Wallpaper:** A maximum of two different styles of wallpaper can be in stock.
- 9. **Kitchen Set:** All items composing a kitchen set must be in stock before selling the kitchen set.

Furthermore, we made the following assumptions to conduct our analysis:

1. when a customer orders a kitchen set, all the items composing that kitchen set are replenished at the local warehouse immediately.

#### 2.1 Information Provided

#### Rationale

Brenda Simms recommends changing local warehouse stocking policy for the following reasons: (1) Daniel Holbrook, an expeditor at the local warehouse for Furniture City, consistently discovered items which have been unstocked the past year; (2) obsolete items are overstocked such as pea-green wallpaper; (3) revenue loss is occurring due to wasted warehouse space; and (4) Furniture City is losing customer trust.

#### **Current Management Policy**

Daniel has confirmed the inventory problem has occurred because management had a policy of stocking every furniture item on the showroom floor in the local warehouse. Management only replenished inventory every three months, and when inventory was replenished, management ordered every item regardless of if it had been sold. Daniel was unsuccessful in relaying this problem to management previously. Hence, Brenda feels responsibility to sell her inventory policy to management.

#### Brenda's Plan

Using her extensive sales experience, Brenda decided that the most effective sales strategy would be to use her kitchen department as a model for the new inventory policy. She would identify all kitchen sets comprising 85 percent of customers' orders. Given the fixed amount of warehouse space allocated to the kitchen department, she would identify the items Furniture City should stock in order to satisfy the greatest number of customer orders. She would then calculate the revenue from satisfying customer orders under the new inventory policy, using the bottom line to persuade management to accept her policy.

#### **Analyzed Kitchen Sets**

Since management is more likely to accept a data-driven solution, Brenda first analyzed her records over the past three years. She determined that 20 kitchen sets were responsible for 85 percent of the customer orders. These 20 kitchen sets were composed of up to eight features in a variety of styles. Brenda listed each feature and its popular styles in Table 1.

**TABLE 1:** Top 20 selling kitchen sets composed of up to eight features in a variety of styles.

Floor Tiles	Wallpaper	Light Fixtures	Cabinets
(T1) White textured tile	(W1) Plain ivory paper	(L1) One large	(C1) Light solid wood
		rectangular frosted fixture	
(T2) Ivory textured	(W2) Ivory paper with	(L2) Three small square	(C2) Dark solid wood
	dark purple pinstripes	frosted fixtures	cabinets
(T3) White checkered tile	(W3) Blue paper with	(L3) One large oval	(C3) Light wood
with blue trim	marble texture	frosted fixture	cabinets with glass doors
(T4) White checkered tile	(W4) Light yellow	(L4) Three small frosted	(C4) Dark wood
with light yellow trim	paper with marble	globe fixtures	cabinets with glass doors
	texture		

Countertops	Dishwashers	Sinks	Ranges				
(O1) Plain light	(D1) White energy-	(S1) Sink with separate hot and cold	(R1) White electric				
wood countertops	saving dishwasher	water taps	oven				
(O2) Stained light wood countertops	(D2) Ivory energy- saving dishwasher	(S2) Divided sink with separate hot and cold water taps and garbage disposal	(R2) Ivory electric oven				
(O3) White lacquer- coated countertops		(S3) Sink with one hot and cold water tap	(R3) White gas oven				
(O4) Ivory lacquer- coated countertops		(S4) Divided sink with one hot and cold water tap and garbage disposal	(R4) Ivory gas oven				

Brenda then created a table showing the 20 kitchen sets and the particular features composing each set. To simplify the table, she used the codes shown in parentheses above to represent the particular feature and style. The table is given below. For example, kitchen set 1 consists of floor tile T2, wallpaper W2, light fixture L4, cabinet C2, countertop O4, dishwasher D2, sink S2, and range R2. Notice that sets 14 through 20 do not contain dishwashers. Brenda knew she had only a limited amount of warehouse space allocated to the kitchen department. The warehouse could hold 50 square feet of tile and 12 rolls of wallpaper in the inventory bins. The inventory shelves could hold two light fixtures, two cabinets, three countertops, and two sinks. Dishwashers and ranges are similar in size, so Furniture City stored them in similar locations. The warehouse floor could hold a total of four dishwashers and ranges.

**TABLE 2:** 20 kitchen sets and the particular features composing each set.

	T1	T2	T3	T4	W1	W2	W3	W4	L1	L2	L3	L4	C1	C2	C3	C4	01	02	03	04	D1	D2	<b>S</b> 1	S2	<b>S</b> 3	<b>S4</b>	R1	R2	R3	R4
Set 1		1				1						1		1						1		1		1				1		
Set 2		1			1				1							1				1		1				1		1		
Set 3	1						1			1			1				1				1				1				1	
Set 4			1				1				1				1				1		1		1				1			
Set 5				1				1	1				1					1			1			1			1			
Set 6		1				1				1						1				1		1			1					1
Set 7	1						1					1			1			1			1		1				1			_
Set 8		1			1						1		1				1					1			1					1
Set 9		1			1					1					1			1				1		1				1		_
Set 10	1				1				1				1						1		1					1			1	
Set 11			1		1						1				1		1				1		1						1	
Set 12		1				1			1					1				1				1				1		1		_
Set 13				1				1			1				1		1				1			1					1_	
Set 14				1				1				1	1						1				1				1			_
Set 15			1				1		1				1				1								1				1_	
Set 16			1				_1_					1	1						1					1			1			_
Set 17	1							1		1					1				1							1			1	
Set 18		1					1				1			1						1			1					1		
Set 19		1						1				1				1				1				1						1
Set 20		1					1		1				1					1							1					1

Every kitchen set always includes exactly 20 square feet of tile and exactly five rolls of wallpaper. Therefore, 20 square feet of a particular style of tile and five rolls of a particular style of wallpaper are required for the styles to be in stock.

# 3 Analysis

# 3.1 Binary Integer Programming Model [Question (a)]

Considering the aforementioned considerations in the Introduction of this report, we formulated the following binary integer programming model to maximize the total number of kitchen sets Furniture City stocks in the local warehouse and, consequently, their number of customer orders.

**Inventory Items**: Based on Table 1, the inventory items will be referred to as follows:

```
Floor Tiles (T_i) where i \epsilon 1, 2, 3, 4;
Wallpaper (W_i) where i \epsilon 1, 2, 3, 4;
Light Fixtures (L_i) where i \epsilon 1, 2, 3, 4;
Cabinets (C_i) where i \epsilon 1, 2, 3, 4;
Countertops (O_i) where i \epsilon 1, 2, 3, 4;
Dishwashers (D_i) where i \epsilon 1, 2, 3, 4;
Ranges (R_i) where i \epsilon 1, 2, 3, 4.
```

**Binary Decision Variables:** Two types of binary decision variables are used:  $x_i$  represents the whether a complete kitchen set is in kept in stock; and  $y_i$  represents whether a specific item is in stock.

#### **Complete Kitchen Sets:**

Whether each of the 20 kitchen sets (i.e. whose items are detailed in Table 1),  $x_i$  where i = 1, 2... 20, are selected for being stocked in the local warehouse by letting  $x_i$  equal to:

denote the kitchen set is selected. [indicator]
denote the kitchen set not selected. [indicator]

#### **Stocked Items:**

Likewise, additional decision variables include whether or not each of the 30 kitchen sets items (i.e. as detailed in Table 1 and corresponding to the inventory items described above),  $y_i$  where i = 1, 2... 30, are selected for being stocked in the local warehouse by letting  $y_i$  equal to:

denote the kitchen item is selected. [indicator]
denote the kitchen item not selected. [indicator]

<u>Constraints</u>: The following constraints define the binary integer programming model to find the optimal solution:

- 1. Binary Constraint: The values of  $x_i$  and y are binary.
- 2. Light Fixtures: A maximum of two different styles of light fixtures can be in stock.

$$L_1 + L_2 + L_3 + L_4 \le 2$$
 [light fixtures]

3. Cabinets: A maximum of two different styles of cabinets can be in stock.

$$C_1 + C_2 + C_3 + C_4 \le 2$$
 [cabinets]

**4. Countertops:** A maximum of three different styles of countertops can be in stock.

$$O_1 + O_2 + O_3 + O_4 \le 3$$
 [countertops]

5. Sinks: A maximum of two different styles of sinks can be in stock.

$$S_1 + S_2 + S_3 + S_4 \le 2$$
 [sinks]

**6. Dishwashers and Ranges:** A combination of four different styles of dishwashers and ranges can be held in stock.

$$D_1 + D_2 + R_1 + R_2 + R_3 + R_4 \le 4$$
 [dishwashers and ranges]

7. **Kitchen Set Tiles:** A maximum of two different styles of tiles can be in stock. This occurs since each set requires 20 feet and the warehouse can only hold 50 square feet of tile.

$$T_1 + T_2 + T_3 + T_4 \le 2$$
 [tiles]

**8. Kitchen Set Wallpaper:** A maximum of two different styles of wallpaper can be in stock. This occurs since the warehouse can only hold 12 rolls of wallpaper and each kitchen set requires 5 rolls.

$$W_1 + W_2 + W_3 + W_4 \le 2$$
 [sinks]

9. Kitchen Set: All items composing a kitchen set must be in stock before selling the kitchen set.

$$8*x_1 \le T_2 + W_2 + L_4 + C_2 + O_4 + D_2 + S_2 + R_2$$
 [sets]

$$8*x_2 \le T_2 + W_1 + L_1 + C_4 + O_4 + D_2 + S_4 + R_2$$
 [sets]

$$8*x_3 \le T_1 + W_3 + L_2 + C_1 + O_1 + D_1 + S_3 + R_3$$
 [sets]

$$8*x_4 \le T_3 + W_3 + L_3 + C_3 + O_3 + D_1 + S_1 + R_1$$
 [sets]

$$8*x_5 \le T_4 + W_4 + L_1 + C_1 + O_2 + D_1 + S_2 + R_1$$
 [sets]

$$8*x_6 \le T_2 + W_2 + L_2 + C_4 + O_4 + D_2 + S_3 + R_4$$
 [sets]

$$8*x_7 \le T_1 + W_3 + L_4 + C_3 + O_2 + D_1 + S_1 + R_1$$
 [sets]

$$8*x_8 \le T_2 + W_1 + L_3 + C_1 + O_1 + D_2 + S_3 + R_4$$
 [sets]

$$8*x_9 \le T_2 + W_1 + L_2 + C_3 + O_2 + D_2 + S_2 + R_2$$
 [sets]

$$8*x_{10} \le T_1 + W_1 + L_1 + C_1 + O_3 + D_1 + S_4 + R_3$$
 [sets]

$$8*x_{11} \le T_3 + W_1 + L_3 + C_3 + O_1 + D_1 + S_1 + R_3$$
 [sets]

$$8*x_{12} \le T_2 + W_2 + L_1 + C_2 + O_2 + D_2 + S_4 + R_2$$
 [sets]

$$7*x_{14} \le T_4 + W_4 + L_4 + C_1 + O_3 + S_1 + R_1$$
 [sets] 
$$7*x_{15} \le T_3 + W_3 + L_1 + C_1 + O_1 + S_3 + R_3$$
 [sets] 
$$7*x_{16} \le T_3 + W_3 + L_4 + C_1 + O_3 + S_2 + R_1$$
 [sets] 
$$7*x_{17} \le T_1 + W_4 + L_2 + C_3 + O_3 + S_4 + R_3$$
 [sets] 
$$7*x_{18} \le T_2 + W_3 + L_3 + C_2 + O_4 + S_1 + R_2$$
 [sets] 
$$7*x_{19} \le T_2 + W_4 + L_4 + C_4 + O_4 + S_2 + R_4$$
 [sets]

### **Objective Function**:

The objective is to maximize the total number of kitchen sets Furniture City stocks in the local warehouse and, consequently, their number of customer orders. Therefore, we seek to:

$$\max \mathbf{Z} = \{ \sum_{i=1}^{20} x_i \}$$
 [sets]

Optimal Solution of Original Formulation

 $7*x_{20} \le T_2 + W_3 + L_1 + C_1 + O_2 + S_3 + R_4$ 

 $8*x_{13} \le T_4 + W_4 + L_3 + C_3 + O_1 + D_1 + S_2 + R_3$ 

# Question (b): Optimal Solution to Maximize the Number of Kitchen Sets from Part (a).

Using the Gurobi Solver built-in to AMPL, we find that the maximum number of kitchen set to stock is **four**. Although it is not a unique optimal solution, one solution is to stock the items listed Table 3 below. The four complete sets that are stocked with this combination of items are sets {2, 8, 15, and 20}. The constructed binary integer programming model can be found as an AMPL output is found in Figure 1 in Appendix A.

TA	$\mathbf{BLE}$	<b>3</b> :	Different	kitchen	items to	be	selected	for	stock.
----	----------------	------------	-----------	---------	----------	----	----------	-----	--------

T1	0	W1	1	L1	1	C1	1
T2	1	W2	0	L2	0	C2	0
T3	1	W3	1	L3	1	C3	0
T4	0	W4	0	L4	0	C4	1
01	1	D1	0	<b>S1</b>	0	R1	0
02	1	D2	1	S2	0	R2	1
03	0			S3	1	R3	1
04	1			S4	1	R4	1

[sets]

[sets]

# 3.2 Integer Programming Model for Discontinuing Nursery Set [Question (c)]

# **Constraint Information for Discontinuing Nursery Sets**

Per request of the client, we reformulated our integer programming model, to factor discontinuing nursery sets, to determine the optimal inventory policy for the kitchen department. Constraint number six was changed as follows:

**6. Dishwashers:** Both styles of dishwashers can be accommodated {redundant constraint}

$$D_1 + D_2 \le 2$$
 [dishwashers]

**7. Ranges:** Three of the four ranges can be stocked.

$$R_1 + R_2 + R_3 + R_4 \le 3$$
 [ranges]

# 3.3 Optimal Solution for Updated Formulation without Nursery Set

Using the Gurobi Solver built-in to AMPL, we find that the maximum number of kitchen set to stock is **five**. Although it is not a unique optimal solution, one solution is to stock the items listed Table 3 below. The five complete sets that are stocked with this combination of items are sets {4, 8, 11, 15, and 20}. The constructed binary integer programming model can be found as an AMPL output is found in Figure 2 in Appendix B.

**TABLE 4:** Different kitchen items to be selected for stock once the nursery set is discontinued.

T1	0	W1	1	L1	1	C1	1
T2	1	W2	0	L2	0	C2	0
T3	1	W3	1	L3	1	C3	1
T4	0	W4	0	L4	0	C4	0
01	1	D1	1	S1	1	R1	1
02	1	D2	1	S2	0	R2	0
03	1			S3	1	R3	1
04	0			S4	0	R4	1

# 3.4 Integer Programming Model for Testing Space Conditions [Question (d)]

# **Constraint Information for Testing Space Formulation**

Per request of the client, we reformulated our integer programming model, to factor in all the additional space provided for the trial. Constraint number six was changed as follows:

1. Light Fixtures: A maximum of three different styles of light fixtures can be in stock.

$$L_1 + L_2 + L_3 + L_4 \le 3$$

[light fixtures]

**2.** Cabinets: A maximum of three different styles of cabinets can be in stock.

$$C_1 + C_2 + C_3 + C_4 \le 3$$

[cabinets]

**3.** Countertops: A maximum of four different styles of countertops can be in stock.

{redundant constraint}

$$O_1 + O_2 + O_3 + O_4 \le 4$$

[countertops]

**4. Sinks:** A maximum of four different styles of sinks can be in stock.

{redundant constraint}

$$S_1 + S_2 + S_3 + S_4 \le 4$$

[sinks]

# 3.5 Optimal Solution for Testing Space Formulation

Using the Gurobi Solver built-in to AMPL, we find that the maximum number of kitchen set to stock is **six**. Although it is not a unique optimal solution, one solution is to stock the items listed Table 3 below. The six complete sets that are stocked with this combination of items are sets {3, 8, 9, 10, 18, and 20}. The constructed binary integer programming model can be found as an AMPL output is found in Figure 3 in Appendix B.

**TABLE 5:** Different kitchen items to be selected for stock once the nursery set is discontinued and all space is available

avanao	i C						
T1	1	W1	1	L1	1	C1	1
T2	1	W2	0	L2	1	C2	1
T3	0	W3	1	L3	1	C3	1
T4	0	W4	0	L4	0	C4	0
01	1	D1	1	<b>S1</b>	1	R1	0
02	1	D2	1	S2	1	R2	1
03	1			S3	1	R3	1
04	1			S4	1	R4	1

# 3.6 Inventory Policy [Question (e)]

If the items were not replenished immediately the number of kitchen sets in stock would decrease dramatically as soon as one item was removed. In this case, it may be better to redefine what is meant by a complete set. If items were not replenished immediately then complete set should only be considered complete if it has dedicated items in stock; items that do not also form part of other sets. With this assumption, the model suggested in this report will not work.

The assumption of immediate replenishment might work if the warehouse uses a Just In Time policy with some type of inventory buffer nearby. Items that are sold can then be immediately replaced by the items in the buffer and the items in the buffer can then be reordered.

# 4 Appendices

Appendix A. Representation of the Binary Integer Programming Model in AMPL with the Optimal Solution

FIGURE 1: Optimum solution for (a).

```
### kitchen.dat ###
param rows
                      20;
param cols
                      30;
       tile
                                            2
                                                    3
                                                           4;
set
                                     1
                                     5
set
       paper
                             :=
                                                    7
                                                           8;
       light
                                            10
                                                    11
                                                           12;
set
                             :=
                                     13
                                                           16;
       cabinet
                                            14
set
                             :=
                                                    15
       counter
                                     17
                                            18
                                                    19
                                                           20;
set
                              :=
set
       washer_range :=
                             21
                                     22
                                            27
                                                    28
                                                           29
                                                                   30;
       sink
                             :=
                                     23
                                                    25
                                                           26;
set
param group [*,*]:
              T1
                      T2
                             T3
                                                           R2
                                                                   R3
                                                                          R4
       #
                             3
                                                                   29
              1
                      2
                                                           28
                                                                          30 :=
       1
              0
                      1
                             0
                                                            1
                                                                   0
                                                                          0
       2
       20
                      1
                                                           0
                                                                          1;
```

#### ### kitchen.mod###

```
param cols;
param rows;
                            := 1..rows;
set row
                            := 1..cols;
set col
                             {i in row, j in col};
param group
      tile;
set
set
       paper;
set
      light;
       cabinet;
set
       counter;
set
      washer_range;
set
set
       sink;
####################
#DECISION VARIABLES
#####################
# CHOOSE THE KITCHEN SETS TO STOCK AND THE ASSOCIATED INVENTORY
var kitchen
              {row} binary;
var item
                     {col} binary;
```

```
####################
#OBJECTIVE FUNCTION: MAXIMIZE THE NUMBER OF KITCHEN SETS STOCKED
###################
maximize STOCK: sum{i in row} kitchen[i];
############
#CONSTRAINTS
############
#ALL ITEMS MUST BE STOCKED FOR A SET TO BE AVAILABLE:
s.t. COMPLETE {i in row}:
              sum{j in col} (item[j]*group[i,j]) >= kitchen[i]*sum{j in col} group[i,j];
#TILES may not take up more than 50 sqr. ft. Complete sets require 20 sqr ft of tile
s.t. TILE: sum{i in tile} item[i] <= 50/20;</pre>
#WALLPAPER may not take be more than 12 rolls. Complete set require
s.t. PAPER: sum{i in paper} item[i] <= 12/5;</pre>
#LIGHTS a maximum of two
s.t. LIGHTS: sum{i in light} item[i] <= 2;</pre>
#CABINET a maximum of two
s.t. CABINET: sum{i in cabinet} item[i] <= 2;</pre>
#COUNTER a maximum of three
s.t. COUNTER: sum{i in counter} item[i] <= 3;</pre>
#SINK a maximum of two
s.t. SINK: sum{i in sink} item[i] <= 2;</pre>
#DISHWASHER plus RANGES a maximum of four
s.t. WASHER_RANGE: sum{i in washer_range} item[i] <= 4;</pre>
### kitchen.run###
reset;
model kitchen.mod;
data kitchen.dat;
option solver qurobi;
solve;
display STOCK;
display kitchen;
display item;
### Results (b) ###
ampl: include kitchen.run;
Gurobi 7.0.0: optimal solution; objective 4
909 simplex iterations
65 branch-and-cut nodes
STOCK = 4
kitchen [*] :=
1 0
```

```
2 1
3 0
4 0
5 0
6 0
7 0
8 1
9 0
10 0
11 0
12 0
13 0
14 0
15 1
16 0
17 0
18 0
19 0
20 1
;
item [*] :=
10 40
               7 1
                     10 0
                            13 1
                                   16 1
                                         19 0
                                                  22 1
                                                         25 1
                                                                28 1
2 1 3 1
        5 1
                                   17 1
                                           20 1
                                                  23 0
                                                                 29 1
               8 0
                     11 1
                            14 0
                                                         26 1
        6 0
               9 1
                     12 0
                            15 0
                                    18 1
                                           21 0
                                                  24 0
                                                         27 0
                                                                30 1
```

# Appendix B. Variants of the Binary Integer Programming Model in AMPL with the Optimal Solutions

**FIGURE 2:** Optimum solution for question (c).

var item

```
### kitchen2.dat ###
                      20;
param rows
              :=
param
      cols
                      30;
              :=
                                            2
       tile
                                                           4;
set
                             :=
       paper
                                     5
                                            6
                                                    7
                                                           8;
set
                             :=
       light
                                     9
                                            10
                                                    11
set
                             :=
                                                           12;
                                     13
set
       cabinet
                             :=
                                            14
                                                    15
                                                           16;
set
       counter
                             :=
                                     17
                                            18
                                                    19
                                                           20;
set
       washer
                             :=
                                     21
                                            22;
                                                    25
set
       sink
                             :=
                                     23
                                            24
                                                           26;
set
       range
                             :=
                                     27
                                            28
                                                    29
                                                           30;
param group [*,*]:
                             T3
       #
              T1
                      T2
                                                           R2
                                                                   R3
                                                                          R4
              1
                      2
                             3
                                                           28
                                                                   29
                                                                          30 :=
       1
              0
                      1
                             0
                                                            1
                                                                   0
                                                                          0
       2
                      ...
                                                                          •••
                                                           •••
       20
              0
                      1
                                                           0
                                                                          1;
### kitchen2.mod###
param cols;
param rows;
set row
                             := 1..rows;
set col
                             := 1..cols;
param group
                              {i in row, j in col};
       tile;
set
       paper;
set
       light;
set
       cabinet;
set
       counter;
set
       washer;
set
set range;
       sink;
###################
#DECISION VARIABLES
###################
# CHOOSE THE KITCHEN SETS TO STOCK AND THE ASSOCIATED INVENTORY
var kitchen
              {row} binary;
```

{col} binary;

```
####################
#OBJECTIVE FUNCTION: MAXIMIZE THE NUMBER OF KITCHEN SETS STOCKED
####################
maximize STOCK: sum{i in row} kitchen[i];
############
#CONSTRAINTS
############
#ALL ITEMS MUST BE STOCKED FOR A SET TO BE AVAILABLE:
s.t. COMPLETE {i in row}:
              sum{j in col} (item[j]*group[i,j]) >= kitchen[i]*sum{j in col} group[i,j];
#TILES may not take up more than 50 sqr. ft. Complete sets require 20 sqr ft of tile
s.t. TILE: sum{i in tile} item[i] <= 50/20;</pre>
#WALLPAPER may not take be more than 12 rolls. Complete set require
s.t. PAPER: sum{i in paper} item[i] <= 12/5;</pre>
#LIGHTS a maximum of two
s.t. LIGHTS: sum{i in light} item[i] <= 2;</pre>
#CABINET a maximum of two
s.t. CABINET: sum{i in cabinet} item[i] <= 2;</pre>
#COUNTER a maximum of three
s.t. COUNTER: sum{i in counter} item[i] <= 3;</pre>
#SINK a maximum of two
s.t. SINK: sum{i in sink} item[i] <= 2;</pre>
#DISHWASHER a maximum of two
s.t. WASHER: sum{i in washer} item[i] <= 2;</pre>
#RANGES a maximum of three
s.t. RANGE: sum{i in range} item[i] <= 3;</pre>
### kitchen2.run###
reset;
model kitchen2.mod;
data kitchen2.dat;
option solver gurobi;
solve;
display STOCK;
display kitchen;
display item;
### Results (c) ###
ampl: include kitchen2.run;
Gurobi 7.0.0: optimal solution; objective 5
897 simplex iterations
77 branch-and-cut nodes
STOCK = 5
kitchen [*] :=
```

```
1
    0
 2
    0
 3
    0
 4
    1
 5
    0
 6
    0
 7
    0
 8
    1
9
    0
    0
10
11
    1
12
    0
13
    0
14
    0
15
    1
16 0
   0
17
18 0
19 0
20
   1
item [*] :=
1 0
        4 0
                7 1
                      10 0
                              13 1
                                     16 0
                                             19 1
                                                    22 1
                                                            25 1
                                                                   28 0
2 1
        5 1
                8 0
                      11 1
                              14 0
                                     17 1
                                             20 0
                                                    23 1
                                                            26 0
                                                                   29 1
3 1
        6 0
                      12 0
                              15 1
                                     18 1
                                             21 1
                                                    24 0
                                                            27 1
                                                                   30 1
                9 1
FIGURE 3: Optimum solution for question (d).
### kitchen3.dat ###
```

```
20;
param rows
param
        cols
                        30;
set
        tile
                                        1
                                                 2
                                                         3
                                                                 4;
                                :=
                                        5
set
        paper
                                :=
                                                 6
                                                         7
                                                                 8;
        light
                                        9
                                                 10
                                                         11
                                                                 12;
set
                                 :=
        cabinet
                                        13
                                                 14
                                                         15
                                                                 16;
set
                                 :=
                                                 18
                                                         19
        counter
                                        17
                                                                 20;
set
                                 :=
        washer
                                         21
                                                 22;
set
                                :=
                                        23
                                                         25
                                                                 26;
        sink
                                                 24
set
                                :=
                                                 28
                                        27
                                                         29
        range
                                                                 30;
set
param group [*,*]:
        #
                                                                 R2
                                                                         R3
                                                                                 R4
                        T2
                                Т3
                T1
                1
                        2
                                3
                                                                 28
                                                                         29
                                                                                  30 :=
        1
                0
                        1
                                0
                                                                  1
                                                                         0
                                                                                 0
        2
                        •••
                                                         •••
                                                                 •••
                        ...
1
        20
                                                                                 1;
                                                                 0
```

```
### kitchen3.dat ###
param cols;
param rows;
```

```
set row
                            := 1..rows;
set col
                            := 1..cols;
param group
                             {i in row, j in col};
set
       tile;
       paper;
set
       light;
set
set
       cabinet;
set
       counter;
set
       washer;
set range;
set
       sink;
#####################
#DECISION VARIABLES
#####################
# CHOOSE THE KITCHEN SETS TO STOCK AND THE ASSOCIATED INVENTORY
var kitchen
              {row} binary;
var item
                      {col} binary;
#####################
#OBJECTIVE FUNCTION: MAXIMIZE THE NUMBER OF KITCHEN SETS STOCKED
#####################
maximize STOCK: sum{i in row} kitchen[i];
############
#CONSTRAINTS
############
#ALL ITEMS MUST BE STOCKED FOR A SET TO BE AVAILABLE:
s.t. COMPLETE {i in row}:
              sum{j in col} (item[j]*group[i,j]) >= kitchen[i]*sum{j in col} group[i,j];
#TILES may not take up more than 50 sqr. ft. Complete sets require 20 sqr ft of tile
s.t. TILE: sum{i in tile} item[i] <= 50/20;</pre>
#WALLPAPER may not take be more than 12 rolls. Complete set require
s.t. PAPER: sum{i in paper} item[i] <= 12/5;</pre>
#LIGHTS a maximum of two
s.t. LIGHTS: sum{i in light} item[i] <= 3;</pre>
#CABINET a maximum of two
s.t. CABINET: sum{i in cabinet} item[i] <= 3;</pre>
#COUNTER a maximum of three
s.t. COUNTER: sum{i in counter} item[i] <= 4;</pre>
#SINK a maximum of two
s.t. SINK: sum{i in sink} item[i] <= 4;</pre>
#DISHWASHER a maximum of two
s.t. WASHER: sum{i in washer} item[i] <= 2;</pre>
#RANGES a maximum of three
```

```
s.t. RANGE: sum{i in range} item[i] <= 3;</pre>
### kitchen3.run###
reset;
model kitchen2.mod;
data kitchen2.dat;
option solver gurobi;
solve;
display STOCK;
display kitchen;
display item;
### Results (d) ###
ampl: include kitchen3.run;
Gurobi 7.0.0: optimal solution; objective 6
403 simplex iterations
36 branch-and-cut nodes
STOCK = 6
kitchen [*] :=
1 0
2 0
3 1
4 0
5 0
6
   0
7
   0
8 1
9 1
10 1
11 0
12 0
13 0
14 0
15 0
16 0
17 0
18 1
19 0
20 1
item [*] :=
1 1
       4 0
              7 1
                    10 1
                           13 1
                                 16 0
                                        19 1
                                               22 1
                                                      25 1
                                                             28 1
2 1
       5 1
                           14 1
                                 17 1
                                        20 1
                                               23 1
                                                             29 1
              8 0
                    11 1
                                                      26 1
3 0
                    12 0
                           15 1
                                               24 1
       6 0
              9 1
                                 18 1
                                       21 1
                                                      27 0
                                                             30 1
```