AD-4322A

WEIGHING INDICATOR

TECHNICAL INFORMATION

tech-AD-4322A-v.1 89.07 OYM

WEIGHING INDICATOR



A&D MERCURY PTY. LTD. 32 Dew St, Thebarton, S.A., 5031

Telephone (O8) 3523O33

Facsimile (O8) 35274O9

PARTS LIST AD4322A MAIN BOARD

NO. 1

CIRCUIT SYMBOL or DRWG.NO.	PARTS NAME	DESCRIPTION	Q'TY
	7PZ:2082	MAIN BOARD AD4322/4338	1
C1~13, 17~19	CC:FK16Y5V1H104	CERAMIC CAPACITOR 0.1 µ F/50V	16
C14	CC:100P	CERAMIC CAPACITOR 100PF	1
C16	CK:SM16VB33	ELECTROLYTIC CAPACITOR 33 µ F/16V	1
C15	CT:1D2R2	TANTALUM CAPACITOR 2.2 µ F/20V	1
PHC1	DF:PS-2403-1	PHOTO COUPLER	1
D21	DI:1B4B42	DIODE	1
D3,4	DI:1SS97	DIODE	2
D1, 2, 5~15	DI:1S1588	DIODE	13
D16~19	DL:TLUG144	LED	4
D20	DZ:05Z9.1	DIODE	1
	EB:CR2032-WT12	BATTERY	1
ED1	ED:FIP7B13	DISPLAY TUBE	1
ED2	ED:FIP8B11	DISPLAY TUBE	1
J1, 10, 12	JI:1-163749-7	CONNECTOR	3
U11	JS:10328-01-445	IC SOCKET	1
J2	JT:1-171825-2	CONNECTOR	1
J8	JT:1-172429-2	CONNECTOR	1
J6,7	JT:1-172429-5	CONNECTOR	2
J4	JT:1-172430-2	CONNECTOR	1
J11	JT:1-172430-5	CONNECTOR	1
J5,9	JT:172429-8	CONNECTOR	2
J3	JT:172430-8	CONNECTOR	1
	PC:2082B	PC BOARD	1
Q1,2	QT:C1815Y	TRANSISTOR	2
R20	RC:NAT1.5K	CARBON RESISTOR 1.5KΩ 1/4W	1
R5	RC:NAT1M	CARBON RESISTOR 1.5KΩ 1/4W	1
R15, 16, 17	RC:NAT10K	CARBON RESISTOR 10KΩ 1/4W	3
R19, 22	RC:NAT100K	CARBON RESISTOR 100KΩ 1/4W	2
R2.3.11	RC:NAT22K	CARBON RESISTOR 22KΩ 1/4W	3
R24	RC:NAT3.3R	CARBON RESISTOR 3.3Ω 1/4W	1
R28~31	RC:NAT330R	CARBON RESISTOR 330 Ω 1/4W	-4
R1,7,8	RC:NAT4.7K	CARBON RESISTOR 4.7KΩ 1/4W	3
R18	RC:NAT47K	CARBON RESISTOR 47KΩ 1/4W	1
R21	RC:NAT470R	CARBON RESISTOR 470 Ω 1/4W	1
R9	RC:NAT56K	CARBON RESISTOR 56KΩ 1/4W	1

PARTS LIST AD4322A MAIN BOARD

NO.2

CIRCUIT SYMBOL or DRWG.NO.	PARTS NAME	DESCRIPTION	Q'TY
	7PZ:2082	MAIN BOARD AD4322/4338	1
R25	RC:NAT68K	CARBON RESISTOR 68KΩ 1/4W	1
R4,6	RN:IHR-4-223MA	RESISTOR NETWORK 22KΩ	2
R23, 12	RN: IHR-8-392JA	RESISTOR NETWORK 3.9KΩ	2
R10, 13, 14, 26, 27	RN:IHR-8-563JA	RESISTOR NETWORK 56KΩ	5
S1~3	SS:2NB2X2AG	SWITCH	3
TP1, 3, 4	TM:CP-10	TEST PIN	3
U13	UA:MB3773PS-G		
U8	UC:D78C10G-36	CPU .	1
U2	UC:HCU04	CMOS IC	1
U1	UC:HC00	CMOS IC	1
U16	UC:HC02	CMOS IC	1
U3.17	UC:HC04	CMOS IC	2
U15	UC:HC08	CMOS IC	1
U6	UC:HC138	CMOS IC	1
U14	UC:HC273	CMOS IC	1
U4	UC:HC4520	CMOS IC	1
U7	UC:HC540	CMOS IC	1
U 5	UC:HC573	CMOS IC	1
U12	UC:RP93C46	CMOS IC	1
U10	UC:5564APL-15	CMOS IC	1
U9	UC:7516HG606-12	CMOS IC	1
	XT:C4SB-12M-K02	CRTSTAL	1
	05:A40481	SPACER	1
	06:B40234		6
		:	
	· · ·		
			+
· · · · · · · · · · · · · · · · · · ·			-
			1
,			<u> </u>

CIRCUIT SYMBOL or DRWG.NO.	PARTS NAME	DESCRIPTION	Q'TY
	7PZ:2083	POWER BOARD AD4322/4338	1
C6, 7, 9, 10, 12, 13	CC:FK16Y5V1H104	CERAMIC CAPACITOR 0.1 \(\mu \) F/50V	6
C15. 16	CC:0.01U500V	CERAMIC CAPACITOR 0.01 µ F/500V	2
C8, 11, 14	CK:SM16VB33	ELECTROLYTIC CAPACITOR 33 µ F/16V	3
C5	CK:SM16VB470	ELECTROLYTIC CAPACITOR 470 µ F/16V	1
C2, 4	CK:SM25VB2200	ELECTROLYTIC CAPACITOR 2200 \(\mu \) F/25V	2
C3	CK:SM50VB220	ELECTROLYTIC CAPACITOR 220 µ F/50V	1
C1	CK:9117	ELECTROLYTIC CAPACITOR 4700 \(\mu \) F/35V	1
C17	CM: E2A104MW	FILM CAPACITOR	1
D2, 3, 5	DI:W02	DIODE	3
D4,6	DI:1B4B42	DIODE	2
D1	DZ:05Z5.6	ZENER DIODE	1 .
J1	JI:163680-6	CONNECTOR	2
L, N, E, R	JT:61134-1		3
	KO:280A-08BR	CONNECTOR CABLE	2
L1,2	LL:SF-T8-40S	L:SF-T8-40S INDUCTOR	
	PC:2083B	PC BOARD	1
	QA:AC256-1674	COOL SHEET	3
	QA:AC316A	WASHER	3
R1	RC:NAT47K	CARBON RESISTOR 47KΩ 1/4W	1
R2,3	RC:NAT82R	CARBON RESISTOR 82Ω 1/4W	2
	TF:329A	TRANSFORMER	1
TP1~5	TM:CP-10	TEST PIN	5
U2,3	UR:TA78005AP	SWITCHING REGULATOR	2
U1	UR:78M12H	SWITCHING REGULATOR	1
	04:A48970B	HEAT SINK	1
	04:A48971A	HEAT SINK	1
			-
			-

PARTS LIST AD4322A KEY BOARD

NO.4


CIRCUIT SYMBOL or DRWG. NO.	PARTS NAME	DESCRIPTION	Q'TY
	7PZ:2084	KEY BOARD AD4322/4338	1
J1	KO:440-12S10	CONNECTOR CABLE	1
- N. J. S.	PC:2084B	PC BOARD	1
S1~24	SK:KHC10902	SWITCH	24
		*	
			
		1	
·		·	
			-
			
			
·····			
:			


PARTS LIST AD4322A EXPLODED VIEW 1/2


DRG. NO.	PARTS NAME	DESCRIPTION	Q'TY
1	01:A34969A	FILTER (JPN)	1
(1)	01:A34839A	FILTER (USA)	1
(1)	01:A35435	FILTER (INT'L)	1
2	06:B40232	FILTER SEAL	1
3	01:A34962A	KEY SHEET (JPN)	1
(3)	01:A34842A	KEY SHEET (INT'L)	1
4	05:A42206	SEALING BOLT M3	1
5	05:B40236	LOCK SCREW	2
6	02:A49029A	BLANK PANEL	1
· 7	08:A49069A	NAME PLATE (CAL)	1
8	06:A49030A	BLANK PANEL SEAL	1
9	07:A10091A-1	FRONT FLAME	1
10	06:A20848	FRONT SEAL	1
11	01:A49050A	PRT BLANK PANEL	1
12	06:A49032A	PRT SEAL	1
13	05:A40481	SPACER 11.5mm	1
14	04:A49060A	PRT BLANK HOLDER	1
15	04:A35408-2A	SIDE FLAME (R)	1
16	04:A48970B	P. S BOARD SPACER	1
17	04:B40235		1
18	04:A48971A	HEAT SINK	1
19	04:A34808B	CONNECTOR PANEL	1
20	10:NG-79-C	GROMMET	1
21	04:A35408-1A	SIDE FLAME	1
22	04:A49054A	A/D HOLDER (1CH)	1
23	04:B40233B	P. S INPUT PANEL	1
24	01:A49051A	REAR PANEL	1
25	07:A10092	CASE	1
26	06:A35410	REAR SEAL	1
27	07:A20734A	CABLE ADAPTOR	1
28	06:A35409	CABLE SEAL	1
29	06:A49082A	CABLE BLANK PANEL	1
30	02:A34833B	REAR COVER	1
100	07:A41205	FILM WASHER	
101		E RING	


PARTS LIST AD4322A EXPLODED VIEW 2/2


DRG. NO.	PARTS NAME	DESCRIPTION	Q'TY
102	-	SPRING WASHER	
103		M3, NUT	
104	M3×6	SEMUSU	
105	M3×6	W SEMUSU (S)	
106	M3×8	TAPPING SCREW	
107	M3×6	W SEMUSU (L)	
108	M3×8	W SEMUSU (S)	
109	M2.6	NUT	
110	M3×10	SEMUSU	
111	M3×10	FLAT	
112	M2.6×8	SEMUSU	
113	M3×8	BIND	
114	M3×6	BIND	
115	M3×12	FLAT	
116	M3×6	FLAT	
200	7PZ:2082	MAIN BOARD	1
201	7PZ:2083	P. S BOARD	1
202	7PZ:2084	KEY BOARD	1
203	JM:NJC-207-RM	LOAD CELL CONNECTOR	1
204	7PZ:2085	ANALOG BOARD UNIT	1
205	JS:NC-174	AC CONNECTOR	1
206	FH:FH-B02	FUSE HOLDER	1
207	KO:496-20T	CABLE WITH CONNECTOR	1
:			
	<u></u>		









































E)

7









8


∢



. . Ł



AD4322A	Description Power Supply Board	F802:Zd	EC3 ~ 01241
Model	Description	Stock No.	Drwa.No,
	Hevision No.		
	By.		
	Date		
	Symbol		



			2 2 1 1 2 2 3 4 5 6 7 8 9 1 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	XO: 440-12510 10 01 02 03 A5 A4 A3 A2 A1 A0
75.50	22.5		· ·	KO: 446
025 0 025 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		THE PROPERTY OF THE PROPERTY O	
S18 6	33 85		A many	
215	28.50			
15 00	\$ 50			
2,000	25 00 000	- Marian		

÷

~


1


==


=


Ė


_
















NHA AD4322/32	ישנ	とし、ボーサ	PZ: 2084	10010-	2 7 7 0
数据 4	野品教			JI	
	퐌	华	3, 1 + 2 Ka	2 ×	
	蚁	人 m 名			15
	\$T	秦 12 米 15			
	×	21 X			
	尺度 公路气	표정	<u>K</u>	<u>-</u> - (17.5.1
	K B	23 24	'nŪ	+ 2	S. S. S.
尼号,月日 旧当 公准 No		-			
R 4:		-}-			E E







,4PC 78*C5HF* LB1256 40**6**9UB

5 Z S

大 成 公路上 架 13 路 計

2 A # 8 # 771:911-1 (1123.)
21 2092
22 E C 3 - 0 / 2 7 2


送用ロット


報報名 4745-22-0g 時間数

환

*

A&D CO., LTD.





MH & AD402-1	野路大	N M B H M M M K W 人 4 K H P2.2493 D 面面		, ,	1.00 - 574		
	ť	\$ B	2.1.2 Ka	i	12	1 4 0 [K&E	
	£	₹				11/8/	
	 #	木蒜					
	Ξ	Z					
	1 第3 大	11 43		-			
\	¥	z Z	15	(* †	25 4 15	3001	
元本二二三年 天 京 35		**************************************					
47.							$\left \right $
=						_	
# #					Ţ	名	
						1	

-1

J1 14 年田面別 取作 The state of the s RZ RN: LHR-6-104IN RI RN: LHR-6-104 0 雨品於 10: 62421A R3 RC: MATI.8K

OVNO

TH::CP::0

TH::CP::0

TH::CP::0

TH::CP::0

TH::CP::0 1315 ON: 01-42 QuA: 5-8054ALB △ 711.20位置凌克 31 36:163680-6 EB: N-50 582 Associate 10 EB1 + 0

しったがいかいはいがかけること

& ADA322/22-0

178 188 34

Ę,

2i ★ S

स्र छ स 不成なる人


√∓

人 16 名 株 1/2:50/3 全に同こ1/3 X1-284

18/11 to 17 15

(1, E, 17) 3001

Z e



33.13 华田南上) 取任门

K R 98 L

5 10:

1846 1083245-C


A 54 48

1 # 1/2


士 K,


東田ロット

医维





ARD CO. LTD.







.





AAD CO. LTD.





		5	
- "	1940ce 22 11 11 11 11 11 11 11 11 11 11 11 11		11.6. [C] (4.1) (5.1) (6

A&D CO., LTD.

ž

