




| MODEL       | AD-4405                           |
|-------------|-----------------------------------|
| DESCRIPTION | RS-232C, RELAY, C. IN, C.L. BOARD |
| STOCK No.   | 7P2+4341A                         |
| DRWG.No.    | ``                                |



| MODEL       | AD-4407       |
|-------------|---------------|
| DESCRIPTION | RS-232C BOARD |
| STOCK No.   | 7PZ+3911      |
| DRWG.No.    |               |




| MODEL       | AD-4407       |
|-------------|---------------|
| DESCRIPTION | RS-232C BOARD |
| STOCK No.   | 7PZ+3911      |
| DRWG.No.    |               |




i ş

| MODEL       | AD-4407             |
|-------------|---------------------|
| DESCRIPTION | ANALOG OUTPUT BOARD |
| STOCK No.   | 7PZ+3909            |
| DRWG.No,    |                     |




i ş

| MODEL       | AD-4406             |
|-------------|---------------------|
| DESCRIPTION | ANALOG OUTPUT BOARD |
| STOCK No.   | 7PZ+3908B           |
| DRWG.No.    |                     |




| MODEL       | AD-4405             |
|-------------|---------------------|
| DESCRIPTION | ANALOG OUTPUT BOARD |
| STOCK No.   | 7PZ+3908A           |
| DRWG.No.    | ``                  |





i **,** 

| MODEL       | AD-4405             |
|-------------|---------------------|
| DESCRIPTION | ANALOG OUTPUT BOARD |
| STOCK No.   | 7PZ+3908A           |
| DRWG.No.    |                     |





| MODEL       | AD-4405                |
|-------------|------------------------|
| DESCRIPTION | PRINTER CONTOROL BOARD |
| STOCK No.   | 7PZ+3881               |
| DRWG.No.    |                        |






| MODEL       | AD-4407                     |
|-------------|-----------------------------|
| DESCRIPTION | RS-232C, RELAY, C. IN BOARD |
| STOCK No.   | 7PZ+3880                    |
| DRWG.No.    |                             |







| MODEL       | AD-4406                     |
|-------------|-----------------------------|
| DESCRIPTION | RS-232C, RELAY, C. IN BOARD |
| STOCK No.   | 7PZ+3879B                   |
| DRWG.No.    | ,                           |



i }




| MODEL       | AD-4405                     |
|-------------|-----------------------------|
| DESCRIPTION | RS-232C, RELAY, C. IN BOARD |
| STOCK No.   | 7PZ+3879A                   |
| DRWG,No,    | ,                           |




MODEL AD-4405 RS-232C, RELAY, C. IN BOARD DESCRIPTION 7PZ+3879A STOCK No. DRWG, No.


i }




| MODEL       | AD-4406                 |
|-------------|-------------------------|
| DESCRIPTION | RS-422/485, RELAY BOARD |
| STOCK No.   | 7PZ+3878B               |
| DRWG.No.    | ,                       |




l |




| MODEL       | AD-4485                 |
|-------------|-------------------------|
| DESCRIPTION | RS-422/485, RELAY BOARD |
| STOCK No.   | 7PZ+3878A               |
| DRWG.No.    |                         |




i ş



| MODEL       | AD-4406       |
|-------------|---------------|
| DESCRIPTION | RS-232C BOARD |
| STOCK No.   | 7PZ+3877B     |
| DRWG.No.    | `             |




| MODEL       | AD-4406                          |
|-------------|----------------------------------|
| DESCRIPTION | RS-232C + RELAY OUT + C.IN + C.L |
| STOCK No:   | 7PZ+4341A                        |
| DRWG,No.    | ``                               |




1 4


| MODEL       | AD-4407             |
|-------------|---------------------|
| DESCRIPTION | ANALOG DUTPUT BOARD |
| STOCK No.   | 7PZ+3909            |
| DRWG.No.    |                     |




| MODEL       | AD-4405             |
|-------------|---------------------|
| DESCRIPTION | ANALOG OUTPUT BOARD |
| STOCK No.   | 7PZ+3908B           |
| DRWG.No.    |                     |



| MODEL       | AD-4405       |
|-------------|---------------|
| DESCRIPTION | RS-232C BOARD |
| STOCK No.   | 7PZ+3877A     |
| DRWG.No.    |               |




i **;** 




,


AD-4405/06/07 PCBs

|          |                     | Main Body |          | Interface | OP-03               | 0P-04                             | OP-05                               | OP-06    | 0P-07     | 0P~08     |
|----------|---------------------|-----------|----------|-----------|---------------------|-----------------------------------|-------------------------------------|----------|-----------|-----------|
|          | Main Board LC Conn. | LC Conn.  | Power    | RS-232C   | RS~422/485          | RS-2                              | .32C RS-232/RL Printer 4-20mA RS,CL | Printer  | 4-20mA    | RS,CL,RL  |
| AD-4405  | 7PZ+3874A           |           | 7PZ+3415 | 7PZ+3877A | 7PZ+3877A 7PZ+3878A | -                                 | 7PZ+3879A                           | 7PZ+3881 | 7PZ+3908A | 7PZ+4341A |
| 400×4406 | 7PZ+3875            | سعسمه     |          |           | 7PZ+3878B           | 7PZ+3878B   7PZ+3877B   7PZ+3879B | 7PZ+3879B                           |          | 7PZ+3908B | 7PZ+4341B |
| AD-4407  | 7PZ+3874B           |           | 7PZ+3415 | 7PZ+3911  | 7PZ+3554A           | -                                 | 7PZ+3880                            | •        | 7PZ+3909  | 7PZ+4342  |







| MODEL       | AD-4406                           |
|-------------|-----------------------------------|
| DESCRIPTION | RS-292C, RELAY, C. IN, C.L. BOARD |
| STOCK No.   | 7PZ+4341B                         |
| DRWG.No.    |                                   |




| ı | MODEL       | AD-4406                          |
|---|-------------|----------------------------------|
|   | DESCRIPTION | RS-232C + RELAY OUT + CIN + C.L. |
|   | STOCK No.   | 7PZ+4341B                        |
|   | DRWG.No.    | `                                |




| MODEL       | AD-4405       |
|-------------|---------------|
| DESCRIPTION | RS-232C BOARD |
| STOCK No.   | 7PZ+3877A     |
| DRWG.No.    |               |




MODEL AD-4407
DESCRIPTION CONECTION BOARD
STOCK No. 7PZ+3876
DRWG.No.






i į




i }

| MODEL       | AD-4405/AD4407 |
|-------------|----------------|
| DESCRIPTION | AC POWER BOARD |
| STOCK No.   | 7PZ+3415       |
| DRWG.No.    |                |



| MODEL       | AD-4405/AD4407 |
|-------------|----------------|
| DESCRIPTION | AC POWER BOARD |
| STOCK No.   | 7PZ+3415       |
| DRWG.No.    |                |



| MODEL       | AD-4407                           |
|-------------|-----------------------------------|
| DESCRIPTION | RS-232C, RELAY, C. IN, C.L. BOARD |
| STOCK No.   | 7PZ+4342                          |
| DRWG.No.    | `                                 |

## AD-4406 PARTS LIST

| No. | Part No.      | Part Name                           | Quantity    |
|-----|---------------|-------------------------------------|-------------|
| 1   | 07+2000786    | Front Case                          | 1           |
| 2   | 07+1000268A   | Rear Case                           | 1           |
| 3   | 07+2000787    | Sub Case                            | 1           |
| 4   | 07+4012878    | Filter                              | 1           |
| 5   | 07+4012875    | Battery Cover                       | 1           |
| 6   | 07+4012876    | Cal Cover                           | 1           |
| 7   | 08+4012882    | Cal Sheet                           | 1           |
| 8   | 04+4012880    | Slide Lock                          | 2           |
| 9   | 04+4006942    | Shield Case B                       | 1           |
| 10  | 04+4006941    | Shield Case A                       | 1           |
| 11  | 04+C42583     | Spring                              | 2           |
| 12  | 04+4012879    | Heat Sink                           | 1           |
| 13  | 04+4012881    | Lcd Spon                            | 2           |
| 14  | 10+DH-26-1-AD | Battery Case                        | <u> </u>    |
| 15  | D8+3006047A   | Key Sheet                           | l. 1        |
| 16  |               | (Reserved)                          | 1 1         |
| 17  | 07+3006044-1  | Blank Panel A                       | 1           |
| 18  |               | (Reserved)                          | 1           |
| 19  | 04+3006045    | Display Stand (Optional)            | 1           |
| 20  | 07+4012877    | Knob 26 (Optional)                  | 2           |
| 21  | 10+RB-416     | Bumper Rubber (Optional)            | 4           |
|     |               |                                     |             |
| a   |               | M2.6 x 6 Screw                      | 1           |
| b   |               | M2.6 Nut                            | 1           |
| С   |               | M2.6 x 8 Pan Head Screw             | 9           |
| d   |               | M3 x 8 Double Sems Screw (S-Washer) | 4           |
| е   |               | M3 x 6 Double Sems Screw (S-Washer) | 4           |
| f   |               | · M3 Nut                            | 2           |
| g   |               | M3 x 8 Pan Head Screw               | 10          |
| h   |               | M4 x 12 Torus Screw                 | 2           |
|     |               | Nylon Washer (M4 Size)              | 2           |
| i   |               | Plane Washer (M6 Size) (Optional).  | 2           |
| k   |               | Soldering Lug                       | 1           |
|     |               |                                     | <del></del> |

# 7PZ+3875 PARTS LIST

| Circuit Symbol | Part No.        | Part Name                           | Quantity |
|----------------|-----------------|-------------------------------------|----------|
| •              | PC+3875E        | PRINTED WIRING BOARD                | 1        |
| BZ1            | ET+EFB-AA40D101 | BUZZER                              | 1        |
| C28-32         | CC+100P-C       | CERAMIC CAPACITOR                   | 5        |
| C33-37         | CC+0.1U25V-C    | CERAMIC CAPACITOR                   | 5        |
| C38            | CC+3P-C         | CERAMIC CAPACITOR                   | 1        |
| C39-45         | CC+0.1U25V-C    | CERAMIC CAPACITOR                   | 7        |
| C46            | CK+SME25VB330   | ALUMINIUM ELECTROLYTIC CAPACITOR    | 1        |
| C47            | CK+SME35VB1000  | ALUMINIUM ELECTROLYTIC CAPACITOR    | 1        |
| C48,49         | CC+0.1U25V-C    | CERAMIC CAPACITOR                   | 2        |
| C50            | CK+SME16VB33    | ALUMINIUM ELECTROLYTIC CAPACITOR    | 1        |
| C51            | CC+0.0033U1KV   | CERAMIC CAPACITOR                   | 1        |
| C52            | CC+0.001U-C     | CERAMIC CAPACITOR                   | 1        |
| C53-58         | CC+0.1U25V-C    | CERAMIC CAPACITOR                   | 6        |
| C59            | CC+0.0033U1KV   | CERAMIC CAPACITOR                   | 1        |
| D1-5           |                 | (not installed)                     |          |
| D6             | DI+1SS97        | SCHOTTKY BARRIER DIODE              | 1        |
| D7             | DI+1SS133       | SWITCHING DIODE                     | 1        |
| <b>J</b> 1     | JI+7P-S2T2-EF   | CONNECTOR                           | 1        |
| J2             | JI+2P-S2T2-EF   | CONNECTOR                           | 1        |
| J3             | JI+CL581-0113-2 | CONNECTOR                           | 1        |
| J4             | 1               | (not installed)                     |          |
| J5             | JE+0486-01-010  | POWER JACK                          | 1        |
| LCD1           | ED+HT4096A-TRP1 | LCD PANEL                           | 1        |
| NF1-6          | NF+EXCCET102U   | EMC FILTER                          | 6        |
| NF7,6          | NF+ZBF253S-01   | FERRITE BEADS                       | 2        |
| Q4             | QT+FB1L3N-L     | NPN TRANSISTOR                      | 1        |
| Q5             | QT+C2712Y-C     | NPN TRANSISTOR                      | 1        |
| Q6             | QT+A1314B-C     | PNP TRANSISTOR                      | 1        |
| R30-34         | RC+1/10W101J    | RESISTOR                            | 5        |
| R35-38         | RC+1/10W103J    | RESISTOR                            | 4        |
| R39,40         | RC+1/10W473J    | RESISTOR                            | 2        |
| R41            | RC+1/10W681J    | RESISTOR .                          | 1        |
| R42            | RC+1/10W123J    | RESISTOR                            | 1        |
| R43-45         | RC+1/10W682J    | RESISTOR                            | 3        |
| R46,47         | RC+1/10W103J    | RESISTÓR                            | 2        |
| R48            | RC+1/10W333J    | RESISTOR                            | 1        |
| R49            | RC+1/10W393J    | RESISTOR                            | 1        |
| R50,51         | RC+1/10W183J    | RESISTOR                            | 2        |
| R52,53         |                 | (not installed)                     |          |
| SW1,2          | SK+SKHHAK       | TACT SWITCH                         | 2        |
| SW3-6          |                 | (not installed)                     |          |
| SW7-11         | SK+SKHHAK       | TACT SWITCH                         | 5        |
| Ü8             | UC+D780308GF081 | 8-BIT CPU                           | 1        |
| U9             | UC+93C66LM8     | EEPROM                              | 1        |
| U10            | UC+HC74F        | DUAL D FLIP-FLOP                    | 1        |
| U11            | UC+HC02F        | QUAD 2-INPUT NOR GATE               | 1        |
| U12            | UA+\$-80845ALUP | VOLTAGE COMPARATOR                  | 1        |
| U13            | UR+24M05HF      | 3-TERMINAL VOLTAGE REGULATOR        | 1        |
| XT1            | XT+KBR4.91MKSTF | CERAMIC RESONATOR                   | 1        |
|                | 04+4012879      | HEAT SINK                           | 1        |
|                | QA+AC256-1674   | COOL SHEET                          | 1        |
|                | 06+4012881      | LCD SPONJI                          | 2        |
|                | 04+4006941      | SHIELD CASE(A)                      | 1        |
|                | 04+4006942      | SHIELD CASE(B)                      | 1        |
|                |                 | M3x8 PAN HEAD SCREW + SPRING WASHER | 2        |
|                |                 | M3 NUT                              | 2        |

# 7PZ+3878B PARTS LIST

| Circuit Symbol | Part No.        | Part Name                        | Quantity |
|----------------|-----------------|----------------------------------|----------|
|                | PC+3878         | PRINTED WIRING BOARD             | 1        |
| 21             | CK+SME16VB100   | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C2 ·           | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 1        |
|                | CK+SME16VB1000  | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C4.5           | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 2        |
| CB             | CK+SME10VB220   | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C7-10          | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 4        |
| J3             | JI+CL581-0109-5 | CONNECTOR                        | 1        |
| J5             | ,               | (not installed)                  |          |
| J11            | TM+SLA10/90     | CONNECTOR TERMINAL               | 1.       |
| J12            | EJ+0470-01-230  | POWER JACK                       | 1        |
| _1,2           | NF+ZJY51R5-2P   | COMMON CHOKE COIL                | 2        |
| PHC1-3         | DF+PS2501-1L/K  | PHOTO ISOLATOR                   | 3        |
| R1             | RC+NAT820R      | RESISTOR                         | 1        |
| R2             | RC+NAT100R      | RESISTOR                         | 1        |
| R3             | RC+NAT4.7K      | RESISTOR                         | 1        |
| R4             | RC+NAT330R      | RESISTOR                         | 1        |
| R5             | RC+NAT820R      | RESISTOR                         | 1        |
| R6             | RC+NAT100R      | RESISTOR                         | 1        |
| R7             | RC+NAT4.7K      | RESISTOR                         | 1        |
| R8             | RC+NAT330R      | RESISTOR                         | 1        |
| R9             | RC+NAT1.8K      | RESISTOR                         | 1        |
| R10-12         | RC+NAT4.7K      | RESISTOR                         | 3        |
| R13,14         | RC+NAT47K       | RESISTOR                         | 2        |
| R15            | RC+1/2100R      | RESIŞTOR 1/2W                    | 1        |
| R16            | RC+NAT4.7K      | RESISTOR                         | 1        |
| R17-19 -       | RC+NAT1.5K      | RESISTOR                         | 3        |
| RY1-3          | DF+AQV253       | PHOTO MOS RELAY                  | 3        |
| S1             | SS+MM-1202N     | SLIDE SWITCH                     | 1        |
| ป1             | UC+HC14         | HEX SCHMITT INVERTER             | 1        |
| ป2             | UC+HC08         | QUAD 2-INPUT AND GATE            | 1        |
| U3,4           | UC+LTC485       | RS-485 DRIVER/RECEIVER           | 2        |
| Ú5             | UR+24M05HF      | VOLTAGE REGULATOR                | 1        |
|                | HT+6073PB       | HEAT SINK                        | 1        |
|                | QA+AC256-1674   | COOL SHEET                       | 1        |
|                | JI+360A2        | RIGHT ANGLE                      | 2        |
|                | 01+3006048      | PANEL                            | 1        |
|                |                 | M3x10 PAN HEAD SCREW             | 1        |
|                |                 | M3 NUT                           | 1        |
|                |                 | M2.6x4 PAN HEAD SCREW            | 4        |

# 7PZ+3877B PARTS LIST

| Circuit Symbol | Part No.        | Part Name                        | Quantity |
|----------------|-----------------|----------------------------------|----------|
|                | PC+3877C        | PRINTED WIRING BOARD             | 1        |
| C1-5           | CK+SME16VB10    | ALUMINIUM ELECTROLYTIC CAPACITOR | 5        |
| C6 ·           | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 1        |
| J3             | JI+CL581-0109-5 | CONNECTOR                        | 1        |
| J5             |                 | (not installed)                  |          |
| J10            | JA+205A09M-BBC  | D-SUB CONNECTOR                  | 1        |
| L1             | LR+BFR120507ADK | FERRITE CORE                     | 1        |
| U1             | UC+MAX232CPE    | RS-232C DRIVER/RECEIVER          | 1        |
|                | 01+3006049      | PANEL                            | 1        |
|                |                 |                                  |          |

# 7PZ+3879B PARTS LIST

| Circuit Symbol | Part No.        | Part Name                        | Quantity |
|----------------|-----------------|----------------------------------|----------|
|                | PC+3879B        | PRINTED WIRING BOARD             | 1        |
| C1-5           | CK+SME16VB10    | ALUMINIUM ELECTROLYTIC CAPACITOR | 5        |
| C6             | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 1        |
| C7             | CK+SME16VB10    | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C8             | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 1        |
| J3             | JI+CL581-0109-5 | CONNECTOR                        | 1        |
| J5             |                 | (not installed)                  |          |
| J13            | JA+205A09M-BBC  | D-SUB CONNECTOR                  | 1        |
| J14            | JA+4480-01-4151 | DIN CONNECTOR                    | 1        |
| NF1,2          | NF+D-42C        | COMMON CHOKE COIL                | 2        |
| PHC1-3         | DF+PS2501-1L/K  | PHOTO ISOLATOR                   | 3        |
| R1-3           | RC+NAT1.5K      | CARBON RESISTOR                  | 3        |
| R4-6           | RC+NAT33K       | CARBON RESISTOR                  | 3        |
| R7-9           | RC+NAT680R      | CARBON RESISTOR                  | 3        |
| RY1-3          | DF+AQV253       | PHOTO MOS RELAY                  | 3        |
| U1             | UC+MAX232CPE    | RS-232C DRIVER/RECEIVER          | 1        |
|                | J1+360A2        | RIGHT ANGLE                      | 2        |
|                | 01+3006049      | PANEL                            | 1        |
|                |                 | M2.6×4 PAN HEAD SCREW            | 4        |

# 7PZ+3908B PARTS LIST

| Circuit Symbol | Part No.        | Description                      | Quantity |
|----------------|-----------------|----------------------------------|----------|
|                | PC+3908         | PRINTED WIRING BOARD             | 1        |
| 1              | CK+SRA10VB-47   | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
|                | CK+SRA50VB-3.3  | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| 3,4            | CC+0.01U        | CERAMIC CAPACITOR                | 2        |
| 5              | CM+ECQB1H332JF  | POLYESTER FILM CAPACITOR         | 1        |
| 6              | CC+0.01U        | CERAMIC CAPACITOR                | 1        |
| 27,8           | CC+0.0033U1KV   | CERAMIC CAPACITOR                | 2        |
| 29             | CK+SME16VB220   | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| 210,11         | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 2        |
| C12            | CK+SRA10VB-47   | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C13            | CC+0.001U       | CERAMIC CAPACITOR                | 1        |
| C14            | CK+SXE25VB220   | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| 215            | CK+SME25VB22    | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C16-20         | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 5        |
| 21-24          | CC+0.0033U1KV   | CERAMIC CAPACITOR                | 4        |
| 01,2           | DI+1SS133       | SWITCHING DIODE                  | 2        |
| 03             | DI+SB10-03A2    | SCHOTTKY BARRIER DIODE           | 1        |
| J3             | JI+CL581-0109-5 | CONNECTOR                        | 1        |
| J5 <u> </u>    |                 | (not installed)                  |          |
| 115            | TM+MSTB03GF     | CONNECTOR TERMINAL               | 1        |
| 116            | EJ+0470-01-230  | POWER JACK                       | 1        |
| _1             | LL+ELF05SKI-221 | INDUCTOR                         | 1        |
| VF1            | NF+ZJK51R5-05   | NOISE FILTER                     | 1        |
| NF2            | NF+ZJY51R5-2P   | COMMON CHOKE COIL                | 1        |
| NF3-6          | NF+ZBF253S-01   | FERRITE BEAD                     | 4        |
| PHC1           | DF+TLP2631      | PHOTO ISOLATOR                   | 1        |
| PHC2           | DF+TLP552       | PHOTO ISOLATOR                   | 1        |
| PHC3           | DF+PS2501-1L/K  | PHOTO ISOLATOR                   | 1        |
| Q1             | QF+K701         | MOS FET                          | 1        |
| R1-3           | RC+NAT680R      | RESISTOR                         | 3        |
| R4             | RC+NAT2.2K      | RESISTOR                         | 1        |
| R5-7           | RC+NAT1K        | RESISTOR                         | 3        |
| R8,9           | RC+NAT10K       | RESISTOR                         | 2        |
| R10,11         | RC+NAT1R        | RESISTOR                         | 2        |
| R12            | RC+NAT180R      | RESISTOR                         | 1        |
| R13            | RM+RNM3,3KF     | METAL FILM RESISTOR              | 1        |
| R14            | RM+RNM36KF      | METAL FILM RESISTOR              | 1        |
| R15            | RC+NAT1M        | RESISTOR                         | 1        |
| R16            | RC+NAT10K       | RESISTOR                         | 1        |
| U1             | UC+HC14         | HEX SCHMITT INVERTER             | 1        |
| Ü2             | UF+AD420        | 16BIT DAC                        | 1        |
| U3             | UR+TA78L005AP   | VOLTAGE REGULATOR                | 1        |
| U4             | UR+MC34063AP1   | SWITCHING REGULATOR              | 1        |
|                | JI+360A2        | RIGHT ANGLE                      | 2        |
|                | 01+3006050A     | PANEL                            | 1        |
|                |                 | M2.6x4 PAN HEAD SCREW            | 4        |

# 7PZ+4341B PARTS LIST

| Circuit Symbol | Part No.        | Part Name                        | Quantity |
|----------------|-----------------|----------------------------------|----------|
|                | PC+38798        | PRINTED WIRING BOARD             | 1        |
| C1-5           | CK+SME16VB10    | ALUMINIUM ELECTROLYTIC CAPACITOR | 5        |
| C6             | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 1        |
| C7             | CK+SME16VB10    | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| CB             | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 1        |
| D1             | DI+1B4B42       | BRIDGE DIODE                     | 1        |
| J3             | Ji+CL581-0109-5 | CONNECTOR                        | 1        |
| J5             |                 | (not installed)                  |          |
| J25            | JA+205A09M-BBC  | D-SUB CONNECTOR                  | 1        |
| J26            | JA+4480-01-4151 | DIN CONNECTOR                    | 1        |
| NF1            | NF+D-42C        | COMMON CHOKE COIL                | 1        |
| NF2,3          | NF+ZJY51R5-2P   | COMMON CHOKE COIL                | 2        |
| PHC3,4         | DF+PS2501-1L/K  | PHOTO ISOLATOR                   | 2        |
| Q1,2           | QT+C1815Y       | NPN TRANSISTOR                   | 2        |
| R1-3           | RC+NAT1.5K      | CARBON RESISTOR                  | 3        |
| R6             | RC+NAT33K       | CARBON RESISTOR                  | 3        |
| R9 ,           | RC+NAT680R      | CARBON RESISTOR                  | 3        |
| R10            | RC+NAT10K       | CARBON RESISTOR                  | 1        |
| R11            | RC+NAT4.7K      | CARBON RESISTOR                  | 1        |
| R12            | RC+NAT1.5K      | CARBON RESISTOR                  | 1        |
| R13            | RC+NAT680R      | CARBON RESISTOR                  | 1        |
| RY1-3          | DF+AQV253       | PHOTO MOS RELAY                  | 3        |
| U1             | UC+MAX232CPE    | RS-232C DRIVER/RECEIVER          | 1        |
|                | JI+360A2        | RIGHT ANGLE                      | 2        |
|                | 01+3007368      | PANEL                            | 1        |
|                |                 | M2.6×4 PAN HEAD SCREW            | 4        |

#### 7PZ+3874A PARTS LIST

| Circuit Symbo | Part No.        | Description                      | Quantity  |
|---------------|-----------------|----------------------------------|---|
|               | PC+3874D        | PRINTED WRING BOARD              | 1   |
| BZ1           | ET+EFB-AA40D101 | BUZZER                           | 1   |
| C33-37        | CC+0.1U25V-C    | CERAMIC CAPACITOR                | 4   |
| C38           |                 | (not installed)                  |   |
| C39-45        | CC+0.1U25V-C    | CERAMIC CAPACITOR                | 7   |
| C46           | CK+SME35VB1000  | ALUMINIUM ELECTROLYTIC CAPACITOR | 1   |
| C47           | CK+SME16VB33    | ALUMINIUM ELECTROLYTIC CAPACITOR | 1   |
| C48           | CK+SME63VB100   | ALUMINIUM ELECTROLYTIC CAPACITOR | 1   |
| C49           | CC+0.1U25V-C    | CERAMIC CAPACITOR                | 1   |
| C50           | CC+5P-C         | CERAMIC CAPACITOR                | 1   |
| C51,52        | CC+0.1U25V-C    | CERAMIC CAPACITOR                | 2   |
| C53-58        | CC+0.001U-C     | CERAMIC CAPACITOR                | 6   |
| D1,2          | DI+1B4B42       | BRIDGE DIODE                     | 2   |
| D3            | DZ+05Z6.8       | ZENER DIODE                      | 1   |
| D4            | DI+1SS97        | SCHOTTKY BARRIER DIODE           | 1   |
| O5            | DI+1SS53        | SCHOTTKY BARRIER DIODE           | 1   |
| D6            |                 | (not installed)                  | <del>-</del>                                      |
| E81           | EB+CR2032-WT12  | LITHIUM BATTERY                  | 1   |
| J1            | JI+7P-S2T2-EF   | CONNECTOR                        | 1 1   |
| J2            | JI+2P-S3T2-E    | CONNECTOR                        | 1   |
| J3            | JT+171825-9     | CONNECTOR                        | 1   |
| 34            |                 | (not installed)                  |   |
| J5            | JI+13P-S2T2-EF  | CONNECTOR                        | 1   |
| J6            | JI+11P-S2T2-EF  | CONNECTOR                        | 1 1   |
| LED1          | DL+GL8HD22      | LED(RED)                         | $\frac{1}{1}$                                     |
| LED2          | DL+GL8EG22      | LED(GREEN)                       | 1   |
| LED3          | DL+GL8HD22      | LED(RED)                         | 1   |
| NF1-6         | NF+EXCCET102U   | EMC FILTER                       | 6   |
| Q4            | QT+F81L3N-L     | NPN TRANSISTOR                   | 1   |
| R30-34        | RC+1/10W101J    | RESISTOR .                       | 5   |
| R35-38        | RC+1/10W103J    | RESISTOR                         | 4   |
| R39,40        |                 | (not installed)                  |   |
| R41-43        | RC+1/10W331J    | RESISTOR                         | 3   |
| R44           | RC+1/10W563J    | RESISTOR                         | 1   |
| R45-50        | RC+1/10W103J    | RESISTOR                         | 6   |
| R51           | RC+1/18W222J    | RESISTOR                         | 1 1   |
| R52           | RC+1/10W681J    | RESISTOR                         | 1   |
| R53           | RC+1/10W103J    | RESISTOR                         | <del></del>                                       |
| SW1-15        | SK+EVQPAD07K    | TACT SWITCH                      | 15  |
| U8            | UC+D780308GF081 | B-BIT CPU                        | 1   |
| US            | UC+93C66LM8     | EEPROM                           | 1   |
| U10           | UC+HC74F        | DUAL D FLIP-FLOP                 | <del>  i                                   </del> |
| U11           | UC+HC02F        | QUAD 2-INPUT NOR GATE            | 1   |
| U12           | UA+S-8054ALR    | VOLTAGE COMPARATOR               | <u> i</u>   |
| U13           | UR+24M05HF      | 3-TERMINAL VOLTAGE REGULATOR     | 1   |
| U14           | UR+TA78L005AP   | 3-TERMINAL VOLTAGE REGULATOR     | 1   |
| U15           | UC+D16312GB-3B4 | VFD CONTROLLER/DRIVER            | 1 1   |
| U16           | UC+S-3511AEFS   | REAL TIME CLOCK MODULE           | 1   |
| VFD           | ED+CL1773G      | VACUUM FLUORESCENT DISPLAY TUBE  | 1   |
| XT1           | XT+KBR4.91MKSTF | CERAMIC RESONATOR                | 1   |
| XT2           | XT+DS-VT-200    | CRYSTAL OSCILLATOR               | 1   |
|               | DA+LM-4         | LED SPACER                       | 3   |
|               | HT+6073PB       | HEAT SINK                        | 1   |
|               | QA+AC256-1674   | COOL SHEET                       | 1   |
|               | 06+B42081A      | VFD PILLOW                       | - 1   |

#### 2/2

## 7PZ+3874A PARTS LIST

| <br>04+4006941 | SHIELD CASE(A)                      | 1 |
|----------------|-------------------------------------|---|
| <br>04+4006942 | SHIELD CASE(B)                      | 1 |
|                | M3x8 PAN HEAD SCREW + SPRING WASHER | 2 |
|                | M3 NUT                              | 2 |

## 7PZ+3415 PARTS LIST

| Circuit Symbol | Part No.        | Description              | Quantity |
|----------------|-----------------|--------------------------|----------|
|                | PC+3415A        | PRINTED WRING BOARD      | 1        |
| C1-2           | CC+0.001u2KV    | CERAMIC CAPASITOR        | 2        |
| C3             | CM+E2A104MW     | POLYESTER FILM CAPACITOR | 1        |
| F              | FS+EAWK-315MA   | FUSE                     | 1        |
| FH             | FH+85PN0819     | FUSE HOLDER              | 2        |
| J1             | JT+LW1143-03ADK | CONNECTOR                | 1        |
| J2             | JT+YFW500-01ADK | TERMINAL PIN             | 1        |
| J3-7           | JT+61134-1      | FASTON TAB               | 5        |
| <b>L</b> 1     | LL+SU9H-05020   | NOISE FILTER             | 1        |

## 7PZ+3877A PARTS LIST

| Circuit Symbol | Part No.        | Description                      | Quantity |
|----------------|-----------------|----------------------------------|----------|
|                | PC+3877C        | PRINTED WIRING BOARD             | 1        |
| C1-5           | CK+SME16VB10    | ALUMINIUM ELECTROLYTIC CAPACITOR | 5        |
| C6             | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 1        |
| J3             |                 | (not installed)                  |          |
| 35             | JI+13P-S2T2-EF  | CONNECTOR                        | 1        |
| J10            | JA+205A09M-B8C  | D-SUB CONNECTOR                  | 1        |
| <u></u>        | LR+BFR120507ADK | FERRITE CORE                     | 1        |
| U1             | UC+MAX232CPE    | RS-232C DRIVER/RECEIVER          | 1        |
|                | 01+3006131A     | PANEL                            | 1        |
|                | ·               | M2.6×4 PAN HEAD SCREW            | 2        |

#### 7PZ+3878A PARTS LIST

| Circuit Symbol | Part No.        | Description                      | Quantity |
|----------------|-----------------|----------------------------------|----------|
|                | PC+3878         | PRINTED WIRING BOARD             | 1        |
| 21             | CK+SME16VB100   | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C2             | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 1        |
| 23             | CK+SME16VB1000  | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| 24,5           | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 2        |
| 26             | CK+SME10VB220   | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| 27-10          | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 4        |
| 13             |                 | (not installed)                  |          |
| 15             | J(+13P-S2T2-EF  | CONNECTOR                        | 1        |
| ]11            | TM+SLA10/80     | CONNECTOR TERMINAL               | 1        |
| 112            | EJ+0470-01-230  | POWER JACK                       | 1        |
| _1,2           | NF+ZJY51R5-2P   | COMMON CHOKE COIL                | 2        |
| PHC1-3         | DF+PS2501-1L/K  | PHOTO ISOLATOR                   | 3        |
| र्1            | RC+NAT820R      | RESISTOR                         | 1        |
| ₹2             | RC+NAT100R      | RESISTOR                         | 1        |
| ₹3             | RC+NAT4.7K      | RESISTOR                         | 1        |
| ₹4             | RC+NAT330R      | RESISTOR                         | 1        |
| ₹5             | RC+NAT820R      | RESISTOR                         | 1        |
| ₹6             | RC+NAT100R      | RESISTOR                         | 1        |
| R7             | RC+NAT4.7K      | RESISTOR                         | 1        |
| 28             | RC+NAT330R      | RESISTOR                         | 1        |
| R9             | RC+NAT1.8K      | RESISTOR                         | 1        |
| R10-12         | RC+NAT4.7K      | RESISTOR                         | 3        |
| R13,14         | RC+NAT47K       | RESISTOR                         | 2        |
| R15            | RC+1/2100R      | RESISTOR 1/2W                    | 1        |
| R16            | RC+NAT4.7K      | RESISTOR                         | 1        |
| R17-19         | RC+NAT1.5K      | RESISTOR                         | 3        |
| RY1-3          | DF+AQV253       | PHOTO MOS RELAY                  | 3        |
| S1             | SS+MM-1202N     | SLIDE SWITCH                     | 1        |
| U1             | UC+HC14         | HEX SCHMITT INVERTER             | 1        |
| U2             | UC+HC08         | QUAD 2-INPUT AND GATE            | 1        |
| U3,4           | UC+LTC485       | RS-485 DRIVER/RECEIVER           | 2        |
| U5             | UR+24M05HF      | VOLTAGE REGULATOR                | 1        |
|                | HT+6073PB       | HEAT SINK                        | 1        |
|                | QA+AC256-1674   | COOL SHEET                       | 1        |
|                | JI+360A2        | RIGHT ANGLE                      | 2        |
|                | 01+3006389      | PANEL                            | 1        |
|                |                 | M3x10 PAN HEAD SCREW             | 1        |
|                |                 | M3 NUT                           | 1        |
|                |                 | M2.6x4 PAN HEAD SCREW            | 4        |

#### 7PZ+3879A PARTS LIST

| Circuit Symbol | Part No.        | Description                      | Quantity |
|----------------|-----------------|----------------------------------|----------|
| •              | PC+3879B        | PRINTED WIRING BOARD             | 1        |
| C1~5           | CK+SME16VB10    | ALUMINIUM ELECTROLYTIC CAPACITOR | 5        |
| C6             | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 1        |
| C7             | CK+SME16VB10    | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C8             | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 1        |
| J3             |                 | (not installed)                  |          |
| J5             | JI+13P-S2T2-EF  | CONNECTOR                        | 1        |
| J13            | JA+205A09M-BBC  | D-SUB CONNECTOR                  | 1        |
| J14            | JA+4480-01-4151 | DIN CONNECTOR                    | 1        |
| J24            | JT+61134-1      | FASTON TAB                       | 1        |
| NF1,2          | NF+D-42C        | COMMON CHOKE COIL                | 2        |
| PHC1-3         | DF+PS2501-1L/K  | PHOTO ISOLATOR                   | 3        |
| R1-3           | RC+NAT1.5K      | CARBON RESISTOR                  | 3        |
| R4-6           | RC+NAT33K       | CARBON RESISTOR                  | 3        |
| R7-9           | RC+NAT680R      | CARBON RESISTOR                  | 3        |
| RY1-3          | DF+AQV253       | PHOTO MOS RELAY                  | 3        |
| U1             | UC+MAX232CPE    | RS-232C DRIVER/RECEIVER          | 1        |
|                | JI+360A2        | RIGHT ANGLE                      | 2        |
|                | 01+30059108     | PANEL                            | 1        |
|                |                 | M2.6×4 PAN HEAD SCREW            | 4        |

#### 7PZ+3881 PARTS LIST

| Circuit Symbol | Part No.         | Description                             | Quantity       |
|----------------|------------------|---|----------------|
|                | PC+3881          | PRINTED WIRING BOARD                    | 1              |
| 21             | CC+0.001U        | CERAMIC CAPACITOR                       | 1              |
| C2             | CC+0.01U         | CERAMIC CAPACITOR                       | 1              |
| 23             | CM+V1H103JL      | PORYESTER FILM CAPACITOR                | 1              |
| <b>A</b>       | CT+1VR33         | TANTALUM CAPACITOR                      | 1              |
| C5             | CT+1V010         | TANTALUM CAPACITOR                      | 1              |
| 26,7           | CC+10P           | CERAMIC CAPACITOR                       | 2              |
| C8             | CC+100P          | CERAMIC CAPACITOR                       | 1              |
| C9             | CC+470P          | CERAMIC CAPACITOR                       | 1              |
| C10            | CC+0.001U        | CERAMIC CAPACITOR                       | 1              |
| C11,12         | CK+SME16VB3300   | ALUMINIUM ELECTROLYTIC CAPACITOR        | 2              |
| C13-18         | CC+FK16Y5V1H104  | CERAMIC CAPACITOR                       | 6              |
| C19            | CK+SME16VB100    | ALUMINIUM ELECTROLYTIC CAPACITOR        | 1              |
| C20,21         | CC+FK18Y5V1H104  | CERAMIC CAPACITOR                       | 2              |
| D1             | DI+F14A          | DIODE                                   | 1              |
| D2             | DI+D2S8A20       | BRIDGE DIODE                            | 1              |
| D3             | DI+F14A          | DIODE                                   | 1              |
| 32             | JI+3P-S3T2-SA    | CONNECTOR                               | 1              |
| J6             | JI+11P-S2T2-EF   | CONNECTOR                               | 1              |
| J18            | JI+2P-S2T2-EF    | CONNECTOR                               | 1              |
| J19            | JI+11P-S2T2-EF   | CONNECTOR                               | 1              |
| Q1             | QT+A1015Y        | PNP TRANSISTOR                          | 1              |
| Q2             | QT+C3279         | NPN TRANSISTOR                          | 1              |
| Q3             | QT+A1020Y        | PNP TRANSISTOR                          | 1              |
| Q4             | QT+BA1F4M        | NPN TRANSISTOR WITH RESISTOR            | 1              |
| Q5             | QT+C1815Y        | NPN TRANSISTOR                          | 1              |
| R1             | RC+NAT2.2K       | RESISTOR                                | 1              |
| R2             | RC+NAT560R       | RESISTOR                                | 1              |
| R3,4           | RC+NAT1K         | RESISTOR*                               | 2              |
| R5,6           | RC+NAT5.6K       | RESISTOR .                              | 2              |
| R7             | RC+NAT1K         | RESISTOR                                | 1              |
| R8             | RC+NAT10K        | RESISTOR                                | 1              |
| R9             | RC+NAT4.7K       | RESISTOR                                | 1              |
| R10            |                  | (not installed)                         | 1              |
| R11            | RC+NAT100R       | RESISTOR                                | 1              |
| R12            | RC+NAT4.7K       | RESISTOR                                | 1              |
| R13-16         | RC+NAT10K        | RESISTOR                                | 4              |
| R17            | RC+NAT4.7K       | RESISTOR                                | 1              |
| R18            | RC+NAT1K         | RESISTOR                                | 1              |
| RA1            | RN+IHR-8-472MA   | NETWORK RESISTOR                        | 1              |
| RA2            | RN+IHR-8-103MA   | NETWORK RESISTOR                        | <del>- i</del> |
| Ui             | UC+HC04          | HEX INVERTER                            | 1              |
| U2             | UA+MTB001        | DRIVER                                  | 1              |
| U3             | UC+TMP93P\$40-PR | 168IT CPU                               | 1              |
| U4             | UA+M51953BL      | RESETIC                                 | 1              |
| U5             | UC+HC00          | QUAD 2-INPUT NAND GATE                  | <del>'</del>   |
| U6             | UC+HC574         | OCTAL D FLIP-FLOP                       | <del>-  </del> |
| U7             | UR+SI-3052V      | VOLTAGE REGULATOR                       | <del></del>    |
| XT XT          | XT+AT51-20,000M  | CRYSTAL OSCILLATOR                      | <del>'</del>   |
|                | KO+964-11W015    | CABLE                                   | 1              |
|                | KO+2295-015      | CABLE                                   | <del>-</del>   |
| 6              | 7.07.2200-010    | M3×8 SCREW With SPRING WASHER, PLANE WA | - 6            |
| 7              | <del>-</del>     | M3×6 SCREW With SPRING WASHER, PLANE WA |                |
| 8              |                  | M3×10 SCREW With SPRING WASHER, PLANE W |                |

#### 7PZ+3908A PARTS LIST

| Circuit Symbol |                 | Description                      | Quantity |
|----------------|-----------------|----------------------------------|----------|
| •              | PC+3908         | PRINTED WRING BOARD              | 1        |
| 21             | CK+SRA10VB-47   | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| 2              | CK+SRA50VB-3,3  | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| 3,4            | CC+0,01U        | CERAMIC CAPACITOR                | 2        |
| 25             | CM+ECQB1H332JF  | POLYESTER FILM CAPACITOR         | 1        |
| 26             | CC+0.01U        | CERAMIC CAPACITOR                | 1        |
| 27,8           | CC+0.0033U1KV   | CERAMIC CAPACITOR                | 2        |
| C9             | CK+SME16VB220   | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| 210,11         | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 2        |
| 212            | CK+SRA10VB-47   | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C13            | CC+0.001U       | CERAMIC CAPACITOR                | 1        |
| 214            | CK+SXE25VB220   | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C15            | CK+SME25VB22    | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C16-20         | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 5        |
| C21-24         | CC+0,0033U1KV   | CERAMIC CAPACITOR                | 4        |
| 01,2           | Di+1SS133       | SWITCHING DIODE                  | 2        |
| 03             | DI+SB10-03A2    | SCHOTTKY BARRIER DIODE           | 1        |
| J3             |                 | (not installed)                  |          |
| 15             | JI+13P-S2T2-EF  | CONNECTOR                        | 1        |
| J15            | TM+MSTB03GF     | CONNECTOR TERMINAL               | 1        |
| J16            | EJ+0470-01-230  | POWER JACK                       | 1        |
|                | LL+ELF05SKI-221 | INDUCTOR                         | 1        |
| NF1            | NF+ZJK51R5-05   | NOISE FILTER                     | 1        |
| NF2            | NF+ZJY51R5-2P   | COMMON CHOKE COIL                | 1        |
| NF3-6          | NF+ZBF253S-01   | FERRITE BEAD                     | 4        |
| PHC1           | DF+TLP2631      | PHOTO ISOLATOR                   | 1        |
| PHC2           | DF+TLP552       | PHOTO ISOLATOR                   | 1        |
| PHC3           | DF+PS2501-1L/K  | PHOTO ISOLATOR                   | 1        |
| Q1             | QF+K701         | MOS FET                          | 1        |
| R1-3           | RC+NAT680R      | RESISTOR                         | 3        |
| R4             | RC+NAT2.2K      | RESISTOR                         | 1        |
| R5-7           | RC+NAT1K        | RESISTOR                         | 3        |
| R8,9           | RC+NAT10K       | RESISTOR                         | 2        |
| R10,11         | RC+NAT1R        | RESISTOR                         | 2        |
| R12            | RC+NAT180R      | RESISTOR                         | 1        |
| R13            | RM+RNM3.3KF     | METAL FILM RESISTOR              | 1        |
| R14            | RM+RNM36KF      | METAL FILM RESISTOR              | i        |
| R15            | RC+NAT1M        | RESISTOR                         | 1        |
| R16            | RC+NAT10K       | RESISTOR                         | 1        |
| U1             | UC+HC14         | HEX SCHMITT INVERTER             | 1        |
| U2             | UF+AD420        | 16BIT DAC                        | 1        |
| U3             | UR+TA78L005AP   | VOLTAGE REGULATOR                | + +      |
| U4             | UR+MC34063AP1   | SWITCHING REGULATOR              | 1        |
| <u> </u>       | JI+360A2        | RIGHT ANGLE                      |          |
|                | 01+3005911A     | PANEL                            | 1        |
|                |                 | M2,6x4 PAN HEAD SCREW            | 4        |

## 7PZ+4341A PARTS LIST

| Circuit Symbol | Part No.        | Description                      | Quantity |
|----------------|-----------------|----------------------------------|----------|
|                | PC+4341         | PRINTED WIRING BOARD             | 1        |
| C1~5           | CK+SME16VB10    | ALUMINIUM ELECTROLYTIC CAPACITOR | 5        |
| C6             | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 1        |
| C7 .           | CK+SME18VB10    | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C8             | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 1        |
| D1             | DI+1B4B42       | BRIDGE DIODE                     | 1        |
| J3             |                 | (not installed)                  |          |
| J5             | JI+13P-S2T2-EF  | CONNECTOR                        | 1        |
| J25            | JA+205A09M-BBC  | D-SUB CONNECTOR                  | 1        |
| J26            | JA+4480-01-4151 | DIN CONNECTOR                    | 1        |
| J27            | JT+61134-1      | FASTON TAB                       | 1        |
| NF1            | NF+D-42C        | COMMON CHOKE COIL                | 1        |
| NF2,3          | NF+ZJY51R5-2P   | COMMON CHOKE COIL                | 2        |
| PHC3,4         | DF+PS2501-1L/K  | PHOTO ISOLATOR                   | 2        |
| Q1,2           | QT+C1815Y       | NPN TRANSISTOR                   | 2        |
| R1-3           | RC+NAT1.5K      | CARBON RESISTOR                  | 3        |
| R6             | RC+NAT33K       | CARBON RESISTOR                  | 1        |
| R9             | RC+NAT680R      | CARBON RESISTOR                  | 1        |
| R10            | RC+NAT10K       | CARBON RESISTOR                  | 1        |
| R11            | RC+NAT4.7K      | CARBON RESISTOR                  | 1        |
| R12            | RC+NAT1.5K      | CARBON RESISTOR                  | 1        |
| R13            | RC+NAT680R      | CARBON RESISTOR                  | 1        |
| RY1-3          | DF+AQV253       | PHOTO MOS RELAY                  | 3        |
| U1             | UC+MAX232CPE    | RS-232C DRIVER/RECEIVER          | 1        |
|                | J{+360A2        | RIGHT ANGLE                      | 2        |
|                | 01+3007367      | PANEL                            | 11       |
|                |                 | M2.6×4 PAN HEAD SCREW            | 4        |

# 7PZ+3874B PARTS LIST

| Circuit Symbol | Part No.        | Description                      | Quantity |
|----------------|-----------------|----------------------------------|----------|
|                | PC+3874D        | PRINTED WIRING BOARD             | 1        |
| 3Z1            | ET+EFB-AA40D101 | BUZZER                           | 1        |
| C28-32         | CC+100P-C       | CERAMIC CAPACITOR                | 5        |
| 233-37         | CC+0.1U25V-C    | CERAMIC CAPACITOR                | 4        |
| 238            |                 | (not installed)                  |          |
| 239-45         | CC+0.1U25V-C    | CERAMIC CAPACITOR                | 7        |
| 246            | CK+SME35VB1000  | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C47            | CK+SME16VB33    | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| 248            | CK+SME63VB100   | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C49            | CC+0.1U25V-C    | CERAMIC CAPACITOR                | 1        |
| C50            | CC+5P-C         | CERAMIC CAPACITOR                | 1        |
| 251,52         | CC+0.1U25V-C    | CERAMIC CAPACITOR                | 2        |
| C53-58         | CC+0.001U-C     | CERAMIC CAPACITOR                | 6        |
| 01,2           | DI+1B4B42       | BRIDGE DIODE                     | 2        |
| 03             | DZ+05Z6.8       | ZENER DIODE                      | 1        |
| <b>D4</b>      |                 | (not installed)                  |          |
| D5             |                 | (not installed)                  |          |
| 26             |                 | (not installed)                  |          |
| EB1            |                 | (not installed)                  |          |
| J1             | JI+7P-S2T2-EF   | CONNECTOR                        | 1        |
| J2             | JI+2P-S3T2-E    | CONNECTOR                        | 1        |
| J3             |                 | (not installed)                  |          |
| J <b>4</b>     | JT+171825-9     | CONNECTOR                        | 1        |
| J5             | JI+13P-S2T2-EF  | CONNECTOR                        | 1        |
| J6             |                 | (not installed)                  |          |
| LED1           | DL+GL8HD22      | LED(RED)                         | 1        |
| LED2           | DL+GL8EG22      | LED(GREEN)                       | 1        |
| LED3           | DL+GL8HD22      | LED(RED)                         | 1        |
| NF1-6          | NF+EXCCET102U   | EMC FILTER                       | 6        |
| Q4             | QT+FB1L3N-L     | NPN TRANSISTOR                   | 1        |
| R30-34         | RC+1/10W101J    | RESISTOR                         | 5        |
| R35-38         | RC+1/10W103J    | RESISTOR                         | 4        |
| R39,40         |                 | (not installed)                  |          |
| R41-43         | RC+1/10W331J    | RESISTOR                         | 3        |
| R44            | RC+1/10W563J    | RESISTOR                         | 1        |
| R45-50         | RC+1/10W103J    | RESISTOR                         | 6        |
| R51            | RC+1/10W222J    | RESISTOR                         | 1        |
| R52            | RC+1/10W681J    | RESISTOR                         | 1        |
| R53            | RC+1/10W103J    | RESISTOR                         | 1        |
| SW1-15         | SK+EVQPAD07K    | TACT SWITCH                      | 15       |
| U8             | UC+D780308GF081 | 8-BIT CPU                        | 1        |
| U9             | UC+93C66LM8     | EEPROM                           | 1        |
| U10            | UC+HC74F        | DUAL D FLIP-FLOP                 | 1        |
| U11            | UC+HC02F        | QUAD 2-INPUT NOR GATE            | 1        |
| U12            | UA+S-8054ALR    | VOLTAGE COMPARATOR               | 1        |
| U13            | UR+24M05HF      | 3-TERMINAL VOLTAGE REGULATOR     | 1        |
| U14            | UR+TA78L005AP   | 3-TERMINAL VOLTAGE REGULATOR     | 1        |
| ป15            | UC+D16312GB-3B4 | VFD CONTROLLER/DRIVER            | 1        |
| U16            |                 | (not installed)                  |          |
| VFD            | ED+CL1773G      | VACUUM FLUORESCENT DISPLAY TUBE  | 1        |
| XT1            | XT+KBR4.91MKSTF | CERAMIC RESONATOR                | 1        |
| XT2            |                 | (not installed)                  |          |
| _              | DA+LM-4         | LED SPACER                       | 3        |
|                | HT+6073PB       | HEAT SINK                        | 1        |
|                | QA+AC256-1674   | COOL SHEET                       | 1        |

#### 2/2

## 7PZ+3874B PARTS LIST

| 06+B42081A | VFD PILLOW                          | 2 |
|------------|-------------------------------------|---|
| D4+4006941 | SHIELD CASE(A)                      | 1 |
| 04+4006942 | SHIELD CASE(B)                      | 1 |
| •          | M3x8 PAN HEAD SCREW + SPRING WASHER | 2 |
|            | M3 NUT                              | 2 |

#### 1/1

## 7PZ+3876 PARTS LIST

| Circuit Symbol | Part No.       | Description          | Quantity |
|----------------|----------------|----------------------|----------|
|                | PC+3876        | PRINTED WIRING BOARD | 1        |
| J1             | JI+7P-S2T2-EF  | CONNECTOR            | 1        |
| Ťí ·           | TM+BR-7623C-7P | TERMINAL BLOCK       | 1        |

## 7PZ+3415 PARTS LIST

| Circuit Symbol | Part No.        | Description              | Quantity |
|----------------|-----------------|--------------------------|----------|
|                | PC+3415A        | PRINTED WIRING BOARD     | 1        |
| C1-2           | CC+0.001u2KV    | CERAMIC CAPASITOR        | 2        |
| C3 ·           | CM+E2A104MW     | POLYESTER FILM CAPACITOR | 1        |
| F              | FS+EAWK-315MA   | FUSE                     | 1        |
| FH             | FH+85PN0819     | FUSE HOLDER              | 2        |
| Jt             | JT+LW1143-03ADK | CONNECTOR                | 1        |
| J2             | JT÷YFW500-01ADK | TERMINAL PIN             | 1        |
| J3-7           | JT+61134-1      | FASTON TAB               | 5        |
| L1             | LL+SU9H-05020   | NOISE FILTER             | 1        |

# 7PZ+3911 PARTS LIST

| Circuit Symbol | Part No.        | Description                      | Quantity |
|----------------|-----------------|----------------------------------|----------|
|                | PC+3911         | PRINTED WIRING BOARD             | 1        |
| C1-5           | CK+SME16VB10    | ALUMINIUM ELECTROLYTIC CAPACITOR | 5        |
| C6 .           | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 1        |
| J21            | JI+13P-S2T2-EF  | CONNECTOR                        | 1        |
| J10            | TM+BR-5001C5P   | SCREWLESS TERMINAL               | 1        |
| L1             | LR+BFR120507ADK | FERRITE CORE                     | 1        |
| U1             | UC+MAX232CPE    | RS-232C DRIVER/RECEIVER          | 1        |

# 7PZ+3554A PARTS LIST

| Circuit Symbol | Part No.       | Description                      | Quantity |
|----------------|----------------|----------------------------------|----------|
|                | PC+3554A       | PRINTED WIRING BOARD             | 1        |
| 21,2           | CC+0.1U25V     | CERAMIC CAPACITOR                | 2        |
|                | CK+SME16VB100  | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C4-6           | CC+0.1U25V     | CERAMIC CAPACITOR                | 3        |
| C7             | CK+SME16VB100  | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C8             | CT+1D2R2       | TANTALUM CAPACITOR               | 1        |
| C9,10          | CC+0.1U25V     | CERAMIC CAPACITOR                | 2        |
| C11            | CT+1V010       | TANTALUM CAPACITOR               | 1        |
| C12            | CK+SME25VB2200 | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| D1             | DI+1B4B42      | BRIDGE DIODE                     | 1        |
| J1             | TM+SLA9/90     | CONNECTOR TERMINAL               | 1        |
| J2             | JI+3P-S3T2-SA  | CONNECTOR                        | 1        |
| J3             | JI+09P-S2T2-EF | CONNECTOR                        | 1        |
| L1,2           | NF+ZJY51R5-2P  | COMMON CHOKE COIL                | 2        |
| PHC1-3         | DF+PS2501-1L/K | PHOTO ISOLATOR                   | 3        |
| PHC4-6         | DF+AQV253      | PHOTO MOS RELAY                  | 3        |
| Q1,2           | QT+C1815Y      | NPN TRANSISTOR                   | 2        |
| R1             | RC+NAT820R     | RESISTOR                         | 1        |
| R2             | RC+NAT330R     | RESISTOR                         | 1        |
| R3             | RC+NAT100R     | RESISTOR                         | 1        |
| R4             | RC+NAT4.7K     | RESISTOR                         | 1        |
| R5             | RC+NAT1.8K     | RESISTOR                         | 1        |
| R6             | RC+NAT4.7K     | RESISTOR                         | 1        |
| R7             | RC+NAT330R     | RESISTOR                         | 1        |
| R8             | RC+NAT1D0R     | RESISTOR                         | 1        |
| R9             | RC+NAT820R     | RESISTOR                         | 1        |
| R10-12         | RC+NAT4.7K     | RESISTOR                         | 3        |
| R13,14         | RC+NAT47K      | RESISTOR                         | 2        |
| R15            | RC+NAT4.7K     | RESISTOR                         | 1        |
| R16            | RC+100R        | RESISTOR                         | 1        |
| R17            | RC+NAT1.5K     | RESISTOR                         | 1        |
| R18,19         |                | (not installed)                  |          |
| R20            | RC+NAT1.5K     | RESISTOR                         | 1        |
| R21,22         |                | (not installed)                  |          |
| R23            | RC+NAT1.5K     | RESISTOR                         | 1        |
| R24,25         |                | (not installed)                  |          |
| S1             | SS+MM-1202N    | SLIDE SWITCH                     | 1        |
| U1             | UC+HC14        | HEX SCHMITT INVERTER             | 1        |
| U2,3           | UC+LTC485      | RS-485 DRIVER/RECEIVER           | 2        |
| U4             | UC+HC08        | QUAD 2-INPUT AND GATE            | 1        |
| U5             | UR+24M05HF     | VOLTAGE REGULATOR                | 1        |
|                | HT+6073PB      | HEAT SINK                        | 1        |
|                | QA+AC256-1674  | COOL SHEET                       | 1        |
|                |                | M3x10 PAN HEAD SCREW             | 1        |
|                |                | M3 NUT                           | 1        |
|                | KO+2295-015    | CABLE                            | 1        |
|                | KO+2296-020    | CABLE                            | 1        |

## 7PZ+3880 PARTS LIST


| Circuit Symbol | Part No.        | Description                      | Quantity |
|----------------|-----------------|----------------------------------|----------|
|                | PC+3880         | PRINTED WIRING BOARD             | 1        |
| C1-5           | CK+SME16VB10    | ALUMINIUM ELECTROLYTIC CAPACITOR | 5        |
| C6 .           | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 1        |
| C7             | CK+SME16VB10    | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C8             | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 1        |
| J5             | JI+13P-S2T2-EF  | CONNECTOR                        | 1        |
| J20            | TM+ML-800S1V-13 | SCREWLESS TERMINAL               | 1        |
| NF1,2          | NF+D-42C        | COMMON CHOKE COIL                | 2        |
| PHC1-3         | DF+PS2501-1L/K  | PHOTO ISOLATOR                   | 3        |
| R1-3           | RC+NAT1.5K      | CARBON RESISTOR                  | 3        |
| R4-6           | RC+NAT33K       | CARBON RESISTOR                  | 3        |
| R7-9           | RC+NAT680R      | CARBON RESISTOR                  | 3        |
| RY1-3          | DF+AQV253       | PHOTO MOS RELAY                  | 3        |
| U1             | UC+MAX232CPE    | RS-232C DRIVER/RECEIVER          | 1        |


## 7PZ+3909 PARTS LIST

| Circuit Symbo | Part No.        | Description                      | Quantity |
|---------------|-----------------|----------------------------------|----------|
|               | PC+3909         | PRINTED WIRING BOARD             | 1        |
| <u></u>       | CK+SRA10VB-47   | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| 22            | CK+SRA50VB-3.3  | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| 23,4          | CC+0.01U        | CERAMIC CAPACITOR                | 2        |
|               | CM+ECQB1H332JF  | POLYESTER FILM CAPACITOR         | 1        |
| <u></u>       | CC+0.01U        | CERAMIC CAPACITOR                | 1        |
| 29            | CK+SME25VB2200  | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| 210,11        | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 2        |
| C13           | CC+0.001U       | CERAMIC CAPACITOR                | 1        |
| 214           | CK+SXE25VB220   | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C15           | CK+SME25VB22    | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C16-20        | CC+FK16Y5V1H104 | CERAMIC CAPACITOR                | 5        |
| C21-24        | CC+0.0033U1KV   | CERAMIC CAPACITOR                | 4        |
| D1,2          | DI+1SS133       | SWITCHING DIODE                  | 2        |
| D3            | DI+SB10-03A2    | SCHOTTKY BARRIER DIODE           | 1        |
| <u></u>       | Di+1B4B42       | BRIDGE DIODE                     | 1        |
| J2            | JI+3P-S3T2-SA   | CONNECTOR                        | 1        |
| J5            | JI+13P-S2T2-EF  | CONNECTOR                        | 1        |
| J17           | TM+ML-800S1V-3  | SCREWLESS TERMINAL               | 1        |
| L1            | LL+ELF05SKI-221 | INDUCTOR                         | 1        |
| NF1           | NF+ZJK51R5-05 ` | NOISE FILTER                     | 1        |
| NF2           | NF+ZJY51R5-2P   | COMMON CHOKE COIL                | 1        |
| NF3,4         | NF+ZBF253S-01   | FERRITE BEAD                     | 2        |
| PHC1          | DF+TLP2631      | PHOTO ISOLATOR                   | 1        |
| PHC2          | DF+TLP552       | PHOTO ISOLATOR                   | 1        |
| R1-3          | RC+NAT680R      | RESISTOR                         | 3        |
| R5-7          | RC+NAT1K        | RESISTOR                         | 3        |
| R8            | RC+NAT10K       | RESISTOR                         | 1        |
| R10,11        | RC+NAT1R        | RESISTOR                         | 2        |
| R12           | RC+NAT180R      | RESISTOR                         | 1        |
| R13           | RM+RNM3.3KF     | METAL FILM RESISTOR              | 1        |
| R14           | RM+RNM36KF      | METAL FILM RESISTOR              | 1        |
| R15           | RC+NAT1M        | RESISTOR                         | 1        |
| R16           | RC+NAT10K       | RESISTOR                         | 1        |
| U1            | UC+HC14         | HEX SCHMITT INVERTER             | 1        |
| U2            | UF+AD420        | 16BIT DAC                        | 1        |
| U3            | UR+TA78L005AP   | VOLTAGE REGULATOR                | 1        |
| U4            | UR+MC34063AP1   | SWITCHING REGULATOR              | 1        |
|               | KO+2295-015     | CABLE                            | 1        |
|               | KO+2296-020     | CABLE                            | 1        |

# 7PZ+4342 PARTS LIST


| Circuit Symbol | Part No.         | Description                      | Quantity |
|----------------|------------------|----------------------------------|----------|
|                | PC+4342          | PRINTED WIRING BOARD             | 1        |
| C1-5           | CK+SME16VB10     | ALUMINIUM ELECTROLYTIC CAPACITOR | 5        |
| C6 ·           | CC+FK16Y5V1H104  | CERAMIC CAPACITOR                | 1        |
| C7             | CK+SME16VB10     | ALUMINIUM ELECTROLYTIC CAPACITOR | 1        |
| C8             | CC+FK16Y5V1H104  | CERAMIC CAPACITOR                | 1        |
| D1             | DI+184B42        | BRIDGE DIODE                     | 1        |
| J5             | JI+13P-S2T2-EF   | CONNECTOR                        | 1        |
| J23            | TM+ML-800\$1V-13 | SCREWLESS TERMINAL               | 1        |
| NF1            | NF+D-42C         | COMMON CHOKE COIL                | 1        |
| NF2,3          | NF+ZJY51R5-2P    | COMMON CHOKE COIL                | 2        |
| PHC3,4         | DF+PS2501-1L/K   | PHOTO ISOLATOR                   | 2        |
| Q1,2           | QT+C1815Y        | NPN TRANSISTOR                   | 2        |
| R1-3           | RC+NAT1.5K       | CARBON RESISTOR                  | 3        |
| R6             | RC+NAT33K        | CARBON RESISTOR                  | 1        |
| R9             | RC+NAT680R       | CARBON RESISTOR                  | 1        |
| R10            | RC+NAT10K        | CARBON RESISTOR                  | 1        |
| R11            | RC+NAT4.7K       | CARBON RESISTOR                  | 1        |
| R12            | RC+NAT1.5K       | CARBON RESISTOR                  | 1        |
| R13            | RC+NAT680R       | CARBON RESISTOR                  | 1        |
| RY1-3          | DF+AQV253        | PHOTO MOS RELAY                  | 3        |
| U1             | UC+MAX232CPE     | RS-232C DRIVER/RECEIVER          | 1        |





# AD-4407 PARTS LIST

| No.                           | Part No.                    | Description                           | Quantit   |
|-------------------------------|-----------------------------|---------------------------------------|---|
| 1                             | 04+3005226                  | Display Holder                        | 1   |
| 2                             | 06+4008626                  | Damper                                | 2   |
| 3 .                           | 07+2000764                  | PCB Chassis                           | 1   |
| 4                             | 04+2000512B                 | Front Cover                           | 1   |
| 5                             | 10+M6KNOB                   | Knob (M6)                             | 2   |
| 6                             | PZ+3874B                    | Main Board                            | 1   |
| 7                             | 07+3003989                  | CAL, Switch Gulde                     | 1   |
| 8                             |                             | (Label for Type Approval)             | 1   |
| 9                             | 08+3005915                  | Key Sheet                             | 1   |
| 10                            | 08+4012642                  | Capacity Label                        | 1   |
| 11                            | 08+4012640                  | Filter                                | 1   |
| 12                            | 07+4007221                  | Key Top                               | 14  |
| 13                            | PZ+3911                     | RS-232C Board                         | 1   |
| 14                            | TF+505                      | Power Transformer                     | 1   |
| 15                            | 10+VFM12300                 | Vent Filter                           | 1.  |
| 16                            | 05+4008667                  | 10mm Long Nut                         | 6   |
| 17                            | PZ+3415                     | Power Input Board                     | 1   |
| 18                            | 09+3004248A                 | Main Packing Unit                     | <del>     </del>                                  |
| 19                            | 04+2000506C                 | Rear Cover                            | <del>- 1</del>                                    |
| 20                            | 10+WJ-16A                   | Cable Clamper 16A                     | <del>-                                     </del> |
| 21                            | 06+4008621A                 | * AC Packing                          | + +   |
| 22                            | 10+WJ-20A                   | Cable Clamper 20A                     | <del>                                     </del>  |
| 23                            | 06+4008622A                 | RS-232C/422 Packing                   | 1   |
| 24                            | 10+WJ-12A                   | Cable Clamper 12A                     | <del>                                     </del>  |
| 25                            | 06+4008623A                 | Loadcell Packing                      | <del>-   -  </del>                                |
| 26                            | 06+4008664                  |                                       | 6   |
| <del>20</del> <del>-</del> 27 | 06+4008665                  | O-Ring Ø3                             | 2   |
| 28                            | 06+4008880A                 | O-Ring                                | 1   |
| 29                            | 04+4008879                  | CAL, Switch Paking  CAL. Switch Cover |   |
| 30                            | 05+4008881                  |                                       | 1 2   |
| 31                            | 06+4008666                  | CAL.Switch screw                      | 8   |
| 32                            |                             | O-Ring $\phi 5.5$                     |   |
|                               | 05+4008627                  | Sealing Bolt                          | 1   |
| 33                            | 08+4012827<br>08+4007458-1A | Serial Number lable                   | 1   |
| 34                            |                             | Rating Label                          | 1   |
| 35                            | 08+4009406                  | Dumper Seal                           | 2   |
| 36                            | 05+4008782                  | WP Bolt                               | 7   |
| 37                            | 08+4014290                  | PCB Chassis Tape                      | 1   |
| 38                            | 04+4010880                  | Supporting Plate C                    | 2   |
| 39_                           | 05+4012639                  | Spacer                                | 2   |
| 40                            | PZ+3876                     | Loadcell Junction Board               | 1   |
| 41                            | 10+SJ-5012                  | Foot                                  | 4   |
| 42                            | 04+4011006                  | AC Cable Washer                       | 2   |
|                               |                             | 15                                    |   |
| <u>A</u>                      |                             | M6 x 15 Hexagonal Bolt (SUS)          | 2   |
| B                             |                             | SPN-6 Bushnut Ø6 (SUS)                | 2   |
| С                             |                             | M3 x 15 Double Sems Screw (L.Washer)  | 1   |
| <u></u> D                     |                             | M3 x 6 Double Sems Screw (S.Washer)   | 10  |
| E                             |                             | M4 Nut (Class 1)                      | 2   |
| F                             |                             | Spring Washer (M4 Size)               | 2   |
| G                             |                             | M3 x 6 Pan Head Screw (SUS)           | 6   |
| H                             |                             | M4 x 8 Torus Head Screw (SUS)         | 2   |
| Ī                             |                             | M6 x 8 CAP Bolt                       | 2   |
|                               |                             |                                       |   |
|                               | TF+505                      | Power Transformer                     |   |



#### AD-4405 PARTS LIST

| No. | Part No.      | Description                          | Quantity |
|-----|---------------|--------------------------------------|----------|
| A   | PZ+3874A      | Main Board                           | 1        |
| 8   | PZ+3415       | Power Input Board                    | 1        |
|     | PZ+3877A      | RS-232C Board                        | 1        |
| ٥   | TF+505        | Power Transformer                    | 1        |
| 1   | 07+1000256    | Upper Case .                         | 1        |
| 2   | 07+1000098-2A | Lower Case                           | 1        |
| 3   | 07+2000417-2  | Battery Cover                        | 1        |
| 4   | 04+4007230    | Cover Stopper                        | 1        |
| 5   | 01+3005912A   | Rear Panel                           | 1        |
| 6   | 01+3006131    | Connector Cover                      | 1        |
| 7   | 07+4007221    | Key Top                              | 14       |
| 8   | 05+A42208     | Lock Screw(With Hole)                | 1        |
| 9   | 08+4012633A   | Filter                               | 1        |
| 10  | 05+4011016    | Hexagonal Sealing Bolt S(M3)         | 2        |
| 11  | ET+SR-6P-4    | Cable Clamper                        | 1        |
| 12  | JI+360A2      | Right Angle                          | 2        |
| 13  | 08+3005908    | Key Sheet                            | 1        |
| 14  |               | (Reserved)                           |          |
| 15  | 05+4012824    | Round Sealing Bolt S(M3)             | 1        |
| 16  | 06+B42081A    | VFD Pillow                           | 2        |
| 17  | 05+A44614     | Spacer(30mm)                         | 4        |
| 18  | 10+NK-2N      | Cable Clamper                        | 1        |
|     |               | *                                    |          |
|     |               | (Reserved)                           |          |
|     |               | M3 x 8 Self-tapping Screw            | 8        |
| С   |               | M4 x 8 Self-tapping Screw            | 4        |
| d   |               | M3 x 8 Double Sems Screw (S. Washer) | 7        |
| е – |               | M2.6 E-Ring                          | 1        |
| f   |               | M4 x 8 Double Sems Screw (S.Washer)  | 1        |
| g   |               | M3 x 12 Double Sems Screw (S.Washer) | 5        |
| h   |               | M3 Nut (Class 1)                     | 4        |
|     |               | M2.6 x 4 Pan Head Screw              | 4        |
|     |               | M2.6 Spring Washer                   | 2        |
| k   |               | M2.6 Plane Washer S-size             | 2        |
|     | TF+505        | Power Transformer                    | 1        |
|     |               |                                      |          |