


JOINS

Gurrapu Nikshitha (252003512)

Question :

Perform SQL JOIN and SET operations on student and address data using CROSS JOIN, INNER JOIN, NATURAL JOIN, LEFT OUTER JOIN, RIGHT OUTER JOIN, FULL OUTER JOIN, UNION, UNION ALL, INTERSECT and MINUS/EXCEPT, including filtering of unmatched records and displaying address availability using CASE

Step 1 : Create Database



The screenshot shows a SQL IDE interface. The top toolbar includes icons for file operations, execution, and a 'Limit to 1000 rows' dropdown. The SQL editor contains three lines of code:

```
1 -- Step 1: Create Database
2 CREATE DATABASE joins_operations_db;
3 USE joins_operations_db;
```

The bottom 'Output' pane is set to 'Action Output' and displays the execution results:

#	Time	Action	Message
1	14:38:36	USE joins_operations_db	Error Code: 1049. Unknown database 'joins_operations_db'
2	14:38:38	CREATE DATABASE joins_operations_db	1 row(s) affected
3	14:38:38	USE joins_operations_db	0 row(s) affected

```

1  -- Step 1: Create Database
2  • CREATE DATABASE joins_operations_db;
3  • USE joins_operations_db;
4  -- Step 2: Create Tables
5  • CREATE TABLE class(
6      id INT,
7      name VARCHAR(30)
8  );

```

Output

#	Time	Action	Message
1	14:38:36	USE joins_operations_db	Error Code: 1049. Unknown database 'joins_operations_db'
2	14:38:38	CREATE DATABASE joins_operations_db	1 row(s) affected
3	14:38:38	USE joins_operations_db	0 row(s) affected
4	14:39:34	CREATE TABLE class(id INT, name VARCHAR(30))	0 row(s) affected

```

1  -- Step 1: Create Database
2  • CREATE DATABASE joins_operations_db;
3  • USE joins_operations_db;
4  -- Step 2: Create Tables
5  • CREATE TABLE class(
6      id INT,
7      name VARCHAR(30)
8  );
9
10 • CREATE TABLE class_info(
11     id INT,
12     address VARCHAR(30)
13 );

```

Output

#	Time	Action	Message
1	14:38:36	USE joins_operations_db	Error Code: 1049. Unknown database 'joins_operations_db'
2	14:38:38	CREATE DATABASE joins_operations_db	1 row(s) affected
3	14:38:38	USE joins_operations_db	0 row(s) affected
4	14:39:34	CREATE TABLE class(id INT, name VARCHAR(30))	0 row(s) affected
5	14:40:50	CREATE TABLE class(id INT, name VARCHAR(30))	Error Code: 1050. Table 'class' already exists
6	14:41:00	CREATE TABLE class_info(id INT, address VARCHAR(30))	0 row(s) affected

```

15 -- Step 3: Insert Data
16 • INSERT INTO class VALUES
17     (1,'Nikshitha'),
18     (2,'Bhanu Priya'),
19     (3,'Harshika'),
20     (4,'Varsha'),
21     (5,'Srija');
22
23 • INSERT INTO class_info VALUES
24     (1,'DELHI'),
25     (2,'MUMBAI'),
26     (3,'CHENNAI'),
27     (7,'NOIDA'),
28     (8,'PANIPAT');

```

Output

#	Time	Action	Message
2	14:38:38	CREATE DATABASE joins_operations_db	1 row(s) affected
3	14:38:38	USE joins_operations_db	0 row(s) affected
4	14:39:34	CREATE TABLE class(id INT, name VARCHAR(30))	0 row(s) affected
5	14:40:50	CREATE TABLE class(id INT, name VARCHAR(30))	Error Code: 1050. Table 'class' already exists
6	14:41:00	CREATE TABLE class_info(id INT, address VARCHAR(30))	0 row(s) affected
7	14:42:29	INSERT INTO class VALUES (1,'Nikshitha'), (2,'Bhanu Priya'), (3,'Harshika'), (4,'Varsha'), (5,'Srija')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0

Step 2 : CROSS JOIN

```
-- Step 4: CROSS JOIN
29
30 • SELECT *
31 FROM class
32 CROSS JOIN class_info;
```

Result Grid

	id	name	id	address
▶	5	Srija	1	DELHI
	4	Varsha	1	DELHI
	3	Harshika	1	DELHI
	2	Bhanu Priya	1	DELHI
	1	Nikshitha	1	DELHI
	5	Srija	2	MUMBAI
	4	Varsha	2	MUMBAI
	3	Harshika	2	MUMBAI
	2	Bhanu Priya	2	MUMBAI
	1	Nikshitha	2	MUMBAI
	5	Srija	3	CHENNAI
	4	Varsha	3	CHENNAI
	3	Harshika	3	CHENNAI

Result 3 x

Output

Action Output

#	Time	Action	Message
8	14:45:29	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	0 row(s) returned
9	14:45:46	CREATE DATABASE joins_operations_db	Error Code: 1007. Can't create database 'joins_operations_db'; database exists
10	14:45:53	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	0 row(s) returned
11	14:46:03	INSERT INTO class_info VALUES (1,'DELHI'), (2,'MUMBAI'), (3,'CHENNAI'), (7,'NOIDA'), (8,'PANIPAT')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
12	14:46:08	INSERT INTO class_info VALUES (1,'DELHI'), (2,'MUMBAI'), (3,'CHENNAI'), (7,'NOIDA'), (8,'PANIPAT')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
13	14:46:18	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	50 row(s) returned

Step 3 : INNER JOIN

```
32 CROSS JOIN class_info;
33 -- Step 5: INNER JOIN
34 • SELECT *
35 FROM class
36 INNER JOIN class_info
37 ON class.id = class_info.id;
```

Result Grid

	id	name	id	address
▶	1	Nikshitha	1	DELHI
	2	Bhanu Priya	2	MUMBAI
	3	Harshika	3	CHENNAI
	1	Nikshitha	1	DELHI
	2	Bhanu Priya	2	MUMBAI
	3	Harshika	3	CHENNAI

Result 4 x

Output

Action Output

#	Time	Action	Message
9	14:45:46	CREATE DATABASE joins_operations_db	Error Code: 1007. Can't create database 'joins_operations_db'; database exists
10	14:45:53	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	0 row(s) returned
11	14:46:03	INSERT INTO class_info VALUES (1,'DELHI'), (2,'MUMBAI'), (3,'CHENNAI'), (7,'NOIDA'), (8,'PANIPAT')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
12	14:46:08	INSERT INTO class_info VALUES (1,'DELHI'), (2,'MUMBAI'), (3,'CHENNAI'), (7,'NOIDA'), (8,'PANIPAT')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
13	14:46:18	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	50 row(s) returned
14	14:47:53	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	6 row(s) returned

```

33  -- Step 5: INNER JOIN
34  • SELECT *
35  FROM class
36  INNER JOIN class_info
37  ON class.id = class_info.id;
38  -- Step 6: INNER JOIN Selected Columns

```

	id	name	id	address
1	Nikshitha	1	DELHI	
2	Bhanu Priya	2	MUMBAI	
3	Harshika	3	CHENNAI	
1	Nikshitha	1	DELHI	
2	Bhanu Priya	2	MUMBAI	
3	Harshika	3	CHENNAI	

Result 5 x

Output

#	Time	Action	Message
11	14:46:03	INSERT INTO class_info VALUES (1,'DELHI'), (2,'MUMBAI'), (3,'CHENNAI'), (7,'NOIDA'), (8,'PANIPAT')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
12	14:46:08	INSERT INTO class_info VALUES (1,'DELHI'), (2,'MUMBAI'), (3,'CHENNAI'), (7,'NOIDA'), (8,'PANIPAT')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
13	14:46:18	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	50 row(s) returned
14	14:47:53	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	6 row(s) returned
15	14:48:49	- Step 6: INNER JOIN Selected Columns SELECT class.name, class_info.address FROM class INNER JO...	Error Code: 1064. You have an error in your SQL syntax; check the manual f
16	14:48:59	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	6 row(s) returned

Step 4 : NATURAL JOIN

```

44  -- Step 7: NATURAL JOIN
45  • SELECT *
46  FROM class
47  NATURAL JOIN class_info;

```

	id	name	address
1	Nikshitha	DELHI	
2	Bhanu Priya	MUMBAI	
3	Harshika	CHENNAI	
1	Nikshitha	DELHI	
2	Bhanu Priya	MUMBAI	
3	Harshika	CHENNAI	

Result 6 x

Output

#	Time	Action	Message
12	14:46:08	INSERT INTO class_info VALUES (1,'DELHI'), (2,'MUMBAI'), (3,'CHENNAI'), (7,'NOIDA'), (8,'PANIPAT')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
13	14:46:18	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	50 row(s) returned
14	14:47:53	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	6 row(s) returned
15	14:48:49	- Step 6: INNER JOIN Selected Columns SELECT class.name, class_info.address FROM class INNER JO...	Error Code: 1064. You have an error in your SQL syntax; check the man
16	14:48:59	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	6 row(s) returned
17	14:50:33	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	6 row(s) returned

Step 5 : LEFT OUTER JOIN

```

48 -- Step 8: LEFT OUTER JOIN
49 • SELECT *
50 FROM class
51 LEFT OUTER JOIN class_info
52 ON class.id = class_info.id;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: [↗](#)

	id	name	id	address
▶	1	Nikshitha	1	DELHI
	1	Nikshitha	1	DELHI
	2	Bhanu Priya	2	MUMBAI
	2	Bhanu Priya	2	MUMBAI
	3	Harshika	3	CHENNAI
	3	Harshika	3	CHENNAI
	4	Varsha	NULL	NULL
	5	Srija	NULL	NULL

Result 8 x

Output

Action Output

#	Time	Action	Message
✓	14	14:47:53 SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	6 row(s) returned
✗	15	14:48:49 - Step 6: INNER JOIN Selected Columns SELECT class.name, class_info.address FROM class INNER JO...	Error Code: 1064. You have an error in your SQL syntax; check
✓	16	14:48:59 SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	6 row(s) returned
✓	17	14:50:33 SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	6 row(s) returned
✓	18	14:51:44 SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	8 row(s) returned
✓	19	14:51:47 SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	8 row(s) returned

```

53 -- Step 9: LEFT JOIN with NULL
54 • SELECT *
55 FROM class
56 LEFT JOIN class_info
57 ON class.id = class_info.id
58 WHERE class_info.id IS NULL;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: [↗](#)

	id	name	id	address
▶	4	Varsha	NULL	NULL
	5	Srija	NULL	NULL

Result 9 x

Output

Action Output

#	Time	Action	Message
✗	15	14:48:49 - Step 6: INNER JOIN Selected Columns SELECT class.name, class_info.address FROM class INNER JO...	Error Code: 1064. You have an error in your S
✓	16	14:48:59 SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	6 row(s) returned
✓	17	14:50:33 SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	6 row(s) returned
✓	18	14:51:44 SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	8 row(s) returned
✓	19	14:51:47 SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	8 row(s) returned
✓	20	14:52:41 SELECT * FROM class LEFT JOIN class_info ON class.id = class_info id WHERE class_info.id IS NULL LIMIT...	2 row(s) returned

Step 6 : RIGHT OUTER JOIN

```

59  -- Step 10: RIGHT OUTER JOIN
60  • SELECT *
61  FROM class
62  RIGHT OUTER JOIN class_info
63  ON class.id = class_info.id;

```

Result Grid Filter Rows: Export: Wrap Cell Content: [I A](#)

	id	name	id	address
▶	1	Nikshitha	1	DELHI
	2	Bhanu Priya	2	MUMBAI
	3	Harshika	3	CHENNAI
	NULL	NULL	7	NOIDA
	NULL	NULL	8	PANIPAT
	1	Nikshitha	1	DELHI
	2	Bhanu Priya	2	MUMBAI
	3	Harshika	3	CHENNAI
	NULL	NULL	7	NOIDA
	NULL	NULL	8	PANIPAT

Result 10 ×

Output

Action Output

#	Time	Action	Message
✓ 16	14:48:59	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	6 row(s) returned
✓ 17	14:50:33	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	6 row(s) returned
✓ 18	14:51:44	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	8 row(s) returned
✓ 19	14:51:47	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	8 row(s) returned
✓ 20	14:52:41	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL LIMIT 0, 1000	2 row(s) returned
✓ 21	14:53:55	SELECT * FROM class RIGHT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	10 row(s) returned

```

64  -- Step 11: RIGHT JOIN with NULL
65  • SELECT *
66  FROM class
67  RIGHT JOIN class_info
68  ON class.id = class_info.id
69  WHERE class.id IS NULL;

```

Result Grid Filter Rows: Export: Wrap Cell Content: [I A](#)

	id	name	id	address
▶	NULL	NULL	7	NOIDA
	NULL	NULL	8	PANIPAT
	NULL	NULL	7	NOIDA
	NULL	NULL	8	PANIPAT

Result 11 ×

Output

Action Output

#	Time	Action	Message
✓ 17	14:50:33	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	6 row(s) returned
✓ 18	14:51:44	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	8 row(s) returned
✓ 19	14:51:47	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	8 row(s) returned
✓ 20	14:52:41	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL LIMIT 0, 1000	2 row(s) returned
✓ 21	14:53:55	SELECT * FROM class RIGHT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	10 row(s) returned
✓ 22	14:54:44	SELECT * FROM class RIGHT JOIN class_info ON class.id = class_info.id WHERE class.id IS NULL LIMIT 0, 1000	4 row(s) returned

Step 7: FULL OUTER JOIN

```
71 • SELECT *
72 FROM class
73 LEFT JOIN class_info
74 ON class.id = class_info.id
75
76 UNION
77
78 SELECT *
79 FROM class
80 RIGHT JOIN class_info
81 ON class.id = class_info.id;
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	id	name	id	address
▶	1	Nikshitha	1	DELHI
	2	Bhanu Priya	2	MUMBAI
	3	Harshika	3	CHENNAI
	4	Varsha	NULL	NULL
	5	Srija	NULL	NULL
	NULL	NULL	7	NOIDA
	NULL	NULL	8	PANIPAT

Result 12			
Output			
Action Output			
#	Time	Action	Message
✓	18 14:51:44	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	8 row(s) returned
✓	19 14:51:47	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	8 row(s) returned
✓	20 14:52:41	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL LIMIT...	2 row(s) returned
✓	21 14:53:55	SELECT * FROM class RIGHT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	10 row(s) returned
✓	22 14:54:44	SELECT * FROM class RIGHT JOIN class_info ON class.id = class_info.id WHERE class.id IS NULL LIMIT 0, ...	4 row(s) returned
✓	23 14:56:31	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id UNION SELECT * FROM class RIG...	7 row(s) returned


```

85     LEFT JOIN class_info
86     ON class.id = class_info.id
87     WHERE class_info.id IS NULL
88
89     UNION
90
91     SELECT *
92     FROM class
93     RIGHT JOIN class_info
94     ON class.id = class_info.id
95     WHERE class.id IS NULL;

```

Result Grid Filter Rows: Export: Wrap Cell Content:

	id	name	id	address
▶	4	Varsha	NULL	NULL
	5	Srija	NULL	NULL
	NULL	NULL	7	NOIDA
	NULL	NULL	8	PANIPAT

Result 13 x

Output

Action Output

#	Time	Action	Message
✓ 19	14:51:47	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	8 row(s) returned
✓ 20	14:52:41	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL LIMIT...	2 row(s) returned
✓ 21	14:53:55	SELECT * FROM class RIGHT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	10 row(s) returned
✓ 22	14:54:44	SELECT * FROM class RIGHT JOIN class_info ON class.id = class_info.id WHERE class.id IS NULL LIMIT 0, ...	4 row(s) returned
✓ 23	14:56:31	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id UNION SELECT * FROM class RIG...	7 row(s) returned
✓ 24	14:57:20	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL UNI...	4 row(s) returned

Step 8 : SET OPERATIONS

```

96     -- Step 14: Create Set Operation Tables
97     ● CREATE TABLE first_table(
98         id INT,
99         name VARCHAR(30)
100    );
101
102     ● CREATE TABLE second_table(
103         id INT,
104         name VARCHAR(30)
105    );

```

Output

Action Output

#	Time	Action	Message
✓ 20	14:52:41	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL LIMIT...	2 row(s) returned
✓ 21	14:53:55	SELECT * FROM class RIGHT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	10 row(s) returned
✓ 22	14:54:44	SELECT * FROM class RIGHT JOIN class_info ON class.id = class_info.id WHERE class.id IS NULL LIMIT 0, ...	4 row(s) returned
✓ 23	14:56:31	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id UNION SELECT * FROM class RIG...	7 row(s) returned
✓ 24	14:57:20	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL UNI...	4 row(s) returned
✓ 25	14:58:26	CREATE TABLE second_table(id INT, name VARCHAR(30))	0 row(s) affected


```

105     );
106     -- Step 15: Insert Set Operation Data
107     • INSERT INTO first_table VALUES
108       (1,'Nikshitha'),
109       (2,'Pandu');
110
111     • INSERT INTO second_table VALUES
112       (2,'Sathwika'),
113       (3,'Chinna');

```

Output

Action Output

#	Time	Action	Message
✓ 22	14:54:44	SELECT * FROM class RIGHT JOIN class_info ON class.id = class_info.id WHERE class.id IS NULL LIMIT 0, ...	4 row(s) returned
✓ 23	14:56:31	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id UNION SELECT * FROM class RIG...	7 row(s) returned
✓ 24	14:57:20	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL UNI...	4 row(s) returned
✓ 25	14:58:26	CREATE TABLE second_table(id INT, name VARCHAR(30))	0 row(s) affected
✓ 26	15:01:11	INSERT INTO second_table VALUES (2,'Sathwika'), (3,'Chinna')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0
✓ 27	15:01:18	INSERT INTO second_table VALUES (2,'Sathwika'), (3,'Chinna')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0

➤ UNION

```

111     • INSERT INTO second_table VALUES
112       (2,'Sathwika'),
113       (3,'Chinna');
114     -- Step 16: UNION
115     • SELECT *
116       FROM first_table
117
118     UNION
119
120     SELECT *
121       FROM second_table;

```

Output

Action Output

#	Time	Action	Message
✓ 23	14:56:31	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id UNION SELECT * FROM class RIG...	7 row(s) returned
✓ 24	14:57:20	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL UNI...	4 row(s) returned
✓ 25	14:58:26	CREATE TABLE second_table(id INT, name VARCHAR(30))	0 row(s) affected
✓ 26	15:01:11	INSERT INTO second_table VALUES (2,'Sathwika'), (3,'Chinna')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0
✓ 27	15:01:18	INSERT INTO second_table VALUES (2,'Sathwika'), (3,'Chinna')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0
✗ 28	15:02:16	SELECT * FROM first_table UNION SELECT * FROM second_table	Error Code: 1146. Table 'joins_operations_db.first_table' doesn't exist

➤ UNION ALL

JOINS

```

137 -- Step 19: Count UNION ALL Records
138 • SELECT COUNT(*)
139 FROM (
140     SELECT * FROM first_table
141
142     UNION ALL
143
144     SELECT * FROM second_table
145 ) AS A;

```

Result Grid

COUNT(*)
4

Result 14 x

Output

Action Output

#	Time	Action	Message
19	23:38:04	INSERT INTO first_table VALUES (1,'Harshika'), (2,'Manu')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0
20	23:38:06	INSERT INTO second_table VALUES (2,'Manu'), (3,'Chinni')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0
21	23:38:50	SELECT * FROM first_table UNION SELECT * FROM second_table	3 row(s) returned
22	23:39:24	SELECT name FROM first_table UNION SELECT name FROM second_table	3 row(s) returned
23	23:40:03	SELECT * FROM first_table UNION ALL SELECT * FROM second_table	4 row(s) returned
24	23:40:42	SELECT COUNT(*) FROM (SELECT * FROM first_table UNION ALL SELECT * FROM second_table ...	1 row(s) returned

➤ INTERSECT

```

169 );
170 -- Step 23: MINUS Names
171 • SELECT f.name
172 FROM first_table f
173 WHERE NOT EXISTS (
174     SELECT 1
175     FROM second_table s
176     WHERE s.name = f.name
177 );

```

Result Grid

name
Harshika

rst_table 18 x

Output

Action Output

#	Time	Action	Message
23	23:40:03	SELECT * FROM first_table UNION ALL SELECT * FROM second_table	4 row(s) returned
24	23:40:42	SELECT COUNT(*) FROM (SELECT * FROM first_table UNION ALL SELECT * FROM second_table ...	1 row(s) returned
25	23:44:13	SELECT * FROM first_table INTERSECT SELECT * FROM second_table	1 row(s) returned
26	23:44:40	SELECT name FROM first_table INTERSECT SELECT name FROM second_table	1 row(s) returned
27	23:45:24	SELECT f.* FROM first_table f WHERE NOT EXISTS (SELECT 1 FROM second_table s WHERE s.id...	1 row(s) returned
28	23:45:58	SELECT f.name FROM first_table f WHERE NOT EXISTS (SELECT 1 FROM second_table s WHERE...	1 row(s) returned