

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>ZenNotes - Clean & Modern Note Taking</title>

  <!-- Google Fonts: Inter -->
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700&display=swap"
rel="stylesheet">

  <!-- Tailwind CSS CDN -->
  <script src="https://cdn.tailwindcss.com"></script>

  <!-- Lucide Icons CDN -->
  <script src="https://unpkg.com/lucide@latest"></script>

  <script>
    tailwind.config = {
      darkMode: 'class',
      theme: {
        extend: {
          fontFamily: {
            sans: ['Inter', 'sans-serif'],
          },
          colors: {
            brand: {
              50: '#f0fdf4',
              100: '#dcfce7',
              500: '#22c55e',
              600: '#16a34a',
              700: '#15803d',
            }
          }
        }
      }
    }
  </script>

  <style>
    /* Custom scrollbar */
    ::-webkit-scrollbar {
      width: 6px;
    }
  </style>
```

```

    height: 6px;
  }
  ::-webkit-scrollbar-track {
    background: transparent;
  }
  ::-webkit-scrollbar-thumb {
    background: rgba(156, 163, 175, 0.4);
    border-radius: 9999px;
  }
  ::-webkit-scrollbar-thumb:hover {
    background: rgba(156, 163, 175, 0.7);
  }

.note-card {
  transition: transform 0.2s ease, box-shadow 0.2s ease;
}
.note-card:hover {
  transform: translateY(-2px);
}
</style>
</head>
<body class="bg-slate-100 dark:bg-slate-900 text-slate-800 dark:text-slate-100 min-h-screen font-sans flex flex-col antialiased">

  <!-- Simple Header -->
  <header class="bg-white dark:bg-slate-800 border-b border-slate-200 dark:border-slate-700 sticky top-0 z-20 px-4 sm:px-8 py-3.5 shadow-sm">
    <div class="max-w-4xl mx-auto flex items-center justify-between gap-4">

      <!-- Brand / App Name -->
      <div class="flex items-center gap-2.5">
        <div class="h-9 w-9 rounded-xl bg-emerald-500 text-white flex items-center justify-center shadow-sm">
          <i data-lucide="edit-3" class="w-5 h-5"></i>
        </div>
        <span class="text-lg font-bold text-slate-800 dark:text-white tracking-tight">Simple Notes</span>
      </div>

      <!-- Search & Theme Toggle -->
      <div class="flex items-center gap-2 sm:gap-3 flex-1 max-w-xs justify-end">
        <div class="relative w-full">
          <i data-lucide="search" class="w-4 h-4 text-slate-400 absolute left-3 top-1/2 -translate-y-1/2"></i>
          <input
            id="searchInput"
            type="text"
            placeholder="Search notes..."
            class="w-full pl-9 pr-7 py-1.5 text-xs sm:text-sm rounded-lg border border-slate-200 dark:border-slate-700 bg-

```

```

slate-50 dark:bg-slate-700 text-slate-800 dark:text-slate-100 focus:outline-none focus:ring-2 focus:ring-emerald-
500/30"
    />
    <button id="clearSearchBtn" class="hidden absolute right-2.5 top-1/2 -translate-y-1/2 text-slate-400 hover:text-
slate-600 dark: hover:text-slate-200">
        <i data-lucide="x" class="w-3 h-3"></i>
    </button>
</div>

<button
    id="themeToggleBtn"
    class="p-2 rounded-lg border border-slate-200 dark: border-slate-700 text-slate-600 dark: text-slate-300
hover: bg-slate-100 dark: hover: bg-slate-700 transition"
    title="Toggle Light/Dark Theme"
>
    <i id="themeIcon" data-lucide="moon" class="w-4 h-4"></i>
</button>
</div>
</div>
</header>

<!-- Main Content Area -->
<main class="flex-1 max-w-4xl w-full mx-auto px-4 py-6">

    <!-- Quick Add Note Card (Direct input like Google Keep) -->
    <div class="bg-white dark: bg-slate-800 rounded-2xl shadow-sm border border-slate-200/80 dark: border-slate-700
p-4 sm: p-5 mb-8 max-w-xl mx-auto">
        <form id="quickNoteForm" class="flex flex-col gap-2.5">
            <input
                id="quickTitleInput"
                type="text"
                placeholder="Title (Optional)"
                class="w-full font-semibold text-sm sm: text-base bg-transparent border-none text-slate-800 dark: text-white
placeholder-slate-400 focus: outline-none p-0"
            />
            <textarea
                id="quickBodyInput"
                rows="2"
                placeholder="Take a note..."
                required
                class="w-full text-xs sm: text-sm bg-transparent border-none text-slate-600 dark: text-slate-300 placeholder-
slate-400 focus: outline-none resize-none p-0 leading-relaxed"
            ></textarea>

            <div class="flex items-center justify-between pt-2 border-t border-slate-100 dark: border-slate-700/60">
                <span class="text-[11px] text-slate-400">Click Add to save note</span>
            </div>
        </form>
    </div>

```

```
<button
  type="submit"
  class="px-4 py-1.5 bg-emerald-600 hover:bg-emerald-700 text-white text-xs font-semibold rounded-lg shadow
transition active:scale-95 flex items-center gap-1.5"
>
  <i data-lucide="plus" class="w-3.5 h-3.5"></i>
  Add Note
</button>
</div>
</form>
</div>
```

```
<!-- Notes Header & Counter -->
```

```
<div class="flex items-center justify-between mb-4">
  <h2 class="text-xs font-bold text-slate-500 dark:text-slate-400 uppercase tracking-wider">Your Notes</h2>
  <span id="noteCount" class="text-xs text-slate-400">0 notes</span>
</div>
```

```
<!-- Notes Grid -->
```

```
<div id="notesContainer" class="grid grid-cols-1 sm:grid-cols-2 md:grid-cols-3 gap-3.5">
  <!-- Notes cards will be injected here -->
</div>
```

```
<!-- Friendly Empty State -->
```

```
<div id="emptyState" class="hidden text-center py-16">
  <div class="w-12 h-12 rounded-full bg-slate-200/80 dark:bg-slate-800 flex items-center justify-center text-slate-
400 mx-auto mb-3">
    <i data-lucide="file-plus" class="w-6 h-6"></i>
  </div>
  <p class="text-sm font-semibold text-slate-600 dark:text-slate-300">No notes yet</p>
  <p class="text-xs text-slate-400 mt-1">Type in the box above to write your first note.</p>
</div>
```

```
</main>
```

```
<!-- Simple Edit Note Modal -->
```

```
<div id="editModal" class="fixed inset-0 z-50 hidden bg-slate-900/50 backdrop-blur-sm flex items-center justify-
center p-4">
  <div class="bg-white dark:bg-slate-800 w-full max-w-md rounded-2xl shadow-xl border border-slate-200
dark:border-slate-700 p-5">
    <div class="flex items-center justify-between pb-3 mb-3 border-b border-slate-100 dark:border-slate-700">
      <h3 class="text-sm font-bold text-slate-800 dark:text-white">Edit Note</h3>
      <button id="closeEditModalBtn" class="text-slate-400 hover:text-slate-600 dark:hover:text-slate-200">
        <i data-lucide="x" class="w-4 h-4"></i>
      </button>
    </div>
```

```

<form id="editNoteForm" class="flex flex-col gap-3">
  <input
    id="editTitleInput"
    type="text"
    placeholder="Title"
    class="w-full font-semibold text-sm bg-slate-50 dark:bg-slate-700 rounded-lg p-2.5 border border-slate-200
dark:border-slate-600 text-slate-800 dark:text-white focus:outline-none focus:ring-1 focus:ring-emerald-500"
  />
  <textarea
    id="editBodyInput"
    rows="5"
    required
    placeholder="Write your note here..."
    class="w-full text-xs sm:text-sm bg-slate-50 dark:bg-slate-700 rounded-lg p-2.5 border border-slate-200
dark:border-slate-600 text-slate-800 dark:text-white focus:outline-none focus:ring-1 focus:ring-emerald-500 resize-
none"
  ></textarea>

  <div class="flex justify-end gap-2 pt-2">
    <button
      type="button"
      id="cancelEditBtn"
      class="px-3 py-1.5 text-xs font-semibold text-slate-600 dark:text-slate-300 hover:bg-slate-100 dark:hover:bg-
slate-700 rounded-lg transition"
    >
      Cancel
    </button>
    <button
      type="submit"
      class="px-4 py-1.5 text-xs font-semibold bg-emerald-600 hover:bg-emerald-700 text-white rounded-lg shadow
transition"
    >
      Save Changes
    </button>
  </div>
</form>
</div>
</div>

```

```

<!-- Simple Delete Confirmation Modal -->
<div id="deleteModal" class="fixed inset-0 z-50 hidden bg-slate-900/50 backdrop-blur-sm flex items-center justify-
center p-4">
  <div class="bg-white dark:bg-slate-800 w-full max-w-xs rounded-2xl shadow-xl border border-slate-200
dark:border-slate-700 p-5 text-center">
    <div class="w-10 h-10 rounded-full bg-rose-100 dark:bg-rose-900/30 text-rose-600 dark:text-rose-400 flex items-

```

```

center justify-center mx-auto mb-2.5">
  <i data-lucide="trash-2" class="w-5 h-5"></i>
</div>
<h3 class="text-sm font-bold text-slate-800 dark:text-white mb-1">Delete note?</h3>
<p class="text-xs text-slate-400 mb-4">Are you sure you want to remove this note?</p>
<div class="flex gap-2">
  <button id="cancelDeleteBtn" class="flex-1 py-1.5 text-xs font-semibold text-slate-600 dark:text-slate-300
border border-slate-200 dark:border-slate-700 rounded-lg hover:bg-slate-100 dark:hover:bg-slate-700">
    Cancel
  </button>
  <button id="confirmDeleteBtn" class="flex-1 py-1.5 text-xs font-semibold bg-rose-600 hover:bg-rose-700 text-
white rounded-lg shadow">
    Delete
  </button>
</div>
</div>
</div>

<!-- Toast Notification -->
<div id="toast" class="fixed bottom-5 right-5 z-50 transform translate-y-20 opacity-0 transition-all duration-200 flex
items-center gap-2 px-3.5 py-2.5 bg-slate-900 text-white dark:bg-white dark:text-slate-900 text-xs font-medium
rounded-xl shadow-lg pointer-events-none">
  <i id="toastIcon" data-lucide="check" class="w-4 h-4 text-emerald-500"></i>
  <span id="toastMsg">Saved!</span>
</div>

<script>
/* Clean and Simple Data Storage */
const STORAGE_KEY = 'simple_notes_list';
const THEME_KEY = 'simple_notes_theme';

let notes = [];
let noteToDeleteId = null;
let noteToEditId = null;
let searchQuery = "";

// Load saved notes from LocalStorage
function loadNotes() {
  try {
    const data = localStorage.getItem(STORAGE_KEY);
    if (data) {
      notes = JSON.parse(data);
    } else {
      // Starter example so the screen isn't completely blank at first
      notes = [
        {

```

```

        id: 'note_1',
        title: 'Welcome! ',
        body: 'This is your simple notepad. You can write thoughts, shopping lists, or daily tasks here.',
        date: new Date().toLocaleDateString('en-US', { month: 'short', day: 'numeric' })
    }
];
saveNotes();
}
} catch (e) {
    notes = [];
}
}
}

```

```

function saveNotes() {
    localStorage.setItem(STORAGE_KEY, JSON.stringify(notes));
}

```

```

// Dark / Light Theme logic
function initTheme() {
    const isDark = localStorage.getItem(THEME_KEY) === 'dark';
    if (isDark) {
        document.documentElement.classList.add('dark');
        document.getElementById('themeIcon').setAttribute('data-lucide', 'sun');
    } else {
        document.documentElement.classList.remove('dark');
        document.getElementById('themeIcon').setAttribute('data-lucide', 'moon');
    }
    lucide.createIcons();
}

```

```

function toggleTheme() {
    const isDark = document.documentElement.classList.toggle('dark');
    localStorage.setItem(THEME_KEY, isDark ? 'dark' : 'light');
    document.getElementById('themeIcon').setAttribute('data-lucide', isDark ? 'sun' : 'moon');
    lucide.createIcons();
}

```

```

// Render notes on the screen
function renderNotes() {
    const container = document.getElementById('notesContainer');
    const emptyState = document.getElementById('emptyState');
    const countLabel = document.getElementById('noteCount');

    const filtered = notes.filter(n => {
        const q = searchQuery.toLowerCase();
        return (n.title && n.title.toLowerCase().includes(q)) ||
    }

```

```

        (n.body && n.body.toLowerCase().includes(q));
    });

    countLabel.textContent = `${filtered.length} note${filtered.length === 1 ? " : 's'}`;
    container.innerHTML = "";

    if (filtered.length === 0) {
        emptyState.classList.remove('hidden');
    } else {
        emptyState.classList.add('hidden');
        filtered.forEach(note => {
            const card = document.createElement('div');
            card.className = 'note-card bg-white dark:bg-slate-800 p-4 rounded-xl border border-slate-200/80 dark:border-slate-700 shadow-sm flex flex-col justify-between';

            // Title & Body
            const content = document.createElement('div');
            if (note.title) {
                const h = document.createElement('h3');
                h.className = 'font-bold text-slate-800 dark:text-white text-sm mb-1 line-clamp-1';
                h.textContent = note.title;
                content.appendChild(h);
            }

            const p = document.createElement('p');
            p.className = 'text-xs text-slate-600 dark:text-slate-300 whitespace-pre-wrap leading-relaxed line-clamp-4';
            p.textContent = note.body;
            content.appendChild(p);

            // Card Footer
            const footer = document.createElement('div');
            footer.className = 'flex items-center justify-between pt-3 mt-3 border-t border-slate-100 dark:border-slate-700/60 text-[11px] text-slate-400';

            const dateSpan = document.createElement('span');
            dateSpan.textContent = note.date || "";
            footer.appendChild(dateSpan);

            // Action buttons (Edit & Delete)
            const btns = document.createElement('div');
            btns.className = 'flex items-center gap-1';

            const editBtn = document.createElement('button');
            editBtn.className = 'p-1 hover:text-emerald-600 dark:hover:text-emerald-400 rounded';
            editBtn.title = 'Edit';
            editBtn.innerHTML = '<i data-lucide="pencil" class="w-3.5 h-3.5"></i>';

```



```

editBtn.onclick = () => openEditModal(note.id);

const delBtn = document.createElement('button');
delBtn.className = 'p-1 hover:text-rose-500 rounded';
delBtn.title = 'Delete';
delBtn.innerHTML = '<i data-lucide="trash-2" class="w-3.5 h-3.5"></i>';
delBtn.onclick = () => askDeleteNote(note.id);

btns.appendChild(editBtn);
btns.appendChild(delBtn);
footer.appendChild(btns);

card.appendChild(content);
card.appendChild(footer);
container.appendChild(card);
});
}

lucide.createIcons();
}

// Add Note
function addNote(title, body) {
  const newNote = {
    id: 'note_' + Date.now(),
    title: title.trim(),
    body: body.trim(),
    date: new Date().toLocaleDateString('en-US', { month: 'short', day: 'numeric' })
  };
  notes.unshift(newNote);
  saveNotes();
  renderNotes();
  showToast('Note added!');
}

// Edit Note
function openEditModal(id) {
  const note = notes.find(n => n.id === id);
  if (!note) return;
  noteToEditId = id;
  document.getElementById('editTitleInput').value = note.title || '';
  document.getElementById('editBodyInput').value = note.body || '';
  document.getElementById('editModal').classList.remove('hidden');
}

function closeEditModal() {

```

```

    noteToEditId = null;
    document.getElementById('editModal').classList.add('hidden');
}

// Delete Note Dialog
function askDeleteNote(id) {
    noteToDeleteId = id;
    document.getElementById('deleteModal').classList.remove('hidden');
}

function confirmDelete() {
    if (noteToDeleteId) {
        notes = notes.filter(n => n.id !== noteToDeleteId);
        saveNotes();
        renderNotes();
        showToast('Note deleted');
        noteToDeleteId = null;
    }
    document.getElementById('deleteModal').classList.add('hidden');
}

function cancelDelete() {
    noteToDeleteId = null;
    document.getElementById('deleteModal').classList.add('hidden');
}

// Simple Toast message
let toastTimer = null;
function showToast(msg) {
    const toast = document.getElementById('toast');
    document.getElementById('toastMsg').textContent = msg;
    toast.classList.remove('translate-y-20', 'opacity-0');
    toast.classList.add('translate-y-0', 'opacity-100');

    if (toastTimer) clearTimeout(toastTimer);
    toastTimer = setTimeout(() => {
        toast.classList.remove('translate-y-0', 'opacity-100');
        toast.classList.add('translate-y-20', 'opacity-0');
    }, 2000);
}

document.addEventListener('DOMContentLoaded', () => {
    initTheme();
    loadNotes();
    renderNotes();

```

```

// Theme toggle
document.getElementById('themeToggleBtn').addEventListener('click', toggleTheme);

// Search listeners
const searchInput = document.getElementById('searchInput');
const clearSearchBtn = document.getElementById('clearSearchBtn');

searchInput.addEventListener('input', (e) => {
  searchQuery = e.target.value;
  clearSearchBtn.classList.toggle('hidden', searchQuery.length === 0);
  renderNotes();
});

clearSearchBtn.addEventListener('click', () => {
  searchInput.value = "";
  searchQuery = "";
  clearSearchBtn.classList.add('hidden');
  renderNotes();
});

// Quick note submit form
document.getElementById('quickNoteForm').addEventListener('submit', (e) => {
  e.preventDefault();
  const titleInput = document.getElementById('quickTitleInput');
  const bodyInput = document.getElementById('quickBodyInput');

  if (bodyInput.value.trim() || titleInput.value.trim()) {
    addNote(titleInput.value, bodyInput.value);
    titleInput.value = "";
    bodyInput.value = "";
  }
});

// Edit note submit form
document.getElementById('editNoteForm').addEventListener('submit', (e) => {
  e.preventDefault();
  const title = document.getElementById('editTitleInput').value.trim();
  const body = document.getElementById('editBodyInput').value.trim();

  if (noteToEditId) {
    notes = notes.map(n => n.id === noteToEditId ? { ...n, title, body } : n);
    saveNotes();
    renderNotes();
    closeEditModal();
    showToast('Note updated!');
  }
});

```

```
});
```

```
// Close & Cancel buttons
```

```
document.getElementById('closeEditModalBtn').addEventListener('click', closeEditModal);
```

```
document.getElementById('cancelEditBtn').addEventListener('click', closeEditModal);
```

```
document.getElementById('confirmDeleteBtn').addEventListener('click', confirmDelete);
```

```
document.getElementById('cancelDeleteBtn').addEventListener('click', cancelDelete);
```

```
});
```

```
</script>
```

```
</body>
```

```
</html>
```