

Course outline

How does an NPTEL online course work?

Week 0 : Assignment 0

Week 1 :

Week 2 :

Week 3 :

Week 4 :

Week 5 :

Week 6 :

Week 7 :

Week 8 :

Week 9 :

Week 10 :

- Lecture 46 : Demonstration-XVII
- Lecture 47 : Demonstration-XVIII
- Lecture 48 : Java Networking
- Lecture 49 : Demonstration-XIX

Assignment 10

The due date for submitting this assignment has passed.

Due on 2020-11-25, 23:59 IST.

Assignment submitted on 2020-11-25, 21:27 IST

1) Which of the following statement(s) is/are NOT true?

1 point

- a. URL is the acronym for Uniform Resource Locator.
- b. A URL takes the form of a string that describes how to find a resource on the Internet.
- c. URLs have two main components: the protocol needed to access the resource and the location of the resource.
- d. The URL class is present in the java.io package.

- ☐ a.
- ☐ b.
- ☐ c.
- ☒ d.

Yes, the answer is correct.

Score: 1

Accepted Answers:

d.

● Lecture 50 : JDBC—I

● Quiz: Assignment 10

● Java Week 10: Q1

● Java Week 10: Q2

● Java Week 10: Q3

● Java Week 10: Q4

● Java Week 10: Q5

● Feedback For Week 10

Week 11 :

Week 12 :

Solution

DOWNLOAD VIDEOS

Text Transcripts

Programming Test - (April 11
- 10AM - 12 PM)

Programming Test - (April 11
- 8PM - 10 PM)

2) Consider the following program:

```
import java.net.*;
import java.io.*;

public class Question {
    public static void main(String[] args) throws Exception {

        URL aURL = new URL("http://nptel.com:80/docs/java/tutorial"
                           + "index.html?name=networking#connection");

        System.out.println("authority = " + aURL.getAuthority());
        System.out.println("host = " + aURL.getHost());

    }
}
```

Which of the following is/are valid output(s) from the above program?

- a. authority = nptel.com:80
- b. host = nptel.com
- c. authority = nptel.com
- d. host = nptel.com:80

- ☒ a.
- ☒ b.
- ☐ c.
- ☐ d.

Yes, the answer is correct.

Score: 1

Accepted Answers:

- a.
- b.

1 point

3) Consider the following program:

1 point

```
import java.net.*;
import java.io.*;

public class Question {
    public static void main(String[] args) throws Exception {

        URL aURL = new URL("http://nptel.com:80/docs/java/tutorial"
                           + "index.html?name=networking#connection");

        System.out.println("query = " + aURL.getQuery());
        System.out.println("ref = " + aURL.getRef());
    }
}
```

Which of the following is/are valid output(s) from the above program?

- a. query = name=networking
- b. query = name=networking#connection
- c. ref=connection
- d. ref=/docs/java/tutorial/index.html?name=networking

- ☐ a.
- ☒ b.
- ☒ c.
- ☐ d.

No, the answer is incorrect.

Score: 0

Accepted Answers:

- a.
- c.

4) Which of the following statement(s) is(are) NOT true?

1 point

- a. TCP is a reliable but slow.
- b. UDP is not reliable but fast.
- c. File Transfer Protocol (FTP) is a standard Internet protocol for transmitting files between computers on the Internet over TCP/IP connections.
- d. In HTTP, all communication between two computers are encrypted.

- ☐ a.
- ☐ b.
- ☐ c.
- ☒ d.

Yes, the answer is correct.

Score: 1

Accepted Answers:

d.

5) **In the socket programming, for an IP address, which can be used to find the host name and IP address of a client/ server?**

1 point

- a. The ServerSocket class
- b. The Socket class
- c. The InetAddress class
- d. The Connection interface

- ☐ a.
- ☐ b.
- ☒ c.
- ☐ d.

Yes, the answer is correct.

Score: 1

Accepted Answers:

c.

6) **Which of these is a protocol for breaking and sending packets to an address across a network?**

1 point

- a. TCP/IP
- b. DNS
- c. Socket
- d. Proxy Server

- ☒ a.
- ☐ b.
- ☐ c.
- ☐ d.

Yes, the answer is correct.

Score: 1

Accepted Answers:

a.

7) In the following URL, identify the protocol identifier?

1 point

- a. https
- b. nptel.ac.in
- c. //nptel.ac.in:80/course.php
- d. 8080

- ☒ a.
- ☐ b.
- ☐ c.
- ☐ d.

Yes, the answer is correct.

Score: 1

Accepted Answers:

a.

8) Which of the following statement(s) is/are true?

1 point

- a. isLoopback(): it indicates if the network interface is a loopback interface.
- b. isPointToPoint(): it indicates if the interface is a point-to-point interface.
- c. isVirtual(): it indicates if the interface is a virtual interface.
- d. isUP() : it indicates the interface is running.

- ☒ a.
- ☒ b.
- ☒ c.
- ☐ d.

Partially Correct.

Score: 0.75

Accepted Answers:

a.
b.
c.
d.

9) **Once a JDBC driver has been registered, which of the following method is used to make a database connection?**

1 point

- a. `getConnection(String url, String userID, String password)`
- b. `setConnection(String url, String userID, String password)`
- c. `Connect(String url, String userID, String password)`
- d. Any one of the above.

- ☒ a.
- ☐ b.
- ☐ c.
- ☐ d.

Yes, the answer is correct.

Score: 1

Accepted Answers:

a.

10) **Which of the following best describes about JDBC?**

1 point

- a. JDBC works like a bridge connecting a Java application to a RDBMS, execute SQL commands and return results to the application.
- b. JDBC is a software component, which is both network and database independent.
- c. JDBC should be installed in the same machine from where the Java application will run.
- d. JDBC should be installed in the same server that of the database.

- ☒ a.
- ☐ b.
- ☐ c.
- ☐ d.

Yes, the answer is correct.

Score: 1

Accepted Answers:

a.