

NPTEL » Programming in Java

Announcements

**About the Course** 

Ask a Question

Progress

Mentor

Course outline	Assignment 9	
How does an NPTEL online course work?	The due date for submitting this assignment has passed.  Due on 2020-11-	18, 23:59 IST
Week 0 : Assignment 0	Assignment submitted on 2020-11-10, 22:27 IST	
Week 1:	1) Which of the following is/are interface(s) in javax.swing package?	1 point
Week 2 :	a. MenuElement	
Week 3:	b. BoxLayout	
Week 4:	c. JComponent d. Scrollable	
Week 5:	☑ a.	
Week 6:	□ b. □ c.	
Week 7:	☑ d.	
Week 8:	Yes, the answer is correct. Score: 1 Accepted Answers:	
Week 9:	a. d.	
<ul><li>Lecture 41 : Demonstration- XV</li></ul>	2) Which of the following Listener(s) is/are not supported by button (Swing component)?	1 point
Lecture 42 : AWT ProgrammingIII	a. ActionListener b. ChangeListener	
Lecture 43 : Swing—I	c. ItemListener	
Lecture 44 : Swing—II	d. WindowListener	
Lecture 45 : Demonstration- XVI	<ul><li>○ a.</li><li>○ b.</li><li>○ c.</li></ul>	

Quiz: Assignment 9	d.				
Java Week 9 : Q1	Yes, the answer is correct. Score: 1				
Java Week 9 : Q2	Accepted Answers:				
Java Week 9 : Q3	d.				
Java Week 9 : Q4	3) Which of the following Listener Interface has an Adapter Class?				
Java Week 9 : Q5	a. ActionListener				
Feedback For Week 9	b. ChangeListener				
Week 10 :	c. ComponentListener d. ItemListener				
Week 11 :	○ a.				
Week 12 :	<ul><li>□ b.</li><li>□ c.</li></ul>				
Solution	Od. Yes, the answer is correct.				
DOWNLOAD VIDEOS	Score: 1 Accepted Answers: c.				
Text Transcripts					
Programming Test - (April 11 - 10AM - 12 PM)	4) To set a FlowLayout in a panel, say jp, which of the following method(s) that you can use? a. jp.setLayout (new FlowLayout());				
Programming Test - (April 11 - 8PM - 10 PM)	<pre>b. jp.setLayout(new FlowLayout(FlowLayout.CENTER)); c. jp.setLayout(new FlowLayout(FlowLayout.center)); d. jp.setLayout(FlowLayout());</pre>				
	✓ a.  ✓ b.  C.  d.  Yes, the answer is correct. Score: 1 Accepted Answers: a. b				

1 point

1 point

5)	Which	package provides many methods for graphics p	programming?	point
	а	java.awt		
		java.Applet		
		java.Graphics		
		java.io		
		java.io		
	a. b.			
	) c.			
	d.			
Ye	s, the ansone: 1	wer is correct.		
	ore: i cepted An	swers:		
a.				
6)	In Java	AWT, TextArea and TextField are subclass of:	1,	point
		List.		
		Label. TextComponent.		
		TextComponent and Label, respectively.		
	a. b.			
	о. Ос.			
	d.			
Ye	s, the ans	wer is correct.		
	ore: 1 cepted An	swers:		
C.	·			

```
1 point
7) Analyze the following code.
   import java.awt.*;
   import javax.swing.*;
         public class Test {
                public static void main(String[ ] args) {
                     JFrame frame = new JFrame("My Frame");
                     frame.add(new JButton("OK"));
                     frame.add(new JButton("Cancel"));
                     frame.setDefaultCloseOperation(JFrame.EXIT ON CLOSE);
                     frame.setSize(200, 200);
                     frame.setVisible(true);
   Which button will be displayed?
      a. OK
      b. Cancel
      c. both
      d. None
 ○ a.
 b.
 О c.
 Od.
Yes, the answer is correct.
Score: 1
Accepted Answers:
                                                                                                1 point
  In JLabel(Icon, int) method/constructor, the int argument specifies the horizontal
   alignment of the label's contents within its drawing area.
   Which of the following is/are valid constants for horizontal alignment?
      a. RIGHT
      b. LEADING
      c. TRAILING
      d. TOP
```

✓ a.		
<b>✓</b> b.		
C.		
d.		
Yes, the ans Score: 1	swer is correct.	
Accepted A	nswers:	
a.		
b. c.		
a) (2001)		
9) Select	t the correct statement(s) in the following.	1 pc
	JTextField cannot be used as an alternative to JLabel.	
	JLabel cannot be used as an alternative to JLabel.	
	Button grouped radio button cannot be used as an alternative to JComb	oBox
d.		ODOX.
○ a.		
○ b.		
© c.		
Od.		
No, the answ Score: 0	wer is incorrect.	
Accepted A	nswers:	
b.		
10) Which	h of the following is/ are not related with keyboard event?	1 pc
a.	Class KeyEvent is used to notify if any key pressed occurs or not.	
b.	The KeyListener should be added either in init() or the main method.	
c.	RequestFocus should be added either in init() or the main method.	
d.	The class InputEvent should be imported explicitly in the program.	
○ a.		
○ b.		
○ c.		
◎ d.		
Yes, the ans Score: 1	swer is correct.	
Accepted A	nswers:	
d.		