

PRODUCT & ENGINEERING GUIDE

From wardrobe database to habit-forming fashion assistant

A phase-by-phase development guide for evolving Vesha into a daily fashion companion— centered on **Today**, **Closet**, and **Discovery**— with clear sequencing, user journeys, acceptance criteria, and system flows.

Product direction

UX information architecture

Phased delivery

Engineering reference

Document type

Product Roadmap & Development Spec

Audience

Founders, product, design, engineering

Version

1.0 — August 2026

North-star outcome

Open app → wear something → come back tomorrow

CONTENTS

How to use this document

This guide is the single source of truth for Vesha's next product era. Build phases **in order** unless a later phase is explicitly marked optional. Each phase includes goal, user value, scope, out-of-scope, key flows, and acceptance criteria so engineering can estimate and ship without re-interpreting product intent.

Rule of thumb: every feature should move the user toward *wearing something*—not only organizing clothing.

01 Vision & product principles

02 Current state → target state gap

03 Information architecture (3 destinations)

04 Habit-forming loops

05 Phase roadmap overview

06 Phase 1 — Navigation & Closet redesign

07 Phase 2 — Today habit core (+ 2b calendar)

08 Phase 3 — Closet intelligence

09 Phase 4 — Vibe Match MVP

10 Phase 5 — Avatar try-on

11 Phase 6 — Discovery

12 Phase 7 — Social & groups

13 Cross-cutting systems & data

14 Success metrics, risks, open decisions

Product principles

Vesha's shift is cultural as much as technical: from “digital closet software” to “the app you open when you don’t know what to wear.”

Current identity

Digital wardrobe / DBMS — store, tag, browse, filter, and manage clothing assets.

Target identity

Habit-forming AI fashion assistant — decide, style, inspire, and get more value from clothes already owned.

Three questions, three homes

Today

What should I wear today?

Daily habit. Default landing.
Weather + calendar aware. Avatar
+ alternatives.

Closet

What do I own?

Visual wardrobe. Image-first grid.
Smart search. Pairings. Vibe
Match entry.


Discovery

What could I wear?

Inspiration, AI looks, occasions,
trends, social, Like → Vibe Match.

Design principles for every phase

1. **Wear > organize.** Primary CTAs should be Wear / Create Look / Vibe Match—not Edit fields.
2. **One composition, low clutter.** Prefer image + one decision over dashboards of chips.
3. **AI proposes, human confirms.** Especially for tagging and vibe interpretation.
4. **Own wardrobe first.** Recommendations prioritize what the user already owns before shopping.
5. **Language with vibe.** Prefer moodful verbs (“Not feeling it”, “Switch the vibe”) over clinical labels.
6. **Learning loop.** Wear / skip / reject / like must feed future ranking.



Habit loop: return tomorrow morning

Figure 1 — North-star daily habit loop

Current state → target state

Use this table during planning to avoid rebuilding DBMS features that already exist, and to prioritize net-new assistant behaviors.

AREA	LIKELY CURRENT / NEAR-CURRENT	TARGET
Product job	Manage wardrobe items & outfits	Decide what to wear; inspire; form a morning habit
Navigation	Multiple tabs / nested destinations (Wardrobe, Add, Outfits, Today, Profile, etc.)	Exactly 3 primary tabs: Today · Closet · Discovery
Default screen	Often wardrobe / closet-first	Today (always)
Today	Suggest flow may exist but can feel tool-like / multi-step	Clean primary look + avatar + 2 alts + vibe reject + Wear This
Closet	Category-first tabs; detail often 2 taps away	Image-first grid; Clothing / Footwear / Accessories only at top level
Search	Keyword / tag matching	Natural language + occasion intent + “goes with X”
Add flow	Separate Add tab; tagging confirm	Inside Closet (+); photo → AI → confirm → immediate pairings
Vibe Match	Not a first-class capability	Inspiration image → closet recreation + silhouette hacks
Avatar	Profile fields only / deferred	Outfit composed on user avatar across Today, Closet, Discovery
Discovery	Limited / absent as a destination	AI looks, occasions, trends, likes, social inspiration
Wear logging	Manual or multi-step logging surfaces	Wear This writes history automatically; no item-by-item entry

What to keep vs rethink

Keep & extend

- Wardrobe item model + attributes
- AI identify / confirm tagging


Rethink / retire

- Category tabs as primary Closet IA
- Add as its own bottom tab

- Wear history as learning signal
- Weather-aware scoring (if present)
- Outfit entities (as compositions, not a primary tab)

- Outfits / Insights / Profile as peer tabs
- Clinical “Try another” language
- Manual multi-item wear entry after choosing a look

Unify navigation to three destinations



Destination ownership

TAB	OWNS	DOES NOT OWN
Today	Daily recommendation, context (weather/calendar), reject/regenerate, Wear This, short why	Full wardrobe management; social feed
Closet	All items grid, filters, search, add/edit items, pairings, Vibe Match from photo, wear stats	Trending content; other users' posts
Discovery	AI looks, occasions, trends, inspiration, Like/Save, Vibe Match from liked looks	CRUD for wardrobe inventory

Secondary surfaces (not tabs)

- **Item detail** — modal/stack from Closet
- **Add / Confirm AI tags** — flow from Closet (+)
- **Vibe Match result** — shared flow opened from Closet or Discovery
- **Profile / preferences / avatar setup** — account menu
- **Wear history / week view** — reachable from Today context or profile (supporting habit, not a 4th tab)

Four loops that define Vesha

Every major feature should map to one of these loops. If it doesn't, question whether it belongs in MVP scope.

1) Morning decision loop




2) Inspiration → closet reality loop



3) Closet utility loop



4) Add → immediate value loop



Phase overview — build in this order

Phases are sequenced so each release is usable alone, while unlocking the next. Do not start Avatar rendering or social feed before Closet + Today habit mechanics are solid.

PHASE	NAME	PRIMARY OUTCOME	DEPENDS ON
1	Navigation & Closet redesign	3-tab IA; image-first Closet; Add inside Closet; Discovery shell	—
2	Today habit core	Clean daily suggest, alts, vibe reject, Wear This auto-history, weather	Phase 1
2b	Calendar context	Meeting/dinner → dress code inference	Phase 2 + calendar permission
3	Closet intelligence	Intent search, taxonomy filters, pairings, post-add value	Phase 1
4	Vibe Match MVP	Inspiration → closet recreation + substitution hacks	Phases 1–3
5	Avatar try-on	Outfit visualization on user avatar across surfaces	Phases 2 & 4 (can start design earlier)
6	Discovery	AI looks, occasions, trends, Like/Save → Vibe Match	Phases 2–4
7	Social & groups	User inspiration, group outing / wedding matching	Phase 6



Dark = foundation · Mid = experience polish · Light = network effects

Figure 4 — Delivery sequence (do not rearrange without updating dependencies)

Parallelization tip: Phase 3 (Closet intelligence) can start in parallel with Phase 2 once Phase 1 navigation lands. Avatar art/pipeline work can begin in design during Phase 2,

but product integration waits for Phase 5.

P1

Navigation & Closet redesign

Goal: make Vesha feel like an assistant shell, not a DBMS toolbar

User value

Opening the app feels focused. Closet looks like a real closet wall of clothes. Adding is part of Closet, not a separate “module.”

In scope

- Replace bottom navigation with **Today · Closet · Discovery**
- Default route = Today (even if Today is a lightweight shell in P1)
- Rename Wardrobe → Closet
- Remove Tops/Bottoms/... category tabs as primary navigation
- Top-level filters only: **Clothing · Footwear · Accessories** (+ All)
- Image-first grid: full garment visible without opening detail
- Move Add into Closet as persistent +
- Relocate Profile/settings to account entry (header or Closet overflow)
- Discovery tab exists as a branded empty/coming-soon with clear promise

Out of scope

- Full stylist redesign (Phase 2)
- Intent search / Vibe Match / Avatar
- Social Discovery content

Closet grid UX rules

Do

- Large tiles, soft background, garment fills frame
- Minimal text overlays (optional tiny category pip)
- Tap → item detail

Don't

- Dense metadata rows in the grid
- Force category tab hopping to find items
- Require 2 navigations to see the full photo

Acceptance criteria

- Only 3 primary tabs visible on iOS, Android, and web
- Cold start lands on Today
- Closet shows mixed items in one scrollable grid with 3 broad filters

- User can add an item without leaving Closet IA
- No broken deep links from old tab routes (redirects in place)

P2 Today — habit core

Goal: the morning screen that forms the habit

Screen composition (first viewport)

1. **Context strip** — date · weather summary · (later) calendar cue
2. **Primary recommendation** — title + short “why”
3. **Pieces row** — clothing + footwear + accessories used
4. **Avatar panel** — placeholder in P2 if Avatar not ready; wire real avatar in P5
5. **Primary CTA** — Wear This
6. **Secondary CTA** — moodful reject (see copy)
7. **Two alternates** — always shown by default under the fold or as compact cards

Recommendation inputs

SIGNAL	BEHAVIOR
Weather	Temperature band, rain, humidity influence layering, fabric, footwear
Calendar (P2b)	Infer formality from events (client meeting → formal; dinner → smart casual)
Wear history	Penalize very recent repeats; boost neglected pieces
Preferences / vibe	Casual, Clean, Trendy, Bold, Minimal, Relaxed, Formal (expand over time)
Ownership	Only items in Closet (no shopping links in Today MVP)

Reject / regenerate copy (Gen Z / mood)

Pick one primary label; keep others as A/B candidates:

- **Primary recommendation:** “Not feeling it”
- Alternates: “Switch the vibe” · “Wrong mood” · “Main character swap”

Action: regenerate primary + 2 alternates without opening a builder. Log a *reject* signal with previous outfit id.

Wear This behavior

- Writes a wear-history entry for the full outfit (all item ids) in one tap
- No manual per-item logging
- Confirms with lightweight feedback (“Logged for today”) and refreshes context




Figure 5 — Today layout: one primary decision + two alternatives

Acceptance criteria

- Today shows a complete recommendation without requiring the user to tap “Suggest” as a gate (auto-generate on load, with refresh control)
- Two alternatives always present when closet can support them
- “Not feeling it” replaces the primary set and records reject
- Wear This creates history for all pieces in the look
- Weather influences results (verified with hot/rainy fixtures)

P2b

Calendar-aware dressing

Optional enhancement immediately after Today core

Behavior

- Request calendar permission with clear value prop (“Dress for today’s meetings”)
- Read today’s events (title, time, optionally location)—not full history
- Map events → dress context tags: Formal, Business, Smart casual, Party, Athletic, Travel
- Surface one human cue: “Client meeting at 2pm → keeping it polished”
- If permission denied, Today still works with weather + prefs only

Example mapping (v1 heuristics)

EVENT CUE	INFERRED CONTEXT
interview, client, board, pitch	Formal / Business
dinner, date, anniversary	Smart casual / Evening
wedding, reception, puja, festival	Occasion / Festive
gym, run, yoga	Athletic (or exclude from fashion primary)
flight, travel day	Travel comfort + polished layers

Acceptance criteria

- With sample calendar fixtures, meeting language appears in “why”
- Denial path never blocks recommendations
- No raw calendar event contents uploaded beyond what’s needed for inference (privacy review)

Phase 2 engineering notes

- Treat outfits as compositions of Closet item ids
- Store recommendation sessions: proposed, worn, rejected, skipped
- Avatar slot should be a stable component API even if it renders a mosaic fallback initially

P3 Closet intelligence

Goal: Closet answers ownership questions and creates looks, not just stores SKUs

Search modes

MODE	EXAMPLE	RETURNS
Specific	"white t-shirt"	Matching individual items
Intent / occasion	"what can I wear to a wedding?"	Suitable individual pieces (not full outfits)
Combination	"what goes with my black jeans?"	Compatible items from Closet

Note: complete outfits for occasions belong in Discovery / Today—not Closet search results.

Filters (UI simple, taxonomy rich)

Clothing

Shirt, T-shirt, pants, jeans, dress, skirt, suit, jacket, kurta, saree, ...

Footwear

Shoes, sandals, sneakers, boots, loafers, Crocs, ...

Accessories

Jewelry (earrings, rings...), watches, bags, belts, hats, ...

Item detail must include

- Full image + editable attributes
- Last worn + wear count
- **Goes well with** — pairings from user's Closet
- **Create Look** — jump into composition with this item pinned

Add clothing (inside Closet)

Ideal path: Photo → AI identifies → Confirm → Added → "Here are 3 ways to wear it."

- Sources: camera, library, selfie/worn photo (isolate garment when possible)
- Multi-image session supported
- Minimal manual fields; AI draft + quick correct
- Optional background cleanup / crop
- Immediate **Possible Pairings** after save

Acceptance criteria

- Occasion query returns relevant pieces without fabricating outfits
- Combination query excludes the seed item and ranks compatible categories

- After adding a white shirt (fixture), user sees ≥ 1 pairing suggestion without navigating away
- Subcategory filters work without returning to old Tops/Bottoms tab IA

P4

Vibe Match MVP

Goal: turn “I saw this vibe” into “I can wear my version tonight”

User journey

1. User uploads an inspiration image (street style, influencer, friend, Pinterest)
2. Vasha extracts vibe labels + structural elements (e.g., oversized top, relaxed denim, cap, sneakers)
3. System matches Closet inventory
4. If exact pieces exist → propose recreation
5. If gaps exist → propose **silhouette hacks** (“oversized shirt ≈ baggy tee”) — never dead-end on “you don’t own X”
6. Show: Inspiration · Your version · Avatar preview
7. Actions: Wear This · Save Look · Switch the vibe




Figure 6 — Vibe Match pipeline

Entry points

- Closet → “Vibe Match”
- Discovery → after Like / Save on an inspiration

Acceptance criteria

- Fixture inspiration with baggy tee + jeans + cap returns a closet-based proposal
- When baggy tee missing, substitution copy proposes an oversized alternative—not a hard failure
- Output always lists mapped elements and confidence/gaps
- User can Wear or Save the adapted look

P5 Avatar try-on

Goal: users see the outfit as a whole on “them,” not only as a mosaic of SKUs

Why this phase is later

Avatar quality can distract from habit mechanics if introduced too early. Ship Today + Vibe Match with mosaic/fallback first; then replace the same slots with true try-on.

In scope

- Avatar creation / upload / body basics (reuse profile height etc. where useful)
- Layer garments (top/bottom/dress/shoes/accessories) onto avatar
- Surfaces: Today primary, alternates thumbnail, Vibe Match result, Closet Create Look
- Graceful fallback if a garment lacks a clean cutout

Out of scope (initially)

- Photoreal virtual try-on indistinguishable from real photos
- Fabric physics simulation
- AR camera try-on

Acceptance criteria

- Today primary recommendation renders on avatar for $\geq 80\%$ of demo closet outfits
- Missing layer does not crash—shows partial avatar + piece strip
- Same avatar component used in Vibe Match output

Phase 5 dependency map

Must already exist

- Stable outfit composition model
- Clean item images (Phase 3 cleanup helps)
- Today & Vibe Match UI slots

Unlocks next

- Discovery previews feel tangible
- Social shares of “your version”
- Higher trust in AI suggestions

P6 Discovery

Goal: “What could I wear?” — inspiration without becoming a generic social network

Modules

MODULE	BEHAVIOR
For You	Personalized looks from closet + preference/wear signals
AI-generated looks	Complete outfits using only owned items
Occasion discovery	Date night, birthday, wedding, office, vacation, festival, brunch, ...
Trending	Editorial collections (Fall, Diwali, summer, etc.)
Like / Save	Personalization signals + saved board
Vibe Match CTA	After Like/Save: recreate with Closet + avatar
NL discovery	“casual date-night outfits”, “South Indian wedding ideas”

Product boundary

Discovery is fashion utility first. Social content must always offer a path back to **the user’s closet** (Wear / Vibe Match / Save look)—not endless scrolling for its own sake.

Acceptance criteria

- For You returns looks composed from the signed-in user’s items
- Occasion collection opens filtered inspiration + closet-feasible variants
- Like persists and increases probability of similar vibes on Today/Discovery
- Vibe Match from a liked card opens Phase 4 flow with prefilled inspiration

P7 Social inspiration & group matching

Later-stage network effects — after solo habit is proven

User inspiration feed

- Users/creators post looks (still tied to garments / vibes)
- Viewers can Like → Vibe Match using their own Closet
- Moderation, reporting, and privacy controls required before broad launch

Group outfit matching (backlog idea → Phase 7 epic)

Examples: family wedding, friends' holiday, couple coordinated looks.

- Create a group event with dress code / vibe
- Members share relevant Closet subsets or preference profiles (privacy-scoped)
- System proposes coordinated palettes / formality alignment without forcing identical outfits
- Each member gets a personal Wear This that fits the group story

Image search (Discovery stretch)

Upload inspiration → find similar Discovery looks *and* Closet Vibe Match in one pipe.

Launch gate: do not invest heavily in Phase 7 until Today weekly active habit metrics (opens → Wear This) are healthy. Social without habit becomes content debt.

Cross-cutting architecture notes

Suggested domain objects

ENTITY	PURPOSE
Item	Garment/footwear/accessory with taxonomy + attributes + images
Outfit / Look	Ordered set of item ids + occasion/vibe metadata
WearEvent	Timestamped wear of outfit or item; source = today vibe manual
RecommendationSession	Proposed looks, chosen/rejected, context snapshot
VibeAnalysis	Labels, structural elements, source image ref
Inspiration / Post	Discovery content unit (editorial or user)
Reaction	Like, save, wear, reject
AvatarProfile	User visual baseline for try-on
CalendarContext	Derived dress codes for a day (not raw calendar dump)

AI capability map

Already foundational

- Garment identify / attribute extraction
- Rule or model-based outfit scoring

Net-new to plan

- Intent search embeddings
- Vibe & silhouette analysis
- Substitution / hack generator
- Avatar compositing pipeline
- Occasion collections ranking

Taxonomy principle

UI shows 3 buckets. Backend stores fine-grained subtypes (shirt vs kurta vs saree). Recommendations and search query the fine grain; filters expose progressive disclosure.

Privacy & trust

- Calendar: minimize scopes; store derived dress codes, not full event notes
- Photos: clear retention; on-device crop when possible
- Social: default private closet; sharing is explicit

Success metrics, risks, open questions

North-star metric

Wear Rate: % of Days-with-App-Open that end in a Wear This (or equivalent confirmed wear).

Supporting metrics by phase

PHASE	WATCH
1	Tab distribution; Closet session depth; Add completion rate
2	Today open → Wear This; reject rate; time-to-first-wear
3	Search success; pairing CTR; post-add pairing engagement
4	Vibe Match completion; substitution accept rate
5	Avatar render success; influence on Wear This conversion
6	Like→Vibe Match funnel; Discovery weekly reach
7	Creator supply; group event completion (careful quality bar)

Key risks

- **Empty Closet cold start** — Today fails without items; keep first-run checklist + fast add
- **Avatar overpromise** — ship fallback mosaics; don't block habit on try-on fidelity
- **Search confusion** — Closet returns pieces; Discovery returns looks—label results clearly
- **Social distraction** — delay until Wear Rate is strong
- **Taxonomy sprawl** — lock a v1 subtype list before filter UI expands

Open decisions (resolve before build spikes)

1. Final reject CTA string for v1 (“Not feeling it” vs “Switch the vibe”)
2. Avatar: illustrated vs photo-based baseline
3. Calendar provider scope (device calendar vs Google/Outlook OAuth)
4. Whether saved outfits remain a first-class object in Closet or only appear as Looks
5. Discovery content: editorial-only at launch vs user posts

Recommended near-term build order (checklist)

1. Ship Phase 1 navigation + Closet grid
2. Ship Phase 2 Today habit core with weather

3. Parallel Phase 3 search/pairings
4. Ship Phase 4 Vibe Match MVP
5. Upgrade visuals with Phase 5 Avatar
6. Turn on Phase 6 Discovery modules
7. Only then explore Phase 7 social/groups

Remember the distinction: a wardrobe database helps users store clothes. Vesha succeeds when it helps them *wear* clothes—today, and again tomorrow.

Document end — Vesha Product Roadmap & Development Guide v1.0 · August 2026