

Compounds of Transitional elements

201. Ferrous sulphate on strong heating gives
 (a) SO_2
 (b) $Fe_2(SO_4)_3$
 (c) $FeO + SO_3$
 (d) $Fe_2O_3 + SO_2 + SO_3$
202. Green vitriol is
 (a) $CuSO_4 \cdot 5H_2O$
 (b) $FeSO_4 \cdot 7H_2O$
 (c) $CaSO_4 \cdot 2H_2O$
 (d) $ZnSO_4 \cdot 7H_2O$
203. When conc. sulphuric acid is added slowly to a solution of ferrous sulphate containing nitrate ion, a brown colour ring is formed. The composition of the ring is
 (a) $[Fe(H_2O)_5NO]SO_4$
 (b) $FeSO_4 \cdot NO_2$
 (c) $Fe[(H_2O)_5](NO_3)_2$
 (d) None of these
204. F_2 is formed by reacting K_2MnF_6 with
 (a) SbF_5 (b) MnF_3
 (c) $KSbF_6$ (d) MnF_4
205. Railway wagon axles are made by heating rods of iron embedded in charcoal powder. The process is known as
 (a) Case hardening
 (b) Sheradizing
 (c) Annealing
 (d) Tempering
206. The alloy of steel that is used in making automobile parts and utensils
 (a) Stainless steel
 (b) Nickel steel
 (c) Tungstun steel
 (d) Chromium steel
207. Which of the following has lowest percentage of carbon
 (a) Cast iron
 (b) Wrought iron
 (c) Steel
 (d) All have same percentage
208. Galvanisation is the
 (a) Deposition of Zn on Fe
 (b) Deposition of Al on Fe
 (c) Deposition of Sn on Fe
 (d) Deposition of Cu on Fe
209. Tempered steel is
 (a) Soft and pliable
 (b) Hard and brittle
 (c) Neither so hard nor so brittle
 (d) Very soft
210. Best quality of steel is manufactured by
 (a) Siemen –Martin's open hearth process
 (b) Electrical process
 (c) Bessemer process
 (d) Blast furnace



211. The presence of *Si* in steel gives it
 (a) Fibrous structure
 (b) Silicate type structure
 (c) Sheet type structure
 (d) None of these
212. The presence of *Mn* in steel produces
 (a) Elasticity
 (b) Increases tensile strength
 (c) Both (a) and (b)
 (d) None of these
213. Presence of *Cr* in steel makes it
 (a) Resistant to chemical action
 (b) Useful for making cutlery
 (c) Increases chemical action
 (d) (a) and (b) both
214. The addition of metals like *Cr*, *Mn*, *W* and *Ni* to ordinary steel makes it
 (a) More useful
 (b) Alters the properties of ordinary steel
 (c) Both (a) and (b)
 (d) None of these
215. Stainless steel is non-corrosive. This character is more prominent in
 (a) *Mn* steel
 (b) Ordinary steel
 (c) *Ti* steel
 (d) All of these
216. When little vanadium is mixed with steel, it becomes
 (a) More hard
 (b) More tensility
 (c) Both (a) and (b)
 (d) No effect
217. To obtain steel entirely free from sulphur and phosphorus, the process used is
 (a) Electrothermal process
 (b) Bessemer process
 (c) Open-hearth process
 (d) Duplex process
218. Stainless steel contains *Cr*
 (a) 14% (b) 5%
 (c) 50% (d) 2.5%
219. The chief constituents of steel made in India are
 (a) *Mn* and *Cr* (b) *Al* and *Zn*
 (c) *V* and *Co* (d) *Ni* and *Mg*
220. Which of the following is used to prepare medical instruments
 (a) Cast iron
 (b) Wrought iron
 (c) Steel
 (d) Alloy of *Cu* and *Fe*

