

Compounds of Transitional elements

261. Which of the following property is not expected to be shown by copper
 (a) High thermal conductivity
 (b) Low electrical conductivity
 (c) Ductility
 (d) Malleability
262. Which of the following metal gives more than one chloride
 (a) Cu (b) Al
 (c) Ag (d) Na
263. The metal which is the best conductor of electricity is
 (a) Iron (b) Copper
 (c) Silver (d) Aluminium
264. Paris green is
 (a) Double salt of copper carbonate and copper nitrate
 (b) Double salt of copper acetate and copper arsinite
 (c) Double salt of copper acetate and copper sulphate
 (d) Double salt of copper and silver nitrate
265. Reaction between the following pairs will produce H_2 except
 (a) Na + ethyl alcohol
 (b) Fe + steam
 (c) $Fe + H_2SO_4 (aq.)$
 (d) $Cu + HCl (aq.)$
266. Which of the following is correct
 (a) Gun metal : $Cu + Zn + Sn$
 (b) Duralumin : $Al + Cu + Mg + Ag$
 (c) German silver : $Cu + Zn + C$
 (d) Solder : $Pb + Al$
267. Solder is an alloy of
 (a) 70% lead, 30% tin
 (b) 30% lead, 70% tin
 (c) 80% lead, 20% tin
 (d) 90% Cu , 10% tin
268. Zinc forms two important alloys, (i) Brass and (ii) German silver. Metals present in them mainly are
 (a) In (i) zinc and tin; and in (ii) zinc, silver and nickel
 (b) In (i) zinc and iron; and in (ii) zinc, nickel and cobalt
 (c) In (i) zinc and copper; and in (ii) zinc, copper and nickel
 (d) In (i) zinc and aluminium; and in (ii) zinc, nickel and aluminium
269. One of the constituent of german silver is
 (a) Ag (b) Cu
 (c) Mg (d) Al
270. Gun metal is an alloy of
 (a) Cu and Al
 (b) Cu, Sn and Zn
 (c) Cu, Zn and Ni
 (d) Cu and Sn
271. Besides Zn and Cu , german silver contains the metal
 (a) Sn (b) Ag



- (c) *Ni* (d) *Mg*
272. Which metal is present in brass, bronze and German silver
(a) *Zn* (b) *Mg*
(c) *Cu* (d) *Al*
273. Which of the following is wrongly matched
(a) German silver $Cu + Zn + Ni$
(b) Alnico $Fe + Al + Ni + CO$
(c) Monel metal $Cu + Zn + Sn$
(d) Duralumin $Al + Cu + Mg + Mn$
274. An extremely hot copper wire reacts with steam to give
(a) CuO (b) Cu_2O
(c) Cu_2O_2 (d) CuO_2
275. From a solution of $CuSO_4$, the metal used to recover copper is
(a) Sodium (b) Iron
(c) Silver (d) *Hg*
276. Copper sulphate is commercially made from copper scraps by
(a) Dissolving in hot conc. H_2SO_4
(b) The action of dil. H_2SO_4 and air
(c) Heating with sodium sulphate
(d) Heating with sulphur
277. Cuprous ion is colourless, while cupric ion is coloured because
(a) Both have unpaired electrons in *d* -orbital
(b) Cuprous ion has a completed *d* -orbital and cupric ion has an incomplete *d* -orbital
(c) Both have half-filled *p* and *d* -orbitals
(d) Cuprous ion has incomplete *d* -orbital and cupric ion has a completed *d* -orbital
278. A blue colouration is not obtained when
(a) Ammonium hydroxide dissolves in copper sulphate
(b) Copper sulphate solution reacts with $K_4[Fe(CN)_6]$
(c) Ferric chloride reacts with sodium ferrocyanide
(d) Anhydrous $CuSO_4$ is dissolved in water
279. Identify the statement which is not correct regarding $CuSO_4$
(a) It reacts with *KI* to give iodine
(b) It reacts with *KCl* to give Cu_2Cl_2
(c) It reacts with *NaOH* and glucose to give Cu_2O
(d) It gives CuO on strong heating in air
280. Copper sulphate solution reacts with *KCN* to give
(a) $Cu(CN)_2$
(b) $CuCN$
(c) $K_2[Cu(CN)_4]$
(d) $K_3[Cu(CN)_4]$

