Status	Finished
Started	Friday, 16 October 2026, 8:45 PM
Completed	Friday, 16 October 2026, 8:48 PM
Duration	3 mins 11 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Incorrect

Mark 0.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

- a. 90 and 100 ✗
- b. 90 and 99
- c. 89 and 94
- d. 94 and 99

Question **2**

Correct

Mark 1.00 out of 1.00

In which situation is linear search more efficient than binary search?

- a. When the list is small and unsorted ✓
- b. When the list is small and sorted
- c. When the list is large and sorted
- d. When the list is large and unsorted

Question **3**

Correct

Mark 1.00 out of 1.00

Which method of searching involves sequentially comparing each element until a match is found?

- a. Jump search
- b. Linear search ✓
- c. Binary search
- d. Hashing

Question **4**

Correct

Mark 1.00 out of 1.00

In the context of searching, what is a successful search?

- a. When the element is found in the list ✓
- b. When the search algorithm finishes
- c. When the list is sorted
- d. When the list contains duplicate elements

Question **5**

Correct

Mark 1.00 out of 1.00

In a linear search, how many comparisons are made in the worst-case scenario to find an element in a list of size n?

- a. log n
- b. 1
- c. n/2
- d. n ✓

Question **6**

Correct

Mark 1.00 out of 1.00

In which type of search is the list divided into smaller sublists during the search process?

- a. Linear search
- b. Hash search
- c. Binary search ✓
- d. Sequential search

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following is not the required condition for a binary search algorithm?

- a. Number values should only be present

  Number values should only be present

- b. There must be a mechanism to delete and/or insert elements in the list ✓
- c. The list must be sorted
- d. There should be direct access to the middle element in any sublist

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following scenarios is best suited for applying binary search?

- a. When the list is sorted ✓
- b. When the list is unsorted
- c. When the list contains duplicate elements
- d. When the list is very small

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following is not a limitation of binary search algorithm?

- a. There must be a mechanism to access middle element directly
- b. Requirement of sorted array is expensive when a lot of insertion and deletions are needed
- c. Must use a sorted array
- d. Binary search algorithm is not efficient when the data elements more than 1500 ✓

Question **10**

Correct

Mark 1.00 out of 1.00

During a binary search, what happens if the target element matches the middle element?

- a. The search continues in the right sublist
- b. The list is sorted
- c. The search continues in the left sublist
- d. The search ends successfully ✓

Question **11**

Correct

Mark 1.00 out of 1.00

In binary search, how is the middle element determined?

- a. By dividing the list length by two ✓
- b. By comparing each element sequentially
- c. By starting from the first element
- d. By using a hash function

Question **12**

Correct

Mark 1.00 out of 1.00

_____ search takes a sorted/ordered list and divides it in the middle.

a. Hash
b. Linear
c. Both (1) & (3)
d. Binary ✓

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following best describes the process of a linear search?

a. Sorting the list before searching
b. Skipping every second element
c. Dividing the list in half repeatedly
d. Checking each element sequentially ✓

Question **14**

Incorrect

Mark 0.00 out of 1.00

What happens in a binary search if the list has an even number of elements?

a. The search stops
b. The lower middle element is chosen as the middle element ✗
c. The middle element is chosen randomly
d. The higher middle element is chosen as the middle element

Question **15**

Correct

Mark 1.00 out of 1.00

What is the first step in binary search?

a. Divide the list into two equal parts
b. Compare the target element with the first element in the list
c. Compare the target element with the middle element in the list ✓
d. Sort the list