#### **Final Presentation**

Team 3: Download of public facing data for registered users

Jerry Bonnell Gururaj Shriram Lixiong Liang Heyu Yao Erica Chang

May 7, 2018

## Agenda

1 Requirements

2 Architecture

3 Demo!

# Requirements

### Project Purpose

■ Users are interested in **downloading**:

#### Data types

- 1 Cadastral data points and polygons on a map
- 2 "Storytelling" data images, videos, audio files, etc.
- Purpose: Users can create their own maps from this data
  - e.g. a map pertaining to bus stop information
  - Expedites the process of receiving land titles.

### Functional Requirements

- User can choose an **output format** for queried data and download **locally** to computer.
  - Cadastral data: Convert data to Geojson, KML, shapefile, CSV
  - "Storytelling" data: fetch directly for each request

#### Functional Requirements

- User can choose an **output format** for queried data and download **locally** to computer.
  - Cadastral data: Convert data to Geojson, KML, shapefile, CSV
    - Also topojson!
  - "Storytelling" data: fetch directly for each request

#### Non-functional Requirements

■ Must handle up to 3 **simultaneous** requests.

#### Non-functional Requirements

- Must handle up to 3 **simultaneous** requests.
- Tried up to 300 simultaneous requests!

# Architecture


#### Architectural Style: Three-tier

Client-server tier: Allows download server to handle requests


Business tier: converts and archives data


Database-centric tier: requests geospatial data from database

## System Diagram



### Class Diagram





Demo!

Questions?