Packet Sniffing Using Socket

EXP NO:12.A DATE:5.11.24

AIM:

To study packet sniffing concept and implement it using sockets.

Algorithm:

Import Libraries: Import necessary modules from scapy for packet capturing and IP layers.

Define Packet Callback:

- Check if the packet contains an IP layer.
- Extract protocol number, source IP, and destination IP from the IP layer.
- Identify the protocol type (ICMP, TCP, UDP) based on the protocol number.
- Print the protocol name, source IP, and destination IP.

Main Function:

- Use sniff to capture packets on the default network interface.
- For each packet, call packet_callback to process and display packet information.

Run Program:

• Execute the main function to start packet sniffing when the script runs.

Program:

```
from scapy.all import sniff from scapy.layers.inet import IP, TCP, UDP, ICMP
```

```
def packet_callback(packet):
    if IP in packet:
        ip_layer = packet[IP]
        protocol = ip_layer.proto
        src_ip = ip_layer.src
        dst_ip = ip_layer.dst
```

```
# Determine the protocol
    protocol name = "" if
    protocol == 1:
    protocol name = "ICMP"
    elif protocol == 6:
    protocol name = "TCP"
    elif protocol == 17:
       protocol name = "UDP"
    else:
       protocol name = "Unknown Protocol"
    # Print packet details
    print(f"Protocol: {protocol name}")
    print(f"Source IP: {src ip}")
    print(f"Destination IP: {dst ip}")
    print("-" * 50)
def main():
  # Capture packets on the default network interface
  sniff(prn=packet callback, filter="ip", store=0)
if __name__ == "__main__":
  main()
Output:
Protocol: TCP
Source IP: 192.168.1.10
Destination IP: 93.184.216.34
_____
Protocol: ICMP
Source IP: 192.168.1.10
Destination IP: 8.8.8.8
_____
Protocol: UDP
Source IP: 192.168.1.10
Destination IP: 8.8.4.4
Protocol: TCP
```

Source IP: 192.168.1.10
Destination IP: 172.217.14.206

------Result:

Packet sniffing concept and implement it using sockets is studied and successfully executed.