```
Script started on 2020-09-19 14:31:36+05:30 [TERM="xterm-256color" TTY="/dev/pts/0" COLUMNS="8
0" LINES="24"]
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ cak033[Kt code1
echo "Iam Guru saran"
cat file1.txt
grep -n apple file1.txt
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ basg033[Kh code1
Iam Guru saran
guru
rohit
abhi
apple
amrita
visakhapatnam
goa
orange
```

4:apple

 $\label{local_continuous} $$ \033]0; guru@ubuntu: $$ ^Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^{\circ}/Desktop/ASsignment1\\033[00m;\\033[01;34m^{\circ}/Desktop/ASsignment1]$$$

Script done on 2020-09-19 14:32:04+05:30 [COMMAND_EXIT_CODE="0"]

```
Script started on 2020-09-19 10:14:50+05:30 [TERM="xterm-256color" TTY="/dev/pts/0" COLUMNS="9
6" LINES="45"]
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ ps
    PID TTY
                     TIME CMD
   2614 pts/1
                 00:00:00 bash
   2627 pts/1
                 00:00:00 ps
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ firefox &
[1] 2628
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ bg
bash: bg: job 1 already in background
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ ps
    PID TTY
                     TIME CMD
   2614 pts/1
                 00:00:00 bash
   2628 pts/1
                 00:00:02 MainThread
   2664 pts/1
                 00:00:00 ps
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ ps
    PID TTY
                     TIME CMD
   2614 pts/1
                 00:00:00 bash
   2628 pts/1
                 00:00:19 MainThread
   2695 pts/1
                 00:00:06 Privileged Cont
   2754 pts/1
                 00:00:02 Web Content
                 00:00:01 WebExtensions
   2806 pts/1
                 00:00:00 firefox
   2859 pts/1
   2860 pts/1
                 00:00:00 Chroot Helper
   2868 pts/1
                 00:00:00 ps
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ \007kill 2859
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ ps
   PID TTY
                     TIME CMD
   2614 pts/1
                 00:00:00 bash
   2628 pts/1
                 00:00:26 MainThread
   2695 pts/1
                 00:00:06 Privileged Cont
   2754 pts/1
                 00:00:02 Web Content
   2806 pts/1
                 00:00:02 WebExtensions
   2898 pts/1
                 00:00:00 ps
\033]0;quru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mquru@ubuntu\033[00m:\033[01;34m~/Deskt
```

Script done on 2020-09-19 10:16:11+05:30 [COMMAND_EXIT_CODE="0"]

op/ASsignment1\033[00m\$ &033[Kexit

Script started on 2020-09-19 14:32:36+05:30 [TERM="xterm-256color" TTY="/dev/pts/0" COLUMNS="8 0" LINES="24"]

 $\label{lem:condition} $$ \033]0; guru@ubuntu: ~\Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m~\Desktop/ASsignment1\\033[00m$ cat $033[Kfile1.txt]] $$$

guru

rohit

abhi

apple amrita

visakhapatnam

goa

orange

 $\label{lem:condition} $$ \033]0; guru@ubuntu: $$ ^Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^?Desktop/ASsignment1\\033[00m$] exit $$$

Script done on 2020-09-19 14:32:55+05:30 [COMMAND_EXIT_CODE="0"]

-rw-rw-r-- 1 guru guru

op/ASsignment1\033[00m\$ exit

```
Script started on 2020-09-19 10:18:06+05:30 [TERM="xterm-256color" TTY="/dev/pts/0" COLUMNS="9
6" LINES="45"]
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ ls -1
total 24
-rw-rw-r-- 1 guru guru 6727 Sep 19 10:13 bash1.txt
-rw-rw-r-- 1 guru guru 1886 Sep 19 10:16 bg1.txt
-rw-rw-r-- 1 guru guru 7138 Sep 19 10:17 cat.txt
                        0 Sep 19 10:18 chmod.txt
-rw-rw-r-- 1 guru guru
-rw-rw-r-- 1 guru guru
                         97 Sep 19 10:13 code
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ chmod 777 code
\033]0;quru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mquru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ ls -1
total 24
-rw-rw-r-- 1 guru guru 6727 Sep 19 10:13 bash1.txt
-rw-rw-r-- 1 guru guru 1886 Sep 19 10:16 bg1.txt
-rw-rw-r-- 1 guru guru 7138 Sep 19 10:17 cat.txt
-rw-rw-r-- 1 guru guru
                         0 Sep 19 10:18 chmod.txt
-rwxrwxrwx 1 guru guru
                        97 Sep 19 10:13 \033[0m\033[01;32mcode\033[0m
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ chmod 664 ocd\033[K033[K033[K033[Kcode
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ ls -1
total 24
-rw-rw-r-- 1 guru guru 6727 Sep 19 10:13 bash1.txt
-rw-rw-r-- 1 guru guru 1886 Sep 19 10:16 bg1.txt
-rw-rw-r-- 1 guru guru 7138 Sep 19 10:17 cat.txt
-rw-rw-r-- 1 guru guru
                         0 Sep 19 10:18 chmod.txt
```

\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt

Script done on 2020-09-19 10:20:03+05:30 [COMMAND_EXIT_CODE="0"]

97 Sep 19 10:13 code

```
Sun Sep 20 08:54:54 2020
Script started on 2020-09-19 10:20:21+05:30 [TERM="xterm-256color" TTY="/dev/pts/0" COLUMNS="9
6" LINES="45"]
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ ls -1
total 28
-rw-rw-r-- 1 guru guru 6727 Sep 19 10:13 bash1.txt
-rw-rw-r-- 1 guru guru 1886 Sep 19 10:16 bg1.txt
-rw-rw-r-- 1 guru guru 7138 Sep 19 10:17 cat.txt
-rw-rw-r-- 1 guru guru 1653 Sep 19 10:20 chmod.txt
-rw-rw-r-- 1 guru guru 0 Sep 19 10:20 chown.txt
                       97 Sep 19 10:13 code
-rw-rw-r-- 1 guru guru
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ &033[K\007sudo chown saran code
[sudo] password for guru:
```

 $\label{lem:condition} $$ \033]0; guru@ubuntu: $$ ^Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^{\circ}/Desktop/ASsignment1\\033[00m;1s] -1$

total 28

```
-rw-rw-r-- 1 guru guru 6727 Sep 19 10:13 bash1.txt
-rw-rw-r-- 1 guru guru 1886 Sep 19 10:16 bg1.txt
-rw-rw-r-- 1 guru guru 7138 Sep 19 10:17 cat.txt
-rw-rw-r-- 1 guru guru 1653 Sep 19 10:20 chmod.txt
-rw-rw-r-- 1 guru guru 0 Sep 19 10:20 chown.txt
-rw-rw-r-- 1 saran guru 97 Sep 19 10:13 code
```

 $\label{local_continuous} $$ \033]0; guru@ubuntu: $$ ^Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^?Desktop/ASsignment1\\033[00m$] exit$

Script done on 2020-09-19 10:21:10+05:30 [COMMAND_EXIT_CODE="0"]

Script started on 2020-09-19 10:22:40+05:30 [TERM="xterm-256color" TTY="/dev/pts/0" COLUMNS="2 03" LINES="45"] \033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Desktop/ASsignment1\033[00m\$ ddd

Warning: Cannot convert string "-*-helvetica-medium-r-*-*-120-*-*-*-iso8859-*" to type For

tStruct
(Annoyed? Try 'Edit->Preferences->General->Suppress X Warnings'!)

Warning: Cannot convert string "-*-helvetica-medium-r-*-*-*-100-*-*-*-iso8859-*" to type Fon tStruct

Warning: Cannot convert string "-*-lucidatypewriter-medium-r-*-*-*-120-*-*-*-iso8859-*" to type FontStruct

Warning: Cannot convert string "-*-lucidatypewriter-bold-r-*-*-*-120-*-*-*-iso8859-*" to type FontStruct

Warning: Cannot convert string "-*-helvetica-bold-r-*-*-*-120-*-*-*-iso8859-*" to type FontS truct

Warning: Cannot convert string "-*-helvetica-medium-*-*-*-120-*-*-*-iso8859-*" to type Fon tStruct

Warning: Cannot convert string "-*-helvetica-bold-*-*-*-120-*-*-iso8859-*" to type FontS truct

Warning: Cannot convert string "-*-helvetica-bold-r-*-*-*-180-*-*-*-iso8859-*" to type FontS truct

Warning: Cannot convert string "-*-symbol-*-*-*-120-*-*-adobe-*" to type FontStruct

Warning: Could not load font "-*-lucidatypewriter-medium-*-*-*-120-*-*-*-iso8859-*", using font "fixed" instead

Warning: Could not load font "-*-lucidatypewriter-medium-r-*-*-*-120-*-*-*-iso8859-*", using font "fixed" instead

Warning: Could not load font "-*-lucidatypewriter-bold-*-*-*-120-*-*-*-iso8859-*", using font "fixed" instead

 $\label{lem:condition} $$ \033]0; guru@ubuntu: $$ ^Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^/Desktop/ASsignment1\\033[00m;\\007exit]$

Script done on 2020-09-19 10:23:41+05:30 [COMMAND_EXIT_CODE="0"]

Script started on 2020-09-20 09:16:58+05:30 [TERM="xterm-256color" TTY="/dev/pts/3" COLUMNS="8 0" LINES="24"] \033]0;guru@ubuntu: ~/Desktop/OS\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Desktop/OS\033 [00m\$ df -h]Size Used Avail Use% Mounted on Filesystem udev 953M 0 953M 0%/dev tmpfs 196M 1.6M 195M 1% /run /dev/sda5 29G 8.9G 19G 33% / tmpfs 980M 0 980M 0% /dev/shm 1% /run/lock tmpfs 5.0M 4.0K 5.0M 0 980M 0% /sys/fs/cgroup tmpfs 980M /dev/loop1 256M 256M 0 100% /snap/gnome-3-34-1804/36 /dev/loop2 0 100% /snap/core18/1885 56M 56M /dev/loop6 0 100% /snap/snapd/8790 30M 30M /dev/loop0 256M 256M 0 100% /snap/gnome-3-34-1804/33 /dev/loop4 0 100% /snap/core18/1754 55M 55M /dev/loop8 31M 0 100% /snap/snapd/9279 31M /dev/loop7 50M 50M 0 100% /snap/snap-store/454 /dev/loop5 50M 50M 0 100% /snap/snap-store/467 0 100% /snap/gtk-common-themes/1506 /dev/loop3 63M 63M /dev/sda1 511M 4.0K 511M 1% /boot/efi tmpfs 196M 56K 196M 1% /run/user/1000 \033]0;guru@ubuntu: ~/Desktop/OS\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Desktop/OS\033 [00m\$ exit

Script done on 2020-09-20 09:17:06+05:30 [COMMAND_EXIT_CODE="0"]

op/ASsignment1\033[00m\$ exit

Script done on 2020-09-19 10:35:48+05:30 [COMMAND_EXIT_CODE="1"]

```
Script started on 2020-09-19 10:32:29+05:30 [TERM="xterm-256color" TTY="/dev/pts/0" COLUMNS="2
03" LINES="43"]
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ cat file1.txt
guru
rohit
abhi
apple
amrita
visakhapatnam
goa
orange
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ cat file2.txt
abhi
vizag
orange
apple
Andhra pradesh
Delhi
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ diff file1\033[K.txt file2.txt
1,2d0
< guru
< rohit
4,7c2
< apple
< amrita
< visakhapatnam
< goa
> vizag
8a4,6
> apple
> Andhra pradesh
> Delhi
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
```

44K

Script started on 2020-09-19 10:26:20+05:30 [TERM="xterm-256color" TTY="/dev/pts/0" COLUMNS="2 03" LINES="43"] \033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt op/ASsignment1\033[00m\$ du -ah ./bg1.txt 4.0K 0 ./du.txt ./chown.txt 4.0K 4.0K ./ddd.txt ./chmod.txt 4.0K ./code 4.0K ./cat.txt 8.0K 4.0K ./df.txt ./bash1.txt 8.0K

Script done on 2020-09-19 10:26:34+05:30 [COMMAND_EXIT_CODE="0"]

Script started on 2020-09-19 11:03:30+05:30 [TERM="xterm-256color" TTY="/dev/pts/2" COLUMNS="2 03" LINES="43"]

\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt op/ASsignment1\033[00m\$ emacs \n033[Kfile.txt

^C\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Des ktop/ASsignment1\033[00m\$ emacs --version

GNU Emacs 26.3

Copyright (C) 2019 Free Software Foundation, Inc.

GNU Emacs comes with ABSOLUTELY NO WARRANTY.

You may redistribute copies of GNU Emacs

under the terms of the GNU General Public License.

For more information about these matters, see the file named COPYING.

\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt op/ASsignment1\033[00m\$ exit

Script done on 2020-09-19 11:04:26+05:30 [COMMAND_EXIT_CODE="0"]

Script started on 2020-09-19 14:12:26+05:30 [TERM="xterm-256color" TTY="/dev/pts/0" COLUMNS="79" LINES="23"]

 $\label{local-control} $$ \033]0; guru@ubuntu: ~$ \Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^2)\\00m$$ \Comparison of the control of$

\033[01;31m\033[KUSER\033[m\033[KNAME=guru

\033[01;31m\033[KUSER\033[m\033[K=guru

\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Desktop/ASsignment1\033[00m\$ exit

Script done on 2020-09-19 14:12:41+05:30 [COMMAND_EXIT_CODE="0"]

op/ASsignment1\033[00m\$ exit

```
Script started on 2020-09-19 10:56:27+05:30 [TERM="xterm-256color" TTY="/dev/pts/2" COLUMNS="2
03" LINES="43"]
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ ps
    PID TTY
                     TIME CMD
   5998 pts/1
                 00:00:00 bash
   6012 pts/1
                 00:00:00 ps
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ fire033[K033[K033[K033[Kfirefox &
[1] 6013
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ ps
   PID TTY
                     TIME CMD
   5998 pts/1
                 00:00:00 bash
   6013 pts/1
                 00:00:25 MainThread
                 00:00:06 Privileged Cont
   6193 pts/1
   6247 pts/1
                 00:00:08 Web Content
   6273 pts/1
                 00:00:01 WebExtensions
   6319 pts/1
                 00:00:00 Web Content
   6428 pts/1
                 00:00:00 ps
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ fg
firefox
^C[GFX1-]: Receive IPC close with reason=AbnormalShutdown
Exiting due to channel error.
```

\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt

Script done on 2020-09-19 10:58:00+05:30 [COMMAND_EXIT_CODE="130"]

(gdb) q

op/ASsignment1\033[00m\$ exit

```
Script started on 2020-09-19 13:24:37+05:30 [TERM="xterm-256color" TTY="/dev/pts/1" COLUMNS="2
03" LINES="43"]
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ gdb hello
\033[35;1m\033[35;1mGNU gdb \033[m\033[35;1m(Ubuntu 9.1-Oubuntu1) \033[m\033[35;1m9.1\033[m
\033[35;1m
\033[m\033[mCopyright (C) 2020 Free Software Foundation, Inc.
License GPLv3+: GNU GPL version 3 or later <a href="http://gnu.org/licenses/gpl.html">http://gnu.org/licenses/gpl.html</a>
This is free software: you are free to change and redistribute it.
There is NO WARRANTY, to the extent permitted by law.
Type "show copying" and "show warranty" for details.
This GDB was configured as "x86_64-linux-gnu".
Type "show configuration" for configuration details.
For bug reporting instructions, please see:
<a href="http://www.gnu.org/software/gdb/bugs/">http://www.gnu.org/software/gdb/bugs/</a>.
Find the GDB manual and other documentation resources online at:
    <http://www.gnu.org/software/gdb/documentation/>.
For help, type "help".
Type "apropos word" to search for commands related to "word"...
Reading symbols from \033[32mhello\033[m...
(No debugging symbols found in 033[32mhello 033[m)]
```

\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt

Script done on 2020-09-19 13:26:49+05:30 [COMMAND_EXIT_CODE="0"]

Script started on 2020-09-19 11:07:22+05:30 [TERM="xterm-256color" TTY="/dev/pts/0" COLUMNS="2 03" LINES="43"]
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt op/ASsignment1\033[00m\$ cat file1.txt guru rohit abhi apple amrita visakhapatnam goa orange

\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt op/ASsignment1\033[00m\$ grep goa033[K033[K-n goa file1.txt \033[32m\033[K7\033[m\033[K\033[36m\033[K:\033[m\033[K\033[K]\033[K]\033[K]\033[M]\033[K]\033[M]\033[K]\033[00m:\033[M]\033[K]\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt op/ASsignment1\033[00m\$ exit

Script done on 2020-09-19 11:09:14+05:30 [COMMAND_EXIT_CODE="0"]

```
Script started on 2020-09-19 11:17:25+05:30 [TERM="xterm-256color" TTY="/dev/pts/0" COLUMNS="2
03" LINES="43"]
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ ps
    PID TTY
                     TIME CMD
   7812 pts/1
                 00:00:00 bash
   7826 pts/1
                 00:00:00 ps
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ firefox &
[1] 7827
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ ps
   PID TTY
                     TIME CMD
   7812 pts/1
                 00:00:00 bash
   7827 pts/1
                 00:00:16 MainThread
                 00:00:02 Privileged Cont
   7943 pts/1
   7995 pts/1
                 00:00:02 Web Content
   8023 pts/1
                 00:00:01 WebExtensions
   8065 pts/1
                 00:00:01 Web Content
                 00:00:00 ps
   8122 pts/1
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ li\033[K033[K033[K\033[Kkill 7827 7943 7995 8023 8065
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ ps
   PID TTY
                     TIME CMD
   7812 pts/1
                 00:00:00 bash
   8139 pts/1
                 00:00:00 ps
[1]+ Terminated
                              firefox
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
```

Script done on 2020-09-19 11:18:46+05:30 [COMMAND_EXIT_CODE="0"]

op/ASsignment1\033[00m\$ exit

```
Script started on 2020-09-19 11:24:58+05:30 [TERM="xterm-256color" TTY="/dev/pts/1" COLUMNS="2
03" LINES="43"]
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ cak033[Kt file1.txt
guru
rohit
abhi
apple
amrita
visakhapatnam
goa
orange
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ li\033[K033[Kn file1.txt link.txt
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ cat link.txt
guru
rohit
abhi
apple
amrita
visakhapatnam
goa
orange
```

 $\label{local-condition} $$ \033]0; guru@ubuntu: $$ 'Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^{\prime\prime})Desktop/ASsignment1\\033[00m$ exit$

Script done on 2020-09-19 11:25:41+05:30 [COMMAND_EXIT_CODE="0"]

1048689 4 -rw-rw-r-- 1 guru guru

1048741 4 -rw-rw-r-- 1 guru guru

```
Script started on 2020-09-19 11:06:35+05:30 [TERM="xterm-256color" TTY="/dev/pts/0" COLUMNS="2
03" LINES="43"]
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ ls -lisa
total 76
1048617 4 drwxrwxr-x 2 guru guru 4096 Sep 19 11:06 \033[0m\033[01;34m.\033[0m
1051535 4 drwxr-xr-x 3 guru guru 4096 Sep 18 18:27 \033[01;34m..\033[0m
1048658 8 -rw-rw-r-- 1 guru guru 6727 Sep 19 10:13 bash1.txt
1048579 4 -rw-rw-r-- 1 guru guru 1886 Sep 19 10:16 bg1.txt
1048720 8 -rw-rw-r-- 1 guru guru 7138 Sep 19 10:17 cat.txt
1048650 4 -rw-rw-r-- 1 guru guru 1653 Sep 19 10:20 chmod.txt
1048732 4 -rw-rw-r-- 1 guru guru 1284 Sep 19 10:21 chown.txt
1048710 4 -rw-rw-r-- 1 saran guru
                                     97 Sep 19 10:13 code
1048724 4 -rw-rw-r-- 1 guru guru 1728 Sep 19 10:23 ddd.txt
1048621 4 -rw-rw-r-- 1 guru guru 3060 Sep 19 10:25 df.txt
1048733 4 -rw-rw-r-- 1 guru guru 894 Sep 19 10:35 diff.txt 1048726 4 -rw-rw-r-- 1 guru guru 539 Sep 19 10:26 du.txt
1048703 4 -rw-rw-r-- 1 guru guru 800 Sep 19 11:04 emacs.txt
1048657 4 -rw-rw-r-- 1 guru guru 3482 Sep 19 10:50 env.txt
1048716 4 -rw-rw-r-- 1 guru guru 1321 Sep 19 10:58 fg.txt
```

1048717 0 -rw-rw-r-- 1 guru guru 0 Sep 19 11:06 ls.txt \033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Desktop/ASsignment1\033[00m\$ exit

56 Sep 19 10:30 file1.txt

46 Sep 19 10:31 file2.txt

Script done on 2020-09-19 11:06:49+05:30 [COMMAND_EXIT_CODE="0"]

Script started on 2020-09-19 14:08:20+05:30 [TERM="xterm-256color" TTY="/dev/pts/0" COLUMNS="8 0" LINES="24"]

\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Desktop/ASsignment1\033[00m\$ o\033[K033[Klynx gool\033[K033[Kgle.com

\033[?1049h\033[22;0;0t\033[1;24r\033(B\033[m\033[41\033[?7h\033=\033[39;49m\033[39;49m\033[39;49m\033[37m\033[40m\033[37m\033[40m\033[40m\033[40m\033[40m\033[40m\033[40m\033[40m\033[39;49m\033][44m\033[m\033][5G\033[93m\033][44m\033[m\033][44m\033[39;49m\033][44m\033[4][40m\03][40m

\033[99m\033[40mBataadtmgnthes complete\033\%\033\park\033\park\033\park\033\park\033\park\033[40mGoogle \033[2;4H\033[31m\033[40mSearch\033[37m\033[40m\033[32m\033[40mImages\033[37m\033[40m\033[32m\033[40m\033[40m\033[32m\033[40m\033[40m\033[32m\033[40m

 $\033[4G\033[33m\033[40mGoogle]]$

\033[32m\033[40m_

 $\label{localize} $$ \033[4GGoogle Search] 33[37m] 033[40m] $$ \033[32m] 32m] $$ Eeling Lucky] 33[37m] 033[40m] $$ \033[32m] 32m] $$ Eeling Lucky] $$ $$ 033[32m] $$ Eeling Lucky] $$ $$ Eel$

\033[4Gà"aà@°à"\234à"¾à"¬à@\200

 $\label{local-condition} $$ \033[4GAdvertising Programs \033[37m \033[40m] \033[32m \033[40mBusiness Solutions \033[37m \033[40m] \033[40mBusiness Solutions \033[37m \033[40m] \033[40mBusiness Solutions \033[37m \033[40mBusiness Solutions \033[37m \033[40mBusiness Solutions \033[40mBusiness \033[40m$

 $\label{localinequality} $$ \033[4GGoogle.co.in\033[16;27H\033[37m\033[40m\033[32m\033[40mPrivacy\033[37m\033[40mPrivacy\033[37m\033[40mPrivacy\033[37m\033[40mPrivacy\033$

\033[37h\033\40m\033\d0m\063\d

Script done on 2020-09-19 14:08:48+05:30 [COMMAND_EXIT_CODE="0"]

1

Script started on 2020-09-19 14:19:55+05:30 [TERM="xterm-256color" TTY="/dev/pts/2" COLUMNS="203" LINES="45"]

 $\label{lem:condition} $$ \033]0; guru@ubuntu: $$ ^Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^?Desktop/ASsignment1\\033[00m;\\make hello $$$

cc hello.c -o hello

 $\label{lem:condition} $$ \033]0; guru@ubuntu: $$ ^Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^?Desktop/ASsignment1\\033[00m$ cc hello.c -o hello$

 $\label{lem:condition} $$ \033]0; guru@ubuntu: $$ ^Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^?Desktop/ASsignment1\\033[00m$].$

Hello, World!\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[
01;34m~/Desktop/ASsignment1\033[00m\$ exit

Script done on 2020-09-19 14:20:18+05:30 [COMMAND_EXIT_CODE="0"]

```
Script started on 2020-09-19 14:17:56+05:30 [TERM="xterm-256color" TTY="/dev/pts/0" COLUMNS="2
03" LINES="45"]
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ man ls
L633[?1049h\033[22;0;0t\033[?1h\033=
                                                                                             Us
er Commands
    LS(1)\033[m
\033[m
\033[1mNAME\033[0m\033[m
       ls - list directory contents\033[m
\033[m
\033[1mSYNOPSIS\033[0m\033[m
       \033[1mls\033[0m [\033[4mOPTION\033[24m]... [\033[4mFILE\033[24m]...\033[m
\033[m
\033[1mDESCRIPTION\033[0m\033[m
       List information about the FILEs (the current directory by default). Sort entries alph
abetically if none of \033[1m-cftuvSUX\033[0m nor \033[1m-sort\033[0m is specified.\033[m
\033[m
       Mandatory arguments to long options are mandatory for short options too.\033[m
\033[m
       \033[1m-a\033[0m,\033[1m--all\033[0m\033[m]
              do not ignore entries starting with .\033[m]
\033[m
       \033[1m-A\033[0m,\033[1m--almost-all\033[0m\033[m]
              do not list implied . and ..\033[m]
\033[m
       \033[1m--author\033[0m\033[m]]
              with \033[1m-1\033[0m, print the author of each file <math>\033[m]
\033[m
       033[1m-b)033[0m, 033[1m--escape)033[0m)033[m]
              print C-style escapes for nongraphic characters\033[m
\033[m
       \033[1m--block-size\033[0m=\033[4mSIZE\033[24m\033[m
              with \033[1m-1\033[0m, scale sizes by SIZE when printing them; e.g., '--block-si
ze=M'; see SIZE format below\033[m
\033[m
       033[1m-B)033[0m, 033[1m--ignore-backups)033[0m)033[m]
              do not list implied entries ending with ^{\sim}\033[m
\033[m
       \033[1m-c\033[0m
                            with 033[1m-1t/033[0m: sort by, and show, ctime (time of last mod
ification of file status information); with 033[1m-1]033[0m: show ctime and sort by name; oth
erwise: sort by ctime, newest first\033[m
\033[m
       \033[1m-C\033[0m
                            list entries by columns\033[m
\033[m
       033[1m-color/033[0m[=033[4mWHEN]033[24m]]033[m]
              colorize the output; WHEN can be 'always' (default if omitted), 'auto', or 'neve
r'; more info below\033[m
\033[m
       \033[1m-d\033[0m,\033[1m--directory\033[0m\033[m]]]
              list directories themselves, not their contents\033[m
\033[m
       033[1m-D)033[0m, 033[1m--dired)033[0m)033[m]
              generate output designed for Emacs' dired mode\033[m
\033[m
\033[Kh0Mahdal\page\D33[P1D494\D33p2es9; Dtf033he]guon@qbtntquif/h038t@phA9334Kment1\007\033[01
;32mguru@ubuntu\033[00m:\033[01;34m~/Desktop/ASsignment1\033[00m$ exit
Script done on 2020-09-19 14:18:07+05:30 [COMMAND_EXIT_CODE="0"]
```

orange

Script started on 2020-09-19 14:06:45+05:30 [TERM="xterm-256color" TTY="/dev/pts/0" COLUMNS="2 03" LINES="45"]
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt op/ASsignment1\033[00m\$ na033[Kohup cat fli033[Kile1.txt nohup: ignoring input and appending output to 'nohup.out' \033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt op/ASsignment1\033[00m\$ cat nohup.out guru rohit abhi apple amrita visakhapatnam goa

 $\label{local_continuous} $$ \033]0; guru@ubuntu: $$ ^Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^{\circ}/Desktop/ASsignment1\\033[00m;\\033[01;34m^{\circ}/Desktop/ASsignment1\\033[00m;\\033[01;34m^{\circ}/Desktop/ASsignment1]]$$

Script done on 2020-09-19 14:07:25+05:30 [COMMAND_EXIT_CODE="0"]

op/ASsignment1\033[00m\$ exit

Script started on 2020-09-19 11:43:54+05:30 [TERM="xterm-256color" TTY="/dev/pts/1" COLUMNS="2 03" LINES="43"] \033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt op/ASsignment1\033[00m\$ cat file2.txt abhi vizag orange apple Andhra pradesh Delhi

\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt op/ASsignment1\033[00m\$ od file2.txt 0000000 061141 064550 073012 075151 063541 067412 060562 063556 0000020 005145 070141 066160 005145 067101 064144 060562 070040 0000040 060562 062544 064163 042012 066145 064550 005012 0000056 \033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt

Script done on 2020-09-19 11:44:09+05:30 [COMMAND_EXIT_CODE="0"]

Script started on 2020-09-19 14:16:14+05:30 [TERM="xterm-256color" TTY="/dev/pts/0" COLUMNS="2 03" LINES="45"]

 $\label{local-condition} $$ \033]0; guru@ubuntu: $$ ^Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^?Desktop/ASsignment1\\033[00m$ ps $$$

PID TTY TIME CMD 22072 pts/1 00:00:00 bash 22080 pts/1 00:00:00 ps

 $\label{lem:condition} $$ \033]0; guru@ubuntu: $$ $$ \Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^{\prime\prime}Desktop/ASsignment1\\033[00m$] exit$

Script done on 2020-09-19 14:16:19+05:30 [COMMAND_EXIT_CODE="0"]

Script started on 2020-09-19 12:43:42+05:30 [TERM="xterm-256color" TTY="/dev/pts/0" COLUMNS="2 03" LINES="45"]

 $\label{local_continuous} $$ \033]0; guru@ubuntu: $$ ^Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^?Desktop/ASsignment1\\033[00m;set | grep USR033[KER]) $$$

\033[01;31m\033[KUSER\033[m\033[K=guru

\033[01;31m\033[KUSER\033[m\033[KNAME=guru

local -a dirs=(\${BASH_COMPLETION_\033[01;31m\033[KUSER\033[m\033[K_DIR:-\${XDG_DATA_HOME:-\$} HOME/.local/share}/bash-completion}/completions);

 $\label{local-condition} $$ \033]0; guru@ubuntu: $$ ^Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^?Desktop/ASsignment1\\033[00m$] exit $$$

Script done on 2020-09-19 12:44:21+05:30 [COMMAND_EXIT_CODE="0"]

\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Desktop/ASsignment1\033[00m\$ sloccount hello.c

Have a non-directory at the top, so creating directory top dir

Have a non-directory at the top, so creating directory top_dir Adding /home/guru/Desktop/ASsignment1/hello.c to top_dir

Categorizing files.

Finding a working MD5 command....

Found a working MD5 command.

Computing results.

return 0;

SLOC Directory SLOC-by-Language (Sorted)
5 top_dir ansic=5

Totals grouped by language (dominant language first): ansic: 5 (100.00%)

```
Total Physical Source Lines of Code (SLOC) = 5

Development Effort Estimate, Person-Years (Person-Months) = 0.00 (0.01)

(Basic COCOMO model, Person-Months = 2.4 * (KSLOC**1.05))

Schedule Estimate, Years (Months) = 0.04 (0.42)

(Basic COCOMO model, Months = 2.5 * (person-months**0.38))

Estimated Average Number of Developers (Effort/Schedule) = 0.02

Total Estimated Cost to Develop = $ 104

(average salary = $56,286/year, overhead = 2.40).

SLOCCount, Copyright (C) 2001-2004 David A. Wheeler

SLOCCount is Open Source Software/Free Software, licensed under the GNU GPL.

SLOCCount comes with ABSOLUTELY NO WARRANTY, and you are welcome to
```

redistribute it under certain conditions as specified by the GNU GPL license;

see the documentation for details.

Please credit this data as "generated using David A. Wheeler's 'SLOCCount'."
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Desktop/ASsignment1\033[00m\$ exit

Script done on 2020-09-19 13:22:27+05:30 [COMMAND_EXIT_CODE="0"]

Script started on 2020-09-19 11:48:40+05:30 [TERM="xterm-256color" TTY="/dev/pts/1" COLUMNS="2 03" LINES="43"] \033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt op/ASsignment1\033[00m\$ cl\033[K033[K033[K\007cat code1 echo "Iam Guru saran" cat file1.txt grep -n apple file1.txt \033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt op/ASsignment1\033[00m\$ source code1 Iam Guru saran guru rohit abhi apple amrita visakhapatnam goa orange

 $\label{lem:condition} $$ \033[32m\033[K4\033[m\033[K:\033[m\033[K\033[01;31m\033[Kapple\033[m\033[K\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Desktop/ASsignment1\033[00m$ exit$

Script done on 2020-09-19 11:50:03+05:30 [COMMAND_EXIT_CODE="0"]

time.txt Sun Sep 20 08:54:54 2020

Script started on 2020-09-19 12:08:42+05:30 [TERM="xterm-256color" TTY="/dev/pts/4" COLUMNS="2 03" LINES="43"]

real 0m0.003s user 0m0.003s sys 0m0.000s

Script done on 2020-09-19 12:09:38+05:30 [COMMAND_EXIT_CODE="0"]

```
tmux.txt Sun Sep 20 08:54:54 2020 1
```

```
Script started on 2020-09-19 14:20:45+05:30 [TERM="xterm-256color" TTY="/dev/pts/2" COLUMNS="2000-09-19" TTY="/dev/pts/2" T
03" LINES="45"]
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ tmux new -s guru
\033[?1049h\033[22;0;0t\033[?1h\033=\033[H\033[2J\033[?121\033[?25h\033[?10001\033[?10021\033[
?10061\033[?10051\033[c\033[B\033[m\033[?12;25h\033[?121\033[?25h\033[?10031\033[?10061\033[?2
0041\033[1;1H\033[1;45r\033]112\007\033[1;1H\033[?251\033[K
\033[K
\033[K\033[30m\033[42m]
[guru] 0:tmux*
                                                                                                                                                                                                                                                         "ubuntu"
14:21 19-Sep-20\033(B\033[m\033[1;1H\033[?121\033[?25h\033(B\033[m\033[?12;25h\033[?25h\033[m\033]])
5h\033[?10031\033[?10061\033[?20041\033[1;1H\033[1;45r\033[1;1H\033[?251\033[K
\033[K
\033[K
\033[K
\033[K
\033[K
\033[K
\033[K
\033[K
\033[K
```

```
Sun Sep 20 08:54:54 2020
tmux.txt
\033[K
\033[K\033[30m\033[42m
[guru] 0:tmux*
                                                                                     "ubuntu"
14:21 19-Sep-20\033(B\033[m\033[1;1H\033[?121\033[?25hquru@ubuntu:~/Desktop/ASsignment1$\033[
?251\033[30m\033[42m\033[45;1H[guru] 0:bash*
                     "ubuntu" 14:21 19-Sep-20\033(B\033[m\033[1;36H\033[?121\033[?25hls
033[32m\033[1ma.out\033(B\033[m]
                                     cat.txt
                                                code
                                                         df.txt
                                                                   emacs.txt file1.txt grep
.txt hello.c.save kill.txt ls.txt
                                                   od.txt
                                                           sloccount.txt test
                                       man.txt
                                                                                     umask.txt
bash1.txt chmod.txt code1
                              diff.txt env.txt
                                                   file2.txt \033[32m\033[1mhello\033(B\033[
      index.html
                    link.txt lynx.txt nohup.out ps.txt source.txt
                                                                          time.txt wget.txt
m
          chown.txt ddd.txt du.txt
                                                              hello.c
                                                                         index.html.1 ln.txt
bg1.txt
                                        fg.txt
                                                   gdb.txt
  make.txt nohup.txt set.txt swap.cpp.save tmux.txt w.txt
guru@ubuntu: ~/Desktop/ASsignment1$ logout
\033[1;45r\033(B\033[m\033[?11\033>\033[H\033[2J\033]112\007\033[?121\033[?25h\033[?10001\033[
?10021\033[?10061\033[?10051\033[?10491\033[23;0;0t[exited]
\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt
op/ASsignment1\033[00m$ exit
```

Script done on 2020-09-19 14:21:26+05:30 [COMMAND_EXIT_CODE="0"]

Script started on 2020-09-19 12:01:12+05:30 [TERM="xterm-256color" TTY="/dev/pts/4" COLUMNS="2

03" LINES="43"] \033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Desktop/ASsignment1\033[00m\$ umask 1\033[K27

 $\label{lem:condition} $$ \033]0; guru@ubuntu: $$ ^Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^?Desktop/ASsignment1\\033[00m$ touch test$

 $\label{lem:condition} $$ \033]0; guru@ubuntu: $$ ^Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^?Desktop/ASsignment1\\033[00m$ ls -l test] $$$

-rw-r---- 1 guru guru 0 Sep 19 12:02 test

 $\label{local_continuous} $$ \033]0; guru@ubuntu: $$ ^Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^?Desktop/ASsignment1\\033[00m;\\007exit] $$$

Script done on 2020-09-19 12:04:00+05:30 [COMMAND_EXIT_CODE="0"]

1

Script started on 2020-09-19 12:14:11+05:30 [TERM="xterm-256color" TTY="/dev/pts/4" COLUMNS="2 03" LINES="43"]

 $\label{lem:condition} $$ \033]0; guru@ubuntu: $$ ^Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^{Desktop/ASsignment1\\033[00m;\\w\\033[Kwget https://www.amrita.edu/$

--2020-09-19 12:14:25-- https://www.amrita.edu/

Resolving www.amrita.edu (www.amrita.edu)... 103.10.24.196

Connecting to www.amrita.edu (www.amrita.edu) | 103.10.24.196 | :443... connected.

HTTP request sent, awaiting response... 200 OK

Length: unspecified [text/html]

Saving to: $\hat{a}\200\230$ index.html. $1\hat{a}\200\231$

index.html.1

] 0 --.-KB/s index.html.1

] 77.80K --.-KB/s

in 0.1s

2020-09-19 12:14:27 (767 KB/s) - â\200\230index.html.1â\200\231 saved [79665]

 $\label{local_continuous} $$ \033]0; guru@ubuntu: $$ ^Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^{\circ}/Desktop/ASsignment1\\033[00m;\\033[01;34m^{\circ}/Desktop/ASsignment1\\033[00m;\\033[01;34m^{\circ}/Desktop/ASsignment1]]$$

Script done on 2020-09-19 12:14:34+05:30 [COMMAND_EXIT_CODE="0"]

Script started on 2020-09-19 12:11:39+05:30 [TERM="xterm-256color" TTY="/dev/pts/4" COLUMNS="2 03" LINES="43"]

\033]0;guru@ubuntu: ~/Desktop/ASsignment1\007\033[01;32mguru@ubuntu\033[00m:\033[01;34m~/Deskt op/ASsignment1\033[00m\$ w

12:11:49 up 2:06, 1 user, load average: 0.02, 0.08, 0.08

USER TTY FROM LOGIN@ IDLE JCPU PCPU WHAT

guru :0 :0 10:07 ?xdm? 13:05 0.04s /usr/lib/gdm3/gdm-x-session -- run-script env GNOME_SHELL_SESSION_MODE=ubuntu /usr/bin/gnome-session --systemd --session=ubuntu

 $\label{local-condition} $$ \033]0; guru@ubuntu: ~\Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m~\Desktop/ASsignment1\\033[00m$ w -h $$$

guru :0 :0 10:07 ?xdm? 13:05 0.04s /usr/lib/gdm3/gdm-x-session -- run-script env GNOME_SHELL_SESSION_MODE=ubuntu /usr/bin/gnome-session --systemd --session=ubuntu

 $\label{local-condition} $$ \033]0; guru@ubuntu: $$ ^Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^{\circ}/Desktop/ASsignment1\\033[00m;\\w] -o $$$

12:12:17 up 2:06, 1 user, load average: 0.01, 0.07, 0.08

USER TTY FROM LOGIN@ IDLE JCPU PCPU WHAT

guru :0 :0 10:07 ?xdm? 13:07m /usr/lib/gdm3/gdm-x-session --run-script env GNOME_SHELL_SESSION_MODE=ubuntu /usr/bin/gnome-session --systemd --session=ubuntu

 $\label{local-condition} $$ \033]0; guru@ubuntu: $$ 'Desktop/ASsignment1\\007\\033[01;32mguru@ubuntu\\033[00m:\\033[01;34m^{\circ}/Desktop/ASsignment1\\033[00m$ exit$

Script done on 2020-09-19 12:12:25+05:30 [COMMAND_EXIT_CODE="0"]