PHASE 5 – PROJECT DEVELOPMENT

5.1 User Creation

Navigate to:

User Administration → Users

Create the required users and provide their User ID, first name, last name, email, and required role assignments.

5.2 Role Creation

Navigate to:

User Administration → Roles

Create the following custom roles:

- `bb1`
- `bb2`
- `bb3`
- `bb4`

Assign the appropriate roles to the required users.

5.3 Table Creation

Navigate to:

System Definition → Tables → New

Create:

Label: Institution Details
Name: `u_institution_details`

Add the required student information fields.

5.4 Record Creation

Create multiple student records with different branch values:

- ECE
- EEE
- CSE

This provides records for testing field-based access.

5.5 READ ACL

Create a **Record ACL** for the **Read** operation on `u_institution_details`.

Configure:

- Active: Yes
- Advanced: Yes
- Required Role: `bb1`
- Branch condition: EEE

The ACL script checks the user's role and the branch value before allowing access.

5.6 CREATE ACL

Create a Record ACL for the **Create** operation.

Required Role: `bb2`

Only users with the `bb2` role should be allowed to create records.

5.7 WRITE ACL

Create a Record ACL for the **Write** operation.

Required Role: `bb3`

Only users with the `bb3` role should be allowed to modify records.

5.8 DELETE ACL

Create a Record ACL for the **Delete** operation.

Required Role: `bb4`

Only users with the `bb4` role should be allowed to delete records.

5.9 Administrator Access

The administrator should retain full access to the table and its records.

5.10 Access Verification

Use:

Impersonate User

to test:

- Authorized user
- Unauthorized user
- Administrator