

JAVASCRIPT OBJECTS

Built-in JavaScript objects

window	
PROPERTIES	
innerHeight	Returns the inner height of a window's content area
innerWidth	Returns the inner width of a window's content area
outerHeight	Returns the outer height of a window, including toolbars/scrollbars
outerWidth	Returns the outer width of a window, including toolbars/scrollbars
scrollX	Returns the pixels the current document has been scrolled (horizontally) from the upper left corner of the window
scrollY	Returns the pixels the current document has been scrolled (vertically) from the upper left corner of the window
screenX	Returns the horizontal coordinate of the window relative to the screen
screenY	Returns the vertical coordinate of the window relative to the screen

METHODS	
open()	Opens a new browser window
alert()	Displays an alert box with a message and an OK button

<code>close()</code>	Close a window
<code>confirm()</code>	Displays a dialog box with a message and an OK and a Cancel button
<code>setInterval()</code>	Calls a function or evaluates an expression at specified intervals
<code>setTimeout()</code>	Calls a function or evaluates an expression after a specified number of milliseconds
<code>scrollTo()</code>	Scrolls the document to the specified coordinates
<code>scrollBy()</code>	Scrolls the document by the specified number of pixels
<code>resizeTo()</code>	Resizes the window by the specified pixels
<code>moveTo()</code>	Moves a window to the specified position
<code>moveBy()</code>	Moves a window relative to its current position
<code>resizeTo()</code>	Resizes the window to the specified width and height
<code>resizeBy()</code>	Resizes the window by the specified pixels
<code>focus()</code>	Sets focus to the current window
<code>prompt()</code>	Displays a dialog box that prompts the visitor for input
<code>clearTimeout()</code>	Clears a timer set with <code>setTimeout()</code>
<code>clearInterval()</code>	Clears a timer set with <code>setInterval()</code>

window.sessionStorage
METHODS
setItem("key", "value")
getItem("key")
removeItem("key")
clear()
key("value")

window.localStorage
METHODS
setItem("key", "value")
getItem("key")
removeItem("key")
clear()

window.history
METHODS
back()
forward()

window.location	
PROPERTIES	
hash	Sets or returns the anchor part (#) of a URL
host	Sets or returns the hostname and port number of a URL
hostname	Sets or returns the hostname of a URL
href	Sets or returns the entire URL
origin	Returns the protocol, hostname and port number of a URL
pathname	Sets or returns the path name of a URL
port	Sets or returns the port number of a URL
protocol	Sets or returns the protocol of a URL
search	Sets or returns the querystring part of a URL

METHODS	
reload()	Reloads the current document
assign()	Loads a new document

window.navigator	
PROPERTIES	
onLine	Determines whether the browser is online

window.navigator.geolocation
TUTORIAL
https://www.w3schools.com/html/html5_geolocation.asp