

PRE-TRIP INSPECTION CHECKLIST FOR THE TWO CAR HAULERS

Preparation - Pre-Trip Inspection-Step 1

1. Clock Into UKG. _____
2. Log into My20 and Start HOS. _____
3. Select Your Truck Number. _____
4. Begin Pre-Trip in My20. _____
5. You Have Non-Slip Shoes. _____
6. You Have Towels. _____
7. You Have Work Gloves. _____
8. You Have Thread Depth Gauges. _____
9. You Have Tire Pressure Gauge. _____
10. Turn Truck's Light Switch On. _____
11. Hazard Lights On. _____
12. Truck's Key.
 - A). Removes keys from the ignition. _____
 - B). Keep truck key in your pocket. _____
13. Rear axle tires (drive wheels).
 - A). Shock Drive Wheels (both sides). _____

PRE-TRIP INSPECTION CHECKLIST FOR THE TWO CAR HAULERS

Front Cab Inspection – Step 2

1. Upper Marker Lights. _____
2. Windshield No Cracks. _____
3. Rear View Mirrors Conditions. _____
4. Wipper Blades Conditions. _____
5. Turning Signals. _____
6. Head Lights (*low/high beam*). _____
7. Hood Conditions. _____
8. Hood Hinges Conditions. _____
9. Hood latches Conditions. _____
10. Front Grill Condition. _____
11. Front Bumper Secured. _____
12. No Leaks Under the Truck. _____
13. Suspension Not Leaning. _____
14. Front Axel Conditions. _____

Engine Bay Passenger Side – Step 3

- 1) Open Engine Bay. _____
- 2) Windshield Wipers Mechanism. _____
- 3) Coolant Reservoir Condition. _____
 - A). Reservoir Cap & Level. _____
 - B). Reservoirs Hoses. _____
- 4) Heater Hoses. _____
- 5) Top Radiator Hose. _____
- 6) Radiator Top and Side Condition. _____
- 7) Engine Fan Condition. _____
- 8) Engine Fan Clutch Conditions. _____
- 9) Radiator Shroud Conditions. _____
- 10) Belt Conditions. _____
- 11) Alternator Secured. _____
 - A). Wiring Harnesses & Condition. _____
- 12) AC Compressor Condition. _____
 - A). AC Connectors Condition. _____
- 13) Belt Tensioner Condition. _____
- 14) Water Pump – No Leaks. _____
- 15) Intercooler Tube (cool side). _____
 - A). Tube Condition. _____
 - B). Tube Clamps. _____

- C). Boots Condition. _____
- 16) Engine Block Condition. _____
- 17) Air Dryer Conditions. _____
 - A). Air Dryer Hoses and Connectors. _____
- 18) Wipers Reservoir Conditions. _____
 - A). Wipers Reservoir Fluid Levels. _____
- 19) Air Horn Condition/Connection. _____
- 20) Frame Rail Condition. _____
- 21) Shock Absorber Condition. _____
- 22) Suspension Hangers Condition. _____
- 23) Leaf Springs Condition. _____
- 24) Bump Stop Condition. _____
- 25) Suspension **U-Bolt** Condition. _____
- 26) All Castle Nuts with Cotter Pin. _____
- 27) Brake Air Hose No Leakes. _____
- 28) ABS Line Condition. _____
- 29) Brake Chamber Secured. _____
 - A). Brake Chamber No Leaks. _____
- 30) Brake Slack Adjuster Condition. _____
 - A). Travel Less Than 1 inch. _____
- 31) Brake Shoes Condition. _____
- 32) Wheel Rim Inside No Cracks. _____
- 33) Tire Inside Wall Condition. _____
- 34) Tire – Passenger Side.
 - A). Inside Wall Condition. _____
 - B). No Penetrating Object. _____
 - C). No Cuts, Bulges or Tears. _____
 - D). Tire Tread Depth 4/32". _____
 - E). Outside Wall Condition. _____
- 35) Wheel.
 - A). Outside Wheel No Cracks. _____
 - B). No Missing Wheel Lug Stud. _____
 - B). No Missing Lug Nuts. _____
 - C). Lug Nuts No Rust Trails. _____
 - D). Lug Nuts Secured Tightly. _____
- 36) Tire Pressure – Use A Pressure Gauge.
Pressure At Manufacturer Recommended Pressure. _____
- 37) Wheel Hub Oil Level And Seal. _____

PRE-TRIP INSPECTION CHECKLIST FOR THE TWO CAR HAULERS

Engine Bay Driver Side – Step 4

1. Windshield Wipers Motor. _____
A). Wipers Linkages. _____
2. Air Hoses Connected To The E-10 Brake Valve, Two Orange, Two Green Attached to The Truck's Firewall.
A). No Leaks, Good Condition. _____
3. Wire Harnesses and Connector.
A). Good Condition. _____
B). Securely Connected. _____
4. Air Filter Condition.
A). Green Light Indicator On. _____
5. Intercooler Tube (hot side).
A). Tube Conditions. _____
B). Clamp Conditions. _____
C). Boots Conditions. _____
6. Radiator Top and Driver Side.
A). No Crack or Leaks. _____
7. Power Steering.
A). Reservoir No Leaks. _____
B). Fluid Level. _____
C). Power Steering Hoses. _____
8. Engine Block Conditions. _____
9. Engine Oil Level. _____
10. Transmission Fluid Level. _____
11. Steering Shaft.
A). U-Joints Condition. _____
B). Free Play Amount. _____
12. Fuel Filter – No Leaks. _____
13. Fuel Water Separator.
A). Separator Not Leaking. _____
B). Separator Hoses. _____
14. Frame Rail Condition. _____
15. Shock Absorber Condition. _____
16. Suspension Hangers Condition. _____
17. Leaf Springs Condition. _____
18. Bump Stop Condition. _____
19. Suspension U-Bolt Condition. _____
20. Steering Gearbox Condition. _____
21. Pitman Arm Condition. _____
22. Drag Link Condition. _____
23. Tie Rods Condition. _____
24. Knuckle Arm Condition. _____
25. Castle Nuts.
A). Secured with Cotter pin. _____
26. Brake Air Hose to Brake Chamber.
A). Good Condition No Leakes. _____
27. ABS Line Condition. _____
28. Brake Chamber No Leaks. _____
29. Brake Slack Adjuster.
A). Travel Less Than 1 inch. _____
30. Brake Shoes Condition. _____
31. Wheel Inside No Cracks. _____
32. Tire – Driver Side.
A). Inside Wall Condition. _____
B). No Penetrating Object. _____
C). No Cuts, Bulges or Tears. _____
D). Tire Tread Depth 4/32" . _____
E). Outside Wall Condition. _____
- 33). Wheel.
A). Outside Wheel No Cracks. _____
B). No Missing Wheel Lug Stud. _____
C). No Missing Lug Nuts. _____
D). Lug Nuts No Rust Trails. _____
E). Lug Nuts Secured Tightly. _____
33. Tire Pressure – Use A Pressure Gauge.
Pressure At Manufacturer Recommended Pressure. _____
34. Wheel Hub Oil Level and Seal. _____

NOTES:

PRE-TRIP INSPECTION CHECKLIST FOR THE TWO CAR HAULERS

Cab Interior – Paperwork--Step 5

1. Driver's License. _____
2. Medical Card. _____
3. ELD.
 - A). Electronic Logging Device. _____
4. Bill Of Lading. _____
5. Lease Agreement. _____
6. Truck Insurance. _____
7. Truck Registration. _____
8. Truck Inspection. _____
9. ELD Manual. _____
10. ELD Quick Guide. _____
11. ELD Malfunction Form. _____
12. Accident Kit. _____
13. Pre/Post Trip DVIR Guide. _____
14. Paper Logbook. _____
15. Store Planograms. _____

2. Driver Side Fender.
 - A) Secured and Undamaged. _____
 - B) Hood Latches Are Secured. _____
3. DEF Tank Condition.
 - A). No Leaks. _____
 - B). Cap and Seal are Present. _____
 - C). Tank Bracket-Straps Secured. _____
 - D). Electrical Connections. _____
4. Fuel Tank Conditions.
 - A). Tank Wiring Connected. _____
 - B). Tank Vent Tube Condition. _____
 - C). Tank Cap, Chain & Seal. _____
 - D). Tank Bracket-Straps. _____
 - E). Cab Access Steps Condition. _____
 - F). Diesel Tank Is Not Leaking. _____

NOTES:

Cab Exteriors – Driver's Side-Step 6

1. Driver's Door.
 - A). Door No Exterior Damaged. _____
 - B). Window Glass Clean. _____
 - C). Window Glass Not Broken. _____
 - D). Mirror Not Broken & Clen. _____
 - E). Mirror Support Frame. _____
 - F). Camera Securely Mounted. _____
 - G). CarMax Decal Clearly Visible. _____
 - H). DOT # Decal Not Faded. _____
 - I). ELD Decal Visible/Not Faded. _____
 - J). Camera Recording Decal Visible. _____
 - K). Truck Annual Inspection Decal. _____
 - L). Truck Number Decal. _____
 - M). Door Lock, Handle and Hinges. _____
 - N). Grab Bar Securely Mounted. _____
 - O). Interior Door Panel Undamaged. _____
 - P). Interior Door Handle. _____
 - Q). Lock and Window Controls. _____
 - R). Door Interior Seal in Place. _____

PRE-TRIP INSPECTION CHECKLIST FOR THE TWO CAR HAULERS

Bed Inspection – Driver’s Side – Step 7

1. Bed Front Marker Light Functional. _____
2. Bed Side Marker Light Proper Color. _____
3. Upper Deck.
 - A). No Slip Hazards or Debris. _____
 - B). No Damages to Deck Plates. _____
 - C). No Cracks to Deck Plates. _____
 - D). Ratchets and Straps Condition. _____
 - E). Grab Pole is Secured. _____
 - F). Grab Pole Not Damaged or Bent. _____
4. Lower Deck.
 - A). No Slip Hazards or Debris. _____
 - B). No Damages to Deck Plates. _____
 - C). No Cracks to Deck Plates. _____
 - D). Ratchets and Straps Condition. _____
 - E). Hydraulic Cylinder Not Leaking. _____
 - F). Hydraulic Hose Not Leaking. _____
5. Side Skirt (*side metal panel*).
 - A). Undamaged. _____
 - B). Securely Mounted. _____
6. Bed Ladder/Steps.
 - A). No Slip Hazard. _____
 - B). Safe and Secured. _____
7. Bed Front Ladder and Steps Openings.

Use these openings to visually inspect the following components when visible.

 - A). Frame/Chassis Condition. _____
 - B). Frame Deck Attachments. _____
 - C). Driveshaft Tube Condition. _____
 - D). Driveshaft U-Joints. _____
 - E). Driveshaft Slip Yoke. _____
 - F). Driveshaft Center Bearing. _____
 - G). Differential Not Leaking. _____
 - H). Visual Parts of Rear Axle. _____
 - I). Rear Brake Chamber. _____
 - J). Rear Brakes Air Hoses. _____
 - K). Inside Tire Condition. _____
8. Bed Turning Signal and Reflector. _____

9. Toolbox.

- A). Door Open and Close. _____
- B). Hinges and Handle Functional. _____
- C). Spare Straps. _____
- D). Spill Kit. _____
- E). Wheel Shocks. _____
- F). Securely Locks. _____

10. Rear Axle.

DO NOT PLACE YOUR HANDS ON TOP OF THE TIRES BETWEEN THE TIRES AND THE DECK.

Use the opening around the rear wheels well to inspect the following.

- A). Visible Parts of The Chassi. _____
- B). Suspension Hangers. _____
- C). Leaf Springs. _____
- D). Tire Inside Wall Condition. _____
- E). Tires - No Penetrating Object. _____
- F). Tires - No Cuts, No Bulges. _____
- G). Tires - No Tears. _____
- H). Tire - Tread Depth 2/32". _____
- I). Tires - Tire Outside Wall. _____
- J). Wheel - No Cracks/Welds. _____
- K). Lug Nuts/Stud - Not Missing. _____
- L). Lug Nuts - Secured Tightly. _____
- M). Lug Nuts - No Rust Trails. _____
- N). Rear Axel Shaft to Hub Bolts. _____
- O). No Leak Axel Shaft to Hub. _____

11. Tire Pressure.

- A). Use Pressure Gauge. _____
- B). Manufacturer Recommended. _____

12. Air Bag Condition. _____

13. Rear End of Chassi. _____

14. Bed Rear Ladder/Steps Openings.

- A). Through these openings inspect the rear underside ensuring that there is no damage.

15. Rear Marker Light and Reflector. _____

PRE-TRIP INSPECTION CHECKLIST FOR THE TWO CAR HAULERS

Bed Inspection – Rear Side – Step 8

1. Taillights.

- A). Right Color and Functional. _____
- B). Rear Marker Lights. _____
- C). Reflectors Right Color. _____
- D). DOT Tape Condition. _____

2. License Plate.

- A). Undamaged and Secured. _____
- B). Light, Right Color, Functional. _____

3. Deck Plates.

- A). No Damaged. _____
- B). Clear of Debris and Secured. _____

4. Frame, No Damage. _____

5. Ramp Functional No Damaged. _____

6. Ramp Hydraulic Piston.

DO NOT STEP ON THE PISTON.

- A). No leaks and Functional. _____

7. Fold Out Ramps Functional. _____

8. Loading Ramps Hydraulic. _____

9. Rear Axle.

LOOK UNDERNEATH THE DECK PLATE

- A). Inspect the Rear Axle. _____
- B). Inspect the Deck Frame. _____

10. Rear of Cab Undamaged Glass. _____

Bed Inspection – Passenger Side–Step 9

1. Rear Marker Light and Reflector. _____

2. Bed Rear Ladder/Steps Openings.

- A). Through these openings inspect the rear underside ensuring that there is no damage. _____

3. Rear Axle.

DO NOT PLACE YOUR HANDS ON TOP OF THE TIRES BETWEEN THE TIRES AND THE DECK.

Use the opening around the rear wheels well to inspect the following:

- A). Rear End of Chassi. _____

- B). Air Bag Condition. _____

- C). Air Bag Condition. _____

- D). Visible Parts of The Chassi. _____

- E). Suspension Hangers. _____

- F). Leaf Springs. _____

- G). Tire Inside Wall Condition. _____

- H). Tires - No Penetrating Object. _____

- I). Tires - No Cuts, No Bulges. _____

- J). Tires - No Tears. _____

- K). Tire - Tread Depth 2/32". _____

- L). Tires - Tire Outside Wall. _____

- M). Wheel - No Cracks/Welds. _____

- N). Lug Nuts/Stud - Not Missing. _____

- O). Lug Nuts - Secured Tightly. _____

- P). Lug Nuts - No Rust Trails. _____

- Q). Rear Axle Shaft to Hub Bolts. _____

- R). No Leak Axle Shaft to Hub. _____

4. Tire Pressure.

- A). Use Pressure Gauge. _____

- B). Manufacturer Recommended. _____

5. Hydraulic Tank.

- A). Cap Securely Locks. _____

- B). Cap Seal in Good Condition. _____

6. Hydraulic Control Valve Undamaged. _____

7. Bed Front Ladder/Steps.

- A). No Slip Hazard. _____

- B). Safe and Secured. _____

- C). Bed Turning Signal Functional. _____

- D). Bed Side Reflector Proper Color. _____

8. Bed Front Ladder and Steps Openings.

Use these openings to visually inspect the following components when visible:

- A). Frame/Chassis Condition. _____

- B). Frame Deck Attachments. _____

- C). Driveshaft Tube Condition. _____

- D). Driveshaft U-Joints. _____

- E). Driveshaft Slip Yoke. _____

- F). Driveshaft Center Bearing. _____

- G). Differential Not Leaking. _____

PRE-TRIP INSPECTION CHECKLIST FOR THE TWO CAR HAULERS

- H). Visual Parts of Rear Axle. _____
- I). Rear Brake Chamber. _____
- J). Rear Brakes Air Hoses. _____
- K). Hydraulics Tank Condition. _____
- L). Hydraulics Filters and hoses. _____

9. Lower Deck.

- A). No Slip Hazards or Debris. _____
- B). No Damages to Deck Plates. _____
- C). No Cracks to Deck Plates. _____
- D). Ratchets and Straps Condition. _____
- E). Hydraulic Cylinder Not Leaking. _____
- F). Hydraulic Hose Not Leaking. _____

10. Grab Pole Secure Undamaged/Bent. _____

11. Upper Deck.

- A). No Slip Hazards or Debris. _____
- B). No Damages to Deck Plates. _____
- C). No Cracks to Deck Plates. _____
- D). Ratchets and Straps Condition. _____
- E). Grab Pole is Secured. _____
- F). Grab Pole Not Damaged or Bent. _____

12. Side Skirt (side metal panel).

- A). Undamaged. _____
- B). Securely Mounted. _____

13. Bed Front Side Marker Light. _____

14. Bed Front Marker Light Functional. _____

- L). Truck Number Decal. _____
- M). Door Lock, Handle and Hinges. _____
- N). Grab Bar Securely Mounted. _____
- O). Interior Door Panel Undamaged. _____
- P). Interior Door Handle. _____
- Q). Lock and Window Controls. _____
- R). Interior Seal in Place. _____
- S). Cab Access Steps Condition. _____

2. Battery Box.

- A). Open Battery Box. _____
- B). Battery Are Secured. _____
- C). Battery Hold-Down Clamp. _____
- D). Cables Not Frayed or Exposed. _____
- E). Cables Terminals: No Corrosion _____
- F). Cables Not Burned/Overheating. _____
- G). Cables In Good Condition. _____
- H). Cables Properly Connected. _____

3. Driver Side Fender.

- C) Secured and Undamaged. _____
- D) Hood Latches Are Secured. _____

4. Air Tanks.

- A). No Air Leaks. _____
- B). Condition of All Air Hoses. _____
- A). Open Valves and Drain Air Tanks. _____
- C). Close Air Tank Valve. _____

Cab – Passenger – Side – Step 10

1. Passenger Door.

- A). Door No Exterior Damaged. _____
- B). Window Glass Clean. _____
- C). Window Glass Not Broken. _____
- D). Mirror Not Broken & Clen. _____
- E). Mirror Support Frame. _____
- F). Camera Securely Mounted. _____
- G). CarMax Decal Clearly Visible. _____
- H). DOT # Decal Not Faded. _____
- I). ELD Decal Visible/Not Faded. _____
- J). Camera Recording Decal Visible. _____
- K). Truck Annual Inspection Decal. _____

Inside Cab – Driver Side - Step 11

Start Inspection On The Driver's Side

1. Fire Extinguisher.

- A). Securely Mounted. _____
- B). Properly Rated. _____
- C). Fully Charged. _____
- D). Locking Pin in Place. _____

2. Three Reflective Traffic Triangles. _____

3. Truck Paperwork Binder Present. _____

4. Height Stick. _____

5. Seats Securely Mounted. _____

6. Seat Belts & Buckles Functional. _____

7. Start Truck. _____

PRE-TRIP INSPECTION CHECKLIST FOR THE TWO CAR HAULERS

8. Driver Side Rear Mirror Adjusted. _____
9. Driver Window Clean & Undamaged. _____
10. Window/Lock Button Functional. _____
11. Cab Clean, No Loose Items. _____
12. Wipers Functioning with Fluids. _____
13. Steering Wheel Securely Mounted. _____
14. Instrument Cluster.
 - A). All Gauges Functioning. _____
 - B). No Warning/Check Engine Light. _____
15. Horn – Highway/City Functional. _____
16. Hazards Signals Functional. _____
17. Turn Signal Switch Functional. _____
18. High/Low Beam Functional. _____
19. Defroster Functional. _____
20. Heat/AC Functional. _____
21. Airbags Dump Functional. _____
22. Power Take Off (PTO) Functional. _____
23. Radio is Functional. _____
24. Windshield Glass Functional. _____
25. ELD Properly Secured & Visible. _____
26. Shifter is Functional. _____
27. Parking Brake Air Valve Functional. _____
28. Passenger Window Clean. _____
 - A). Passenger Window Undamaged. _____
29. Spare Fuses Readily Available.
 - A). Three Spare Fuses for Each Type of Amperage Rating Used by The Truck. _____

Air Brake Test – Step 12

1. Verify Wheels are Chocked. _____
2. Parking Brake Valve Is Popped Out. _____
3. Turn Engine On. _____
4. Air Compressor Test.
 - A). Allow Air Pressure Build to Governor Cut-Off (125 psi). _____
 - B). Turn Engine Off, Ignition On. _____
 - C). Release Parking Brake (push in). _____
 - D). Do Not Press Brake Pedal. _____
 - E). Start A Timer. _____

- F). Air Loss For a Single Unit.
Less Than 2 Pounds In 1 Minute. _____
- G). Turn Engine On Let PSI Build To Governor Cut-Off. _____
- H). Turn Engine Off Ignition On. _____
- I). Press and Hold Pedal 1 Minute. _____
- J). Air Loss For a Single Unit.
Less Than 3 Pounds In 1 Minute. _____



***Over 3 pound air loss is unacceptable
check for air leaks before driving.***

5. Low Air Alarm Test.

- A). Pump Brake Pedal until You Hear
The Low Air Alarm (55 psi). _____
- B). Continue Pumping until You See
Red Warning Light Under
The Air Tank Gauges. _____
- C). Continue Pumping until Brake Air Valve
(yellow valve) Pops Out. _____

Air Pressure Buildup Rate

1. Turn Engine On. _____
2. Start a Timer When PSI Reaches 85. _____
3. Pressure Build From 85 To 100 PSI
in 45 Seconds. _____
4. Air Compressor Governor Cut-Off
at 125 PSI. _____
5. Remove Wheel Chocks. _____

Parking Brake Test

This test ensures that the parking brakes will hold. Also ensures that the parking will hold during a catastrophic air loss.

1. Parking Brake On. _____
2. Gently Pull Against It. _____

Service Brakes Test

1. Release Parking Brake. _____
2. Drive Forward (5 mph). _____
3. Press Brakes. _____

PRE-TRIP INSPECTION CHECKLIST FOR THE TWO CAR HAULERS