

#### TUTORING IS BAD

Gus Lipkin

#### PROBLEM AND ANECDOTE

#### **PROBLEM**

The tutoring system at Florida Poly is bad


- Tutors make their own schedules
- There is not a tutor for every class
- Tutoring sessions can become crowded

## ANECDOTE




THIS IS GUS TAKING STATS I





THIS IS GUS ONE WEEK BEFORE HIS MIDTERM



# THIS IS GUS AT TUTORING EIGHT BEFORE THE EXAM





THIS IS GUS ASKING DR BUNN WHERE THE STATS TUTOR HAS BEEN



THIS IS GUS TAKING A CRASH COURSE IN STATS I FROM DR BUNN






THIS IS GUS BARELY PASSING HIS EXAM

## THE STATE OF TUTORING TODAY


#### **DESCRIPTION**

• Some courses offer pre-scheduled group tutoring with tutors

#### THE CURRENT TUTORING MODEL



#### AS AN ENTITY RELATIONSHIP DIAGRAM



#### **ICKY MATH**

• 
$$C = 10dc_d t_c h_t = \sum_{1}^{d} \sum_{1}^{c} \sum_{0}^{t} 10h_t$$

• 
$$TH = {}^{10h_t}/_{B_d}$$

• 
$$SH = \frac{\sum_{1}^{c} \sum_{0}^{t} 10h_{t}}{\sum_{1}^{d} B_{d}}$$

- To maximize student hours:
  - Minimize tutor overlap
  - Maximize the number of classes that individual tutors can tutor for


## POSSIBLE ALTERNATIVES

## A ONE-ON-ONE TUTORING MODEL


#### **DESCRIPTION**

- Tutors are knowledgeable in a variety of subjects
- Students book time with a tutor for a specific class

#### A ONE-ON-ONE TUTORING MODEL



#### AS AN ENTITY RELATIONSHIP DIAGRAM



#### **ICKY MATH**

• 
$$C = \sum_{0}^{t} 10h_t$$

• 
$$SH = TH = {}^{10h}/_{B}$$

- To maximize student hours:
  - Maximize the number of tutors
  - Maximize the number of classes that each tutor covers

## A HYBRID TUTORING MODEL


#### **DESCRIPTION**

- Combine a group tutoring and one-on-one tutoring model
- For high demand courses, there are scheduled tutoring sessions
- For high and low demand courses, students can schedule time with a tutor

#### A HYBRID TUTORING MODEL

• I tried to make a flowchart but it's just easier to show you the ERD

#### AS AN ENTITY RELATIONSHIP DIAGRAM



#### **ICKY MATH**

• 
$$SH = \frac{10h_t + \sum_{1}^{c} \sum_{0}^{t} 10h_t}{B}$$

- To maximize student hours:
  - Maximize group hours for popular classes such as Calc, Physics, and Intro to Programming
  - Maximize the number of classes that individual tutors can tutor for


## CONCLUSIONS

#### THIS IS A DIFFICULT PROBLEM TO TACKLE

- Without sufficient proof that working together will save money and help students, no departments will want to pool resources
- I don't know how to do enough of the theoretical math to convince anyone

#### A HYBRID MODEL IS PROBABLY BEST

- You get the best parts of group tutoring and one-on-one tutoring
- It has potential to be at least as efficient as group tutoring



## QUESTIONS FOR THE AUDIENCE

### **KORI**

Who?

#### GRAHAM

What?

#### LOGAN

When?

#### **MAVERICK**

Where?

#### DR DEWEY


Why?


#### NICOLE

How?

#### **JAKE**

- Can you find a number that does not follow this pattern?
  - I. If the number is even, divide it by two. If it's odd, divide by three and add one
  - 2. Repeat step one with your new number until you reach one







## HAILEY