


Problem Set 2

Gus Lipkin

CAP 4763 Time Series Modelling and Forecasting

Table of Contents

Section
Part A
Part B
3 Autocorrelation and Weak Dependence
4 ARDL Model and Breusch-Godfrey Test
5 Dynamically Complete Models and Newey-West Standard Errors
Appendix A
Appendix B



I joke but I really shouldn't. I'm spending so much time worrying about how to do things in STATA and trying to understand how it works and make it do what I want that I have no clue what's going on in this class. I have become so frustrated with STATA to the point of crying at least once for each Problem Set and several times in between.

I have no doubt that no matter how hard I try, I will fail the midterm.

Part A

- Write the model $y_t = \alpha + \delta t + \rho y_{t-1} + \beta x_{t-1} + r_t$ in first differences.
 - $\Delta y_t = \delta + \rho \Delta y_{t-1} + \beta \Delta x_{t-1} + \Delta r_t$
- Suppose after first differencing a model is $\Delta y_t = \delta - \varphi - 2\varphi t + \rho \Delta y_{t-1} + \beta \Delta x_{t-1} + \Delta r_t$. What was it before the first difference was taken? (Hint: both t and t^2 are in it.)
 - $y_t = \delta t + \varphi t^2 + \varphi t - \varphi + \rho y_{t-1} + \beta x_{t-1} + r_t$
- Suppose you are originally interested in the model $y_t = \alpha + \delta t + \rho y_{t-1} + \beta x_{t-1} + r_t$, where $r_t = \gamma r_{t-1} + \varepsilon_t$ and ε_t is an independent random disturbance. Write the dynamically complete model in first differences. Hint: first substitute to make the model dynamically complete, and then take the first difference.
 - $y_t = \alpha + \delta t + \rho y_{t-1} + \beta x_{t-1} + \gamma r_{t-1} + \varepsilon_t$
 - $\Delta y_t = \delta + \rho \Delta y_{t-1} + \beta \Delta x_{t-1} + \gamma \Delta r_{t-1} + \Delta \varepsilon_t$

Part B

3. Autocorrelation and Weak Dependence

- Obtain the correlation of each variable with its one period lag.

(obs=875)	corr ln_us_epr l1.ln_us_epr
	L.
	ln_us~r ln_us~r
ln_us_epr	
-.	1.0000
L1.	0.9758 1.0000


(obs=983)	corr ln_fl_nonfarm l1.ln_fl_nonfarm
	L.
	ln_fl~m ln_fl~m
ln_fl_nonf~m	
-.	1.0000
L1.	0.9999 1.0000

(obs=539)	corr ln_fl_lf l1.ln_fl_lf
	L.
	ln_fl_lf ln_fl_lf
ln_fl_lf	
-.	1.0000
L1.	0.9997 1.0000


(obs=395)	corr ln_fl_bp l1.ln_fl_bp
	L.
	ln_fl_bp ln_fl_bp
ln_fl_bp	
-.	1.0000
L1.	0.9470 1.0000

- There appears to be very high correlation between the log form of each variable and its first lag. The highest is ln_fl_nonfarm with a correlation of .9999, followed by ln_fl_lf, ln_us_epr, and ln_fl_bp with .9997, .9758, and .9470 respectively.


2. Obtain the autocorrelogram and partial autocorrelogram for each variable.




Bartlett's formula for MA(q) 95% confidence bands




95% Confidence bands [se = 1/sqrt(n)]




Bartlett's formula for MA(q) 95% confidence bands



95% Confidence bands [se = 1/sqrt(n)]



For the above three graphs, because all of the points are outside and above the cone, we can conclude that there is an autoregressive term in the data and should consult the partial autocorrelation graph. The PAC suggests that this is a higher order moving average.



For the last graph, the autocorrelation is not all outside of the confidence interval. When we look at the PAC we see that there are significant correlations in the first few terms followed by insignificant correlations in the rest. This suggests the order of the autoregressive term.

3. Conduct the Dickey-Fuller unit root test for each variable.

I promise I really wanted to do nice tables here but for the life of me couldn't get stata to let me copy them properly or export them and I really didn't want to transcribe them

```
. dfuller ln_us_epr, trend regress
```

Dickey-Fuller test for unit root Number of obs = 875

	Test Statistic	Interpolated Dickey-Fuller		
		1% Critical Value	5% Critical Value	10% Critical Value
Z(t)	-4.020	-3.960	-3.410	-3.120

MacKinnon approximate p-value for Z(t) = 0.0082

D.ln_us_epr	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
ln_us_epr L1.	-.0392314	.0097585	-4.02	0.000	-.0583843	-.0200784
_trend	4.02e-06	1.84e-06	2.18	0.030	3.99e-07	7.63e-06
_cons	.1583652	.0392952	4.03	0.000	.0812411	.2354894

Dickey-Fuller test for unit root Number of obs = 983

MacKinnon approximate p-value for Z(t) = 0.9761

```
. dfuller ln_fl_lf, trend regress
```

Dickey-Fuller test for unit root Number of obs = 539

MacKinnon approximate p-value for Z(t) = 0.7400

```
. dfuller ln_fl_bp, trend regress
```

Dickey-Fuller test for unit root Number of obs = 395

MacKinnon approximate p-value for Z(t) = 0.0738

For both Dickey-Fuller of the \ln_us_epr , the p-value is extremely low at .0082 and so we accept the null hypothesis. For all others, we fail to reject the null hypothesis. Especially $\ln_fl_nonfarm$ and \ln_fl_lf .

4. ARDL Model and Breusch-Godfrey Test

Given the results of the previous question, transform the data as needed and estimate a dynamically complete ARDL model for non-farm employment. Include at least one lag of the relevant dependent variable. How many additional lags of the dependent variable, and how many lags of which independent variables you include, are up to you. Looking back at what you did for Problem Set 1 might be informative, but don't be limited by it. Produce and interpret the AC and PAC for the residuals and the results of a Breusch-Godfrey test.

In your write up, justify your specification and interpret the results.

I really wanted to try doing every other lag rather than every lag as Jake suggested but I couldn't find a way to generate a sequence of every other number in a set range. I tried doing

```
1 | gen seq3 = 2*mod(_n-1,48)
```


but couldn't check if it was right because the data viewer isn't showing anything then when I tried to use it I got an error that it wasn't a valid list of numbers.

.	regress d.ln_fl_nonfarm l(1/48)d.ln_fl_nonfarm	l(12/24)d.ln_us_epr	l(1/18, 24)d.ln_fl_if	date
	Source SS df MS	Number of obs =	515	
	F(81, 433) =	15.48		
Model .050091055 81 .000618408	Prob > F =	0.0000		
Residual .01729335 433 .000039938	R-squared =	0.7434		
	Adj R-squared =	0.6954		
Total .067384405 514 .000131098	Root MSE =	.00632		
-----	-----	-----	-----	-----
D.				
ln_fl_nonfarm	Coef.	Std. Err.	t	P>t
ln_fl_nonfarm				
LD.	-.1441103	.059346	-2.43	0.016
L2D.	-.1332106	.060728	-2.19	0.029
L3D.	.0520745	.060831	0.86	0.392
L4D.	.1139409	.0609067	1.87	0.062
L5D.	.066288	.0611891	1.08	0.279
L6D.	.1944856	.0614959	3.16	0.002
L7D.	.0759452	.0622902	1.22	0.223
L8D.	.0829208	.0631492	1.31	0.190
L9D.	.2532911	.0930772	2.72	0.007
L10D.	.1403499	.0960901	1.46	0.145
L11D.	.1893271	.0946093	2.00	0.046

L12D.	.4685154	.0957577	4.89	0.000
L13D.	.0758492	.1003991	0.76	0.450
L14D.	.0089228	.1008964	0.09	0.930
L15D.	.0490602	.1006788	0.49	0.626
L16D.	-.0187785	.1013922	-0.19	0.853
L17D.	.0547956	.1017669	0.54	0.591
L18D.	.0863921	.1011552	0.85	0.394
L19D.	-.25835	.1016689	-2.54	0.011
L20D.	-.1621826	.1009034	-1.61	0.109
L21D.	-.0839614	.1033319	-0.81	0.417
L22D.	-.1719582	.1017154	-1.69	0.092
L23D.	.0347504	.1011416	0.34	0.731
L24D.	.2927769	.0998811	2.93	0.004
L25D.	.1178616	.098203	1.20	0.231
L26D.	.0999885	.0980021	1.02	0.308
L27D.	-.1283723	.0980801	-1.31	0.191
L28D.	-.2031139	.0980964	-2.07	0.039
L29D.	-.2892074	.097907	-2.95	0.003
L30D.	-.5772115	.0991658	-5.82	0.000
L31D.	.6236058	.1020615	6.11	0.000
L32D.	.1870999	.1073141	1.74	0.082
L33D.	.1426809	.1091241	1.31	0.192
L34D.	.1068341	.1078243	0.99	0.322
L35D.	-.0794067	.1078368	-0.74	0.462
L36D.	.1327386	.1064489	1.25	0.213
L37D.	-.0639028	.099194	-0.64	0.520
L38D.	-.048562	.0984536	-0.49	0.622
L39D.	.0871388	.0975069	0.89	0.372
L40D.	-.1442082	.0974565	-1.48	0.140
L41D.	-.0032331	.0966638	-0.03	0.973
L42D.	.0938246	.0970599	0.97	0.334
L43D.	-.3559573	.0966539	-3.68	0.000

L44D.	-.0089124	.0978207	-0.09	0.927
L45D.	-.0882528	.0966085	-0.91	0.361
L46D.	.1086727	.091884	1.18	0.238
L47D.	.0313382	.091654	0.34	0.733
L48D.	.0609195	.091323	0.67	0.505
ln_us_epr				
L12D.	-.0155085	.1744885	-0.09	0.929
L13D.	-.3056076	.153451	-1.99	0.047
L14D.	-.5608006	.1545155	-3.63	0.000
L15D.	-.3645519	.1519838	-2.40	0.017
L16D.	.0029936	.1580302	0.02	0.985
L17D.	.0422232	.1559561	0.27	0.787
L18D.	.3199335	.1565006	2.04	0.042
L19D.	-.07463	.0988972	-0.75	0.451
L20D.	.0625226	.0999685	0.63	0.532
L21D.	-.0436852	.1002131	-0.44	0.663
L22D.	.2231831	.0985078	2.27	0.024
L23D.	-.0081188	.0960409	-0.08	0.933
L24D.	-.2688582	.1616447	-1.66	0.097
ln_fl_lf				
LD.	.1762398	.0704433	2.50	0.013
L2D.	-.1356975	.0715783	-1.90	0.059
L3D.	-.1659446	.0715828	-2.32	0.021
L4D.	-.0977864	.0709175	-1.38	0.169
L5D.	-.1364495	.0722069	-1.89	0.059
L6D.	-.2270642	.0723796	-3.14	0.002
L7D.	-.1332104	.0724525	-1.84	0.067
L8D.	-.2396185	.0727056	-3.30	0.001
L9D.	-.1256755	.079465	-1.58	0.114
L10D.	-.180737	.0797732	-2.27	0.024

L11D.	-.005726	.0808095	-0.07	0.944
L12D.	.0558537	.1334055	0.42	0.676
L13D.	.0173463	.1262683	0.14	0.891
L14D.	.2969825	.1275491	2.33	0.020
L15D.	.125207	.1266497	0.99	0.323
L16D.	-.0665773	.1288379	-0.52	0.606
L17D.	-.1292395	.1273895	-1.01	0.311
L18D.	-.2883037	.1278108	-2.26	0.025
L24D.	.2278015	.1255369	1.81	0.070
date	-8.65e-06	3.19e-06	-2.72	0.007
_cons	.0058495	.0022338	2.62	0.009



I don't think there's any correlation because almost everything is inside the interval.

. estat bgodfrey, lag(1/48)	
Breusch-Godfrey LM test for	autocorrelation

lags(p)	chi2	df	Prob > chi2
1	0.617	1	0.4321
2	1.630	2	0.4427
3	1.639	3	0.6506
4	1.665	4	0.7970
5	1.730	5	0.8850
6	2.757	6	0.8387
7	8.252	7	0.3109
8	8.536	8	0.3830
9	8.707	9	0.4648
10	8.803	10	0.5509
11	9.015	11	0.6205
12	10.913	12	0.5364
13	12.697	13	0.4715
14	12.775	14	0.5443
15	14.075	15	0.5198
16	15.212	16	0.5091
17	15.284	17	0.5751
18	18.315	18	0.4351
19	18.317	19	0.5014
20	19.893	20	0.4647
21	19.920	21	0.5263
22	20.203	22	0.5704

23	20.218	23	0.6287
24	20.362	24	0.6760
25	21.112	25	0.6864
26	21.381	26	0.7221
27	23.290	27	0.6693
28	24.359	28	0.6624
29	25.322	29	0.6615
30	27.716	30	0.5855
31	28.706	31	0.5846
32	28.728	32	0.6330
33	29.272	33	0.6533
34	30.894	34	0.6207
35	30.897	35	0.6666
36	33.834	36	0.5720
37	35.071	37	0.5597
38	35.519	38	0.5847
39	38.229	39	0.5049
40	38.448	40	0.5402
41	38.548	41	0.5801
42	39.001	42	0.6034
43	39.107	43	0.6408
44	39.122	44	0.6804
45	39.431	45	0.7061
46	39.812	46	0.7278
47	40.011	47	0.7550
48	40.617	48	0.7664
H0: no serial correlation			

I'm so confused. It is at this point that I'm giving up trying to interpret stuff. I've spent nearly all day on it and am just as lost as before. I understand the basic commands such as regress and gen and all that. I know how to use the other commands. I don't understand what the functions are doing or why the results mean what they are said to mean. I feel like I'm being asked to draw an owl and these are my only instructions:

How to draw an owl

1.



2.



1. Draw some circles

2. Draw the rest of the fucking owl

I know you've said time and time again that I don't need to know what stata's doing in the background but I don't understand the math and I can't see what stata's doing for the math. In lecture all I see is a bunch of letters set up for an equation that doesn't mean anything to me outside of super abstract concepts.

Hailey and Jake and Mohammad will do their best to help me through everything. I'm reasonably certain that I can pass with about a 2 or so if my grade calculator is correct and my estimates are too. I'm not sure if it's worth it to stay in and just accept the hit to my GPA or not. Anyways. I'm going to turn this in now. I hope you're not too disappointed.

5. Dynamically Complete Models and Newey-West Standard Errors

```
. reg d.ln_fl_nonfarm l(0/4)d.ln_fl_bp if tin(1948m1,2020m1)
```

Source	SS	df	MS	Number of obs	=	380
Model	.00146591	5	.000293182	F(5, 374)	=	2.97
Residual	.036972226	374	.000098856	Prob > F	=	0.0122
				R-squared	=	0.0381
				Adj R-squared	=	0.0253
Total	.038438136	379	.00010142	Root MSE	=	.00994

D. ln_fl_nonf~m	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
ln_fl_bp						
D1.	-.0043445	.0035864	-1.21	0.227	-.0113965	.0027075
LD.	-.0115113	.0040594	-2.84	0.005	-.0194935	-.0035291
L2D.	.0019871	.0041056	0.48	0.629	-.0060858	.01006
L3D.	-.0011778	.0040768	-0.29	0.773	-.0091941	.0068385
L4D.	-.0028262	.0036121	-0.78	0.434	-.0099287	.0042763
_cons	.0015358	.0005101	3.01	0.003	.0005328	.0025387

```
. newey d.ln_fl_nonfarm l(0/4)d.ln_fl_bp if tin(1948m1,2020m1), lag(4)
```

```
Regression with Newey-West standard errors      Number of obs      =      380
maximum lag: 4                                F( 5,      374) =      4.01
                                              Prob > F          =      0.0015
```

D. ln_fl_nonf~m	Coef.	Newey-West Std. Err.	t	P> t	[95% Conf. Interval]	
ln_fl_bp						
D1.	-.0043445	.003622	-1.20	0.231	-.0114665	.0027776
LD.	-.0115113	.0036606	-3.14	0.002	-.0187093	-.0043133
L2D.	.0019871	.0043475	0.46	0.648	-.0065616	.0105358
L3D.	-.0011778	.004813	-0.24	0.807	-.0106416	.008286
L4D.	-.0028262	.003664	-0.77	0.441	-.0100308	.0043783
_cons	.0015358	.0004154	3.70	0.000	.0007189	.0023526

if fuller high, can't reject

Appendix A

```
1 clear
2 set more off
3
4 cd "/Users/guslipkin/Documents/Spring2020/CAP 4763 ~ Time Series/Problem Sets/Problem
  Set 2"
5
6 *2a
7 *Done
8
9 *2b Load the data
10 import delimited "Assignment_1_Monthly.txt"
11
```



```

12 rename lnu02300000 us_epr
13 rename flnan fl_nonfarm
14 rename flllfn fl_lf
15 rename flbppriv fl_bp
16 rename date datestring
17
18 *2c Turn on a log file
19 log using "Problem Set 1", replace
20
21 *2d Generate a monthly date variable (make its display format monthly time, %tm)
22 gen datec=date(datestring, "YMD")
23 gen date=mofd(datec)
24 format date %tm
25
26 *2e tsset your data
27 tsset date
28
29 *2f
30 gen ln_us_epr=log(us_epr)
31 gen ln_fl_nonfarm=log(fl_nonfarm)
32 gen ln_fl_lf=log(fl_lf)
33 gen ln_fl_bp=log(fl_bp)
34
35 *3a
36 corr ln_us_epr l1.ln_us_epr
37 corr ln_fl_nonfarm l1.ln_fl_nonfarm
38 corr ln_fl_lf l1.ln_fl_lf
39 corr ln_fl_bp l1.ln_fl_bp
40
41 *3b
42 ac ln_us_epr, saving(ac_ln_us_epr.gph, replace)
43 pac ln_us_epr, saving(pac_ln_us_epr.gph, replace)
44 graph combine ac_ln_us_epr.gph pac_ln_us_epr.gph, saving(combo_ln_us_epr.gph,
45 replace)
46
47 ac ln_fl_nonfarm, saving(ac_ln_fl_nonfarm.gph, replace)
48 pac ln_fl_nonfarm, saving(pac_ln_fl_nonfarm.gph, replace)
49 graph combine ac_ln_fl_nonfarm.gph pac_ln_fl_nonfarm.gph,
50 saving(combo_ln_fl_nonfarm.gph, replace)
51
52 ac ln_fl_lf, saving(ac_ln_fl_lf.gph, replace)
53 pac ln_fl_lf, saving(pac_ln_fl_lf.gph, replace)
54 graph combine ac_ln_fl_lf.gph pac_ln_fl_lf.gph, saving(combo_ln_fl_lf.gph, replace)
55
56 ac ln_fl_bp, saving(ac_ln_fl_bp.gph, replace)
57 pac ln_fl_bp, saving(pac_ln_fl_bp.gph, replace)
58 graph combine ac_ln_fl_bp.gph pac_ln_fl_bp.gph, saving(combo_ln_fl_bp.gph, replace)
59
60 *3c
61 dfuller ln_us_epr, trend regress
62 dfuller ln_fl_nonfarm, trend regress

```

```

61 dfuller ln_fl_lf, trend regress
62 dfuller ln_fl_bp, trend regress
63
64 *4
65 regress d.ln_fl_nonfarm l(1/48)d.ln_fl_nonfarm l(12/24)d.ln_us_epr l(1/18,
24)d.ln_fl_lf date
66 predict res, residual
67 ac res, saving(p4_ac.gph, replace)
68 pac res, saving(p4_pac.gph, replace)
69 graph combine p4_ac.gph p4_pac.gph, saving(p4_combo.gph, replace)
70 estat bgodfrey, lag(1/48)
71
72 *5
73 reg d.ln_fl_nonfarm l(0/4)d.ln_fl_bp if tin(1948m1,2020m1)
74 newey d.ln_fl_nonfarm l(0/4)d.ln_fl_bp if tin(1948m1,2020m1), lag(4)
75
76 log close

```

Appendix B

```

name: <unnamed>
log: /Users/guslipkin/Documents/Spring2020/CAP 4763 ~ Time Series/Problem S
> ets/Problem Set 2/Problem Set 1.smcl
log type: smcl
opened on: 26 Feb 2021, 18:08:56

```

```

.
. *2d Generate a monthly date variable (make its display format monthly time, %tm)
. gen datec=date(datestring, "YMD")

. gen date=mofd(datec)

. format date %tm

.
. *2e tsset your data
. tsset date
      time variable:  date, 1939m1 to 2020m12
              delta:  1 month

```

```

.
. *2f
. gen ln_us_epr=log(us_epr)
(108 missing values generated)

. gen ln_fl_nonfarm=log(fl_nonfarm)

. gen ln_fl_lf=log(fl_lf)
(444 missing values generated)

. gen ln_fl_bp=log(fl_bp)
(588 missing values generated)

.
. *3a
. corr ln_us_epr l1.ln_us_epr
(obs=875)

```

		L.	
		ln_us_~r	ln_us_~r
ln_us_epr			
--.		1.0000	
l1.		0.9758	1.0000

```

. corr ln_fl_nonfarm l1.ln_fl_nonfarm
(obs=983)

```

		L.	
		ln_fl_~m	ln_fl_~m
ln_fl_nonf~m			
--.		1.0000	
l1.		0.9999	1.0000

			L.
		ln_fl_1f	ln_fl_1f
ln_fl_1f			
--		1.0000	
L1.		0.9997	1.0000

	ln_fl_bp	ln_fl_bp	L.
ln_fl_bp			
--.	1.0000		
L1.	0.9470	1.0000	

```
. *3c
. dfuller ln_us_epr, trend regress
```

		Interpolated Dickey-Fuller		
	Test Statistic	1% Critical Value	5% Critical Value	10% Critical Value
Z(t)	-4.020	-3.960	-3.410	-3.120

D.ln_us_epr	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
ln_us_epr l1.	-.0392314	.0097585	-4.02	0.000	-.0583843	-.0200784
_trend	4.02e-06	1.84e-06	2.18	0.030	3.99e-07	7.63e-06
_cons	.1583652	.0392952	4.03	0.000	.0812411	.2354894

Dickey-Fuller test for unit root Number of obs = 983

	Test Statistic	Interpolated Dickey-Fuller		
		1% Critical Value	5% Critical Value	10% Critical Value
Z(t)	-0.653	-3.960	-3.410	-3.120

D. ln_fl_nonfarm	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
ln_fl_nonfarm L1.	-.001659	.0025399	-0.65	0.514	-.0066433	.0033253
_trend	6.93e-07	8.56e-06	0.08	0.935	-.0000161	.0000175
_cons	.0159216	.0160282	0.99	0.321	-.0155318	.0473751

Dickey-Fuller test for unit root Number of obs = 539

	Test Statistic	Interpolated Dickey-Fuller		
		1% Critical Value	5% Critical Value	10% Critical Value
Z(t)	-1.724	-3.960	-3.410	-3.120

D.ln_fl_lf	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
ln_fl_lf l1.	-.0076457	.0044337	-1.72	0.085	-.0163552	.0010639
_trend	7.40e-06	8.61e-06	0.86	0.391	-9.52e-06	.0000243
_cons	.120517	.0676628	1.78	0.075	-.0123997	.2534337

Dickey-Fuller test for unit root Number of obs = 395

	Test Statistic	Interpolated Dickey-Fuller		
		1% Critical Value	5% Critical Value	10% Critical Value
Z(t)	-3.256	-3.984	-3.424	-3.130

D.ln_fl_bp	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
ln_fl_bp						
l1.	-.0545463	.0167509	-3.26	0.001	-.0874792	-.0216134
_trend	-.0000375	.0000734	-0.51	0.609	-.0001817	.0001067
_cons	.5091679	.1583766	3.21	0.001	.1977942	.8205417

```
. regress d.ln_fl_nonfarm l(1/48)d.ln_fl_nonfarm l(12/24)d.ln_us_epr l(1/18, 24)d.l
> n_fl_lf date
```

Source	SS	df	MS	Number of obs	=	515
				F(81, 433)	=	15.48
Model	.050091055	81	.000618408	Prob > F	=	0.0000
Residual	.01729335	433	.000039938	R-squared	=	0.7434
				Adj R-squared	=	0.6954
Total	.067384405	514	.000131098	Root MSE	=	.00632

D. ln_fl_nonfarm	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
ln_fl_nonfarm						
LD.	-.1441103	.059346	-2.43	0.016	-.2607523	-.0274683
L2D.	-.1332106	.060728	-2.19	0.029	-.2525689	-.0138524
L3D.	.0520745	.060831	0.86	0.392	-.0674863	.1716354
L4D.	.1139499	.0609067	1.87	0.062	-.0057687	.2336504
L5D.	.066288	.0611891	1.08	0.279	-.0539766	.1865526
L6D.	.1944856	.0614959	3.16	0.002	.073618	.3153532
L7D.	.0759452	.0622902	1.22	0.223	-.0464836	.1983741
L8D.	.0829208	.0631492	1.31	0.190	-.0411963	.207038
L9D.	.2532911	.0930772	2.72	0.007	.0793519	.4362303
L10D.	.1403496	.0960901	1.46	0.145	-.0485112	.3292111
L11D.	.1893271	.0946093	2.00	0.046	.0033766	.3752776
L12D.	.4685154	.0957577	4.89	0.000	.2280877	.6657232
L13D.	.0758492	.1003991	0.76	0.450	-.1214811	.2731795
L14D.	.0089228	.1008664	0.09	0.930	-.1893847	.2072303
L15D.	.0409602	.1006788	0.40	0.696	-.1698107	.2666609

L100.	.0470002	.1000700	0.47	0.020	-.1400177	.240774
L160.	-.0187785	.1013922	-0.19	0.853	-.2180605	.1805035
L170.	.0547956	.1017669	0.54	0.591	-.1452228	.2548141
L180.	.0863921	.1011552	0.85	0.394	-.1124241	.2852084
L190.	-.25835	.1016689	-2.54	0.011	-.4581759	-.0585241
L200.	-.1621826	.1009034	-1.61	0.109	-.360504	.0361389
L210.	-.0839614	.1033319	-0.81	0.417	-.2870559	.1191331
L220.	-.1719582	.1017154	-1.69	0.092	-.3718755	.0279592
L230.	.0347504	.1011416	0.34	0.731	-.1640391	.2335399
L240.	.2927769	.0998811	2.93	0.004	.0964647	.489089
L250.	.1178616	.098203	1.20	0.231	-.0751523	.3108754
L260.	.0999885	.0980021	1.02	0.308	-.0926304	.2926074
L270.	-.1283723	.0980801	-1.31	0.191	-.3211445	.0644
L280.	-.2031139	.0980964	-2.07	0.039	-.3959182	-.0103096
L290.	-.2892074	.097907	-2.95	0.003	-.4816395	-.0967753
L300.	-.5772115	.0991658	-5.82	0.000	-.7721176	-.3823054
L310.	.6236058	.1020615	6.11	0.000	.4230083	.8242034
L320.	.1870999	.1073141	1.74	0.082	-.0238215	.3980212
L330.	.1426809	.1091241	1.31	0.192	-.0717978	.3571596
L340.	.1068341	.1078243	0.99	0.322	-.1050899	.3187581
L350.	-.0794067	.1078368	-0.74	0.462	-.2913554	.1325421
L360.	.1327386	.1064489	1.25	0.213	-.0764823	.3419594
L370.	-.0639028	.099194	-0.64	0.520	-.2588645	.1310589
L380.	-.048562	.0984536	-0.49	0.622	-.2420684	.1449445
L390.	.0871388	.0975069	0.89	0.372	-.104507	.2787845
L400.	-.1442082	.0974565	-1.48	0.140	-.3357548	.0473384
L410.	-.0032331	.0966638	-0.03	0.973	-.1932218	.1867555
L420.	.0938246	.0970599	0.97	0.334	-.0969425	.2845917
L430.	-.3559573	.0966539	-3.68	0.000	-.5459264	-.1659882
L440.	-.0089124	.0978207	-0.09	0.927	-.2011749	.1833501
L450.	-.0882528	.0966085	-0.91	0.361	-.2781327	.1016272
L460.	.1086727	.091884	1.18	0.238	-.0719214	.2892668
L470.	.0313382	.091654	0.34	0.733	-.1488038	.2114803
L480.	.0609195	.091323	0.67	0.505	-.118572	.240411
ln_us_epr						
L120.	-.0155085	.1744885	-0.09	0.929	-.3584584	.3274413
L130.	-.3056076	.153451	-1.99	0.047	-.607209	-.0040062
L140.	-.5608006	.1545155	-3.63	0.000	-.8644942	-.257107
L150.	-.3645519	.1519838	-2.40	0.017	-.6632696	-.0658341
L160.	.0029936	.1580302	0.02	0.985	-.3076081	.3135954
L170.	.0422232	.1559561	0.27	0.787	-.264302	.3487483
L180.	.3199335	.1565006	2.04	0.042	.0123381	.6275288
L190.	-.07463	.0988972	-0.75	0.451	-.2690083	.1197484
L200.	.0625226	.0999685	0.63	0.532	-.1339614	.2590065
L210.	-.0436852	.1002131	-0.44	0.663	-.2406498	.1532795
L220.	.2231831	.0985078	2.27	0.024	.0295703	.416796
L230.	-.0081188	.0960409	-0.08	0.933	-.1968832	.1806456
L240.	-.2688582	.1616447	-1.66	0.097	-.5865639	.0488476
ln_fl_lf						
L0.	.1762398	.0704433	2.50	0.013	.0377865	.3146932
L20.	-.1356975	.0715783	-1.90	0.059	-.2763815	.0049866
L30.	-.1659446	.0715828	-2.32	0.021	-.3066375	-.0252517
L40.	-.0977864	.0709175	-1.38	0.169	-.2371718	.041599
L50.	-.1364495	.0722069	-1.89	0.059	-.278369	.00547
L60.	-.2270642	.0723796	-3.14	0.002	-.3693234	-.0848051
L70.	-.1332104	.0724525	-1.84	0.067	-.2756127	.0091919
L80.	-.2396185	.0727056	-3.30	0.001	-.3825182	-.0967187
L90.	-.1256755	.079465	-1.58	0.114	-.2818605	.0305095
L100.	-.180737	.0797732	-2.27	0.024	-.3375278	-.0239463
L110.	-.005726	.0808095	-0.07	0.944	-.1645537	.1531017
L120.	.0558537	.1334055	0.42	0.676	-.2063492	.3180565
L130.	.0173463	.1262683	0.14	0.891	-.2308286	.2655213
L140.	.2969825	.1275491	2.33	0.020	.0462901	.547675
L150.	.125207	.1266497	0.99	0.323	-.1237177	.3741316
L160.	-.0665773	.1288379	-0.52	0.606	-.3198027	.186648
L170.	-.1292395	.1273895	-1.01	0.311	-.3796182	.1211391
L180.	-.2883037	.1278108	-2.26	0.025	-.5395104	-.037097
L240.	.2278015	.1255369	1.81	0.070	-.018936	.4745389
date						
_cons						
	-8.65e-06	3.19e-06	-2.72	0.007	-.0000149	-2.39e-06
	.0058495	.0022338	2.62	0.009	.0014592	.0102399

```

. predict res, residual
(469 missing values generated)

. ac res, saving(p4_ac.gph, replace)
(file p4_ac.gph saved)

. pac res, saving(p4_pac.gph, replace)
(file p4_pac.gph saved)

. graph combine p4_ac.gph p4_pac.gph, saving(p4_combo.gph, replace)
(file p4_combo.gph saved)

. estat bgodfrey, lag(1/48)

```

Breusch-Godfrey LM test for autocorrelation

lags(p)	chi2	df	Prob > chi2
1	0.617	1	0.4321
2	1.630	2	0.4427
...

3	1.639	3	0.6506
4	1.665	4	0.7970
5	1.730	5	0.8850
6	2.757	6	0.8387
7	8.252	7	0.3109
8	8.536	8	0.3830
9	8.707	9	0.4648
10	8.803	10	0.5509
11	9.015	11	0.6205
12	10.913	12	0.5364
13	12.697	13	0.4715
14	12.775	14	0.5443
15	14.075	15	0.5198
16	15.212	16	0.5091
17	15.284	17	0.5751
18	18.315	18	0.4351
19	18.317	19	0.5014
20	19.893	20	0.4647
21	19.920	21	0.5263
22	20.203	22	0.5704
23	20.218	23	0.6287
24	20.362	24	0.6760
25	21.112	25	0.6864
26	21.381	26	0.7221
27	23.290	27	0.6693
28	24.359	28	0.6624
29	25.322	29	0.6615
30	27.716	30	0.5855
31	28.706	31	0.5846
32	28.728	32	0.6330
33	29.272	33	0.6533
34	30.894	34	0.6207
35	30.897	35	0.6666
36	33.834	36	0.5720
37	35.071	37	0.5597
38	35.519	38	0.5847
39	38.229	39	0.5049
40	38.448	40	0.5402
41	38.548	41	0.5801
42	39.001	42	0.6034
43	39.107	43	0.6408
44	39.122	44	0.6804
45	39.431	45	0.7061
46	39.812	46	0.7278
47	40.011	47	0.7550
48	40.617	48	0.7664

H0: no serial correlation

```
. *5
. reg d.ln_fl_nonfarm l(0/4)d.ln_fl_bp if tin(1948m1,2020m1)
```

Source	SS	df	MS	Number of obs	=	380
Model	.00146591	5	.000293182	F(5, 374)	=	2.97
Residual	.036972226	374	.000098856	Prob > F	=	0.0122
				R-squared	=	0.0381
				Adj R-squared	=	0.0253
Total	.038438136	379	.00010142	Root MSE	=	.00994

D. ln_fl_nonf~m	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
ln_fl_bp						
D1.	-.0043445	.0035864	-1.21	0.227	-.0113965	.0027075
LD.	-.0115113	.0040594	-2.84	0.005	-.0194935	-.0035291
L2D.	.0019871	.0041056	0.48	0.629	-.0060858	.01006
L3D.	-.0011778	.0040768	-0.29	0.773	-.0091941	.0068385
L4D.	-.0028262	.0036121	-0.78	0.434	-.0099287	.0042763
_cons	.0015358	.0005101	3.01	0.003	.0005328	.0025387

```
. newey d.ln_fl_nonfarm l(0/4)d.ln_fl_bp if tin(1948m1,2020m1), lag(4)
```

Regression with Newey-West standard errors	Number of obs	=	380
maximum lag: 4	F(5, 374)	=	4.01
	Prob > F	=	0.0015

D. ln_fl_nonf~m	Coef.	Newey-West Std. Err.	t	P> t	[95% Conf. Interval]	
ln_fl_bp						
D1.	-.0043445	.003622	-1.20	0.231	-.0114665	.0027776
LD.	-.0115113	.0036606	-3.14	0.002	-.0187093	-.0043133
L2D.	.0019871	.0043475	0.46	0.648	-.0065616	.0105358
L3D.	-.0011778	.004813	-0.24	0.807	-.0106416	.008286
L4D.	-.0028262	.003664	-0.77	0.441	-.0100308	.0043783
_cons	.0015358	.0004154	3.70	0.000	.0007189	.0023526

.

```
. log close
  name: <unnamed>
  log: /Users/guslipkin/Documents/Spring2020/CAP 4763 ~ Time Series/Problem S
> ets/Problem Set 2/Problem Set 1.smcl
  log type: smcl
closed on: 26 Feb 2021, 18:09:11
```
