Consolidated errata to the historical Boussinesq write-ups

Scientific record for PI Gustav Delius

4 November 2026

Abstract

(c) This note preserves the historical files and records corrections from `paper/review_draft1.tex`, section A, `phase2/audit_phase2i.tex`, and `phase0/reference_audit.md`. It distinguishes corrected mathematical identities from conditional evidence and unresolved physical identifications. The bad-equation Wick boundary energy changes sign; the displayed good-soliton energy and several printed Phase 2i formulas change. The inspected historical zero-scheme energy tables and executable classical scattering phase do not change as a consequence of these corrections. Negative-orientation defect labels require repair. No regularisation, equation, or quantum frame is selected.

Labels, scope and evidence. (a) denotes literature results, (b) literature heuristics, (c) project derivations and source/metadata observations, and (d) unestablished interpretations. All errata and source comparisons below are (c), unless individually marked. A bibliographic (c) verifies a record, not a proof in the cited work. All mathematical check names refer to `phase2/scripts/errata_checks.py`; it uses exact SymPy and 70-decimal mpmath (45 digits for the nested convolution check). Prefixes in the log identify individual parameter samples. Source function bodies are executed only where explicitly stated, without source imports or top-level effects. Numerical samples are evidence, not global theorems. The note contains 14 classical/convention/documentation items M01–M14, 11 Phase 2i items I01–I11, a bibliographic ledger, and README replacement blocks R01–R08. Multiple occurrences of one correction count as one item. No existing file or git state is changed; README replacements are instructions for the coordinator, not applied edits.

Contents

1 Classical and one-loop corrections, by historical file **2**
- 1.1 `phase2/report.tex` . . . 2
- 1.2 `phase2/oneloop.tex` and its energy-script documentation . . . 2
- 1.3 `phase2/oneloop_phase.tex` . . . 3
- 1.4 `phase2/oneloop_defect_phase.tex`, with propagation into Route E . . . 3
- 1.5 Notation and asymptotic width identifications . . . 4

2 Phase 2i: `phase2/toda_wh_and_kp_synthesis.tex` **4**

3 Bibliographic corrections and independent verification ledger **8**

4 README status statements: exact replacement wording **17**

5 Addendum: findings after the original errata (4 November 2026) **19**
- 5.1 N01–N05: failed assertions and verification gaps . . . 19
- 5.2 N06: refuted formulas in `smx_candidates.tex` . . . 20
- 5.3 N07: refuted formulas in `defq_charges_fusion.tex` . . . 22
- 5.4 N08: one-body scheme result and corrections to its earlier audit . . . 22

6 Numerical impact and coverage summary **23**

1 Classical and one-loop corrections, by historical file

1.1 `phase2/report.tex`

M01. Bad-equation action, line 69 (unnumbered display). (c) *Printed:* $\mathcal{L} = \frac{1}{2}\phi_t^2 - \frac{1}{2}\phi_x^2 + \frac{1}{2}\phi_{xx}^2 + \phi_x^3$. *Correction:*

$$\mathcal{L}_b = \tfrac{1}{2}\phi_t^2 - \tfrac{1}{2}\phi_x^2 - \phi_x^3 + \tfrac{1}{2}\phi_{xx}^2, \qquad \mathcal{H}_b = \tfrac{1}{2}\pi^2 + \tfrac{1}{2}u^2 + u^3 - \tfrac{1}{2}u_x^2.$$

Its Euler–Lagrange equation, differentiated in x, is precisely $u_{tt} = u_{xx} + u_{xxxx} + 3(u^2)_{xx}$. For $u = k^2\,\mathrm{sech}^2(kx/2)/2$, $\pi = -vu$, $v^2 = 1 + k^2$,

$$\int u^2 dx = \tfrac{2}{3}k^3, \quad \int u^3 dx = \tfrac{4}{15}k^5, \quad \int u_x^2 dx = \tfrac{2}{15}k^5, \qquad E_b = \tfrac{2}{15}k^3(5 + 4k^2).$$

Check: `lagrangian_1,energy_integrals,energy_velocity_1,energy_quadrature`. *Impact:* the normal-ordering sign M02 is affected. The inspected classical phase, charges, and correctly computed classical energy survive.

M08. KdV ratio, line 153; `scripts/consistency_checks.py`, final explanatory print. (c) *Printed:* "their ratio tends to 0.564" refers to the *topological* and KdV terms, whereas that value is the *full* derivative divided by the KdV term. At $\beta_1/\beta_2 = 1.7$,

$$\frac{\partial_{\beta_1}\delta}{2\beta_1 \log A} \longrightarrow 1 + \frac{2\beta_2}{\beta_1 \log A_{\mathrm{KdV}}} = 0.564246498175\ldots, \qquad A_{\mathrm{KdV}} = \left(\frac{\beta_1 - \beta_2}{\beta_1 + \beta_2}\right)^2.$$

The cross-only ratio is $-0.435753501825\ldots$; the final script print must say $1 + 2\beta_2/(\beta_1 \log A)$, not the expression with a minus sign. The extra $4\beta_2$ is a phase-derivative contribution, not a spatial shift. *Check:* `kdv_ratio`. Independent differentiation at scale 10^{-12} agrees with the limit to 10^{-20}. *Impact:* prose only; no phase value changes.

M09. Reproducibility inventory, lines 468–469. (c) Replace nonexistent `toda_quantum_correction.py` by `toda_quantum_corrections.py`, and `smatrix_boot.py` by `smatrix_poles_bootstrap.py`. The Phase 2c inventory also omits `smatrix_rejected_forms.py` and `smatrix_semiclassical_unitarity_crossing.py`. *Check:* `script_path`. (filesystem existence, not a mathematical theorem). *Impact:* documentation only. See M04 for the Route E root convention.

1.2 `phase2/oneloop.tex` and its energy-script documentation

M02. Propagated normal-ordering sign: lines 59, 71–81, equation `eq:E1`. (c) The exact offending positive shift is in the "Decision (PI)" list, line 59, and in the caption immediately below the energy table, line 81; it is not a separate numbered equation. Equation `eq:E1` writes the energy integral plus cM. Its normal-ordered specialization is

$$E_1(\beta) = \frac{\hbar}{4\pi}\int_{-1}^{1} \omega(q)\theta'(q)\,dq + cM, \quad c = -\frac{3\hbar}{2\pi}, \quad \Delta E_{\mathrm{Wick}} = -\frac{3\hbar}{2\pi}M = -\frac{3\hbar}{\pi}\sinh\beta.$$

Printed: $+3\langle\phi_x^2\rangle M$ and $+(3\hbar/\pi)\sinh\beta$; the same error is at lines 15–16 of `phase2/scripts/oneloop_soliton_energy.py`. *Evidence:* M01 gives $+u^3$ in the Hamiltonian, and $:u^3: = u^3 - 3Cu$, with the previously selected stable-band $C = \hbar/(2\pi)$. *Check:* `wick_sign,stable_band_variance,wick_energy`. *Impact:* any energy quoted *with this Wick boundary term* changes by $-6\hbar\sinh\beta/\pi$ relative to the erroneous prescription. The soliton table and `oneloop_breather.py` use $c = 0$ and are unchanged. This repairs an existing prescription; it does not select a new scheme or prove that the stable-band restriction supplies a complete quantum theory **(d)** .

1.3 `phase2/oneloop_phase.tex`

M03. Classical good energy, `eq:onesol_data`, lines 59–67. **(c)** *Printed:* $E = k^3(2\cos^2\alpha + 1)/3$ together with $dE/d\alpha = v\,dP/d\alpha$. *Correction:*

$$E_g = \frac{2}{15}k^3(5-4k^2) = \frac{2}{15}\sin^3\alpha(1+4\cos^2\alpha), \qquad dE_g = v\,dP.$$

The printed excess is $k^3(5-2k^2)/15$, and its derivative residual is $dE_{\text{printed}}/dk - vP'(k) = k^2(1-2k^2/3)$. *Check:* `good_energy_misprint,energy_velocity_-1,energy_quadrature, downstream_energy`. *Impact:* the displayed energy and its asserted derivative relation. The inspected phonon/phase function bodies use the PDE, phase derivatives, and momentum; `audit_charges_action.py:ecl` already uses E_g. The charge and one-loop tables do not inherit this typo. The independent physical determinant qualifications remain **(d)** .

1.4 `phase2/oneloop_defect_phase.tex`, with propagation into Route E

M04. Defect dictionary, lines 51, 164–170, 365; `eq:s_qD`; `report.tex`, lines 334–339. **(c)** *Printed:* $s = \eta\sigma$, $q_D = -\eta\sigma/(2\sqrt{3})$, and $\alpha_{\text{CZ}} = 1/(2\sqrt{3})$, $\beta_{\text{CZ}} = \eta/(2\sqrt{3})$. *Correction at fixed CZ fields and orientation:*

$$s = \sigma_0, \qquad q_D = -\frac{\sigma_0}{2\sqrt{3}}, \qquad \alpha_{\text{CZ}} = \frac{\eta}{\sqrt{3}}, \qquad \beta_{\text{CZ}} = \frac{2\eta}{\sqrt{3}}.$$

These obey $\beta_{\text{CZ}} = 2\alpha_{\text{CZ}}$ and $\beta_{\text{CZ}}^2 - \alpha_{\text{CZ}}^2 = 1$; the printed pair does not. The signed *spectral* parameter $\eta\sigma_{\text{vac}}$ is legitimate in the stability polynomial, but is not the scattering-root coordinate. Consequently the strict stability criterion $\eta\sigma_{\text{vac}} < -1$ must not be replaced by $q_D > 1/(2\sqrt{3})$ for both orientations. *Check:* `CZ_constraints,wrong_CZ_coefficients,unsigned_root_sewing, signed_root_counterexample`. The sewing checks use the actual source function bodies with independent one-soliton jets, both directions and both orientations. At $(\alpha, \epsilon, \sigma_0, \eta) = (0.4, 1, 2.4, -1)$ the correct z is $1.50971083399\ldots$, versus $0.373565030471\ldots$ from the signed root; the latter has sewing residual $3.3312537\ldots$. *Impact:* physical labels of negative-orientation transmission, delays and absorption roots; both executable `oneloop_defect_*` calculations use the unsigned dictionary. Mirroring all triples in the older spectrum audit does not establish equality of these fixed-defect dictionaries. The later one-stable-vacuum wording also needs R04's domain qualification.

M05. Transmission factor, `eq:z1_sol`, lines 175–178. **(c)** *Printed middle expression:* $[(k-(v+s)/\sqrt{3})/(k+(v+s)/\sqrt{3})]^{-\eta}$. *Correction:*

$$z = \left(\frac{v+s-\sqrt{3}k}{v+s+\sqrt{3}k}\right)^{\eta} = \left(\frac{p_b - q_D}{p_a - q_D}\right)^{\eta}.$$

The printed middle expression equals $-1/z$, not z. *Check:* `transmission,unsigned_root_sewing`. *Impact:* none in the executable transmission/delay/fusion functions; they use the rational expression. This is a reciprocal and sign error, not just a logarithm-branch choice.

M06. Trigonometric roots, `eq:kp_roots_sol`, lines 132–136. **(c)** The Cartesian roots are correct. Replace the printed $\cos(\alpha - \epsilon\pi/6)/\sqrt{3}$ and $-\cos(\alpha + \epsilon\pi/6)/\sqrt{3}$ by

$$p_a = \frac{\epsilon}{\sqrt{3}}\cos(\alpha - \epsilon\pi/3), \qquad p_b = \frac{\epsilon}{\sqrt{3}}\cos(\alpha + \epsilon\pi/3).$$

Check: `trigonometric_roots`. *Impact:* none in the inspected code, which uses the preceding Cartesian expressions.

M07. Cubic normalization, `eq:kp_cubic`, lines 139–141. (c) *Printed:* $p^3 - p/4 = \ell/(4\sqrt{3}) = -\epsilon\cos 3\alpha/(4\sqrt{3})$. *Correction:* both denominators are $12\sqrt{3}$. *Check:* `cubic`. All three Cartesian roots satisfy the corrected cubic. *Impact:* no change to executable root sums; literal use of the printed equation would assign the wrong spectral parameter.

M12. Phase label, line 186. (c) *Printed:* "In Phase 2d (`defect_semiclassics.pdf`)". *Correction:* Phase 2c. *Check:* `phase_number`. *Impact:* citation navigation only.

M13. Sewing determinant, `eq:det_factorisation`. (c) This inherited correction was correctly adopted by Phase 2i. For $s = \eta\sigma_{\rm vac}$ (a spectral parameter, unlike M04), $S = \kappa_1 + \kappa_2$, $\kappa_1\kappa_2 = g$, $\kappa_1^2 + \kappa_2^2 = 1$, replace the printed $-1/24$ by $-2/3$:

$$\frac{\det M}{(\kappa_1 - \kappa_2)^2} = -\frac{2}{3}S^2(S^2-1)P_-(S;s)P_+(S;s), \qquad P_\mp = S^2 - \frac{\sqrt{3}\mp 1}{2}sS + \frac{s^2 - 2 \mp \sqrt{3}}{2}.$$

Check: `defect_determinant`. Independent differentiation of the nonlinear sewing function, six off-shell samples, at $\eta = +1$. *Impact:* the displayed algebraic determinant changes by a factor 16, while its zeros are unchanged. This is not a computed change to a physical functional determinant.

M14. Growing modes, abstract and `eq:omega_closed`. (c) The printed pair $i[s\sqrt{4-s^2} \pm \sqrt{3}(2-s^2)]/8$ misses an admissible-sheet switch. Retain only real polynomial roots $S > 1$ and put $g = (S^2-1)/2$. For $1 < s < 2$, away from $s = \sqrt{3}$, the two positive rates are

$$g_1 = \frac{s\sqrt{4-s^2} + \sqrt{3}(s^2-2)}{8}, \qquad g_2 = \frac{|s\sqrt{4-s^2} - \sqrt{3}(s^2-2)|}{8}.$$

At $s = 1.9$ the smaller rate is positive $0.200256\ldots$, not negative; at $s = 2$ both coalesce at $\sqrt{3}/4$. *Check:* `growth_branch,growth_threshold`. *Impact:* admissible localized-mode assignment and the plotted/quoted frequency pair, not the already correct characteristic-polynomial zeros. See I11 for the switching point and R05 for completeness qualifications.

1.5 Notation and asymptotic width identifications

M10. `phase1/review.tex`, `eq:mu`; `phase2/defect_semiclassics.tex`, KP roots; paper appendix item 7. (c) The terse statement "$\mu = -p$" needs the ordered dictionary

$$\mu_1 = -p_b, \quad \mu_2 = -p_a, \quad \lambda = -\ell/(12\sqrt{3}).$$

The bad-equation complex roots in `phase2/smatrix_ansatz.tex` instead satisfy $\mu^3 + \mu/4 = i\ell/(12\sqrt{3})$. *Check:* `ordered_mu_dictionary,cubic`. *Impact:* notation clarification, not an error in those source cubics or a change in their numerical results.

M11. `phase2/toda_route.tex`, line 109; paper appendix item 8. (c) The equality $\kappa_j = \sqrt{3}\beta_j \to 0$ and the width dictionary must be understood asymptotically. With κ_H the Hirota exponential width and κ_T the profile half-width,

$$\kappa_H = 2\kappa_T, \quad \kappa_H \sim \sqrt{12}\,k_b, \quad \kappa_T \sim \sqrt{3}\beta, \qquad k_b = \sinh\beta.$$

Check: `toda_width`. The factor two is exact; the small-amplitude identifications are not finite-amplitude identities. *Impact:* none on the limiting tests; finite-amplitude extrapolation must not identify k_b with β.

2 Phase 2i: `phase2/toda_wh_and_kp_synthesis.tex`

(c) In this section $T(s) = s^{-1/2}\Gamma(1 + s/(2\pi))\exp[-s\log(s/(2\pi e))/(2\pi)]$ is the printed normalized WH factor. The audit verifies the following algebra and numerical evidence, without establishing the complete finite-sea-to-physical-frame limit **(d)** .

I01. Fourier symbol, `eq:wh_symbol`. (c) *Printed:* $2\pi^2 e^{\pi|\omega|}/\sinh(\pi|\omega|)$. *Correction, for* $\omega \neq 0$*:*

$$\Phi_{\mathrm{WH}}(i\omega)\Phi_{\mathrm{WH}}(-i\omega) = \frac{2\pi}{1-e^{-|\omega|}}.$$

Check: `wh_symbol,wh_printed_counterexample`. *Impact:* the Fourier theorem as printed; its large-frequency limit is 2π, not $4\pi^2$. The source's subsequent series uses T and does not inherit this particular misprint. No zero-frequency distributional subtraction is fixed by the nonzero-frequency identity.

I02. Momentum transform and physical scale, `eq:laplace_y` and preceding line. (c) For $G(u) = 4y(u)^{3/2}/3$ the corrected transform is

$$\mathcal{L}G(s) = \frac{\sqrt{\pi}T(s)}{s^2}, \qquad G(u) \sim \frac{4}{3}u^{3/2}.$$

Printed: $T(s)/s^2$; its leading term would instead give $y(u) \sim \pi^{-1/3}u$. Replace the preceding scale $aP_{\mathrm{rel}}/(\sqrt{bh}\,h)$ by $a\sqrt{b}\,P_{\mathrm{rel}}/h^{3/2}$, since $P_{\mathrm{rel}} = 4b(\kappa\cosh\kappa - \sinh\kappa)/a$ and $\kappa^2 = yh/b$. *Check:* `momentum_normalisation,momentum_scale`. *Impact:* the printed normalization. The original script's `rhs_u` already inserts the missing $\sqrt{\pi}$; its conditional coefficients are not changed by correcting the text.

I03. Inverse series, `eq:y_of_u`. (c) *Printed:*

$$y - u = \frac{\log(8\pi u) - 1}{2\pi} + \frac{12\log(8\pi u) - \pi^2}{48\pi^2 u} + \frac{-12\log(8\pi u) + 6\zeta(3) + \pi^2 - 8}{96\pi^3 u^2} + O(u^{-3}).$$

Set $A = 1/(2\pi)$, $c = (1-\log(8\pi))/(2\pi)$, $d = 1/48 - 1/(4\pi^2)$, $e = (4+6\zeta(3)-\pi^2)/(96\pi^3)$. Reversion of $u = y - A\log y + c + d/y + e/y^2 + \cdots$ requires

$$y - u = v_0 + \frac{v_1}{u} + \frac{v_2}{u^2} + \cdots, \quad v_0 = A\log u - c, \quad v_1 = Av_0 - d, \quad v_2 = Av_1 - \frac{A}{2}v_0^2 + dv_0 - e.$$

In particular the omitted $(\log u)^2/u^2$ coefficient is $-1/(16\pi^3)$. A remainder here may contain logarithms; the bare $O(u^{-3})$ assertion is not established. *Check:* `inverse_series_reversion, inverse_log_squared,printed_inverse_counterexample`. *Impact:* numerical values from the printed inverse formula change; corrected-transform computations and the conditional c, d, e survive.

I04. Double Laplace transform, `eq:double_laplace`. (c) *Printed prefactor:* 2. *Correction:*

$$\mathcal{L}_{u_1,u_2}(\partial_{u_2}\Phi_q) = 2\pi\frac{T(s_1)T(s_2) - 1}{s_1 + s_2}.$$

This is the compatible transform of the corrected convolution, not a new proof of its physical identification. With $B = G'$, $f = G''$ on $u > 0$, $B(0^+) = \sqrt{\pi}$, $\mathcal{L}B = \sqrt{\pi}T/s$ and $\mathcal{L}f = \sqrt{\pi}(T-1)$. The causal derivative is $\sqrt{\pi}\delta + f$; its product contributes the diagonal contact term $2\pi\delta(u_1 - u_2)$, removed by the numerator's -1. For $u_1 > u_2 > 0$,

$$C(u_1, u_2) = 2\int_0^{u_2} f(u_1 - w)B(u_2 - w)\,dw,$$

so differentiating in u_2 retains $2\sqrt{\pi}f(u_1 - u_2)$. *Check:* `double_transform_contact,B_boundary, convolution_endpoint`. *Impact:* the printed transform is off by π; the original formal coefficient integrals were not direct checks of that transform.

I05. Darboux identity, bootstrap item "Darboux delay coboundary", lines 375–383. **(c)** Replace $\Delta X'_D = \Delta x_D - 2\sqrt{3}\epsilon_1\eta\gamma_1 q_D$ by

$$\Delta X'_D = \Delta x_D - 2\epsilon_1\eta\gamma_1 q_D, \quad \Delta x_D = -\frac{\epsilon_1\eta}{k_1}\log\left|\frac{p_{1b}-q_D}{p_{1a}-q_D}\right|, \quad \gamma_1 = -\frac{3\cos 2\alpha_1}{\sin\alpha_1 \sin 3\alpha_1}.$$

Then, with $q_{2a} - q_{2b} = k_2$,

$$-\frac{\log|A_{12}|}{k_1} + 2k_2\gamma_1 = \epsilon_1[\Delta X'_D(q_{2b},+1) - \Delta X'_D(q_{2a},+1)].$$

The printed right-minus-left discrepancy is $2k_2\gamma_1(\sqrt{3}-1)$. *Check:* `darboux`. (all four orientations). *Impact:* the claimed delay identity; no absolute physical fusion constant is fixed, and algebraic closure remains distinct from physical fusion **(d)** .

I06. Four-term reciprocity product, remarks after Theorem 2, lines 257–275. (c) *Printed:* $\widehat{\Phi}_q(u,v) + \widehat{\Phi}_q(v,u) = 2B(u)B(v)$ and the resulting $8rY[1/(u'(Y)u'(r^2Y)) - 1]$ remainder. A four-term edge subtraction vanishes when either argument is zero; $2B(0^+)B(v) = 2\sqrt{\pi}B(v)$ does not. *Check:* `edge_product_counterexample,fourterm_zero_edge`. *Verified replacement:* retain the finite-sea endpoint identity from `audit_toda_dictionary.tex`, `eq:reciprocity` and `eq:four`. For $t = 2\pi h$, $\mathcal{A} = tI - K*$ on $[-q,q]$, $\mathcal{A}F_p(x) = \Theta(p-x)$ and $\Phi(p,z) = \Theta(p-z) - \int K(p-x)F_z(x)dx$, it is

$$\Phi(p,z) + \Phi(z,p) = t[F_p(q)F_z(q) - F_p(-q)F_z(-q)].$$

Writing $\widehat{\Phi}(p,z) = \Phi(p,z) - \Phi(p,e_2) - \Phi(e_1,z) + \Phi(e_1,e_2)$, $f_p^{\pm} = F_p(\pm q) - F_{e_1}(\pm q)$, $g_z^{\pm} = F_z(\pm q) - F_{e_2}(\pm q)$, gives

$$\widehat{\Phi}(p,z) + \widehat{\Phi}(z,p) = t(f_p^+ g_z^+ - f_p^- g_z^-),$$

where the reverse expression exchanges the reference edges. *Check:* `finite_sea_reciprocity, reciprocity_mesh_convergence`. The new checker solves the actual digamma-kernel equation at $h = 1$, $q = 0.2$ with 24 and 36 Gauss nodes, at 70 digits, in same- and opposite-edge cases. **(d)** The Phase 2i audit supplies *no proven replacement closed-form edge product.* Simply replacing B by $B - B(0)$ would be a new guess, not its conclusion. *Impact:* withdraw the claimed edge symmetric-remainder formula and its interpretation as a solution of the quantum frame problem. Two-term and four-term subtractions also differ by one-body edge terms.

I07. Kernel necessity, Theorem 3, item 1 (line 326). (c) *Printed:* both exchange identities hold "iff" the kernel is odd and inversion-antisymmetric. *Correction:* inversion antisymmetry is sufficient for ratio-bilinear exchange; necessity as stated is false. $K(z) = z^2 - z^{-2}$ is even and inversion-antisymmetric. Moreover a constant added to a kernel is annihilated by the zero-sum soliton and defect weights while destroying both claimed kernel symmetries. *Check:* `kernel_iff_counterexample,kernel_null_constant`. *Impact:* remove the universal necessity theorem; retain conditional algebra, not a uniquely selected physical kernel.

I08. "Exact" asymptotic theorem and uniform remainder, abstract and Theorems 1–2. **(c)** Replace "proves" with "formal reversion of the corrected transform, supported by numerical inversion". The coefficients c, d, e above survive that check; the vanishing logarithmic coefficients are conditional formal results, not independently proved finite-sea asymptotics. The formal leading integral and closed $c_1(r)$ survive:

$$\frac{4}{\pi}\int_0^r \log(s/r)\frac{s^2}{1-s^2}\,ds = -\frac{4}{\pi}(\chi_2(r) - r), \quad \chi_2(r) = \tfrac{1}{2}[\mathrm{Li}_2(r) - \mathrm{Li}_2(-r)],$$

$$c_1(r) = -\frac{r^3}{6(1-r^2)} - 2d\left[\frac{1-r^2}{r^2}\log\frac{1-r}{1+r} + \frac{2}{r}\right].$$

Check: `corrected_transform_asymptotic,formal_c0,formal_c1`. **(d)** The projection, zero-frequency matching and uniform endpoint estimate remain missing. Cancellation at fixed $t > 0$ is not a bound near $Yt^2 = 0$. *Impact:* theorem strength and physical interpretation, not the verified values of these formal integrals.

I09. Saved-data precision, abstract, numerical matching paragraph and tables. (c) *Printed:* subtracting the exact classical lattice phase resolves fit ambiguity and matches c_1 to $< 2 \times 10^{-4}$. *Correction:* that agreement is one constrained central fit, with c_0 held to the target. The estimator $64[R_0(32) - c_0] - 16[R_0(16) - c_0]$ cancels quadratic curvature; it is not the free-intercept estimator $32[R_0(16) - R_0(32)]$. *Check:* `fit_estimator`. Independent saved-data refits in `audit_phase2i.py:integrals_data` vary the extrapolation basis and large-Y window; their spread exceeds 2×10^{-4} and logarithmic alternatives still reverse signs. *Impact:* the error claim is withdrawn; saved raw solver numbers are unchanged. No new preferred fit is selected, and no sensitivity range is represented as a statistical error bar.

I10. Verification coverage, breather continuation and "all six audits resolved". (c) *Printed:* all (c) claims were verified, all earlier failures reproduced, and earlier audits resolved. *Correction:* the checker did not test the printed symbol, printed inverse series, transform scale, double transform, constructed convolution, Darboux delay, or physical shifted breather quantisation. Its numerical momentum table claims four h values and $y = 32$, while the code uses three values and stops at $y = 16$. Its breather roots use angles $\alpha \pm \pi/3$ instead of the real-soliton implementation's $\alpha \pm 2\pi/3$; continue the latter consistently. *Evidence:* `audit_phase2i.tex`, script-audit and coverage tables; source inspection of `toda_wh_and_kp_synthesis.py`. **(d)** Local reality/crossing checks and branchwise analytic continuation do not prove a global pole-free physical amplitude or the proposed quantum breather rule. A real-part prescription itself is not holomorphic. The full projected determinant, boundary-compatible measure, defect counterterms and stable intermediate states, physical phase constants and antisymmetric quantum frame remain unresolved. *Impact:* withdraw blanket certification, not the checks that actually pass.

I11. Marginal switching point, lines 420–422. (c) The phrase "across all $1 < s < 2$, the two admissible positive growth rates" includes $s = \sqrt{3}$, where $g_2 = 0$ and $S = 1$ fails the strict $S > 1$ admissibility condition. Replace it by "two strictly positive rates for $1 < s < 2$, $s \neq \sqrt{3}$; at the switching point the second branch is marginal". *Check:* `growth_threshold`. The absolute-value formula itself is correct. *Impact:* threshold classification; the nonthreshold values in M14 and the adopted determinant normalization remain valid.

3 Bibliographic corrections and independent verification ledger

(c) Checked on 4 November 2026. The 32 numbered records below include all 23 references flagged by the audit, its eight optional/incomplete-record repairs, and its matrix-Boussinesq date clarification. A secondary named reference is recorded separately. Each record lists every citing file named by the audit; only the erroneous or missing fields specified need changing. Reading labels below belong to this errata, not earlier agents.

Access qualification and disagreement with the audit. **(c)** ArXiv abstract pages and accessible DOI landing pages were read anew. Several publishers returned HTTP 403/503, bot challenges, or redirect-only pages, including on independent fetch retries. For those fields, the publisher-deposited Crossref DOI record was read instead; both URLs are provided and the limitation is explicit. This is independent metadata verification, *not* a claim to have read an inaccessible landing page. Thus the requested direct-landing-page verification could not be completed for every DOI. No confirmed title, page, or DOI correction disagreed with the audit. Two qualifications must remain flagged: a 404 establishes that `ace204` is unresolved, not that it was intentionally invented; and Zakharov's lack of a verified identifier is not a proof that none exists. The audit's "unverifiable" category means an identifier was missing in the write-up, not that the newly verified reference itself is fictitious.

Content-attribution repairs. **(c)** Three bibliographic items affect scientific attribution rather than numbers: Bona–Sachs' initial-data hypothesis; Hirota's bad-equation sign; and Mathieu–Oevel's distinct algebra. Bogdan–Charkina's incorrect "good" title also misclassifies the underlying equation. The remaining metadata repairs have no mathematical or numerical downstream effect.

File-by-file bibliography index. **(c)** These source locations were checked against the current files. Bibitem keys are authoritative if concurrent edits move the line numbers. The detailed B-record supplies the old field, replacement, evidence and impact.

Historical file	Bibliographic errata and locations
`corrigan-zambon/README.md`	B09 (line 3), B33 (line 12)
`phase0/literature_map.md`	B02 (line 79), B03 (line 79), B04 (line 86), B05 (line 13), B07 (line 33), B09 (line 14), B12 (line 34), B13 (line 64), B15 (line 99), B16 (line 99), B17 (line 88), B18 (line 30), B20 (line 97), B21 (line 98), B22 (line 74), B23 (line 56), B24 (line 57), B25 (line 78), B28 (line 89), B29 (line 90), B30 (line 88), B31 (line 89), B32 (line 45)
`phase1/review.tex`	B01 (ABCD, line 517), B02 (Ashok1, line 518), B03 (Ashok2, line 519), B05 (BC, line 521), B06 (BonaSachs, line 522), B07 (CL-GB, line 526), B08 (CD, line 530), B09 (CZ, line 531), B11 (Dickey, line 533), B12 (DMHC, line 534), B14 (DS, line 535), B15 (Gand, line 536), B17 (Gutzwiller, line 537), B18 (Hirota73, line 538), B19 (HI, line 539), B20 (Hol92, line 540), B21 (Johnson, line 542), B22 (KM, line 543), B23 (LMK, line 544), B25 (MR, line 545), B26 (Mathieu88, line 546), B27 (MathieuOevel, line 547), B28 (Mertens, line 548), B29 (SiddharthanShastry, line 551), B30 (Sklyanin, line 552), B31 (Sutherland, line 553), B32 (Zak, line 555)
`phase2/audit_charges_action.tex`	B09 (CZ, line 261)
`phase2/charge_frame_master.tex`	B09 (CZ2023, line 875), B10 (DHN1974, line 890), B18 (Hirota1973, line 899)
`phase2/defect_semiclassics.tex`	B09 (CZ, line 327)
`phase2/oneloop.tex`	B05 (BC, line 189)

Historical file	Bibliographic errata and locations
`phase2/oneloop_defect_phase.tex`	B09 (CZ2023, line 935), B10 (DHN1974, line 950), B18 (Hirota1973, line 959)
`phase2/oneloop_phase.tex`	B09 (CZ23, line 494)
`phase2/report.tex`	B04 (line 266), B05 (BC, line 524), B09 (CZ, line 528), B12 (DMHC, line 529), B15 (Gand, line 531), B17 (Gutzwiller, line 532), B20 (Hol92, line 534), B21 (Johnson, line 536), B28 (Mertens, line 538), B29 (SS, line 541), B30 (Sklyanin, line 540), B31 (Sutherland, line 542)
`phase2/smatrix_ansatz.tex`	B05 (BC, line 168)
`phase2/toda_route.tex`	B17 (Gutzwiller, line 147), B28 (Mertens, line 150), B30 (Sklyanin, line 148), B31 (Sutherland, line 149)
`phase2/toda_wh_and_kp_synthesis.tex`	B05 (BC, line 482), B09 (CZ, line 481), B28 (Mertens, line 485), B31 (Sutherland, line 484)

B01. Ankiewicz et al. (reference-audit row 2). **(c)** *Files/locations:* `phase1/review.tex` (bibliography key `ABCD`). *Printed/missing:* Only starting page 104; optional completion. *Correction:* Add pages 104–128 and DOI 10.1111/sapm.12174. *Evidence/read:* arXiv abstract and bibliographic entry read; DOI landing page attempted but blocked or incomplete; publisher-deposited DOI metadata read as fallback; no full-text reading beyond the passages explicitly stated. https://arxiv.org/abs/1611.09505. https://doi.org/10.1111/sapm.12174. https://api.crossref.org/works/10.1111/sapm.12174. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B02. Ashok et al. (2024) (reference-audit row 3). **(c)** *Files/locations:* `phase0/literature_map.md`; `phase1/review.tex` (bibliography key `Ashok1`). *Printed/missing:* JHEP 07 (2024), without article number or DOI. *Correction:* JHEP 07 (2024) 179; DOI 10.1007/JHEP07(2024)179. *Evidence/read:* arXiv abstract and bibliographic entry read; publisher landing-page abstract/metadata read; no full-text reading beyond the passages explicitly stated. https://arxiv.org/abs/2405.12636. https://doi.org/10.1007/JHEP07(2024)179. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B03. Ashok et al. (2025) (reference-audit row 4). **(c)** *Files/locations:* `phase0/literature_map.md`; `phase1/review.tex` (bibliography key `Ashok2`). *Printed/missing:* JHEP 01 (2025), without article number or DOI; authors abbreviated. *Correction:* JHEP 01 (2025) 154; DOI 10.1007/JHEP01(2025)154. Full authors: S. K. Ashok, S. Parihar, T. Sengupta, A. Sudhakar, R. Tateo. The abbreviation et al. is stylistic, not a false attribution. *Evidence/read:* arXiv abstract and bibliographic entry read; publisher landing-page abstract/metadata read; no full-text reading beyond the passages explicitly stated. https://arxiv.org/abs/2410.11748. https://doi.org/10.1007/JHEP01(2025)154. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B04. Belov–Chaltikian (reference-audit row 6). **(c)** *Files/locations:* `phase0/literature_map.md` (cited as `BelovâĂŞChaltikianlatticeWâĆČ(hep-th/9303166)`; also named in `phase2/report.tex` without bibliography entry). *Printed/missing:* Preprint-only citation; optional completion. *Correction:* Phys. Lett. B 309 (1993) 268–274; DOI 10.1016/0370-2693(93)90932-8. *Evidence/read:* arXiv abstract and bibliographic entry read; DOI landing page attempted but blocked or incomplete; publisher-deposited DOI metadata read as fallback; no full-text reading beyond the passages explicitly stated. https://arxiv.org/abs/hep-th/9303166. https://doi.org/10.1016/0370-2693(93)90932-8. https://api.crossref.org/works/10.1016/0370-2693(93)90932-8. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B05. Bogdan–Charkina (reference-audit row 7). (c) *Files/locations:* `phase0/literature_map.md`; `phase1/review.tex` (bibliography key `BC`); `phase2/oneloop.tex` (bibliography key `BC`); `phase2/report.tex` (bibliography key `BC`); `phase2/smatrix_ansatz.tex` (bibliography key `BC`); `phase2/toda_wh_and_kp_synthesis.tex` (bibliography key `BC`). *Printed/missing:* Phase 2i title says "Quasiclassical quantization of the breather of the good Boussinesq equation; other entries omit pages/DOI or title. *Correction:* Use "Quasiclassical quantization of the Boussinesq breather emerging from the kink localized mode, Low Temp. Phys. 51(6) (2025) 763–773; DOI 10.1063/10.0036799. The source treats the bad equation, not the good equation. *Evidence/read:* arXiv abstract and bibliographic entry read; DOI landing page attempted but blocked or incomplete; publisher-deposited DOI metadata read as fallback; also the arXiv full-text passage at equation (6) and its ill-posedness discussion read (not the whole article); no full-text reading beyond the passages explicitly stated. https://arxiv.org/abs/2502.14695. https://doi.org/10.1063/10.0036799. https://api.crossref.org/works/10.1063/10.0036799. https://arxiv.org/pdf/2502.14695. *Downstream impact:* None numerically; repair attribution and the supported hypothesis/sign/algebra.

B06. Bona–Sachs (reference-audit row 8). (c) *Files/locations:* `phase1/review.tex` (bibliography key `BonaSachs`). `phase1/review.tex`, lines 95 and 419, sections 2.1 and 4.5. *Printed/missing:* The review attributes "global existence for small data to the abstract. *Correction:* Restrict the attribution to local well-posedness, solitary-wave stability for a speed range, and global existence for data close to a stable solitary wave. The abstract does not establish the stated small-data-near-zero claim. *Evidence/read:* publisher landing-page abstract/metadata read; no full-text reading beyond the passages explicitly stated. https://doi.org/10.1007/BF01218475. *Downstream impact:* None numerically; repair attribution and the supported hypothesis/sign/algebra.

B07. Charlier–Lenells (good equation) (reference-audit row 12). (c) *Files/locations:* `phase0/literature_map.md`; `phase1/review.tex` (bibliography key `CL-GB`). *Printed/missing:* The review bibliography omits the preprint year. *Correction:* Add 2020, the original submission year of arXiv:2003.02777. This does not certify a publication year. *Evidence/read:* arXiv abstract and bibliographic entry read; DOI landing page attempted but blocked or incomplete; publisher-deposited DOI metadata read as fallback; no full-text reading beyond the passages explicitly stated. https://arxiv.org/abs/2003.02777. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B08. Clarkson–Dowie (reference-audit row 16). (c) *Files/locations:* `phase1/review.tex` (bibliography key `CD`). *Printed/missing:* Trans. Math. Appl. 1 (2017), with no article number. *Correction:* Add article identifier tnx003 (issue 1), DOI 10.1093/imatrm/tnx003. *Evidence/read:* arXiv abstract and bibliographic entry read; DOI landing page attempted but blocked or incomplete; publisher-deposited DOI metadata read as fallback; no full-text reading beyond the passages explicitly stated. https://arxiv.org/abs/1609.00503. https://doi.org/10.1093/imatrm/tnx003. https://api.crossref.org/works/10.1093/imatrm/tnx003. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B09. Corrigan–Zambon (reference-audit row 17). (c) *Files/locations:* `phase0/literature_map.md`; `corrigan-zambon/README.md`; `phase1/review.tex` (bibliography key `CZ`); `phase2/audit_charges_action.tex` (bibliography key `CZ`); `phase2/charge_frame_master.tex` (bibliography key `CZ2023`); `phase2/defect_semiclassics.tex` (bibliography key `CZ`); `phase2/oneloop_defect_phase.tex` (bibliography key `CZ2023`); `phase2/oneloop_phase.tex` (bibliography key `CZ23`); `phase2/report.tex` (bibliography key `CZ`); `phase2/toda_wh_and_kp_synthesis.tex` (bibliography key `CZ`). *Printed/missing:* Wrong titles, article numbers and DOI, as detailed below. *Correction:* Use "Adding integrable defects to the Boussinesq equation,

J. Phys. A: Math. Theor. 56(38) (2023) 385701; DOI 10.1088/1751-8121/aceec9; primary arXiv class nlin.SI (hep-th is a cross-list). Specifically: `charge_frame_master.tex:CZ2023` and `oneloop_defect_phase.tex:CZ2023` say "Integrable defects in the Boussinesq equations" and 405202; `report.tex:CZ` also says 405202; `oneloop_phase.tex:CZ23` says 315202 and DOI `10.1088/1751-8121/ace204`; `toda_wh_and_kp_synthesis.tex:CZ` says 345203. Other listed entries omit publication fields. The bad DOI returned 404; the replacement is independently registered for the correct title and article number. *Evidence/read:* arXiv abstract and bibliographic entry read; DOI landing page attempted but blocked or incomplete; publisher-deposited DOI metadata read as fallback; also full-text passages (2.1)–(2.4), (3.22), (3.37), (5.5), read (not all sections); no full-text reading beyond the passages explicitly stated. https://arxiv.org/abs/2306.03772. https://doi.org/10.1088/1751-8121/aceec9. https://api.crossref.org/works/10.1088/1751-8121/aceec9. https://doi.org/10.1088/1751-8121/ace204. https://arxiv.org/html/2306.03772v1. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B10. Dashen–Hasslacher–Neveu (1974) (reference-audit row 18). **(c)** *Files/locations:* `phase2/charge_frame_master.tex` (bibliography key `DHN1974`); `phase2/oneloop_defect_phase.tex` (bibliography key `DHN1974`). *Printed/missing:* Part I and II combined, with only the Part II DOI. *Correction:* Optional: add Part I DOI 10.1103/PhysRevD.10.4114, pages 4114–4129; retain Part II DOI 10.1103/PhysRevD.10.4130, pages 4130–4138. *Evidence/read:* DOI landing page attempted but blocked or incomplete; publisher-deposited DOI metadata read as fallback; no full-text reading beyond the passages explicitly stated. https://doi.org/10.1103/PhysRevD.10.4114. https://api.crossref.org/works/10.1103/PhysRevD.10.4114. https://doi.org/10.1103/PhysRevD.10.4130. https://api.crossref.org/works/10.1103/PhysRevD.10.4130. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B11. Dickey (reference-audit row 21). **(c)** *Files/locations:* `phase1/review.tex` (bibliography key `Dickey`). *Printed/missing:* No identifier; explicitly marked "not machine-verified. *Correction:* Add DOI 10.1142/5108 for Soliton Equations and Hamiltonian Systems, second edition (2003). Metadata verification does not upgrade the reading status to full text. *Evidence/read:* DOI landing page attempted but blocked or incomplete; publisher-deposited DOI metadata read as fallback; no full-text reading beyond the passages explicitly stated. https://doi.org/10.1142/5108. https://api.crossref.org/works/10.1142/5108. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B12. Dimakis–Muller-Hoissen–Chen (reference-audit row 22). **(c)** *Files/locations:* `phase0/literature_map.md`; `phase1/review.tex` (bibliography key `DMHC`); `phase2/report.tex` (bibliography key `DMHC`). *Printed/missing:* Audit notes arXiv journal-reference year 2018 versus issue year 2019. *Correction:* Retain Phys. Scr. 94 (2019) 035206, DOI 10.1088/1402-4896/aaf6da. The arXiv record indeed displays 2018; distinguish record/update dates from volume year. No forced replacement of 2019. *Evidence/read:* arXiv abstract and bibliographic entry read; DOI landing page attempted but blocked or incomplete; publisher-deposited DOI metadata read as fallback; no full-text reading beyond the passages explicitly stated. https://arxiv.org/abs/1805.09711. https://doi.org/10.1088/1402-4896/aaf6da. https://api.crossref.org/works/10.1088/1402-4896/aaf6da. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B13. Dimakis–Muller-Hoissen (reference-audit row 23). **(c)** *Files/locations:* `phase0/literature_map.md`. *Printed/missing:* Preprint-only entry; optional completion. *Correction:* Lett. Math. Phys. 110 (2020) 3015–3051; DOI 10.1007/s11005-020-01322-9. *Evidence/read:* arXiv abstract and bibliographic entry read; publisher landing-page abstract/metadata read; no full-text

reading beyond the passages explicitly stated. https://arxiv.org/abs/2001.09688. https://doi.org/10.1007/s11005-020-01322-9. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B14. Drinfeld–Sokolov (reference-audit row 25). **(c)** *Files/locations:* `phase1/review.tex` (bibliography key `DS`). *Printed/missing:* No DOI; starting page only. *Correction:* J. Sov. Math. 30 (1985) 1975–2036; DOI 10.1007/BF02105860. *Evidence/read:* publisher landing-page abstract/metadata read; no full-text reading beyond the passages explicitly stated. https://doi.org/10.1007/BF02105860. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B15. Gandenberger (reference-audit row 27). **(c)** *Files/locations:* `phase0/literature_map.md`; `phase1/review.tex` (bibliography key `Gand`); `phase2/report.tex` (bibliography key `Gand`). *Printed/missing:* Journal details omitted in the map and report; abbreviated pages in the review. *Correction:* Optional: Int. J. Mod. Phys. A 13 (1998) 4553–4590; DOI 10.1142/S0217751X98002195. *Evidence/read:* arXiv abstract and bibliographic entry read; DOI landing page attempted but blocked or incomplete; publisher-deposited DOI metadata read as fallback; no full-text reading beyond the passages explicitly stated. https://arxiv.org/abs/hep-th/9703158. https://doi.org/10.1142/S0217751X98002195. https://api.crossref.org/works/10.1142/S0217751X98002195. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B16. Gandenberger–MacKay (reference-audit row 28). **(c)** *Files/locations:* `phase0/literature_map.md`. *Printed/missing:* Preprint-only map entry; optional completion. *Correction:* Nucl. Phys. B 457 (1995) 240–272; DOI 10.1016/0550-3213(95)00462-9. *Evidence/read:* arXiv abstract and bibliographic entry read; DOI landing page attempted but blocked or incomplete; publisher-deposited DOI metadata read as fallback; no full-text reading beyond the passages explicitly stated. https://arxiv.org/abs/hep-th/9506169. https://doi.org/10.1016/0550-3213(95)00462-9. https://api.crossref.org/works/10.1016/0550-3213(95)00462-9. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B17. Gutzwiller (reference-audit row 29). **(c)** *Files/locations:* `phase0/literature_map.md`; `phase1/review.tex` (bibliography key `Gutzwiller`); `phase2/report.tex` (bibliography key `Gutzwiller`); `phase2/toda_route.tex` (bibliography key `Gutzwiller`). *Printed/missing:* No DOI; starting page 304 only. *Correction:* Ann. Phys. 133 (1981) 304–331; DOI 10.1016/0003-4916(81)90253-0. *Evidence/read:* DOI landing page attempted but blocked or incomplete; publisher-deposited DOI metadata read as fallback; no full-text reading beyond the passages explicitly stated. https://doi.org/10.1016/0003-4916(81)90253-0. https://api.crossref.org/works/10.1016/0003-4916(81)90253-0. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B18. Hirota (1973) (reference-audit row 31). **(c)** *Files/locations:* `phase0/literature_map.md`; `phase1/review.tex` (bibliography key `Hirota73`); `phase2/charge_frame_master.tex` (bibliography key `Hirota1973`); `phase2/oneloop_defect_phase.tex` (bibliography key `Hirota1973`). `phase1/review.tex`, lines 213 and 245–247, equations for the bilinear form and soliton polynomial. *Printed/missing:* The review labels its good-equation bilinear form and soliton polynomial as directly established by this source. *Correction:* The source abstract has the bad fourth-derivative sign. Attribute the bad-equation result to Hirota and label the good-sign adaptation and its convention dictionary as a project calculation. The bibliographic metadata, J. Math. Phys. 14 (1973) 810–814, DOI 10.1063/1.1666400, are correct. *Evidence/read:* DOI landing page attempted but blocked or incomplete; publisher-deposited

DOI metadata read as fallback; publisher-deposited abstract read, not the full text; no full-text reading beyond the passages explicitly stated. https://doi.org/10.1063/1.1666400. https://api.crossref.org/works/10.1063/1.1666400. *Downstream impact:* None numerically; repair attribution and the supported hypothesis/sign/algebra.

B19. Hirota–Ito (reference-audit row 32). (c) *Files/locations:* `phase1/review.tex` (bibliography key `HI`). *Printed/missing:* No DOI; starting page only; "not read in the review. *Correction:* J. Phys. Soc. Japan 52 (1983) 744–748; DOI 10.1143/JPSJ.52.744. The publisher abstract was now read, not the full article. *Evidence/read:* publisher society J-STAGE abstract/metadata read; no full-text reading beyond the passages explicitly stated. https://doi.org/10.1143/JPSJ.52.744. https://www.jstage.jst.go.jp/article/jpsj1946/52/3/52_3_744/_article/-char/ja. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B20. Hollowood (1992) (reference-audit row 33). (c) *Files/locations:* `phase0/literature_map.md`; `phase1/review.tex` (bibliography key `Hol92`); `phase2/report.tex` (bibliography key `Hol92`). *Printed/missing:* Published title differs from preprint title; DOI omitted. *Correction:* The preprint title is "Quantum Solitons in Affine Toda Field Theories; the published title is "Solitons in affine Toda field theories, Nucl. Phys. B 384 (1992) 523–540, DOI 10.1016/0550-3213(92)90579-Z. Both titles are legitimate in their respective records. *Evidence/read:* arXiv abstract and bibliographic entry read; DOI landing page attempted but blocked or incomplete; publisher-deposited DOI metadata read as fallback; no full-text reading beyond the passages explicitly stated. https://arxiv.org/abs/hep-th/9110010. https://doi.org/10.1016/0550-3213(92)90579-Z. https://api.crossref.org/works/10.1016/0550-3213(92)90579-Z. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B21. Johnson (reference-audit row 35). (c) *Files/locations:* `phase0/literature_map.md`; `phase1/review.tex` (bibliography key `Johnson`); `phase2/report.tex` (bibliography key `Johnson`). *Printed/missing:* Published journal is paired with the preprint title "Exact quantum S-matrices for solitons in simply-laced affine Toda field theories. *Correction:* For the journal version use "On soliton quantum S-matrices in simply laced affine Toda field theories, Nucl. Phys. B 496 (1997) 505–550, DOI 10.1016/S0550-3213(97)00239-3; retain the other title only when explicitly identifying the preprint. *Evidence/read:* arXiv abstract and bibliographic entry read; publisher landing-page abstract/metadata read; no full-text reading beyond the passages explicitly stated. https://arxiv.org/abs/hep-th/9611117. https://doi.org/10.1016/S0550-3213(97)00239-3. https://www.sciencedirect.com/science/article/abs/pii/S0550321397002393. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B22. Kupershmidt–Mathieu (reference-audit row 36). (c) *Files/locations:* `phase0/literature_map.md`; `phase1/review.tex` (bibliography key `KM`). *Printed/missing:* DOI present in map but absent from review bibliography. *Correction:* Add DOI 10.1016/S0370-2693(89)80030-9; Phys. Lett. B 227 (1989) 245–250. *Evidence/read:* DOI landing page attempted but blocked or incomplete; publisher-deposited DOI metadata read as fallback; no full-text reading beyond the passages explicitly stated. https://doi.org/10.1016/S0370-2693(89)80030-9. https://api.crossref.org/works/10.1016/S0370-2693(89)80030-9. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B23. Lambert–Musette–Kesteloot (reference-audit row 37). (c) *Files/locations:* `phase0/literature_map.md`; `phase1/review.tex` (bibliography key `LMK`). *Printed/missing:* No DOI; starting page only. *Correction:* Inverse Problems 3 (1987) 275–288; DOI

10.1088/0266-5611/3/2/010. *Evidence/read:* DOI landing page attempted but blocked or incomplete; publisher-deposited DOI metadata read as fallback; no full-text reading beyond the passages explicitly stated. https://doi.org/10.1088/0266-5611/3/2/010. https://api.crossref.org/works/10.1088/0266-5611/3/2/010. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B24. Manoranjan–Ortega–Sanz-Serna (reference-audit row 39). **(c)** *Files/locations:* `phase0/literature_map.md`. *Printed/missing:* No DOI in map. *Correction:* J. Math. Phys. 29 (1988) 1964–1968; DOI 10.1063/1.527850. *Evidence/read:* DOI landing page attempted but blocked or incomplete; publisher-deposited DOI metadata read as fallback; no full-text reading beyond the passages explicitly stated. https://doi.org/10.1063/1.527850. https://api.crossref.org/works/10.1063/1.527850. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B25. Masoero–Raimondo (reference-audit row 40). **(c)** *Files/locations:* `phase0/literature_map.md`; `phase1/review.tex` (bibliography key `MR`). *Printed/missing:* Review omits preprint year and published chapter details. *Correction:* Preprint 2019; in Asymptotic, Algebraic and Geometric Aspects of Integrable Systems, Springer (2020), pp. 55–78; DOI 10.1007/978-3-030-57000-2_5. *Evidence/read:* arXiv abstract and bibliographic entry read; publisher landing-page abstract/metadata read; no full-text reading beyond the passages explicitly stated. https://arxiv.org/abs/1908.11559. https://doi.org/10.1007/978-3-030-57000-2_5. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B26. Mathieu (1988) (reference-audit row 41). **(c)** *Files/locations:* `phase1/review.tex` (bibliography key `Mathieu88`). *Printed/missing:* No DOI; starting page only; "not read. *Correction:* Phys. Lett. B 208 (1988) 101–106; DOI 10.1016/0370-2693(88)91211-7. Abstract/metadata now checked, not full text. *Evidence/read:* publisher landing-page abstract/metadata read; no full-text reading beyond the passages explicitly stated. https://doi.org/10.1016/0370-2693(88)91211-7. https://www.sciencedirect.com/science/article/pii/0370269388912117. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B27. Mathieu–Oevel (reference-audit row 42). **(c)** *Files/locations:* `phase1/review.tex` (bibliography key `MathieuOevel`). `phase1/review.tex`, lines 180–187, and bibliography key `MathieuOevel`. *Printed/missing:* Title loses the superscript (2); review section 2.3 cites it for the standard spin-3 W algebra. *Correction:* Restore the title "The W_3^(2) conformal algebra and the Boussinesq hierarchy, Mod. Phys. Lett. A 6 (1991) 2397–2409, DOI 10.1142/S0217732391002827. Remove this citation as evidence for the standard W_3 bracket: its abstract concerns Polyakov's algebra and a hierarchy with space and time interchanged. *Evidence/read:* DOI landing page attempted but blocked or incomplete; publisher-deposited DOI metadata read as fallback; publisher-deposited abstract read, not the full text; no full-text reading beyond the passages explicitly stated. https://doi.org/10.1142/S0217732391002827. https://api.crossref.org/works/10.1142/S0217732391002827. *Downstream impact:* None numerically; repair attribution and the supported hypothesis/sign/algebra.

B28. Mertens (reference-audit row 43). **(c)** *Files/locations:* `phase0/literature_map.md`; `phase1/review.tex` (bibliography key `Mertens`); `phase2/report.tex` (bibliography key `Mertens`); `phase2/toda_route.tex` (bibliography key `Mertens`); `phase2/toda_wh_and_kp_synthesis.tex` (bibliography key `Mertens`). *Printed/missing:* No DOI; starting page only. *Correction:* Z. Phys. B 55 (1984) 353–360; DOI 10.1007/BF01304087. *Evidence/read:* publisher landing-page abstract/metadata read; no full-text reading beyond the passages explicitly stated. https://doi.org/10.1007/BF01304087. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B29. Siddharthan–Shastry (reference-audit row 46). **(c)** *Files/locations:* `phase0/literature_map.md`; `phase1/review.tex` (bibliography key `SiddharthanShastry`); `phase2/report.tex` (bibliography key `SS`). *Printed/missing:* Published and preprint titles differ; no journal DOI. *Correction:* The preprint is "The Quantum Toda Lattice Revisited; the journal title is "Quantizing the Toda lattice, Phys. Rev. B 55 (1997) 12196–12209; DOI 10.1103/PhysRevB.55.12196. *Evidence/read:* arXiv abstract and bibliographic entry read; publisher landing-page abstract/metadata read; no full-text reading beyond the passages explicitly stated. https://arxiv.org/abs/cond-mat/9611221. https://doi.org/10.1103/PhysRevB.55.12196. https://journals.aps.org/prb/abstract/10.1103/PhysRevB.55.12196. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B30. Sklyanin (reference-audit row 47). **(c)** *Files/locations:* `phase0/literature_map.md`; `phase1/review.tex` (bibliography key `Sklyanin`); `phase2/report.tex` (bibliography key `Sklyanin`); `phase2/toda_route.tex` (bibliography key `Sklyanin`). *Printed/missing:* No DOI; starting page only. *Correction:* Lect. Notes Phys. 226 (1985) 196–233; DOI 10.1007/3-540-15213-X_80. *Evidence/read:* publisher landing-page abstract/metadata read; no full-text reading beyond the passages explicitly stated. https://doi.org/10.1007/3-540-15213-X_80. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B31. Sutherland (reference-audit row 48). **(c)** *Files/locations:* `phase0/literature_map.md`; `phase1/review.tex` (bibliography key `Sutherland`); `phase2/report.tex` (bibliography key `Sutherland`); `phase2/toda_route.tex` (bibliography key `Sutherland`); `phase2/toda_wh_and_kp_synthesis.tex` (bibliography key `Sutherland`). *Printed/missing:* No DOI; starting page only. *Correction:* Rocky Mountain J. Math. 8 (1978) 413–430; DOI 10.1216/RMJ-1978-8-1-413. *Evidence/read:* DOI landing page attempted but blocked or incomplete; publisher-deposited DOI metadata read as fallback; no full-text reading beyond the passages explicitly stated. https://doi.org/10.1216/RMJ-1978-8-1-413. https://api.crossref.org/works/10.1216/RMJ-1978-8-1-413. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.

B32. Zakharov (reference-audit row 50). **(c)** *Files/locations:* `phase0/literature_map.md`; `phase1/review.tex` (bibliography key `Zak`). *Printed/missing:* No identifier; audit asserts categorically "No arXiv ID or DOI exists. *Correction:* Retain Sov. Phys. JETP 38 (1974) 108–110, with the Russian original separately identified as Zh. Eksp. Teor. Fiz. 65 (1973) 219–225. No DOI/arXiv identifier was verified here; do not invent one. A failed search does not prove nonexistence. *Evidence/read:* no arXiv/DOI record verified; the publisher JETP entry and the first-page bibliographic header of the publisher PDF were read. They confirm the English issue and Russian pages 219–225; the PDF says July 1973, whereas the online index misleadingly repeats January 1974 for the Russian original. This is a publisher-index discrepancy, not a disagreement with the audit; no full-text reading beyond the passages explicitly stated. https://doi.org/10.1007/BF01218475. *Downstream impact:* None numerically; metadata, navigation or reading-status repair only.
https://www.jetp.ras.ru/cgi-bin/dn/e_038_01_0108.pdf. https://jetp.ras.ru/cgi-bin/e/index/e/38/1/p108?a=list.

B33. Secondary named reference, `corrigan-zambon/README.md`, line 12. **(c)** The audit resolves "Heimburg–Jackson (their ref. [11])" to T. Heimburg and A. D. Jackson, *On soliton propagation in biomembranes and nerves*, PNAS 102 (2005) 9790–9795, DOI `10.1073/pnas.0503823102`. The DOI landing page returned 403; the publisher-deposited metadata and abstract were independently read, not the full text: https://doi.org/10.1073/pnas.0503823102; https://api.crossref.org/works/10.1073/pnas.0503823102. This optional completion changes no result.

The other secondary mention, Tajiri–Murakami, remains explicitly indirect through Bogdan–Charkina; no unverified new bibliographic entry is invented here.

Explicit convention dictionaries for attribution. **(c)** For Bogdan–Charkina equation (6), $\varphi_{\mathrm{BC}} = -\phi_b$, $w_{\mathrm{BC}} = -u_b$ gives the project's bad equation. For Hirota's abstract field, $w = u_b/2$ matches the nonlinear coefficient six to the project's coefficient three; its fourth-derivative sign is still bad. For the CZ sections used above, $u_{\mathrm{CZ}} = -3\phi_g$ and $\mathcal{L}_{\mathrm{CZ}} = 9\mathcal{L}_g$ with $c = \kappa = \lambda_{\mathrm{CZ}} = 1$. *Check:* `source_dictionaries`. The literature statements themselves are (a) as reported in those passages/abstracts; only their explicit conversion is claimed as a project calculation. Metadata checks do not re-prove literature theorems.

4 README status statements: exact replacement wording

(c) These blocks refer to the README snapshot read for this task. Match the status heading if concurrent work moves the line numbers. Replace the named block with the quoted wording, retaining its existing Markdown links. README itself is not edited.

R01. Phase 2i status, line 41: refuted and qualified. **(c)** "Exact Wiener–Hopf factorisation ... proves", "Krein convolution proves", "derives ... analytically", "matches ... to $< 2 \times 10^{-4}$", and unconditional Darboux/holomorphic/physical resolution overstate the evidence. Evidence: I01–I11 and `audit_phase2i.tex`. Impact: the line cannot certify an exact continuum amplitude. Exact replacement:

> **Phase 2i, conditional Wiener–Hopf asymptotics and KP bookkeeping (4 November 2026).** See `phase2/toda_wh_and_kp_synthesis.pdf`, `phase2/audit_phase2i.pdf`, and `phase2/errata.pdf`. **(c), conditional:** corrected-transform reversion and independent numerical inversion support the stated edge coefficients; the leading residual and two-loop coefficient are verified evaluations of formal integrals. The printed Fourier symbol, momentum normalization and scale, inverse series, double transform, Darboux delay, kernel necessity theorem, and four-term reciprocity product require correction. The quoted saved-data agreement uses a fixed leading coefficient and one extrapolation basis; fit sensitivity exceeds the quoted precision. Explicit orientation offsets and crossing identities are algebraically checked. **(d):** uniform finite-sea edge asymptotics, the physical quantum frame, absolute phase and fusion constants, the projected determinant, and a physical all-loop continuum amplitude remain open. Phase 2i does not resolve all earlier audits.

R02. Phase 0 "only prior soliton quantisation", line 49: scope qualification. **(c)** A literature-search conclusion is not proof of exhaustive absence. Evidence: the map's caveats and B05's verified record. Impact: search scope, not numbers. Exact replacement:

> **Phase 0, literature search recorded. (c):** the project search found no prior Boussinesq soliton S-matrix. The recorded prior one-body semiclassical breather quantisation is Bogdan–Charkina, arXiv:2502.14695, for the bad equation. See `phase0/literature_map.md` and `phase2/errata.pdf` for bibliographic corrections and reading limitations. This search result is not a proof that no other prior work exists.

R03. Phase 1 "done", lines 50–51: historical status needs errata link. **(c)** Completion should not conceal the erroneous attributions B06, B18, B27. Evidence: independently read abstracts and the bibliographic ledger. Impact: literature support, not a reversal of every classical result.

> **Phase 1, historical classical review completed.** The source and PDF are `phase1/review.tex` and `phase1/review.pdf`; checks are in `phase1/scripts/`. **(c):** corrections to bibliographic metadata and to the Bona–Sachs, Hirota and Mathieu–Oevel attributions are recorded in `phase2/errata.pdf`. Historical completion and passing scripts do not certify every printed formula or attribution. Build the LaTeX source twice with pdflatex; run the checks from the scripts directory.

R04. Phase 2b classical reproduction versus finite-$\hbar$ interpretation, lines 56–61. **(c)** Classical results survive; "quantum corrections were computed" does not establish their physical frame. Evidence: M11, I06, `audit_toda_dictionary.tex`, `audit_frames_defects.tex`. Impact: finite-$\hbar$ interpretation and continuum matching.

Phase 2b, Route D (quantum Toda chain). See `phase2/toda_route.pdf` and `phase2/scripts/toda_*.py`. **(c):** the implemented classical limit reproduces Toda soliton scattering with the topological terms, and its small-amplitude scaling recovers the Boussinesq classical phase. Finite-$\hbar$ calculations are available in the implemented classical frame. **(d):** a common physical quantum momentum and frame dictionary remains unresolved; classical agreement alone does not establish it. The Toda correspondence used here is a small-amplitude limit.

R05. Phase 2c defect stability, line 63: convention, domain and completeness. (c) "Stable iff ... (one per KP triple), so excited defects are unstable" needs strict/marginal and real-root distinctions. Evidence: M04, M13–M14, I11 and `audit_frames_defects.tex`; *Check:* `stable_triple_domain,degenerate_triple,growth_threshold`. Impact: admissible physical states and fusion interpretation.

Phase 2c, classical soliton–defect scattering (good equation). See `phase2/defect_semiclassics.pdf` and `corrigan-zambon/defect_*.py`. **(c):** the classical transmission phase and its factorisation are checked in the stated normalization, with the scattering root determined by the unsigned CZ vacuum parameter. The growing-mode analysis supports the stated strict stability criterion on its tested admissible branch; one stable vertex refers to a triple of three distinct real roots. Thresholds and repeated roots must be separated, and finite root searches are not completeness proofs. **(d):** physical quantum fusion and its absolute constant are not established by formal triangle closure. Reflection and two-soliton decay are outside this calculation. See `phase2/errata.pdf` for the root, sewing-determinant and growing-branch corrections.

R06. Phase 2c Gamma candidate, line 62: retain conjectural status throughout. (c) "A guess, (d)" is correct; the later pass/exclusion statements should distinguish algebraic tests from physical conclusions. Evidence: `smatrix_ansatz.tex`, its cited checks, and the determinant/frame audits. No new exclusion is claimed. Impact: interpretation only.

Phase 2c, candidate S-matrix (bad equation). See `phase2/smatrix_ansatz.pdf` and `phase2/scripts/smatrix_*.py`. **(d):** the Gamma-factor construction is a candidate, not a derived physical S-matrix. **(c):** the stated semiclassical, unitarity, crossing and pole tests, and the exclusions of the specifically tested root-Gamma and separated mirror forms, are algebraic checks in the specified conventions. **(d):** physical charge/frame identification, CDD freedom, Planck-constant renormalisation and absolute phase/Maslov normalization remain unresolved.

R07. Follow-up-audit status, line 43: master-report completion claim. (c) "The master report now reflects the audits throughout" must not mean it is free of historical errors: M01, M04, M08 and M09 remain in the read snapshot. Replace just that final sentence by:

(c): the master report incorporates many audit qualifications; remaining action-sign, defect-root, ratio, script-name and bibliographic corrections are recorded in `phase2/errata.pdf`. The historical write-ups are preserved.

Impact: prevents an incorrect assertion of completed correction.

R08. Already-qualified lines: retain their qualifications. (c) The independent-audit statuses (45, 47) and Phases 2d–2h (64–68) already qualify fixed-frame Toda comparisons, the complete determinant, orientation constants, physical fusion and leading/all-loop matching. They are not re-refuted here. Exact wording to append to Phase 2g, which currently mentions only the determinant and branch corrections:

(c): the unsigned CZ scattering-root dictionary, the displayed transmission factor and the KP root formulas also require the corrections in `phase2/errata.pdf`; the executable transmission functions already use the corrected rational form.

The Phase 2 first-pass classical-phase statement (lines 52–55) survives; append an errata link rather than replacing its phase by a new convention. No README mutation is part of this task.

5 Addendum: findings after the original errata (4 November 2026)

(c) This addendum follows the coordinator digests through `66e4d35`. The preceding entries preserve the original errata's historical snapshot; references there to files not edited describe that earlier task. In this consolidation the master report and README receive the requested corrections; the historical package sources and audit scripts remain unchanged. The later `audit_onebody_scheme.tex` overrides the earlier one-body audit where they disagree. No old phase script is run here, because some rewrite tracked caches. The new read-only groups in `errata_checks.py` are named below; independent audit checks are explicitly distinguished from this consolidation's rerun.

5.1 N01–N05: failed assertions and verification gaps

N01. Phase 2d successive-step bound is false. **(c)** `scripts_inventory.md` records that `phase2/scripts/toda_edge_twoterm.py` now asserts the literal `toda_edge.tex` claim of successive raw Toda phase changes below 0.004. It fails at the following steps:

(y_1, y_2)	h before	h after	Absolute change
$(3, 1)$	0.01	0.005	0.006326021899488055
$(6, 1)$	0.01	0.005	0.009016412921681649
$(6, 1)$	0.005	0.0025	0.004511945128394146

(c) All eight extrapolated table rows, residual dependence and sign checks passed separately in the hygiene run. The script remains failing; the bound was not relaxed. This refutes the finite-step claim, not every extrapolated entry. *Check:* `november_records.` checks these recorded violations against the inventory without running the cache-writing script.

N02. The one-body audit fails its own line-383 tolerance. **(c)** `audit_onebody.py` asserts `max_cv_id_diff<3e-6`. Reading its saved inputs gives the maximum $2.2546734882 \times 10^{-4}$ at $y = 64$, with violations also at $y = 16, 32$. The source's claim of agreement below 2.8×10^{-6} is false. `onebody_scheme.tex` and `audit_onebody_scheme.tex` diagnose the three-point quadratic extrapolation as too crude: its weights on $h = (0.02, 0.01, 0.005)$ are $(1/3, -2, 8/3)$ and leave cubic truncation error. Independent inverse-Laplace computations confirm the limiting identity to below 10^{-45}; a finer seven-point quartic fit reduces the $y = 64$ residual to -9.38×10^{-7}. This does not make the unchanged original assertion pass. *Check:* `november_records.` recomputes the discrepancy from saved JSON; `audit_onebody_scheme.py` supplies the independent limiting-identity check. No tolerance is weakened here.

N03. Four tautological check groups in the determinant package. **(c)** `audit_det_projected.tex`, Point 5, identifies:

1. `det_geometry.py:26,33`: the expanded spatial derivative is compared with itself; the boundary variation is not tested.

2. `det_spectrum.py:19--20`: equivalent polynomial forms of the co-moving operator are compared without differentiating the moving ansatz. The preceding vacuum substitution makes each derivative separately zero.

3. `det_charges.py:24,63`: substitution of a defined Legendre expression checks only the cancellation of identical terms, not momentum inversion or physical effective-action identification.

4. `det_charges.py:27`: rearranging the defined label phase checks commutativity of multiplication, not a Taylor expansion of the phase.

(c) The independent `audit_det_projected.py` supplies non-circular checks. It also supplies the missing projector-tail check and a genuinely symbolic small-amplitude expansion where the package used numerical differentiation. The instantaneous geometry survives; its kinetic divergence is intrinsic to the varying kink height. Fixed-momentum charge-pair invariance survives at fixed L_1, but the numerical trace value depends on the endpoint and finite tadpole subtraction. **(d)** A full projected functional determinant is still absent. The same audit confirms the earlier heavy-mode pairing error in `oneloop_phase.tex`: reversing the growing rate requires the reflected spatial profile, not the same profile with the opposite time exponent. These are inherited audit results, not newly rerun phase scripts.

N04. One tautology in the frame dictionary. **(c)** `frame_identities.py:30--32` compares a scalar-symbol chain rule with its own expanded form. `audit_frame_dictionary.py`, Check 1, replaces this with actual symbolic momentum-series inversion and independent numerical derivatives of the inverted coordinate and energy. The endpoint, Jacobian and pressure identities survive. The audit also removes the package's arbitrary antisymmetric example as a physical Toda frame freedom using cluster separability and the Krein PDE. **(d)** The continuum operator map and physical two-body phase remain unresolved; see N06 for the distinct residual continuum function.

N05. Disabled Hirota check repaired. **(c)** The old `phase1/scripts/hirota_solitons.py` assertion ending in `orTrue` was disabled. The hygiene commit replaces it with the exact sech identity rewritten in exponentials and adds genuine interaction/PDE assertions at the existing precision. The inventory records a passing full run; no computation or tolerance was changed to hide a failure. Its selected rational amplitudes and finite direction/sample coverage are not a proof for arbitrary amplitudes. *Check:* `november_records`. verifies from the current AST that no assertion contains the former `orTrue`; it does not rerun that script. The inventory distinguishes verification scripts from two generators.

5.2 N06: refuted formulas in `smx_candidates.tex`

(c) The controlling source is `audit_smx.tex`; its independent `audit_smx.py` checks the following corrected statements and explicit counterexamples. A successful original checker did not certify the printed formulas. The consolidation's `november_smx` group rechecks selected algebra and independent crossing quadrature, as specified below.

1. **Universal dilogarithm exclusion and diagonal residues.** The blanket exclusion is false: logarithms from different mixed arguments can cancel. For example

$$\mathrm{Li}_2(-e^{xy}) + \mathrm{Li}_2(-e^{-xy}) = -\pi^2/6 - x^2y^2/2.$$

   For the restricted nine root ratios with constant coefficients the repaired residues are $1/[d \sin \varphi_r]$ for a diagonal dilogarithm and $-4 \sin 3\alpha/(3d)$ for the good classical dynamical phase, with $d = \alpha_1 - \alpha_2$. The printed signs/factors and boundedness argument are wrong; the repaired meromorphic-pole argument excludes this restricted basis. It is not a universal quantum-dilogarithm theorem.

2. **Mirror products.** Unitarity implies $F(D)F(-D) = C$ and $G(S)^2 = C^{-1}$ on a connected smooth branch. A constant G survives; $G = 1$, $F(D) = e^{iD^3}$ is a counterexample to the blanket claim. The separate classical nonseparability obstruction has its stated scope.

3. **Good breathers and pole examples.** For the specified conjugate pair $A = (1 - 3\cot^2 a)/(1 + 3\coth^2 b) < 1/4$, the sign boundary is $a = \pi/3$, not $\pi/6$. Positivity of $1 + 2X\cos I + AX^2$ for every $X > 0, I$ requires $A > 1$, not $A > 1/4$. The two printed $N = 1$, $\hbar = 0.05$ examples actually have $(b, A) = (-0.040137301855, -0.008461762797)$ at $a = 0.4$, and $(-0.040269708896, -0.002261837165)$ at $a = 0.65$; both A are negative. The bad Gamma candidate has no zero-level pole. **(d)** Candidate pole locations and singular classical Hirota breathers do not themselves establish the physical quantum sheet or exact spectrum. **(c)**

4. **Resonances.** The asserted overtaking line $|\alpha_1 - \alpha_2| = \pi/3$ is false. The stated real-square lines that survive are the head-on sum $\pi/3$ and overtaking sum $2\pi/3$. Their phase limits are continuous but generally have transverse $t \log t$ terms, so "smooth" is too strong.

5. **Darboux signs and Bethe derivative.** For a particle crossing left to right, the corrected shifts are
$$\Delta X_j' = \Delta x_{jl} + \gamma_j M_l, \qquad \Delta X_l' = \Delta x_{lj} - \gamma_l M_j.$$
The seam endpoint difference is the negative of the coordinate reset. Its generating function integrates the endpoint difference against dP_j, not P_j against its differential. The full assumed Bethe left side obeys
$$\partial_{P_j} \mathcal{B}_j = \Lambda - \sum_{l \neq j} \Delta x_{jl} + \partial_{P_j}(\Pi_j M_j).$$
The last self-winding derivative was omitted. The directional derivative and summed charge rule survive conditionally; quantum seam holonomy is not derived **(d)** . **(c)**

6. **Continuum crossing and Stirling claim.** The earlier definitions are $I_{12} = (4\pi)^{-1} \int \theta_1 \theta_2' dq$ and $J_{12} = (I_{12} - I_{21})/2$, not an extra contribution $I + J$. The printed weight/kernel and arctangent formulas do not implement those integrals. Direct quadrature gives
$$I^{\text{same}}(\alpha_1, \alpha_2 + \pi) = -I^{\text{head}}(\alpha_1, \alpha_2), \qquad J^{\text{same}}(\alpha_1, \alpha_2 + \pi) + J^{\text{head}}(\alpha_1, \alpha_2) = 0.$$
The original script inserts $\pi/2$ into its definition of continued J. There is no constant raw-J cusp jump at $\alpha_2 = \pi/3$ in the audited quadrature. The printed arctangent difference identity should be a sum; $\cos 3\alpha$ changes sign at $\pi/6$. Even with a stipulated offset, the crossing coefficient would be $c_M - c_{\text{loop}}$, not $c_M - c_{\text{loop}}/2$; the stated light head-on sign of η is reversed. **(d)** The claimed absolute Stirling/Maslov cancellation is not established. **(c)**

7. **Small-amplitude interface.** With $\alpha_1 = \lambda r$, $\alpha_2 = \lambda$, $0 < r < 1$, $\Delta P = c_{\ln}\alpha \log \alpha + c_{\text{lin}}\alpha + \cdots$ and $\mathcal{C} = c_{\ln} \log \lambda + c_{\text{lin}}$, the corrected terms are
$$\begin{aligned} H_{\text{ov}} &\longrightarrow -2c_{\ln} \log r \log \frac{1-r}{1+r}, \\ D_{\text{ov}} &= -2(r^{-1} - r)\mathcal{C} - 2c_{\ln} \frac{\log r}{r} + o(1), \\ (H + D)_{\text{ho}} &= -2(r^{-1} + r)\mathcal{C} - 2c_{\ln} \frac{\log r}{r} + o(1). \end{aligned}$$
The mode charge has $c_{\ln} = 1/\pi$ and $c_{\text{lin}} = (-\log 2 - 1 + \frac{1}{4}\log 3)/\pi$, not $c_{\ln} = -2/\pi$. Also $A_{\text{ho}} = 1 + 3r\lambda^2 + O(\lambda^4)$ and
$$I_{\text{KdV}} = -\frac{4}{\pi}\chi_2(r) - \frac{2}{\pi} \log r \log \frac{1-r}{1+r}, \qquad J_{\text{KdV}} = \frac{\pi}{2} + I_{\text{KdV}},$$
so J does not generally vanish. The logarithmic product cancels in $I_{\text{KdV}} - H_{\text{ov}}$, not their sum.

(c) Under the audit's local zero-free analytic-branch and loop-expansion assumptions, one anti-symmetric overtaking function remains the residual continuum two-body unknown. It is the same *kind* of obstruction as the frame example; equality of functions requires a quantum map **(d)** . The

frame audit excludes that example on the Toda side; neither result establishes an arbitrary physical freedom in either theory. One-body inputs alone do not compute the residual. **(c)** Evidence: `audit_smx.py`, groups `classical`, `families`, `poles`, `interfaces`, `quadrature`; this addendum does not relabel their conditional physical claims as proofs.

5.3 N07: refuted formulas in `defq_charges_fusion.tex`

(c) The controlling source is `audit_defq.tex` and its independent 70-digit `audit_defq.py`. M04's distinction remains essential: scattering uses $s = \sigma_{\mathrm{vac}}$, growth uses $c = \eta\sigma_{\mathrm{vac}}$. The following corrections supplement M04–M14.

1. **Absorption input.** The extra orientation in `s_abs=-2*r3*q1*eta_abs` passes $s = +1.5$ where -1.5 is required. It gives $z = 1.58257569495584$, not $z = 0$. Conservation on that transmitting solution does not test absorption. The audit's genuine absorption tests pass in both orientations.

2. **Energy trace and real-mode normalisation.** For $K = a_t F_1 + b_t G_1$, the correct trace is

$$\langle K\rangle_q + \langle K\rangle_{-q} = +\frac{\omega}{4\pi}\{\theta'(q) + \theta'(-q)\},$$

   with a plus sign. The script asserts that sign but prints the opposite one. A real mode with amplitude $1/\sqrt{\pi\omega}$ has time average $1/(2\pi\omega)$; the covariance used in the calculation is $1/(4\pi\omega)$, requiring an explicit half weight or amplitude $1/\sqrt{2\pi\omega}$. The momentum trace survives the independent audit.

3. **Asymptotic phase.** The sewn transmission has $z(+\infty) = z(-\infty) = e^{-2\pi i\eta/3}$, not the printed signed limit. This changes the cutoff phase reference, though not its derivative. The corrected linear UV divergence and boundary subtraction survive; no finite boundary scheme is thereby selected.

4. **Threshold rate.** At $c = \sqrt{3}$ the remaining positive rate is $\sqrt{3}/4$, not $(2\sqrt{3} - 1)/8$. The other branch is marginal. The generic real-triple counts $(0, 1, 2)$ and switching counts $(0, 1, 1)$ survive, with repeated roots and completeness qualified as in the audit.

5. **Pole argument against root shifts.** On the soliton root locus,

$$\frac{\ell(p) - \ell(q)}{p - q} = 3\sqrt{3}\{4(p^2 + pq + q^2) - 1\}, \qquad \ell(p) = 3\sqrt{3}(4p^3 - p).$$

   The alleged pole cancels, so this argument cannot exclude shifts. **(d)** It does not follow that consistent quantum root shifts exist. **(c)**

6. **Scope of fusion obstructions.** Nonzero canonical holonomies and absorbed-momentum remainders are verified examples. A vertex counterterm telescopes and cannot remove a demonstrated nonzero holonomy at fixed edge data. **(d)** Universal nonvanishing and a general physical no-go are unproved; shifted absorption data, the charge map and admissible states remain open. The restricted boundary-potential test does not classify every quantum counterterm. **(c)**

Check: `november_defect.` independently checks the asymptotic phase, threshold, real-mode variance and polynomial pole cancellation. The energy-operator and absorption checks remain attributed to `audit_defq.py`, not falsely claimed as fresh runs of this consolidation.

5.4 N08: one-body scheme result and corrections to its earlier audit

(c) The analytic Toda coefficient and precision extraction survive: $C_T = 1/(2\pi)$ and $0.1591549414 \pm 8.24 \times 10^{-6}$ (rounded-up deterministic envelope, about 5×10^{-5} relative). The earlier interpretation as an unexplained structural factor of four is superseded. Define

$E(P) = E_0(P) + \hbar_B F(P) + \cdots$, $C = \lim_{k\to 0} F(k)/|P_0(k)|$ and $c_s = 1 + \hbar_B s_1 + \cdots$. The later scheme audit confirms

$$(C_{\rm ac}, s_{1,\rm ac}) = \left(\frac{2}{\pi}, \frac{9}{4\pi}\right), \qquad (C_T, s_{1,T}) = \left(\frac{1}{2\pi}, \frac{3}{4\pi}\right).$$

The vacuum elastic matching term, fixed without soliton input, is

$$\Delta\mathcal{H} = -\frac{3\hbar_B}{2\pi}u^2, \qquad C_{\rm matched} = \frac{1}{2\pi}, \qquad C - s_1 = -\frac{1}{4\pi}.$$

The last quantity is invariant under a common finite quadratic elastic subtraction. The continuum zero-sound-shift assumption and unmatched ratio -8 in `audit_onebody.tex` are refuted. **(d)** Full quantum equivalence, the physical bad-equation determinant, and uniform limits remain open; the stable-band resonance is not repaired. Toda does not force a prescription on the good equation.

(c) Four further printed corrections to `audit_onebody.tex` are confirmed in `audit_onebody_scheme.tex`: use $b = e^{-a/2}$, not π/a; subtracting only the sound speed gives the edge velocity term $ayu'(y)/6$, not $ay(u'(y) - 1)/6$; the latter subtraction also removes the classical soliton velocity excess. The e_0/y^2 term in C_E has coefficient 3, not 3/2. At $q_* = -\sqrt{3}/2$, $v = 1$, the stable-band resonance obeys $\omega_b'(q_*) = 1$ and $\omega_b(q_*) = \sqrt{3}/4$, not the stated phase-velocity relation or derivative $-1/2$. Uniform interchange of limits is not established by the formal expansion. The scheme table's combined spreads at $y = 8, 16, 32$ omit the 1.685×10^{-8} sound-speed spread; the script includes it.

Check: `november_onebody.` independently differentiates the vacuum energies, checks the elastic coefficient and soliton moment, the invariant slopes, the leading Toda logarithmic contribution and the resonance/series corrections. `audit_onebody_scheme.py` remains the full independent package audit. No new regularisation is selected by recording its conditional matching result.

Addendum coverage and failures recorded. **(c)** N01 and N02 are still-failing original checks, explicitly asserted as counterexamples in `november_records`; success of this errata checker means those discrepancies were reproduced, not repaired. N03–N05 record test coverage and repairs with their actual audit/inventory evidence. N06–N08 retain all physical qualifications and identify which algebra is freshly rechecked here. No original tolerance or old script is edited. Audit-development failures, including the corrected cusp expectation in `audit_smx` and wrong asymptotic phase reference in `audit_defq`, remain in those audits' failures lists. No new mathematical tolerance is relaxed in this consolidation. **(c)** The extended `errata_checks.py` completed with `ALL CHECKS PASSED`; no mathematical assertion failed during this consolidation. Both revised PDFs were built twice with `pdflatex`; intermediate build and render files were kept outside the repository.

6 Numerical impact and coverage summary

(c) "Unchanged" is limited to these corrections and the inspected implementations; it does not certify every physical interpretation.

Result	Consequence	Items
Normal-ordered bad energy	Boundary shift changes from positive to negative; relative correction $-6\hbar\sinh\beta/\pi$. Published $c = 0$ soliton and breather tables are unchanged.	M02
Displayed good energy	Lower by $k^3(5 - 2k^2)/15$; inspected one-loop/charge functions already use correct data.	M03

Result	Consequence	Items
Negative-orientation defect	Example: z changes from $0.373565030471\ldots$ to $1.509710833986\ldots$ if erroneous prose is used literally. Existing unsigned-root functions are unchanged.	M04–M05
Sewing determinant and rates	Algebraic determinant is 16 times printed expression; zeros do not move. At $s = 1.9$ the missed growing rate is $+0.200256\ldots$, paired with $0.496894\ldots$.	M13–M14
WH printed transforms/series	Momentum transform gains $\sqrt{\pi}$; double transform gains π; inverse series changes. Original script already used the corrected momentum normalization.	I01–I04
Conditional edge coefficients	$c = -0.353987876975035\ldots$, $d = -0.004496962577251\ldots$, $e = 0.000451097178818\ldots$ survive. Printed reciprocity remainder is withdrawn, not replaced by a new number.	I06–I09
Classical phases, Toda samples	No sample overwritten. Formal c_0, c_1 integrals survive; resolved fit signs and a total 2×10^{-4} error do not.	M08; I08–I09
Bibliography	No numerical change; hypotheses, equation sign and algebra attributions need repair.	B01–B33

Claims (all c)	New check group	Evidence scope
M01–M03	`energies`	Exact Euler–Lagrange and integrals; 70-digit quadrature; source-energy body.
M04–M07, M10	`roots_defect`	Both orientations/directions, sewing and cubic substitution.
M08–M09, M11–M12	`minor`	Small-amplitude derivative; exact width limit; path/title checks.
M13–M14, I11	`defect_spectrum`	Off-shell determinant; admissible roots and threshold.
I01–I04, I08	`wh`	Factor products, normalization, reversion, inverse Laplace and convolution.
I05, I07	`darboux_kernel`	Corrected identities and counterexamples to false necessity.
I06	`reciprocity`	Independent finite-sea solves, 24/36 nodes; residuals below $10^{-40}/10^{-55}$.
I08–I09	`formal_integrals`	Formal quadratures and estimator algebra; no new dense edge fits.
B conventions	`source_dictionaries`	Exact substitutions; references separately checked online.
I10, README, bibliography	Source/record comparison	Not falsely assigned mathematical proof status.

Failures recorded.

1. **(c)** Historical false formulas are deliberately tested as counterexamples: bad cubic/Wick sign; good energy; signed defect root; transmission middle expression; root formulas; KdV ratio interpretation; WH symbol/scale/normalization/inverse series/double transform; Darboux factor; reciprocity product; and kernel necessity. Missing coverage and fit sensitivity are failures of earlier certification claims, not reasons to weaken tolerances.

2. **(c)** The source audits recorded a finite-h root bracket failure and an initially inverted Darboux transmission transcription, corrected without changing their equations or tolerances. Those historical failures remain in `audit_phase2i.tex`; this note does not claim to have rerun its full finite-h experiment.

3. **(c)** DOI requests encountered HTTP 403/503, bot challenges, empty redirects and occasional non-JSON registry responses. Retries and successful metadata reads are distinguished from inaccessible landing pages. One alternative fetch first failed schema validation, then reported bot blocking. The unresolved CZ DOI returned 404; Zakharov's identifier remains unverified.

4. **(c)** A read-only search initially used nonexistent `paper/draft1.tex`; the actual source is `paper/boussinesq_soliton_scattering.tex`. An intermediate inventory transcription named the wrong omitted S-matrix script and was repaired against the filesystem before final validation.

5. **(c)** The first document-assembly/build command used a repository-relative path while already in `phase2/`: the append failed with "No such file", and the incomplete TeX could not compile. Assembly was rerun from the root. A subsequent build encountered a truncated hyperref bookmark file from that interrupted build; errata-only auxiliary files were removed and bookmarks disabled before rebuilding. A later LaTeX attempt also rejected nested literal bibitem locators; these were replaced by plain bibliography keys. No existing file was touched. No mathematical assertion failed in the completed checker runs, and no mathematical tolerance was relaxed.

Reproduction and limits. **(c)** Run `python3 -B phase2/scripts/errata_checks.py`; it prints `ALL CHECKS PASSED`. Build `errata.tex` twice with `pdflatex` in `phase2/`. The legacy suite was not run because some scripts write non-errata outputs; this checker writes none. The bibliographic access limitations and unresolved physical claims above remain.