

Gabriel Cesar Gravena

RA: 24159150-2

Gustavo dos Santos Guimarães

RA: 24000191-2

1 - JavaScript

```
1 console.log(0.1 * 3 === 0.3);
2 console.log(9007199254740993);
3 |
```

a)

```
false
9007199254740992
```

b) execução

2 - Python

```
1 p = "maçã"
2 print(len(p), len(p.encode()))
3
```

a)

4 6

b) nunca

3 - Go

```
1 var b byte = 255
2 b++
3 fmt.Println(b)
4 |
```

a)

main.go:1:1: expected 'package', found 'var'

 Debug this error

b) compilação

4 - Java

```
1  int[] v = new int[3];
2  System.out.println(v[0]);
3  System.out.println(v[3]);
4  
```

a)

Main.java:2: error: class, interface, annotation type, enum, record, method or field expected

```
System.out.println(v[0]);
^
```

Main.java:3: error: class, interface, annotation type, enum, record, method or field expected

```
System.out.println(v[3]);
^
```

2 errors

b)execução

5- Rust

```
1  let s = String::from("oi");
2  let t = s;
3  println!("{}", s, t);
4  
```

a)

```

error: expected item, found keyword `let`
--> HelloWorld.rs:1:1
|
1 | let s = String::from("oi");
|   ^^^
|
| `let` cannot be used for global variables
| help: consider using `static` or `const` instead of `let`
|
= note: for a full list of items that can appear in modules, see
<https://doc.rust-lang.org/reference/items.html>

```

error: aborting due to 1 previous error

b)compilação

6 - C

```

1 union { int i; float f; } u;
2 u.f = 1.0f;
3 printf("%d\n", u.i);
4

```

a)

```

error: missing `enum` for enum definition
--> HelloWorld.rs:1:1
|
1 | union { int i; float f; } u;
|   ^^^^^
|
help: add `enum` here to parse `union` as an enum
|
1 | enum union { int i; float f; } u;
|   +++++

```

error: aborting due to 1 previous error

b)execução