COMANDOS SYMFONY

0.1- instalación

composer create-project symfony/website-skeleton SymfonyEntidadPrueba1


https://flotadigital.com/club/tutoriales/windows/instalar-symfony-en-windows-10/

0.2.-instala paquete apache

composer require symfony/apache-pack

```
C:\xampp\htdocs\master-php>composer require symfony/apache-pack
Using version ^1.0 for symfony/apache-pack
./composer.json has been created
Running composer update symfony/apache-pack
Loading composer repositories with package information
Updating dependencies
Lock file operations: 1 install, 0 updates, 0 removals
- Locking symfony/apache-pack (v1.0.1)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 1 install, 0 updates, 0 removals
- Installing symfony/apache-pack (v1.0.1): Extracting archive
Generating autoload files
No security vulnerability advisories found
```

0.3.- Ruta y verificación:



1.- Saber la versión:

2.-CREACIÓN DE UN PROYECTO EN SYMFOMY

ESTO HACE ALGO, E INSTALA UNA SERIE DE DEPENDENCIAS composer create-project symfony/skeleton prueba3

2.1-Crea archivos para BD: composer require orm

2.2.- modifica el archivo .env:


```
###> symfony/framework-bundle ###
                             APP_ENV=dev
                              APP_SECRET=27dd8de7838259e47f1c091a3902ecd2
                             ###< symfony/framework-bundle ###
                             ###> doctrine/doctrine-bundle ###
                              # Format described at https://www.doctrine-project.org/projects/doctrine-dbal/en/lates
                              # IMPORTANT: You MUST configure your server version, either here or in config/packages
                              # DATABASE_URL="sqlite:///%kernel.project_dir%/var/data.db"
                              DATABASE_URL="mysql://root@127.0.0.1:3306/bdpruebasym2"
✓ PRUEBASYM2
                             #DATABASE_URL="postgresql://app:!ChangeMe!@127.0.0.1:5432/app?serverVersion=14&charset
 > public
                              ###< doctrine/doctrine-bundle ###</pre>
 > src
 > var
 > vendor
```

2.3.-crea la base de datos:

php bin/console doctrine:database:create

```
C:\xampp\htdocs\master-php\pruebasym2>php bin/console doctrine:database:create
Created database `bdpruebasym2` for connection named default
C:\xampp\htdocs\master-php\pruebasym2>
```

2.4. Verifico:



2.5.-Instanciar el maker-bunlde --dev

composer require symfony/maker-bundle -dev

2.6- Verificación:

```
C:\xampp\htdocs\master-php\pruebasym2>composer require symfony/maker-bundle --dev
Using version ^1.48 for symfony/maker-bundle
./composer.json has been updated
Running composer update symfony/maker-bundle
Loading composer repositories with package information
```

Se configuran las propiedades

3.- CREAR UNA ENTIDAD:

php bin/console make:entity

verificación:

```
Entity generated! Now let's add some fields!
You can always add more fields later manually or by re-running this command.

New property name (press <return> to stop adding fields):
> Titulo

Field type (enter ? to see all types) [string]:
>

Field length [255]:
>
Can this field be null in the database (nullable) (yes/no) [no]:
```

PREVIO A CREAR UNA ENTIDAD:

- 4.-composer require symfony/maker-bundle –dev
- 5.-C:\Users\rmart\prueba>composer require orm

6.-

```
No security vulnerability advisories found

C:\Users\rmart\prueba3>php bin/console make:entity

Class name of the entity to create or update (e.g. GentleKangaroo):

>
```

7.-no: php bin/console doctrine:create

8.-

php bin/console doctrine:database:create

- 9.- Realizar migración: php bin/console make:migration
- 10.- Run the migration with: php bin/console doctrine:migrations:migrate
- 11.-symfony console make:controller MainController
- X.- ARRANCAR EL SERVER SYMFONY. Ahora hay que arrancar el servicio con la IP proporcionada: symfony server:start

Importantisimo:

configurar el driver: Introducir el root y el pswd

```
###> doctrine/doctrine-bundle ###
# Format described at https://www.doctrine-project.org/projects/doctrine-dbal/en/latest/refe
# IMPORTANT: You MUST configure your server version, either here or in config/packages/doctr
#
# DATABASE_URL="sqlite:///%kernel.project_dir%/var/data.db"
| DATABASE_URL="mysql://root:@127.0.0.1:3306/pruebaEntidad?serverVersion=8&charset=utf8mb4"
#DATABASE_URL="postgresql://app:!ChangeMe!@127.0.0.1:5432/app?serverVersion=14&charset=utf8"
###< doctrine/doctrine-bundle ###</pre>
```

Y la salida es la siguiente:

C:\Users\rmart\prueba3>php bin/console doctrine:database:create
Created database `pruebaEntidad` for connection named default

C:\Users\rmart\prueba3>

PHP desde cero, bases de datos, SQL, MvSQL, POO, MVC, Laravel 9.

Se crean las entidades:

```
updated: src/Entity/Articulo.php

Add another property? Enter the property name (or press <return> to stop adding fields):
> Descripcion

Field type (enter ? to see all types) [string]:
> 

Field length [255]:
> 

Can this field be null in the database (nullable) (yes/no) [no]:
> 

updated: src/Entity/Articulo.php

Add another property? Enter the property name (or press <return> to stop adding fields):
>
```

Ahora menciona que ha de hacerse la migración en los siguientes términos:

```
Success!

Next: When you're ready, create a migration with php bin/console make:migration

:\xampp\htdocs\master-php\pruebasym2>
```

Aun no se ha creado la tabla. Se prueba a crear una migración:

A la primera introducción del comando no se crea. A la segunda sí (sin que haga nada particular):

```
C:\xampp\htdocs\master-php\pruebasym2>php bin/console make:migration

[WARNING] You have 1 available migrations to execute.

Are you sure you wish to continue? (yes/no) [yes]:
>
```

El resultado es exitoso:

```
Are you sure you wish to continue? (yes/no) [yes]:

> yes

Success!

Next: Review the new migration "migrations/Version20221213151535.php"
Then: Run the migration with php bin/console doctrine:migrations:migrate
See https://symfony.com/doc/current/bundles/DoctrineMigrationsBundle/index.html
```

Todavía no existe la tabla. Ya el sistema recomenda arrancar la migración:

```
C:\xampp\htdocs\master-php\pruebasym2>php bin/console doctrine:migrations:migrate

WARNING! You are about to execute a migration in database "bdpruebasym2" that cooss. Are you sure you wish to continue? (yes/no) [yes]:

>
```


Me salta el siguiente mensaje:

```
> yes

[notice] Migrating up to DoctrineMigrations\Version20221213151535
[error] Migration DoctrineMigrations\Version20221213151535 failed during Execution. Error: "An exception occurred while executing a query: SQLSTATE[42501]: Base table or view already exists: 1050 Table 'articulo' already exists."
[critical] Error thrown while running command "doctrine:migrations:migrate". Message: "An exception occurred while executing a query: SQLSTATE[42501]: Base table or view already exists: 1050 Table 'articulo' already exists"

In ExceptionConverter.php line 45:
```

Cuando reviso mi tabla, ahí está la instancia:



Creo el controlador con el siguiente comando: php bin/console make:controller

```
C:\xampp\htdocs\master-php\pruebasym2>php bin/console make:controller

Choose a name for your controller class (e.g. GentleKangarooController):
> mainController

created: src/Controller/MainController.php

Success!

Next: Open your new controller class and add some pages!
```

Instalo las plantillas de vista con el comando: composer require twig:

```
What's next?

Some files have been created and/or updated to configure your new packages. Please review, edit and commit them: these files are yours.

No security vulnerability advisories found

C:\xampp\htdocs\master-php\pruebasym2>
```

Creo otro controlador, ya con a vistas creadas con el comando: php bin/console make:controller

```
Run composer recipes at any time to see the status of your Symfony recipes.

Executing script cache:clear [OK]

Executing script assets:install public [OK]

No security vulnerability advisories found

What's next?

Some files have been created and/or updated to configure your new packages.

Please review, edit and commit them: these files are yours.

No security vulnerability advisories found

C:\xampp\htdocs\master-php\pruebasym2>
```

FIN PRÁCTICA ENTIDADES. Ignorar los siguiente.

Crea un controlador extra (que no hago). Y inicio el server:

He de realizar una ejecución previa:

```
Some files have been created and/or updated to configure your new packages.

Please review, edit and commit them: these files are yours.

No security vulnerability advisories found

C:\xampp\htdocs\master-php\pruebasym2>php bin/console server:start

[critical] Error thrown while running command ""server:start"". Message: "There are no comman namespace.

You may be looking for a command provided by the "Debug Bundle" which is currently not instal require symfony/debug-bundle --dev".

There are no commands defined in the "server" namespace.

You may be looking for a command provided by the "Debug Bundle" which is currently not instal oser require symfony/debug-bundle --dev".
```

Realizo la ejecución previa: composer require symfony/debug-bundle -dev

```
C:\xampp\htdocs\master-php\pruebasym2>composer require symfony/debug-bundle --dev
curl error 60 while downloading https://raw.githubusercontent.com/symfony/recipes-contrib/fle
x.json: SSL certificate problem: unable to get local issuer certificate
https://raw.githubusercontent.com/symfony/recipes-contrib/flex/main/index.json could not be f
 package information was loaded from the local cache and may be out of date
./composer.json has been updated
curl error 60 while downloading https://raw.githubusercontent.com/symfony/recipes-contrib/fle
x.json: SSL certificate problem: unable to get local issuer certificate
nttps://raw.githubusercontent.com/symfony/recipes-contrib/flex/main/index.json could not be fu
 package information was loaded from the local cache and may be out of date
unning composer update symfony/debug-bundle
oading composer repositories with package information
pdating dependencies
ock file operations: 1 install, 0 updates, 0 removals
 - Locking symfony/debug-bundle (v6.0.11)
riting lock file
installing dependencies from lock file (including require-dev)
ackage operations: 1 install, 0 updates, 0 removals
 - Installing symfony/debug-bundle (v6.0.11): Extracting archive
enerating optimized autoload files
19 packages you are using are looking for funding.
 se the `composer fund` command to find out more!
```

Instalo el componente apache: composer require symfony/apache-pack

```
lo security vulnerability advisories found
C:\xampp\htdocs\master-php\pruebasym2>composer require symfony/apache-pack
curl error 60 while downloading https://raw.githubusercontent.com/symf
x.json: SSL certificate problem: unable to get local issuer certificate
https://raw.githubusercontent.com/symfony/recipes-contrib/flex/main/index.json could not be fully loaded
  package information was loaded from the local cache and may be out of date
Using version ^1.0 for symfony/apache-pack
/composer.json has been updated
curl error 60 while downloading https://raw.githubusercontent.com/symfony/recipes-contrib/flex/main/inde
x.json: SSL certificate problem: unable to get local issuer certificate
https://raw.githubusercontent.com/symfony/recipes-contrib/flex/main/index.json could not be fully loaded
 package information was loaded from the local cache and may be out of date
Running composer update symfony/apache-pack
Loading composer repositories with package information
Jpdating dependencies
 - Locking symfony/apache-pack (v1.0.1)
 riting lock file
Installing dependencies from lock file (including require-dev)
Package operations: 1 install, 0 updates, 0 removals
 - Downloading symfony/apache-pack (v1.0.1)
 - Installing symfony/apache-pack (v1.0.1): Extracting archive
9 packages you are using are looking for funding.
Failed to download recipe: curl error 60 while downloading https://raw.githubusercontent.com/symfony/rec
ipes-contrib/flex/main/symfony.apache-pack.1.0.json: SSL certificate problem: unable to get local issuer
```

Arranco el server:

```
No security vulnerability advisories found

C:\xampp\htdocs\master-php\pruebasym2>php bin/console server:start

Command "server:start" is not defined.

Do you want to run "server:dump" instead? (yes/no) [no]:

>
```

No ejecuta el comando pero me ofrece otro comando. El "dump". Lo ejecuto:

Esta manera de generar el CRUD no es la recomendable: php bin/console make:crud

```
^C
C:\xampp\htdocs\master-php\pruebasym2>php bin/console make:crud

[ERROR] Missing packages: to use the make:crud command, run:

composer require form validator
    security-csrf annotations
```

Introduzco un comando tope tocho de largo:

```
:\xampp\htdocs\master-php\pruebasym2>composer require form validator security-csrf annotations
curl error 60 while downloading https://raw.githubusercontent.co
SSL certificate problem: unable to get local issuer certificate
nttps://raw.githubusercontent.com/symfony/recipes/flex/main/index.json could not be fully loaded, packa
information was loaded from the local cache and may be out of date info from https://repo.packagist.org: #StandWithUkraine
Jsing version ^6.2 for sensio/framework-extra-bundle
/composer.json has been updated
curl error 60 while downloading https://raw.githubusercontent.com/symfony/recipes-contrib/flex/main/ind
.json: SSL certificate problem: unable to get local issuer certificate
ttps://raw.githubusercontent.com/symfony/recipes-contrib/flex/main/index.json could not be fully loader
 package information was loaded from the local cache and may be out of date
 unning composer update symfony/form symfony/validator symfony/security-csrf sensio/framework-extra-bun
oading composer repositories with package information
 pdating dependencies
 - Locking sensio/framework-extra-bundle (v6.2.9)
 - Locking symfony/form (v6.0.16)
```

Luego, aprieto una vez la flecha hacia arriba: php bin/console make:crud

Me voy a mi BD y selecciona la entidad creada:



Selecciono el nombre artículo:

```
C:\xampp\htdocs\master-php\pruebasym2>php bin/console make:crud
The class name of the entity to create CRUD (e.g. FierceKangaroo):
> Articulo
Choose a name for your controller class (e.g. ArticuloController) [ArticuloController]:
> ArticuloController
Do you want to generate tests for the controller?. [Experimental] (yes/no) [no]:
> no
```

Se crea una serie de dependencias:

```
created: src/Controller/ArticuloController.php
created: src/Form/ArticuloType.php
created: templates/articulo/_delete_form.html.twig
created: templates/articulo/_form.html.twig
created: templates/articulo/edit.html.twig
created: templates/articulo/index.html.twig
created: templates/articulo/new.html.twig
created: templates/articulo/show.html.twig
created: templates/articulo/show.html.twig
Success!

Next: Check your new CRUD by going to /articulo/
C:\xampp\htdocs\master-php\pruebasym2>
```